

Verena Keitel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7843193/verena-keitel-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

5,868
citations

40
h-index

75
g-index

141
ext. papers

7,063
ext. citations

6.7
avg, IF

5.52
L-index

#	Paper	IF	Citations
123	Inflammation, Hyperglycemia, and Adverse Outcomes in Individuals With Diabetes Mellitus Hospitalized for COVID-19.. <i>Diabetes Care</i> , 2022 ,	14.6	3
122	Autoantibody formation against a canalicular epitope found in a patient with acute intrahepatic cholestasis with PFIC-like presentation.. <i>JHEP Reports</i> , 2022 , 4, 100418	10.3	
121	Spontaneous cholemia in C57BL/6 mice predisposes to liver cancer in NASH. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021 ,	7.9	2
120	Comparison of Different Systemic Therapeutic Regimes in Resectable Soft-Tissue Sarcoma-Results of a Network Meta-Analysis. <i>Cancers</i> , 2021 , 13,	6.6	1
119	JNK signaling prevents biliary cyst formation through a CASPASE-8-dependent function of RIPK1 during aging. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	4
118	Case Report: Convalescent Plasma Achieves SARS-CoV-2 Viral Clearance in a Patient With Persistently High Viral Replication Over 8 Weeks Due to Severe Combined Immunodeficiency (SCID) and Graft Failure. <i>Frontiers in Immunology</i> , 2021 , 12, 645989	8.4	2
117	Reconvalescent plasma/camostat mesylate in early SARS-CoV-2 Q-PCR positive high-risk individuals (RES-Q-HR): a structured summary of a study protocol for a randomized controlled trial. <i>Trials</i> , 2021 , 22, 343	2.8	1
116	The many facets of bile acids in the physiology and pathophysiology of the human liver. <i>Biological Chemistry</i> , 2021 , 402, 1047-1062	4.5	2
115	Diagnosis and management of secondary causes of steatohepatitis. <i>Journal of Hepatology</i> , 2021 , 74, 1455-1471	13.4	13
114	IL-17A/F enable cholangiocytes to restrict T cell-driven experimental cholangitis by upregulating PD-L1 expression. <i>Journal of Hepatology</i> , 2021 , 74, 919-930	13.4	5
113	Dubin-Johnson Syndrome as Differential Diagnosis for Neonatal Cholestasis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021 , 72, e105-e111	2.8	3
112	Disease severity-specific neutrophil signatures in blood transcriptomes stratify COVID-19 patients. <i>Genome Medicine</i> , 2021 , 13, 7	14.4	73
111	Sensitivity of anti-SARS-CoV-2 serological assays in a high-prevalence setting. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021 , 40, 1063-1071	5.3	28
110	Circulating Osteopontin Levels and Outcomes in Patients Hospitalized for COVID-19. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
109	Gallbladder Wall Thickening associated with Dengue Shock Syndrome in a German traveller - no indication for surgical therapy - a case report. <i>Tropical Diseases, Travel Medicine and Vaccines</i> , 2021 , 7, 23	3.2	
108	Transcriptomic Cross-Species Analysis of Chronic Liver Disease Reveals Consistent Regulation Between Humans and Mice. <i>Hepatology Communications</i> , 2021 ,	6	2
107	Delayed skin reaction after mRNA-1273 vaccine against SARS-CoV-2: a rare clinical reaction. <i>European Journal of Medical Research</i> , 2021 , 26, 98	4.8	5

106	Informed consent and informed intervention: SARS-CoV-2 vaccinations not just call for disclosure of newly emerging safety data but also for hypothesis generation and testing. <i>European Journal of Medical Research</i> , 2021 , 26, 87	4.8	0
105	Early IFN- β signatures and persistent dysfunction are distinguishing features of NK cells in severe COVID-19. <i>Immunity</i> , 2021 , 54, 2650-2669.e14	32.3	31
104	An elevated FIB-4 score predicts liver cancer development: A longitudinal analysis from 29,999 patients with NAFLD. <i>Journal of Hepatology</i> , 2021 ,	13.4	6
103	Association of HLA genotypes, ABO blood type and chemokine receptor 5 mutant CD195 with the clinical course of COVID-19. <i>European Journal of Medical Research</i> , 2021 , 26, 107	4.8	3
102	Reply to: "Multiple investigations for a very common disorder: Finding the right balance in NAFLD". <i>Journal of Hepatology</i> , 2021 , 75, 1502-1503	13.4	
101	Emergence of the E484K mutation in SARS-COV-2-infected immunocompromised patients treated with bamlanivimab in Germany. <i>Lancet Regional Health - Europe, The</i> , 2021 , 8, 100164		24
100	Downregulation of TGR5 (GPBAR1) in biliary epithelial cells contributes to the pathogenesis of sclerosing cholangitis. <i>Journal of Hepatology</i> , 2021 , 75, 634-646	13.4	11
99	On the Mechanisms of Biliary Flux. <i>Hepatology</i> , 2021 , 74, 3497-3512	11.2	6
98	Dose-optimised chest computed tomography for diagnosis of Coronavirus Disease 2019 (COVID-19) - Evaluation of image quality and diagnostic impact. <i>Journal of Radiological Protection</i> , 2020 , 40, 877-891	1.2	8
97	TGR5 (GPBAR1) in the Liver 2020 , 286-298		
96	Genetic structure of SARS-CoV-2 reflects clonal superspreading and multiple independent introduction events, North-Rhine Westphalia, Germany, February and March 2020. <i>Eurosurveillance</i> , 2020 , 25,	19.8	32
95	Bile-Based Cell-Free DNA Analysis Is a Reliable Diagnostic Tool in Pancreatobiliary Cancer. <i>Cancers</i> , 2020 , 13,	6.6	6
94	Bile Acids and TGR5 (Gpbar1) Signaling 2020 , 81-100		2
93	Incidental F-FDG uptake in the colon: value of contrast-enhanced CT correlation with colonoscopic findings. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 778-786	8.8	4
92	Dimerization energetics of the G-protein coupled bile acid receptor TGR5 from all-atom simulations. <i>Journal of Computational Chemistry</i> , 2020 , 41, 874-884	3.5	3
91	Soluble Urokinase Receptor (SuPAR) in COVID-19-Related AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 2725-2735	12.7	45
90	Reply to Letter to the Editor: "The added benefit of contrast-enhanced CT in the evaluation of incidental FDG-avid colon lesions". <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 2245-2246	8.8	
89	Fragile X mental retardation protein protects against tumour necrosis factor-mediated cell death and liver injury. <i>Gut</i> , 2020 , 69, 133-145	19.2	6

88	Targeting FXR in Cholestasis. <i>Handbook of Experimental Pharmacology</i> , 2019 , 256, 299-324	3.2	34
87	A rare cause of a cholestatic jaundice in a North African teenager. <i>Liver International</i> , 2019 , 39, 2036-2041.	4.9	3
86	Reply. <i>Hepatology</i> , 2019 , 70, 1074-1075	11.2	
85	Nuclear Translocation of RELB Is Increased in Diseased Human Liver and Promotes Ductular Reaction and Biliary Fibrosis in Mice. <i>Gastroenterology</i> , 2019 , 156, 1190-1205.e14	13.3	10
84	Bile Microinfarcts in Cholestasis Are Initiated by Rupture of the Apical Hepatocyte Membrane and Cause Shunting of Bile to Sinusoidal Blood. <i>Hepatology</i> , 2019 , 69, 666-683	11.2	46
83	Bile Acid-Activated Receptors: GPBAR1 (TGR5) and Other G Protein-Coupled Receptors. <i>Handbook of Experimental Pharmacology</i> , 2019 , 256, 19-49	3.2	44
82	iRhom2 inhibits bile duct obstruction-induced liver fibrosis. <i>Science Signaling</i> , 2019 , 12,	8.8	13
81	Alloimmunity and Cholestasis After Liver Transplantation in Children With Progressive Familial Intrahepatic Cholestasis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019 , 68, 169-174	2.8	6
80	The G Protein-Coupled Bile Acid Receptor TGR5 (Gpbar1) Modulates Endothelin-1 Signaling in Liver. <i>Cells</i> , 2019 , 8,	7.9	23
79	The Epidermal Growth Factor Receptor Ligand Amphiregulin Protects From Cholestatic Liver Injury and Regulates Bile Acids Synthesis. <i>Hepatology</i> , 2019 , 69, 1632-1647	11.2	19
78	Bile acid receptors in the biliary tree: TGR5 in physiology and disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018 , 1864, 1319-1325	6.9	63
77	B Cell-Mediated Maintenance of Cluster of Differentiation 169-Positive Cells Is Critical for Liver Regeneration. <i>Hepatology</i> , 2018 , 68, 2348-2361	11.2	11
76	Cholestasis induced liver pathology results in dysfunctional immune responses after arenavirus infection. <i>Scientific Reports</i> , 2018 , 8, 12179	4.9	4
75	Serum IP-10 levels and increased DPPiV activity are linked to circulating CXCR3+ T cells in cholestatic HCV patients. <i>PLoS ONE</i> , 2018 , 13, e0208225	3.7	1
74	Bile Acid G Protein-Coupled Membrane Receptor TGR5 Modulates Aquaporin 2-Mediated Water Homeostasis. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 2658-2670	12.7	27
73	Role of TGR5 (GPBAR1) in Liver Disease. <i>Seminars in Liver Disease</i> , 2018 , 38, 333-339	7.3	33
72	Allogeneic haematopoietic stem cell transplantation eliminates alloreactive inhibitory antibodies after liver transplantation for bile salt export pump deficiency. <i>Journal of Hepatology</i> , 2018 , 69, 961-965	13.4	11
71	Kupffer Cell-Derived Tnf Triggers Cholangiocellular Tumorigenesis through JNK due to Chronic Mitochondrial Dysfunction and ROS. <i>Cancer Cell</i> , 2017 , 31, 771-789.e6	24.3	98

70	Role of the G Protein-Coupled Bile Acid Receptor TGR5 in Liver Damage. <i>Digestive Diseases</i> , 2017 , 35, 235-240	3.2	30
69	Sequencing of FIC1, BSEP and MDR3 in a large cohort of patients with cholestasis revealed a high number of different genetic variants. <i>Journal of Hepatology</i> , 2017 , 67, 1253-1264	13.4	68
68	Defective Platelet Activation and Bleeding Complications upon Cholestasis in Mice. <i>Cellular Physiology and Biochemistry</i> , 2017 , 41, 2133-2149	3.9	10
67	Post-transplant Recurrent Bile Salt Export Pump Disease: A Form of Antibody-mediated Graft Dysfunction and Utilization of C4d. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017 , 65, 364-369 ^{2.8}	3.8	7
66	Ammonia Attenuates LPS-Induced Upregulation of Pro-Inflammatory Cytokine mRNA in Co-Cultured Astrocytes and Microglia. <i>Neurochemical Research</i> , 2017 , 42, 737-749	4.6	22
65	Farnesoid X Receptor in Mice Prevents Severe Liver Immunopathology During Lymphocytic Choriomeningitis Virus Infection. <i>Cellular Physiology and Biochemistry</i> , 2017 , 41, 323-338	3.9	10
64	Structural assemblies of the di- and oligomeric G-protein coupled receptor TGR5 in live cells: an MFIS-FRET and integrative modelling study. <i>Scientific Reports</i> , 2016 , 6, 36792	4.9	17
63	TGR5 is essential for bile acid-dependent cholangiocyte proliferation in vivo and in vitro. <i>Gut</i> , 2016 , 65, 487-501	19.2	111
62	Hepatitis C Virus Activates a Neuregulin-Driven Circuit to Modify Surface Expression of Growth Factor Receptors of the ErbB Family. <i>PLoS ONE</i> , 2016 , 11, e0148711	3.7	8
61	Analysis of the Bile Salt Export Pump (ABCB11) Interactome Employing Complementary Approaches. <i>PLoS ONE</i> , 2016 , 11, e0159778	3.7	11
60	Molecular Mechanisms of Glutamine Synthetase Mutations that Lead to Clinically Relevant Pathologies. <i>PLoS Computational Biology</i> , 2016 , 12, e1004693	5	20
59	Bile salt export pump-reactive antibodies form a polyclonal, multi-inhibitory response in antibody-induced bile salt export pump deficiency. <i>Hepatology</i> , 2016 , 63, 524-37	11.2	34
58	Cooperative role of lymphotoxin I receptor and tumor necrosis factor receptor p55 in murine liver regeneration. <i>Journal of Hepatology</i> , 2016 , 64, 1108-1117	13.4	7
57	Conjugated bilirubin triggers anemia by inducing erythrocyte death. <i>Hepatology</i> , 2015 , 61, 275-84	11.2	109
56	Monoterpene (-)-citronellal affects hepatocarcinoma cell signaling via an olfactory receptor. <i>Archives of Biochemistry and Biophysics</i> , 2015 , 566, 100-9	4.1	64
55	Mutational mapping of the transmembrane binding site of the G-protein coupled receptor TGR5 and binding mode prediction of TGR5 agonists. <i>European Journal of Medicinal Chemistry</i> , 2015 , 104, 57-72 ^{6.8}	6.8	22
54	Autoimmune BSEP disease: disease recurrence after liver transplantation for progressive familial intrahepatic cholestasis. <i>Clinical Reviews in Allergy and Immunology</i> , 2015 , 48, 273-84	12.3	41
53	TGR5: pathogenetic role and/or therapeutic target in fibrosing cholangitis?. <i>Clinical Reviews in Allergy and Immunology</i> , 2015 , 48, 218-25	12.3	34

52	Multidrug resistance-associated protein 4 expression in ammonia-treated cultured rat astrocytes and cerebral cortex of cirrhotic patients with hepatic encephalopathy. <i>Glia</i> , 2015 , 63, 2092-2105	9	10
51	The role of the lymphotoxin- β receptor (LT β R) in hepatocyte-mediated liver regeneration. <i>European Journal of Medical Research</i> , 2014 , 19, S3	4.8	1
50	The secondary structure of the TGR5 membrane-proximal C-terminus determines plasma membrane localization and responsiveness towards extracellular ligands. <i>European Journal of Medical Research</i> , 2014 , 19, S14	4.8	78
49	Role of the bile acid receptor TGR5 (Gpbar-1) in liver damage and regeneration. <i>European Journal of Medical Research</i> , 2014 , 19,	4.8	1
48	Remote ischemic preconditioning preserves Connexin 43 phosphorylation in the rat heart in vivo. <i>Journal of Translational Medicine</i> , 2014 , 12, 228	8.5	36
47	A membrane-proximal, C-terminal β helix is required for plasma membrane localization and function of the G Protein-coupled receptor (GPCR) TGR5. <i>Journal of Biological Chemistry</i> , 2014 , 289, 3689-3702	5.4	13
46	Characterization of animal models for primary sclerosing cholangitis (PSC). <i>Journal of Hepatology</i> , 2014 , 60, 1290-303	13.4	96
45	Role of macrophages in bile acid-induced inflammatory response of fetal lung during maternal cholestasis. <i>Journal of Molecular Medicine</i> , 2014 , 92, 359-72	5.5	18
44	Recent advances in 2D and 3D in vitro systems using primary hepatocytes, alternative hepatocyte sources and non-parenchymal liver cells and their use in investigating mechanisms of hepatotoxicity, cell signaling and ADME. <i>Archives of Toxicology</i> , 2013 , 87, 1315-530	5.8	837
43	Precipitants of hepatic encephalopathy induce rapid astrocyte swelling in an oxidative stress dependent manner. <i>Archives of Biochemistry and Biophysics</i> , 2013 , 536, 143-51	4.1	39
42	Bile acids PKA-dependently induce a switch of the IL-10/IL-12 ratio and reduce proinflammatory capability of human macrophages. <i>Journal of Leukocyte Biology</i> , 2013 , 94, 1253-64	6.5	86
41	TGR5 in cholangiocytes. <i>Current Opinion in Gastroenterology</i> , 2013 , 29, 299-304	3	35
40	Short-term feedback regulation of bile salt uptake by bile salts in rodent liver. <i>Hepatology</i> , 2012 , 56, 2387-97	11.2	27
39	Perspective: TGR5 (Gpbar-1) in liver physiology and disease. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2012 , 36, 412-9	2.4	86
38	Hepatobiliary Transport in Health and Disease 2012 ,		8
37	TGR5 in the biliary tree. <i>Digestive Diseases</i> , 2011 , 29, 45-7	3.2	42
36	Locomotor impairment and cerebrocortical oxidative stress in portal vein ligated rats in vivo. <i>Journal of Hepatology</i> , 2011 , 54, 251-7	13.4	33
35	Heterologous overexpression and mutagenesis of the human bile salt export pump (ABCB11) using DREAM (Directed REcombination-Assisted Mutagenesis). <i>PLoS ONE</i> , 2011 , 6, e20562	3.7	11

34	Microglia activation in hepatic encephalopathy in rats and humans. <i>Hepatology</i> , 2011 , 54, 204-15	11.2	105
33	Ammonia increases nitric oxide, free Zn(2+), and metallothionein mRNA expression in cultured rat astrocytes. <i>Biological Chemistry</i> , 2011 , 392, 1155-65	4.5	32
32	TGR5 sequence variation in primary sclerosing cholangitis. <i>Digestive Diseases</i> , 2011 , 29, 78-84	3.2	25
31	Mutational characterization of the bile acid receptor TGR5 in primary sclerosing cholangitis. <i>PLoS ONE</i> , 2010 , 5, e12403	3.7	90
30	The membrane-bound bile acid receptor TGR5 (Gpbar-1) is localized in the primary cilium of cholangiocytes. <i>Biological Chemistry</i> , 2010 , 391, 785-9	4.5	91
29	Protein kinase C induces endocytosis of the sodium taurocholate cotransporting polypeptide. <i>American Journal of Physiology - Renal Physiology</i> , 2010 , 299, G320-8	5.1	27
28	Ammonia triggers exocytotic release of L-glutamate from cultured rat astrocytes. <i>Glia</i> , 2010 , 58, 691-705	9	47
27	Bile acid-induced arrhythmia is mediated by muscarinic M2 receptors in neonatal rat cardiomyocytes. <i>PLoS ONE</i> , 2010 , 5, e9689	3.7	82
26	The bile acid receptor TGR5 (Gpbar-1) acts as a neurosteroid receptor in brain. <i>Glia</i> , 2010 , 58, 1794-805	9	161
25	Expression and localization of atypical PKC isoforms in liver parenchymal cells. <i>Biological Chemistry</i> , 2009 , 390, 235-44	4.5	10
24	Hypoosmotic swelling affects zinc homeostasis in cultured rat astrocytes. <i>Glia</i> , 2009 , 57, 79-92	9	57
23	The membrane-bound bile acid receptor TGR5 is localized in the epithelium of human gallbladders. <i>Hepatology</i> , 2009 , 50, 861-70	11.2	202
22	De novo bile salt transporter antibodies as a possible cause of recurrent graft failure after liver transplantation: a novel mechanism of cholestasis. <i>Hepatology</i> , 2009 , 50, 510-7	11.2	104
21	Expression and function of the bile acid receptor TGR5 in Kupffer cells. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 372, 78-84	3.4	302
20	Amplification of CD95 activation by caspase 8-induced endosomal acidification in rat hepatocytes. <i>Journal of Biological Chemistry</i> , 2008 , 283, 2211-22	5.4	19
19	Ammonia induces RNA oxidation in cultured astrocytes and brain in vivo. <i>Hepatology</i> , 2008 , 48, 567-79	11.2	105
18	A mutation in the canalicular phospholipid transporter gene, ABCB4, is associated with cholestasis, ductopenia, and cirrhosis in adults. <i>Hepatology</i> , 2008 , 48, 1157-66	11.2	88
17	Endocrine and paracrine role of bile acids. <i>World Journal of Gastroenterology</i> , 2008 , 14, 5620-9	5.6	93

16	The G-protein coupled bile salt receptor TGR5 is expressed in liver sinusoidal endothelial cells. <i>Hepatology</i> , 2007 , 45, 695-704	11.2	242
15	Activation of NF-kappaB by IL-1beta blocks IL-6-induced sustained STAT3 activation and STAT3-dependent gene expression of the human gamma-fibrinogen gene. <i>Cellular Signalling</i> , 2007 , 19, 1866-78	4.9	44
14	CD95 tyrosine phosphorylation is required for CD95 oligomerization. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2007 , 12, 719-29	5.4	25
13	Modulation of gene expression profiles by hyperosmolarity and insulin. <i>Cellular Physiology and Biochemistry</i> , 2007 , 20, 369-86	3.9	10
12	CD133+ hepatic stellate cells are progenitor cells. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 352, 410-7	3.4	187
11	Combined mutations of canalicular transporter proteins cause severe intrahepatic cholestasis of pregnancy. <i>Gastroenterology</i> , 2006 , 131, 624-9	13.3	137
10	Inflammatory cytokines induce protein tyrosine nitration in rat astrocytes. <i>Archives of Biochemistry and Biophysics</i> , 2006 , 449, 104-14	4.1	52
9	Benign recurrent intrahepatic cholestasis associated with mutations of the bile salt export pump. <i>Journal of Clinical Gastroenterology</i> , 2006 , 40, 171-5	3	69
8	Bile salt-induced apoptosis involves NADPH oxidase isoform activation. <i>Gastroenterology</i> , 2005 , 129, 2009-31	13.3	132
7	Inborn errors of biliary canalicular transport systems. <i>Methods in Enzymology</i> , 2005 , 400, 558-69	1.7	18
6	Expression and localization of hepatobiliary transport proteins in progressive familial intrahepatic cholestasis. <i>Hepatology</i> , 2005 , 41, 1160-72	11.2	188
5	Degradation of the sodium taurocholate cotransporting polypeptide (NTCP) by the ubiquitin-proteasome system. <i>Biological Chemistry</i> , 2005 , 386, 1065-74	4.5	28
4	A common Dubin-Johnson syndrome mutation impairs protein maturation and transport activity of MRP2 (ABCC2). <i>American Journal of Physiology - Renal Physiology</i> , 2003 , 284, G165-74	5.1	93
3	Impaired protein maturation of the conjugate export pump multidrug resistance protein 2 as a consequence of a deletion mutation in Dubin-Johnson syndrome. <i>Hepatology</i> , 2000 , 32, 1317-28	11.2	116
2	Genetic structure of SARS-CoV-2 in Western Germany reflects clonal superspreading and multiple independent introduction events		3
1	Sensitivity of commercial Anti-SARS-CoV-2 serological assays in a high-prevalence setting		10