

Youn-Jung Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7844088/publications.pdf>

Version: 2024-02-01

107
papers

1,380
citations

471061

17
h-index

476904

29
g-index

121
all docs

121
docs citations

121
times ranked

2148
citing authors

#	ARTICLE	IF	CITATIONS
1	Combination therapy of vitamin C and thiamine for septic shock: a multi-centre, double-blinded randomized, controlled study. <i>Intensive Care Medicine</i> , 2020, 46, 2015-2025.	3.9	105
2	Outcomes and Role of Urgent Endoscopy in High-Risk Patients With Acute Nonvariceal Gastrointestinal Bleeding. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 370-377.	2.4	86
3	Long-term neurological outcomes in patients after out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2016, 101, 1-5.	1.3	63
4	Sodium bicarbonate on severe metabolic acidosis during prolonged cardiopulmonary resuscitation: a double-blind, randomized, placebo-controlled pilot study. <i>Journal of Thoracic Disease</i> , 2018, 10, 2295-2302.	0.6	47
5	High mortality from viral pneumonia in patients with cancer. <i>Infectious Diseases</i> , 2019, 51, 502-509.	1.4	42
6	Early Vitamin C and Thiamine Administration to Patients with Septic Shock in Emergency Departments: Propensity Score-Based Analysis of a Before-and-After Cohort Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 102.	1.0	41
7	Role of blood gas analysis during cardiopulmonary resuscitation in out-of-hospital cardiac arrest patients. <i>Medicine (United States)</i> , 2016, 95, e3960.	0.4	38
8	The Role of Post-Resuscitation Electrocardiogram in Patients With ST-Segment Changes in the Immediate Post-Cardiac Arrest Period. <i>JACC: Cardiovascular Interventions</i> , 2017, 10, 451-459.	1.1	37
9	Troponin Testing for Assessing Sepsis-Induced Myocardial Dysfunction in Patients with Septic Shock. <i>Journal of Clinical Medicine</i> , 2019, 8, 239.	1.0	37
10	Extracorporeal cardiopulmonary resuscitation among patients with out-of-hospital cardiac arrest. <i>Clinical and Experimental Emergency Medicine</i> , 2016, 3, 132-138.	0.5	33
11	Immediate versus early coronary angiography with targeted temperature management in out-of-hospital cardiac arrest survivors without ST-segment elevation: A propensity score-matched analysis from a multicenter registry. <i>Resuscitation</i> , 2019, 135, 30-36.	1.3	26
12	Acute fulminant myocarditis following influenza vaccination requiring extracorporeal membrane oxygenation. <i>Acute and Critical Care</i> , 2019, 34, 165-169.	0.6	26
13	Association between right ventricle dysfunction and poor outcome in patients with septic shock. <i>Heart</i> , 2020, 106, 1665-1671.	1.2	21
14	Serial evaluation of SOFA and APACHE II scores to predict neurologic outcomes of out-of-hospital cardiac arrest survivors with targeted temperature management. <i>PLoS ONE</i> , 2018, 13, e0195628.	1.1	20
15	Relationship between low hemoglobin levels and mortality in patients with septic shock. <i>Acute and Critical Care</i> , 2019, 34, 141-147.	0.6	20
16	Time to Antibiotics and the Outcome of Patients with Septic Shock: A Propensity Score Analysis. <i>American Journal of Medicine</i> , 2020, 133, 485-491.e4.	0.6	19
17	Characteristics and clinical outcomes of culture-negative and culture-positive septic shock: a single-center retrospective cohort study. <i>Critical Care</i> , 2021, 25, 11.	2.5	19
18	One-Year Progression and Risk Factors for the Development of Chronic Kidney Disease in Septic Shock Patients with Acute Kidney Injury: A Single-Centre Retrospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2018, 7, 554.	1.0	18

#	ARTICLE	IF	CITATIONS
19	Combination therapy of vitamin C and thiamine for septic shock in a multicentre, double-blind, randomized, controlled study (ATESS): study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 420.	0.7	18
20	“Pseudo-subarachnoid hemorrhage sign” on early brain computed tomography in out-of-hospital cardiac arrest survivors receiving targeted temperature management. <i>Journal of Critical Care</i> , 2017, 40, 36-40.	1.0	17
21	Prognostic accuracy of the sequential organ failure assessment (SOFA) and quick SOFA for mortality in cancer patients with sepsis defined by systemic inflammatory response syndrome (SIRS). <i>Supportive Care in Cancer</i> , 2020, 28, 653-659.	1.0	17
22	Utility of the Early Lactate Area Score as a Prognostic Marker for Septic Shock Patients in the Emergency Department. <i>Acute and Critical Care</i> , 2019, 34, 126-132.	0.6	17
23	Misdiagnosis of Spontaneous Intracranial Hypotension as a Risk Factor for Subdural Hematoma. <i>Headache</i> , 2017, 57, 1593-1600.	1.8	15
24	Analysis of the development and progression of carbon monoxide poisoning-related acute kidney injury according to the Kidney Disease Improving Global Outcomes (KDIGO) criteria. <i>Clinical Toxicology</i> , 2018, 56, 759-764.	0.8	15
25	Infectious Adverse Events Following Acupuncture: Clinical Progress and Microbiological Etiology. <i>Journal of Korean Medical Science</i> , 2018, 33, e164.	1.1	15
26	Factors for modifying the termination of resuscitation rule in out-of-hospital cardiac arrest. <i>American Heart Journal</i> , 2019, 213, 73-80.	1.2	15
27	Risk factors for extended-spectrum beta-lactamase-producing Enterobacteriaceae infection causing septic shock in cancer patients with chemotherapy-induced febrile neutropenia. <i>Internal and Emergency Medicine</i> , 2019, 14, 433-440.	1.0	15
28	Timing of pulmonary embolisms in femur fracture patients. <i>Journal of Trauma and Acute Care Surgery</i> , 2016, 80, 952-956.	1.1	14
29	Utility of the immature granulocyte percentage for diagnosing acute appendicitis among clinically suspected appendicitis in adult. <i>Journal of Clinical Laboratory Analysis</i> , 2018, 32, e22458.	0.9	14
30	Risk stratification of patients with chest pain or anginal equivalents in the emergency department. <i>Internal and Emergency Medicine</i> , 2020, 15, 319-326.	1.0	14
31	Prognostic Abilities of Serial Neuron-Specific Enolase and Lactate and their Combination in Cardiac Arrest Survivors During Targeted Temperature Management. <i>Journal of Clinical Medicine</i> , 2020, 9, 159.	1.0	14
32	Validation of the Good Outcome Following Attempted Resuscitation (GO-FAR) score in an East Asian population. <i>Resuscitation</i> , 2020, 150, 36-40.	1.3	14
33	Difference of the clinical course and outcome between dapson-induced methemoglobinemia and other toxic-agent-induced methemoglobinemia. <i>Clinical Toxicology</i> , 2016, 54, 581-584.	0.8	13
34	Late Awakening Is Common in Settings Without Withdrawal of Life-Sustaining Therapy in Out-of-Hospital Cardiac Arrest Survivors Who Undergo Targeted Temperature Management*. <i>Critical Care Medicine</i> , 2022, 50, 235-244.	0.4	13
35	Prolonged Length of Stay in the Emergency Department and Increased Risk of In-Hospital Cardiac Arrest: A nationwide Population-Based Study in South Korea, 2016-2017. <i>Journal of Clinical Medicine</i> , 2020, 9, 2284.	1.0	12
36	Prediction of Adverse Events in Stable Non-Variceal Gastrointestinal Bleeding Using Machine Learning. <i>Journal of Clinical Medicine</i> , 2020, 9, 2603.	1.0	12

#	ARTICLE	IF	CITATIONS
37	Promising candidates for extracorporeal cardiopulmonary resuscitation for out-of-hospital cardiac arrest. <i>Scientific Reports</i> , 2020, 10, 22180.	1.6	12
38	Role of thromboelastography in the evaluation of septic shock patients with normal prothrombin time and activated partial thromboplastin time. <i>Scientific Reports</i> , 2021, 11, 11833.	1.6	12
39	Thromboelastography for prediction of hemorrhagic transformation in patients with acute ischemic stroke. <i>American Journal of Emergency Medicine</i> , 2020, 38, 1772-1777.	0.7	12
40	Predictors of septic shock in initially stable patients with pyogenic liver abscess. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 589-594.	0.6	11
41	Progressive loss of muscle mass could be an adverse prognostic factor of 28-day mortality in septic shock patients. <i>Scientific Reports</i> , 2019, 9, 16471.	1.6	11
42	Impact of Lung Compliance on Neurological Outcome in Patients with Acute Respiratory Distress Syndrome Following Out-of-Hospital Cardiac Arrest. <i>Journal of Clinical Medicine</i> , 2020, 9, 527.	1.0	11
43	Trends in the incidence and outcomes of bicycle-related injury in the emergency department: A nationwide population-based study in South Korea, 2012-2014. <i>PLoS ONE</i> , 2017, 12, e0181362.	1.1	11
44	Subcutaneous fat area at the upper thigh level is a useful prognostic marker in the elderly with femur fracture. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021, 12, 2238-2246.	2.9	11
45	Patterns and injuries associated with orbital wall fractures in elderly patients who visited the emergency room: a retrospective case-control study. <i>BMJ Open</i> , 2016, 6, e011110.	0.8	10
46	Characteristics of computed tomography in hemodynamically unstable blunt trauma patients. <i>Medicine (United States)</i> , 2017, 96, e9168.	0.4	10
47	Platelet-lymphocyte Ratio After Granulocyte Colony Stimulating Factor Administration: an Early Prognostic Marker in Septic Shock Patients With Chemotherapy-Induced Febrile Neutropenia. <i>Shock</i> , 2019, 52, 160-165.	1.0	10
48	A mortality analysis of septic shock, vasoplegic shock and cryptic shock classified by the third international consensus definitions (Sepsis-3). <i>Clinical Respiratory Journal</i> , 2020, 14, 857-863.	0.6	10
49	Incidence of intracranial injury in orbital wall fracture patients not classified as traumatic brain injury. <i>Injury</i> , 2018, 49, 963-968.	0.7	9
50	Prediction model for mortality in cancer patients with pneumonia: comparison with CURB-65 and PSI. <i>Clinical Respiratory Journal</i> , 2018, 12, 538-546.	0.6	9
51	Clinical Predictors of Acute Brain Injury in Carbon Monoxide Poisoning Patients With Altered Mental Status at Admission to Emergency Department. <i>Academic Emergency Medicine</i> , 2019, 26, 60-67.	0.8	9
52	Impact of Body Composition Status on 90-Day Mortality in Cancer Patients with Septic Shock: Sex Differences in the Skeletal Muscle Index. <i>Journal of Clinical Medicine</i> , 2019, 8, 1583.	1.0	9
53	Risk Factors for Same Pathogen Sepsis Readmission Following Hospitalization for Septic Shock. <i>Journal of Clinical Medicine</i> , 2019, 8, 181.	1.0	9
54	Comparison of risk scores and shock index in hemodynamically stable patients presenting to the emergency department with nonvariceal upper gastrointestinal bleeding. <i>European Journal of Gastroenterology and Hepatology</i> , 2019, 31, 781-785.	0.8	9

#	ARTICLE	IF	CITATIONS
55	Development and validation of the Vital CLASS score to predict mortality in stage IV solid cancer patients with septic shock in the emergency department: a multi-center, prospective cohort study. <i>BMC Medicine</i> , 2020, 18, 390.	2.3	9
56	Short and Long-Term Mortality Trends for Cancer Patients with Septic Shock Stratified by Cancer Type from 2009 to 2017: A Population-Based Cohort Study. <i>Cancers</i> , 2021, 13, 657.	1.7	9
57	Safety Concerns with Thoracoabdominal Acupuncture: Experience at a Tertiary-Care Emergency Department. <i>Pain Medicine</i> , 2017, 18, 2504-2508.	0.9	8
58	Prognostic value of decision criteria for emergency liver transplantation in patients with wild mushroom induced acute liver injury. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2018, 17, 210-213.	0.6	8
59	Background Frequency Patterns in Standard Electroencephalography as an Early Prognostic Tool in Out-of-Hospital Cardiac Arrest Survivors Treated with Targeted Temperature Management. <i>Journal of Clinical Medicine</i> , 2020, 9, 1113.	1.0	8
60	High-Sensitivity Troponin I and Creatinine Kinase-Myocardial Band in Screening for Myocardial Injury in Patients with Carbon Monoxide Poisoning. <i>Diagnostics</i> , 2020, 10, 242.	1.3	8
61	Predictive value of pre-arrest albumin level with GO-FAR score in patients with in-hospital cardiac arrest. <i>Scientific Reports</i> , 2021, 11, 10631.	1.6	8
62	Predictors of good neurologic outcome after resuscitation beyond 30Âmin in out-of-hospital cardiac arrest patients undergoing therapeutic hypothermia. <i>Internal and Emergency Medicine</i> , 2018, 13, 413-419.	1.0	7
63	Impact of a custom-made 3D printed ergonomic grip for direct laryngoscopy on novice intubation performance in a simulated easy and difficult airway scenarioâ€”A manikin study. <i>PLoS ONE</i> , 2018, 13, e0207445.	1.1	7
64	The Impact of Severity of Acute Respiratory Distress Syndrome Following Cardiac Arrest on Neurologic Outcomes. <i>Therapeutic Hypothermia and Temperature Management</i> , 2021, 11, 96-102.	0.3	7
65	Which Septic Shock Patients With Non-Overt DIC Progress to DIC After Admission? Point-of-Care Thromboelastography Testing. <i>Shock</i> , 2022, 57, 168-174.	1.0	7
66	The Prevalence and Emergency Department Utilization of Patients Who Underwent Single and Double Inter-hospital Transfers in the Emergency Department: a Nationwide Population-based Study in Korea, 2016â€”2018. <i>Journal of Korean Medical Science</i> , 2021, 36, e172.	1.1	7
67	Carbon monoxide poisoning during camping in Korea. <i>Inhalation Toxicology</i> , 2016, 28, 719-723.	0.8	6
68	Utility of the simplified Wells and revised Geneva scores to exclude pulmonary embolism in femur fracture patients. <i>American Journal of Emergency Medicine</i> , 2017, 35, 1131-1135.	0.7	6
69	Effect of High-dose Antithrombin Supplementation in Patients with Septic Shock and Disseminated Intravascular Coagulation. <i>Scientific Reports</i> , 2019, 9, 16626.	1.6	6
70	Early Risk Score for Predicting Hypotension in Normotensive Patients with Non-Variceal Upper Gastrointestinal Bleeding. <i>Journal of Clinical Medicine</i> , 2019, 8, 37.	1.0	6
71	External validation of the emergency department assessment of chest pain score accelerated diagnostic pathway (EDACS-ADP). <i>American Journal of Emergency Medicine</i> , 2020, 38, 2264-2270.	0.7	6
72	Types of cancer and outcomes in patients with cancer requiring admission from the emergency department: A nationwide, populationâ€”based study, 2016â€”2017. <i>Cancer</i> , 2021, 127, 2553-2561.	2.0	6

#	ARTICLE	IF	CITATIONS
73	Emergency Department as the Entry Point to Inpatient Care: A Nationwide, Population-Based Study in South Korea, 2016–2018. <i>Journal of Clinical Medicine</i> , 2021, 10, 1747.	1.0	6
74	Characteristics of orbital wall fractures in preschool and school-aged children. <i>Clinical and Experimental Emergency Medicine</i> , 2017, 4, 32-37.	0.5	6
75	Immediate complete revascularization showed better outcome in out-of-hospital cardiac arrest survivors with left main or triple-vessel coronary diseases. <i>Scientific Reports</i> , 2022, 12, 4354.	1.6	6
76	Electrocardiographic findings of intracranial haemorrhage as a cause of out-of-hospital cardiac arrest. <i>Resuscitation</i> , 2015, 94, e9.	1.3	5
77	Prediction of Neurologically Intact Survival in Cardiac Arrest Patients without Pre-Hospital Return of Spontaneous Circulation: Machine Learning Approach. <i>Journal of Clinical Medicine</i> , 2021, 10, 1089.	1.0	5
78	Non-recovery of renal function was correlated with increased mortality in the cancer cohort with septic shock. <i>Cancer Communications</i> , 2021, 41, 1420-1422.	3.7	5
79	Independent Risk Factors for the Shivering Occurrence During Induction Period in Out-of-Hospital Cardiac Arrest Survivors Treated with Targeted Temperature Management. <i>Therapeutic Hypothermia and Temperature Management</i> , 2019, 9, 70-75.	0.3	4
80	Effect of Prophylactic Amiodarone Infusion on the Recurrence of Ventricular Arrhythmias in Out-of-Hospital Cardiac Arrest Survivors: A Propensity-Matched Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 244.	1.0	4
81	Optimal Hemodynamic Parameter to Predict the Neurological Outcome in Out-of-Hospital Cardiac Arrest Survivors Treated with Target Temperature Management. <i>Therapeutic Hypothermia and Temperature Management</i> , 2020, 10, 211-219.	0.3	4
82	Prognostic value of repeated thromboelastography measurement for favorable neurologic outcome during targeted temperature management in out-of-hospital cardiac arrest survivors. <i>Resuscitation</i> , 2020, 155, 65-73.	1.3	4
83	Identifying low-risk chest pain in the emergency department: Obstructive coronary artery disease and major adverse cardiac events. <i>American Journal of Emergency Medicine</i> , 2020, 38, 1737-1742.	0.7	4
84	Comparison of the CAD consortium and updated Diamond-Forrester scores for predicting obstructive coronary artery disease. <i>American Journal of Emergency Medicine</i> , 2021, 43, 200-204.	0.7	4
85	Elevation of the d-dimer cut-off level might be applicable to rule out pulmonary embolism for active cancer patients in the emergency department. <i>Internal and Emergency Medicine</i> , 2021, , 1.	1.0	4
86	APACHE II Score Immediately after Cardiac Arrest as a Predictor of Good Neurological Outcome in Out-of-Hospital Cardiac Arrest Patients Receiving Targeted Temperature Management. <i>Acute and Critical Care</i> , 2018, 33, 83-88.	0.6	4
87	Background frequency can enhance the prognostication power of EEG patterns categories in comatose cardiac arrest survivors: a prospective, multicenter, observational cohort study. <i>Critical Care</i> , 2021, 25, 398.	2.5	4
88	Dynamic changes in arterial blood gas during cardiopulmonary resuscitation in out-of-hospital cardiac arrest. <i>Scientific Reports</i> , 2021, 11, 23165.	1.6	4
89	The feasibility of extracorporeal cardiopulmonary resuscitation for patients with active cancer who undergo in-hospital cardiac arrest. <i>Scientific Reports</i> , 2022, 12, 1653.	1.6	4
90	Prognostic Factors for Re-Arrest with Shockable Rhythm during Target Temperature Management in Out-Of-Hospital Shockable Cardiac Arrest Patients. <i>Journal of Clinical Medicine</i> , 2019, 8, 1360.	1.0	3

#	ARTICLE	IF	CITATIONS
91	Modification of the HEART pathway by adding coronary computed tomography angiography for patients suspected of acute coronary syndrome in the emergency department. <i>Internal and Emergency Medicine</i> , 2021, 16, 447-454.	1.0	3
92	Biomarker Analysis for Combination Therapy of Vitamin C and Thiamine in Septic Shock: A Post-Hoc Study of the ATESS Trial. <i>Shock</i> , 2022, 57, 81-87.	1.0	3
93	Sudden hypotension occurring after 4 days of left-sided central catheter placement. <i>Journal of Thoracic Disease</i> , 2017, 9, E771-E773.	0.6	2
94	Long-Term Outcomes After In-Hospital Cardiac Arrest: Does Pre-arrest Skeletal Muscle Depletion Matter?. <i>Frontiers in Physiology</i> , 2021, 12, 692757.	1.3	2
95	Pulse pressure during the initial resuscitative period in patients with septic shock treated with a protocol-driven resuscitation bundle therapy. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 924-931.	0.7	2
96	The Impact of Myosteatorsis Percentage on Short-Term Mortality in Patients with Septic Shock. <i>Journal of Clinical Medicine</i> , 2022, 11, 3031.	1.0	2
97	Emerging role of arterial blood gases during cardiopulmonary resuscitation: Another reason for invasive arterial pressure monitoring. <i>Resuscitation</i> , 2016, 107, e15.	1.3	1
98	Factors Predicting Bacterial Infection in Out-of-Hospital Cardiac Arrest Patients Undergoing Targeted Temperature Management. <i>Therapeutic Hypothermia and Temperature Management</i> , 2019, 9, 190-196.	0.3	1
99	Cardiac Magnetic Resonance Imaging for Nonischemic Cardiac Disease in Out-of-Hospital Cardiac Arrest Survivors Treated with Targeted Temperature Management: A Multicenter Retrospective Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 794.	1.0	1
100	Independent Risk Factors for Sepsis-Associated Cardiac Arrest in Patients with Septic Shock. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4971.	1.2	1
101	Extracellular Water to Total Body Water Ratio in Septic Shock Patients Receiving Protocol-Driven Resuscitation Bundle Therapy. <i>Journal of Clinical Medicine</i> , 2021, 10, 2917.	1.0	1
102	Big Data-Driven Approach for Health Inequalities in Foreign Patients with Injuries Visiting Emergency Rooms. <i>Healthcare Informatics Research</i> , 2020, 26, 34.	1.0	1
103	Use of Coronary CT Angiography to Predict Obstructive Lesions in Patients with Chest Pain without Enzyme and ST-Segment Elevation. <i>Journal of Clinical Medicine</i> , 2021, 10, 5442.	1.0	1
104	Early Identification of Resuscitated Patients with a Significant Coronary Disease in Out-of-Hospital Cardiac Arrest Survivors without ST-Segment Elevation. <i>Journal of Clinical Medicine</i> , 2021, 10, 5688.	1.0	1
105	Development of a Quick SOFA-Based Sepsis Clinical Decision Support System in a Tertiary Hospital Emergency Department. <i>Studies in Health Technology and Informatics</i> , 2017, 245, 1367.	0.2	1
106	Prognostic Value of the Time-to-Positivity in Blood Cultures from Septic Shock Patients with Bacteremia Receiving Protocol-Driven Resuscitation Bundle Therapy: A Retrospective Cohort Study. <i>Antibiotics</i> , 2021, 10, 683.	1.5	0
107	Vasospasm-Related Sudden Cardiac Death Has Outcomes Comparable with Coronary Stenosis in Out-of-Hospital Cardiac Arrest. <i>Journal of Korean Medical Science</i> , 2020, 35, e131.	1.1	0