

# Youn-Jung Kim

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7844088/youn-jung-kim-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99  
papers

731  
citations

13  
h-index

21  
g-index

121  
ext. papers

1,082  
ext. citations

4  
avg, IF

4.52  
L-index

#	Paper	IF	Citations
99	Combination therapy of vitamin C and thiamine for septic shock: a multi-centre, double-blinded randomized, controlled study. <i>Intensive Care Medicine</i> , <b>2020</b> , 46, 2015-2025	14.5	53
98	Outcomes and Role of Urgent Endoscopy in High-Risk Patients With Acute Nonvariceal Gastrointestinal Bleeding. <i>Clinical Gastroenterology and Hepatology</i> , <b>2018</b> , 16, 370-377	6.9	46
97	Long-term neurological outcomes in patients after out-of-hospital cardiac arrest. <i>Resuscitation</i> , <b>2016</b> , 101, 1-5	4	45
96	High mortality from viral pneumonia in patients with cancer. <i>Infectious Diseases</i> , <b>2019</b> , 51, 502-509	3.1	30
95	The Role of Post-Resuscitation Electrocardiogram in Patients With ST-Segment Changes in the Immediate Post-Cardiac Arrest Period. <i>JACC: Cardiovascular Interventions</i> , <b>2017</b> , 10, 451-459	5	28
94	Early Vitamin C and Thiamine Administration to Patients with Septic Shock in Emergency Departments: Propensity Score-Based Analysis of a Before-and-After Cohort Study. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	28
93	Troponin Testing for Assessing Sepsis-Induced Myocardial Dysfunction in Patients with Septic Shock. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	27
92	Sodium bicarbonate on severe metabolic acidosis during prolonged cardiopulmonary resuscitation: a double-blind, randomized, placebo-controlled pilot study. <i>Journal of Thoracic Disease</i> , <b>2018</b> , 10, 2295-2302	2.6	24
91	Extracorporeal cardiopulmonary resuscitation among patients with out-of-hospital cardiac arrest. <i>Clinical and Experimental Emergency Medicine</i> , <b>2016</b> , 3, 132-138	1.7	21
90	Immediate versus early coronary angiography with targeted temperature management in out-of-hospital cardiac arrest survivors without ST-segment elevation: A propensity score-matched analysis from a multicenter registry. <i>Resuscitation</i> , <b>2019</b> , 135, 30-36	4	17
89	Role of blood gas analysis during cardiopulmonary resuscitation in out-of-hospital cardiac arrest patients. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3960	1.8	17
88	Acute Fulminant Myocarditis Following Influenza Vaccination Requiring Extracorporeal Membrane Oxygenation. <i>Acute and Critical Care</i> , <b>2019</b> , 34, 165-169	2.3	17
87	Serial evaluation of SOFA and APACHE II scores to predict neurologic outcomes of out-of-hospital cardiac arrest survivors with targeted temperature management. <i>PLoS ONE</i> , <b>2018</b> , 13, e0195628	3.7	15
86	"Pseudo-subarachnoid hemorrhage sign" on early brain computed tomography in out-of-hospital cardiac arrest survivors receiving targeted temperature management. <i>Journal of Critical Care</i> , <b>2017</b> , 40, 36-40	4	13
85	One-Year Progression and Risk Factors for the Development of Chronic Kidney Disease in Septic Shock Patients with Acute Kidney Injury: A Single-Centre Retrospective Cohort Study. <i>Journal of Clinical Medicine</i> , <b>2018</b> , 7,	5.1	13
84	Misdiagnosis of Spontaneous Intracranial Hypotension as a Risk Factor for Subdural Hematoma. <i>Headache</i> , <b>2017</b> , 57, 1593-1600	4.2	12
83	Infectious Adverse Events Following Acupuncture: Clinical Progress and Microbiological Etiology. <i>Journal of Korean Medical Science</i> , <b>2018</b> , 33, e164	4.7	11

82	Analysis of the development and progression of carbon monoxide poisoning-related acute kidney injury according to the Kidney Disease Improving Global Outcomes (KDIGO) criteria. <i>Clinical Toxicology</i> , <b>2018</b> , 56, 759-764	2.9	10
81	Trends in the incidence and outcomes of bicycle-related injury in the emergency department: A nationwide population-based study in South Korea, 2012-2014. <i>PLoS ONE</i> , <b>2017</b> , 12, e0181362	3.7	10
80	Time to Antibiotics and the Outcome of Patients with Septic Shock: A Propensity Score Analysis. <i>American Journal of Medicine</i> , <b>2020</b> , 133, 485-491.e4	2.4	10
79	Factors for modifying the termination of resuscitation rule in out-of-hospital cardiac arrest. <i>American Heart Journal</i> , <b>2019</b> , 213, 73-80	4.9	9
78	Difference of the clinical course and outcome between dapsone-induced methemoglobinemia and other toxic-agent-induced methemoglobinemia. <i>Clinical Toxicology</i> , <b>2016</b> , 54, 581-4	2.9	9
77	Risk factors for extended-spectrum beta-lactamase-producing Enterobacteriaceae infection causing septic shock in cancer patients with chemotherapy-induced febrile neutropenia. <i>Internal and Emergency Medicine</i> , <b>2019</b> , 14, 433-440	3.7	9
76	Prognostic Abilities of Serial Neuron-Specific Enolase and Lactate and their Combination in Cardiac Arrest Survivors During Targeted Temperature Management. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	8
75	Combination therapy of vitamin C and thiamine for septic shock in a multicentre, double-blind, randomized, controlled study (ATESS): study protocol for a randomized controlled trial. <i>Trials</i> , <b>2019</b> , 20, 420	2.8	8
74	Characteristics of computed tomography in hemodynamically unstable blunt trauma patients: Experience at a tertiary care center. <i>Medicine (United States)</i> , <b>2017</b> , 96, e9168	1.8	8
73	Prognostic accuracy of the sequential organ failure assessment (SOFA) and quick SOFA for mortality in cancer patients with sepsis defined by systemic inflammatory response syndrome (SIRS). <i>Supportive Care in Cancer</i> , <b>2020</b> , 28, 653-659	3.9	8
72	Incidence of intracranial injury in orbital wall fracture patients not classified as traumatic brain injury. <i>Injury</i> , <b>2018</b> , 49, 963-968	2.5	7
71	Utility of the immature granulocyte percentage for diagnosing acute appendicitis among clinically suspected appendicitis in adult. <i>Journal of Clinical Laboratory Analysis</i> , <b>2018</b> , 32, e22458	3	7
70	Timing of pulmonary embolisms in femur fracture patients: Incidence and outcomes. <i>Journal of Trauma and Acute Care Surgery</i> , <b>2016</b> , 80, 952-6	3.3	7
69	Utility of the early lactate area score as a prognostic marker for septic shock patients in the emergency department. <i>Acute and Critical Care</i> , <b>2019</b> , 34, 126-132	2.3	7
68	Risk stratification of patients with chest pain or anginal equivalents in the emergency department. <i>Internal and Emergency Medicine</i> , <b>2020</b> , 15, 319-326	3.7	7
67	Characteristics and clinical outcomes of culture-negative and culture-positive septic shock: a single-center retrospective cohort study. <i>Critical Care</i> , <b>2021</b> , 25, 11	10.8	7
66	Predictors of good neurologic outcome after resuscitation beyond 30 min in out-of-hospital cardiac arrest patients undergoing therapeutic hypothermia. <i>Internal and Emergency Medicine</i> , <b>2018</b> , 13, 413-419	3.7	6
65	Platelet-lymphocyte Ratio After Granulocyte Colony Stimulating Factor Administration: an Early Prognostic Marker in Septic Shock Patients With Chemotherapy-Induced Febrile Neutropenia. <i>Shock</i> , <b>2019</b> , 52, 160-165	3.4	6

64	Risk Factors for Same Pathogen Sepsis Readmission Following Hospitalization for Septic Shock. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	6
63	Association between right ventricle dysfunction and poor outcome in patients with septic shock. <i>Heart</i> , <b>2020</b> , 106, 1665-1671	5.1	6
62	Impact of Lung Compliance on Neurological Outcome in Patients with Acute Respiratory Distress Syndrome Following Out-of-Hospital Cardiac Arrest. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	6
61	Prognostic value of decision criteria for emergency liver transplantation in patients with wild mushroom induced acute liver injury. <i>Hepatobiliary and Pancreatic Diseases International</i> , <b>2018</b> , 17, 210-213	2.1	6
60	Prediction model for mortality in cancer patients with pneumonia: comparison with CURB-65 and PSI. <i>Clinical Respiratory Journal</i> , <b>2018</b> , 12, 538-546	1.7	6
59	Carbon monoxide poisoning during camping in Korea. <i>Inhalation Toxicology</i> , <b>2016</b> , 28, 719-723	2.7	6
58	Patterns and injuries associated with orbital wall fractures in elderly patients who visited the emergency room: a retrospective case-control study. <i>BMJ Open</i> , <b>2016</b> , 6, e011110	3	6
57	Predictors of septic shock in initially stable patients with pyogenic liver abscess. <i>Scandinavian Journal of Gastroenterology</i> , <b>2017</b> , 52, 589-594	2.4	5
56	Utility of the simplified Wells and revised Geneva scores to exclude pulmonary embolism in femur fracture patients. <i>American Journal of Emergency Medicine</i> , <b>2017</b> , 35, 1131-1135	2.9	5
55	Impact of Body Composition Status on 90-Day Mortality in Cancer Patients with Septic Shock: Sex Differences in the Skeletal Muscle Index. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	5
54	Safety Concerns with Thoracoabdominal Acupuncture: Experience at a Tertiary-Care Emergency Department. <i>Pain Medicine</i> , <b>2017</b> , 18, 2504-2508	2.8	5
53	Prolonged Length of Stay in the Emergency Department and Increased Risk of In-Hospital Cardiac Arrest: A nationwide Population-Based Study in South Korea, 2016-2017. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	5
52	Progressive loss of muscle mass could be an adverse prognostic factor of 28-day mortality in septic shock patients. <i>Scientific Reports</i> , <b>2019</b> , 9, 16471	4.9	5
51	Early Risk Score for Predicting Hypotension in Normotensive Patients with Non-Variceal Upper Gastrointestinal Bleedin. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	5
50	Background Frequency Patterns in Standard Electroencephalography as an Early Prognostic Tool in Out-of-Hospital Cardiac Arrest Survivors Treated with Targeted Temperature Management. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	4
49	High-Sensitivity Troponin I and Creatinine Kinase-Myocardial Band in Screening for Myocardial Injury in Patients with Carbon Monoxide Poisoning. <i>Diagnostics</i> , <b>2020</b> , 10,	3.8	4
48	Characteristics of orbital wall fractures in preschool and school-aged children. <i>Clinical and Experimental Emergency Medicine</i> , <b>2017</b> , 4, 32-37	1.7	4
47	Relationship between low hemoglobin levels and mortality in patients with septic shock. <i>Acute and Critical Care</i> , <b>2019</b> , 34, 141-147	2.3	4

46	Prediction of Adverse Events in Stable Non-Variceal Gastrointestinal Bleeding Using Machine Learning. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	4
45	Comparison of risk scores and shock index in hemodynamically stable patients presenting to the emergency department with nonvariceal upper gastrointestinal bleeding. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2019</b> , 31, 781-785	2.2	4
44	Impact of a custom-made 3D printed ergonomic grip for direct laryngoscopy on novice intubation performance in a simulated easy and difficult airway scenario-A manikin study. <i>PLoS ONE</i> , <b>2018</b> , 13, e0207445	3.7	4
43	Late Awakening Is Common in Settings Without Withdrawal of Life-Sustaining Therapy in Out-of-Hospital Cardiac Arrest Survivors Who Undergo Targeted Temperature Management. <i>Critical Care Medicine</i> , <b>2021</b> ,	1.4	4
42	Promising candidates for extracorporeal cardiopulmonary resuscitation for out-of-hospital cardiac arrest. <i>Scientific Reports</i> , <b>2020</b> , 10, 22180	4.9	3
41	Validation of the Good Outcome Following Attempted Resuscitation (GO-FAR) score in an East Asian population. <i>Resuscitation</i> , <b>2020</b> , 150, 36-40	4	3
40	A mortality analysis of septic shock, vasoplegic shock and cryptic shock classified by the third international consensus definitions (Sepsis-3). <i>Clinical Respiratory Journal</i> , <b>2020</b> , 14, 857-863	1.7	3
39	APACHE II Score Immediately after Cardiac Arrest as a Predictor of Good Neurological Outcome in Out-of-Hospital Cardiac Arrest Patients Receiving Targeted Temperature Management. <i>Acute and Critical Care</i> , <b>2018</b> , 33, 83-88	2.3	3
38	Thromboelastography for prediction of hemorrhagic transformation in patients with acute ischemic stroke. <i>American Journal of Emergency Medicine</i> , <b>2020</b> , 38, 1772-1777	2.9	3
37	External validation of the emergency department assessment of chest pain score accelerated diagnostic pathway (EDACS-ADP). <i>American Journal of Emergency Medicine</i> , <b>2020</b> , 38, 2264-2270	2.9	3
36	Effect of High-dose Antithrombin Supplementation in Patients with Septic Shock and Disseminated Intravascular Coagulation. <i>Scientific Reports</i> , <b>2019</b> , 9, 16626	4.9	3
35	Comparison of the CAD consortium and updated Diamond-Forrester scores for predicting obstructive coronary artery disease. <i>American Journal of Emergency Medicine</i> , <b>2021</b> , 43, 200-204	2.9	3
34	Clinical Predictors of Acute Brain Injury in Carbon Monoxide Poisoning Patients With Altered Mental Status at Admission to Emergency Department. <i>Academic Emergency Medicine</i> , <b>2019</b> , 26, 60-67	3.4	3
33	Electrocardiographic findings of intracranial haemorrhage as a cause of out-of-hospital cardiac arrest. <i>Resuscitation</i> , <b>2015</b> , 94, e9	4	2
32	Development and validation of the VitaL CLASS score to predict mortality in stage IV solid cancer patients with septic shock in the emergency department: a multi-center, prospective cohort study. <i>BMC Medicine</i> , <b>2020</b> , 18, 390	11.4	2
31	Sudden hypotension occurring after 4 days of left-sided central catheter placement. <i>Journal of Thoracic Disease</i> , <b>2017</b> , 9, E771-E773	2.6	2
30	Independent Risk Factors for the Shivering Occurrence During Induction Period in Out-of-Hospital Cardiac Arrest Survivors Treated with Targeted Temperature Management. <i>Therapeutic Hypothermia and Temperature Management</i> , <b>2019</b> , 9, 70-75	1.3	2
29	Subcutaneous fat area at the upper thigh level is a useful prognostic marker in the elderly with femur fracture. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2021</b> ,	10.3	2

28	Optimal Hemodynamic Parameter to Predict the Neurological Outcome in Out-of-Hospital Cardiac Arrest Survivors Treated with Target Temperature Management. <i>Therapeutic Hypothermia and Temperature Management</i> , <b>2020</b> , 10, 211-219	1.3	2
27	Types of cancer and outcomes in patients with cancer requiring admission from the emergency department: A nationwide, population-based study, 2016-2017. <i>Cancer</i> , <b>2021</b> , 127, 2553-2561	6.4	2
26	Role of thromboelastography in the evaluation of septic shock patients with normal prothrombin time and activated partial thromboplastin time. <i>Scientific Reports</i> , <b>2021</b> , 11, 11833	4.9	2
25	Effect of Prophylactic Amiodarone Infusion on the Recurrence of Ventricular Arrhythmias in Out-of-Hospital Cardiac Arrest Survivors: A Propensity-Matched Analysis. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	2
24	The Impact of Severity of Acute Respiratory Distress Syndrome Following Cardiac Arrest on Neurologic Outcomes. <i>Therapeutic Hypothermia and Temperature Management</i> , <b>2021</b> , 11, 96-102	1.3	2
23	Short and Long-Term Mortality Trends for Cancer Patients with Septic Shock Stratified by Cancer Type from 2009 to 2017: A Population-Based Cohort Study. <i>Cancers</i> , <b>2021</b> , 13,	6.6	2
22	Prognostic Factors for Re-Arrest with Shockable Rhythm during Target Temperature Management in Out-Of-Hospital Shockable Cardiac Arrest Patients. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	1
21	Big Data-Driven Approach for Health Inequalities in Foreign Patients with Injuries Visiting Emergency Rooms. <i>Healthcare Informatics Research</i> , <b>2020</b> , 26, 34-41	3	1
20	Prognostic value of repeated thromboelastography measurement for favorable neurologic outcome during targeted temperature management in out-of-hospital cardiac arrest survivors. <i>Resuscitation</i> , <b>2020</b> , 155, 65-73	4	1
19	Prediction of Neurologically Intact Survival in Cardiac Arrest Patients without Pre-Hospital Return of Spontaneous Circulation: Machine Learning Approach. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	1
18	Emerging role of arterial blood gases during cardiopulmonary resuscitation: Another reason for invasive arterial pressure monitoring. <i>Resuscitation</i> , <b>2016</b> , 107, e15	4	1
17	Modification of the HEART pathway by adding coronary computed tomography angiography for patients suspected of acute coronary syndrome in the emergency department. <i>Internal and Emergency Medicine</i> , <b>2021</b> , 16, 447-454	3.7	1
16	Which Septic Shock Patients With Non-Overt DIC Progress to DIC After Admission? Point-of-Care Thromboelastography Testing.. <i>Shock</i> , <b>2022</b> , 57, 168-174	3.4	1
15	Non-recovery of renal function was correlated with increased mortality in the cancer cohort with septic shock. <i>Cancer Communications</i> , <b>2021</b> ,	9.4	1
14	The Prevalence and Emergency Department Utilization of Patients Who Underwent Single and Double Inter-hospital Transfers in the Emergency Department: a Nationwide Population-based Study in Korea, 2016-2018. <i>Journal of Korean Medical Science</i> , <b>2021</b> , 36, e172	4.7	1
13	Development of a Quick SOFA-Based Sepsis Clinical Decision Support System in a Tertiary Hospital Emergency Department. <i>Studies in Health Technology and Informatics</i> , <b>2017</b> , 245, 1367	0.5	1
12	The Impact of Myosteatorsis Percentage on Short-Term Mortality in Patients with Septic Shock. <i>Journal of Clinical Medicine</i> , <b>2022</b> , 11, 3031	5.1	1
11	Identifying low-risk chest pain in the emergency department: Obstructive coronary artery disease and major adverse cardiac events. <i>American Journal of Emergency Medicine</i> , <b>2020</b> , 38, 1737-1742	2.9	0

10	The feasibility of extracorporeal cardiopulmonary resuscitation for patients with active cancer who undergo in-hospital cardiac arrest.. <i>Scientific Reports</i> , <b>2022</b> , 12, 1653	4.9	○
9	Background frequency can enhance the prognostication power of EEG patterns categories in comatose cardiac arrest survivors: a prospective, multicenter, observational cohort study. <i>Critical Care</i> , <b>2021</b> , 25, 398	10.8	○
8	Dynamic changes in arterial blood gas during cardiopulmonary resuscitation in out-of-hospital cardiac arrest. <i>Scientific Reports</i> , <b>2021</b> , 11, 23165	4.9	○
7	Elevation of the D-dimer cut-off level might be applicable to rule out pulmonary embolism for active cancer patients in the emergency department. <i>Internal and Emergency Medicine</i> , <b>2021</b> , 1	3.7	○
6	Predictive value of pre-arrest albumin level with GO-FAR score in patients with in-hospital cardiac arrest. <i>Scientific Reports</i> , <b>2021</b> , 11, 10631	4.9	○
5	Long-Term Outcomes After In-Hospital Cardiac Arrest: Does Pre-arrest Skeletal Muscle Depletion Matter?. <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 692757	4.6	○
4	Factors Predicting Bacterial Infection in Out-of-Hospital Cardiac Arrest Patients Undergoing Targeted Temperature Management. <i>Therapeutic Hypothermia and Temperature Management</i> , <b>2019</b> , 9, 190-196	1.3	○
3	Immediate complete revascularization showed better outcome in out-of-hospital cardiac arrest survivors with left main or triple-vessel coronary diseases.. <i>Scientific Reports</i> , <b>2022</b> , 12, 4354	4.9	○
2	Pulse pressure during the initial resuscitative period in patients with septic shock treated with a protocol-driven resuscitation bundle therapy. <i>Korean Journal of Internal Medicine</i> , <b>2021</b> , 36, 924-931	2.5	
1	Vasospasm-related Sudden Cardiac Death Has Outcomes Comparable with Coronary Stenosis in Out-of-Hospital Cardiac Arrest. <i>Journal of Korean Medical Science</i> , <b>2020</b> , 35, e131	4.7	