## Xing Liu

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7844293/publications.pdf

Version: 2024-02-01

687363 610901 38 674 13 24 citations h-index g-index papers 38 38 38 1036 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Worldwide incidence of hepatocellular carcinoma cases attributable to major risk factors. European Journal of Cancer Prevention, 2018, 27, 205-212.	1.3	170
2	Epidemiology of anal human papillomavirus infection and high-grade squamous intraepithelial lesions in 29 900 men according to HIV status, sexuality, and age: a collaborative pooled analysis of 64 studies. Lancet HIV,the, 2021, 8, e531-e543.	4.7	77
3	Higher Prevalence of Frailty Among a Sample of HIV-Infected Middle-aged and Older Chinese Adults Is Associated With Neurocognitive Impairment and Depressive Symptoms. Journal of Infectious Diseases, 2017, 215, 687-692.	4.0	36
4	Cohort profile: protocol and baseline survey for the Shanghai Suburban Adult Cohort and Biobank (SSACB) study. BMJ Open, 2020, 10, e035430.	1.9	30
5	Interaction between tobacco smoking and hepatitis B virus infection on the risk of liver cancer in a <scp>C</scp> hinese population. International Journal of Cancer, 2018, 142, 1560-1567.	5.1	29
6	Raw Garlic Consumption and Risk of Liver Cancer: A Population-Based Case-Control Study in Eastern China. Nutrients, 2019, 11, 2038.	4.1	29
7	Sleep quality of Shanghai residents: population-based cross-sectional study. Quality of Life Research, 2020, 29, 1055-1064.	3.1	28
8	Factors influencing uptake of pre-exposure prophylaxis: some qualitative insights from an intervention study of men who have sex with men in China. Sexual Health, 2018, 15, 39.	0.9	24
9	Age-specific associations between HIV infection and carotid artery intima-media thickness in China: a cross-sectional evaluation of baseline data from the CHART cohort. Lancet HIV,the, 2019, 6, e860-e868.	4.7	23
10	Central But Not General Obesity Is Positively Associated with the Risk of Hyperhomocysteinemia in Middle-Aged Women. Nutrients, 2019, 11, 1614.	4.1	19
11	Tobacco and alcohol use among drug users receiving methadone maintenance treatment: a cross-sectional study in a rural prefecture of Yunnan Province, Southwest China. BMJ Open, 2017, 7, e014643.	1.9	17
12	Family history of liver cancer may modify the association between HBV infection and liver cancer in a Chinese population. Liver International, 2019, 39, 1490-1503.	3.9	16
13	Cross-sectional comparison of various sleep disturbances among sex- and age-matched HIV-infected versus HIV-uninfected individuals in China. Sleep Medicine, 2020, 65, 18-25.	1.6	15
14	Cancer risk factors among people living with HIV/AIDS in China: a systematic review and meta-analysis. Scientific Reports, 2017, 7, 4890.	3.3	14
15	Hypertension in HIV-Infected Adults Compared with Similar but Uninfected Adults in China: Body Mass Index-Dependent Effects of Nadir CD4 Count. AIDS Research and Human Retroviruses, 2017, 33, 1117-1125.	1.1	12
16	Association of Metabolic Syndrome and Its Components with Decreased Estimated Glomerular Filtration Rate in Adults. Annals of Nutrition and Metabolism, 2019, 75, 168-178.	1.9	12
17	High Prevalence of HIV Infection and Bisexual Networks among a Sample of Men Who Have Sex with Men in Eastern China. PLoS ONE, 2015, 10, e0129300.	2.5	11
18	Sex differences in neurocognitive screening among adults living with HIV in China. Journal of NeuroVirology, 2019, 25, 363-371.	2.1	11

#	Article	IF	CITATIONS
19	Association of hypertriglyceridemic waist phenotype with renal function impairment: a cross-sectional study in a population of Chinese adults. Nutrition and Metabolism, 2020, 17, 63.	3.0	11
20	Stronger Association between Insomnia Symptoms and Shorter Telomere Length in Old HIV-Infected Patients Compared with Uninfected Individuals., 2018, 9, 1010.		9
21	Mitochondrial Haplogroups N9 and G Are Associated with Metabolic Syndrome Among Human Immunodeficiency Virus-Infected Patients in China. AIDS Research and Human Retroviruses, 2019, 35, 536-543.	1.1	8
22	Consumption of garlic and its interactions with tobacco smoking and alcohol drinking on esophageal cancer in a Chinese population. European Journal of Cancer Prevention, 2019, 28, 278-286.	1.3	7
23	Liver fibrosis after antiretroviral therapy in a longitudinal cohort of sexually infected HIV patients in eastern China. BioScience Trends, 2017, 11, 274-281.	3.4	6
24	Plasma Inflammatory Biomarkers Associated with Advanced Liver Fibrosis in HIV–HCV-Coinfected Individuals. International Journal of Environmental Research and Public Health, 2020, 17, 9474.	2.6	6
25	Hypertension-Related Knowledge, Attitudes, and Behaviors among Community-Dwellers at Risk for High Blood Pressure in Shanghai, China. International Journal of Environmental Research and Public Health, 2020, 17, 3683.	2.6	6
26	Soy Isoflavones Intake and Obesity in Chinese Adults: A Cross-Sectional Study in Shanghai, China. Nutrients, 2021, 13, 2715.	4.1	6
27	Association of Obesity with the Risk of Hyperhomocysteinemia among the Chinese Community Residents: A Prospective Cohort Study in Shanghai, China. Nutrients, 2021, 13, 3648.	4.1	6
28	Plasma Hepatitis C Virus Viral Load Among Hepatitis C Virus Mono-Infected and HCV/HIV Co-Infected Individuals in Yunnan Province,China. Hepatitis Monthly, 2012, 12, 453-459.	0.2	5
29	Sex with older partners, condomless anal sex and unrecognized HIV infection among Chinese men who have sex with men. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 305-311.	1.2	5
30	Association between Reproductive Factors and Type 2 Diabetes: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2022, 19, 1019.	2.6	5
31	Fibrosis-4 index predicts mortality in HIV/HCV co-infected patients receiving combination antiretroviral therapy in rural China. BioScience Trends, 2019, 13, 32-39.	3.4	4
32	Association of the Reproductive Period with Decreased Estimated Glomerular Filtration Rate in Menopausal Women: A Study from the Shanghai Suburban Adult Cohort and Biobank (2016–2020). International Journal of Environmental Research and Public Health, 2021, 18, 10451.	2.6	3
33	Increased CD4+ T cell count is associated with lower anal human papillomavirus prevalence among HIV-positive male cohort in Taizhou, China: a cross-sectional study. BMC Infectious Diseases, 2022, 22, 250.	2.9	3
34	Accelerating Decreases in the Incidences of Hepatocellular Carcinoma at a Younger Age in Shanghai Are Associated With Hepatitis B Virus Vaccination. Frontiers in Oncology, 2022, 12, 855945.	2.8	3
35	Low body mass index and efavirenz use are independently associated with self-reported fatigue in HIV-infected patients. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 513-518.	1.2	2
36	Prediction models and nomograms of 3-year risk of chronic kidney disease in China: a study from the Shanghai Suburban Adult Cohort and Biobank (2016–2020). Annals of Translational Medicine, 2021, 9, 1690-1690.	1.7	2

## XING LIU

#	Article	IF	CITATIONS
37	Development and Validation of a Risk Score Screening Tool to Identify People at Risk for Hypertension in Shanghai, China. Risk Management and Healthcare Policy, 2022, Volume 15, 553-562.	2.5	2
38	Microbial translocation is associated with advanced liver fibrosis among people with HIV. HIV Medicine, 2022, 23, 947-958.	2.2	2