Grethe S Tell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7844373/publications.pdf

Version: 2024-02-01

341 papers 17,973 citations

70 h-index

117 g-index

350 all docs

350 docs citations

times ranked

350

24976 citing authors

#	Article	IF	CITATIONS
1	Expert position paper on air pollution and cardiovascular disease. European Heart Journal, 2015, 36, 83-93.	1.0	646
2	Cigarette Smoking and Progression of Atherosclerosis. JAMA - Journal of the American Medical Association, 1998, 279, 119.	3.8	604
3	Recruitment of adults 65 years and older as participants in the cardiovascular health study. Annals of Epidemiology, 1993, 3, 358-366.	0.9	532
4	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. Nature, 2019, 569, 260-264.	13.7	469
5	Plasma ceramides predict cardiovascular death in patients with stable coronary artery disease and acute coronary syndromes beyond LDL-cholesterol. European Heart Journal, 2016, 37, 1967-1976.	1.0	433
6	Does a higher educational level protect against anxiety and depression? The HUNT study. Social Science and Medicine, 2008, 66, 1334-1345.	1.8	415
7	The Hordaland Homocysteine Study: A Community-Based Study of Homocysteine, Its Determinants, and Associations with Disease. Journal of Nutrition, 2006, 136, 1731S-1740S.	1.3	404
8	Folate, Vitamin B12, Homocysteine, and the MTHFR 677Câ†'T Polymorphism in Anxiety and Depression. Archives of General Psychiatry, 2003, 60, 618.	13.8	308
9	The Association Between Habitual Diet Quality and the Common Mental Disorders in Community-Dwelling Adults. Psychosomatic Medicine, 2011, 73, 483-490.	1.3	245
10	Subclinical Disease as an Independent Risk Factor for Cardiovascular Disease. Circulation, 1995, 92, 720-726.	1.6	240
11	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. Nature Genetics, 2011, 43, 60-65.	9.4	220
12	Intake of Flavonoid-Rich Wine, Tea, and Chocolate by Elderly Men and Women Is Associated with Better Cognitive Test Performance. Journal of Nutrition, 2009, 139, 120-127.	1.3	212
13	SCORE2-OP risk prediction algorithms: estimating incident cardiovascular event risk in older persons in four geographical risk regions. European Heart Journal, 2021, 42, 2455-2467.	1.0	210
14	Divergent Associations of Plasma Choline and Betaine with Components of Metabolic Syndrome in Middle Age and Elderly Men and Women,. Journal of Nutrition, 2008, 138, 914-920.	1.3	194
15	History of Foot Ulcer Increases Mortality Among Individuals With Diabetes. Diabetes Care, 2009, 32, 2193-2199.	4.3	190
16	Predictors and Tracking of Body Mass Index From Adolescence Into Adulthood. JAMA Pediatrics, 2003, 157, 1212.	3.6	189
17	Plasma total homocysteine and cardiovascular and noncardiovascular mortality: the Hordaland Homocysteine Study. American Journal of Clinical Nutrition, 2001, 74, 130-136.	2.2	181
18	Development and validation of a ceramide- and phospholipid-based cardiovascular risk estimation score for coronary artery disease patients. European Heart Journal, 2020, 41, 371-380.	1.0	180

#	Article	IF	CITATIONS
19	Cohort Profile: Cohort of Norway (CONOR). International Journal of Epidemiology, 2008, 37, 481-485.	0.9	171
20	Dietary Antioxidants and Carotid Artery Wall Thickness. Circulation, 1995, 92, 2142-2150.	1.6	156
21	Testing the Job Demand–Control–Support model with anxiety and depression as outcomes: The Hordaland Health Study. Occupational Medicine, 2005, 55, 463-473.	0.8	151
22	Physical fitness, physical activity, and cardiovascular disease risk factors in adolescents: The Oslo youth study. Preventive Medicine, 1988, 17, 12-24.	1.6	149
23	Plasma total homocysteine and memory in the elderly: The Hordaland Homocysteine study. Annals of Neurology, 2005, 58, 847-857.	2.8	147
24	Associations between maternal methylenetetrahydrofolate reductase polymorphisms and adverse outcomes of pregnancy: the Hordaland Homocysteine Study. American Journal of Medicine, 2004, 117, 26-31.	0.6	141
25	Dietary Intake Patterns and Sociodemographic Factors in the Atherosclerosis Risk in Communities Study. Preventive Medicine, 1994, 23, 769-780.	1.6	139
26	Relation of smoking with carotid artery wall thickness and stenosis in older adults. The Cardiovascular Health Study. The Cardiovascular Health Study (CHS) Collaborative Research Group Circulation, 1994, 90, 2905-2908.	1.6	138
27	Cardiovascular risk estimation in older persons: SCORE O.P European Journal of Preventive Cardiology, 2016, 23, 1093-1103.	0.8	138
28	Homocysteine, cysteine, and body composition in the Hordaland Homocysteine Study: does cysteine link amino acid and lipid metabolism?. American Journal of Clinical Nutrition, 2008, 88, 738-746.	2.2	136
29	Relation between blood lipids, lipoproteins, and cerebrovascular atherosclerosis. A review Stroke, 1988, 19, 423-430.	1.0	135
30	Plasma Total Homocysteine Level and Bone Mineral Density. Archives of Internal Medicine, 2006, 166, 88.	4.3	135
31	Cognitive performance among the elderly and dietary fish intake: the Hordaland Health Study. American Journal of Clinical Nutrition, 2007, 86, 1470-1478.	2.2	135
32	Plasma Homocysteine, Folate, and Vitamin B12 and the Risk of Hip Fracture: The Hordaland Homocysteine Study. Journal of Bone and Mineral Research, 2007, 22, 747-756.	3.1	133
33	Dietary sources of vitamin B-12 and their association with plasma vitamin B-12 concentrations in the general population: the Hordaland Homocysteine Study. American Journal of Clinical Nutrition, 2009, 89, 1078-1087.	2.2	127
34	Plasma Biomarkers of Inflammation, the Kynurenine Pathway, and Risks of All-Cause, Cancer, and Cardiovascular Disease Mortality. American Journal of Epidemiology, 2016, 183, 249-258.	1.6	126
35	Prevalence and Risk Factors of Subjective Sleepiness in the General Adult Population. Sleep, 2007, 30, 619-624.	0.6	122
36	Size at Birth and Gestational Age as Predictors of Adult Height and Weight. Epidemiology, 2005, 16, 175-181.	1.2	121

#	Article	IF	Citations
37	Risk factors for site specific extracranial carotid artery plaque distribution as measured by B-mode ultrasound. Journal of Clinical Epidemiology, 1989, 42, 551-559.	2.4	120
38	Mortality following the first hip fracture in Norwegian women and men (1999–2008). A NOREPOS study. Bone, 2014, 63, 81-86.	1.4	117
39	Association Between Magnesium Intake and Depression and Anxiety in Community-Dwelling Adults: The Hordaland Health Study. Australian and New Zealand Journal of Psychiatry, 2009, 43, 45-52.	1.3	116
40	Birth prevalence of congenital heart defects in Norway 1994-2009â€"A nationwide study. American Heart Journal, 2014, 168, 956-964.	1.2	116
41	Seasonality of cardiovascular risk factors: an analysis including over 230â€000 participants in 15 countries. Heart, 2014, 100, 1517-1523.	1.2	113
42	Relationship Between Balance and Abnormalities in Cerebral Magnetic Resonance Imaging in Older Adults. Archives of Neurology, 1998, 55, 73.	4.9	110
43	Determinants of Plasma Methylmalonic Acid in a Large Population: Implications for Assessment of Vitamin B12 Status. Clinical Chemistry, 2009, 55, 2198-2206.	1.5	109
44	Population-level changes to promote cardiovascular health. European Journal of Preventive Cardiology, 2013, 20, 409-421.	0.8	106
45	The MDM2 Promoter SNP285C/309G Haplotype Diminishes Sp1 Transcription Factor Binding and Reduces Risk for Breast and Ovarian Cancer in Caucasians. Cancer Cell, 2011, 19, 273-282.	7.7	104
46	Descriptive Epidemiology of Blood Pressure Response to Change in Body Position. Hypertension, 1999, 33, 1123-1129.	1.3	103
47	Working Overtime is Associated With Anxiety and Depression: The Hordaland Health Study. Journal of Occupational and Environmental Medicine, 2008, 50, 658-666.	0.9	101
48	Physical Fitness and Physical Activity at Age 13 Years as Predictors of Cardiovascular Disease Risk Factors at Ages 15, 25, 33, and 40 Years: Extended Follow-up of the Oslo Youth Study. Pediatrics, 2009, 123, e80-e86.	1.0	101
49	A community-based study on determinants of circulating markers of cellular immune activation and kynurenines: the Hordaland Health Study. Clinical and Experimental Immunology, 2013, 173, 121-130.	1.1	97
50	Screening for risk factors for chronic disease in children from fifteen countries. Preventive Medicine, 1981, 10, 121-132.	1.6	95
51	Hip fractures in Norway 1999–2008: time trends in total incidence and second hip fracture rates. A NOREPOS study. European Journal of Epidemiology, 2012, 27, 807-814.	2.5	94
52	Plasma Dimethylglycine and Risk of Incident Acute Myocardial Infarction in Patients With Stable Angina Pectoris. Arteriosclerosis, Thrombosis, and Vascular Biology, 2013, 33, 2041-2048.	1.1	92
53	Neopterin and kynurenine–tryptophan ratio as predictors of coronary events in older adults, the Hordaland Health Study. International Journal of Cardiology, 2013, 168, 1435-1440.	0.8	91
54	Dietary assessment using a picture-sort approach. American Journal of Clinical Nutrition, 1997, 65, 1123S-1129S.	2.2	89

#	Article	IF	CITATIONS
55	Impact of lean mass and fat mass on bone mineral density: The Hordaland Health Study. Maturitas, 2008, 59, 191-200.	1.0	87
56	Compensatory Increase in Common Carotid Artery Diameter. Stroke, 1996, 27, 2012-2015.	1.0	86
57	Ceramide stearic to palmitic acid ratio predicts incident diabetes. Diabetologia, 2018, 61, 1424-1434.	2.9	85
58	Association Between Gestational Hypertension and Risk of Cardiovascular Disease Among 617Â589 Norwegian Women. Journal of the American Heart Association, 2018, 7, .	1.6	85
59	Relation of electrolytes to blood pressure in men. The Yi people study Hypertension, 1991, 17, 378-385.	1.3	84
60	Cognitive performance among the elderly in relation to the intake of plant foods. The Hordaland Health Study. British Journal of Nutrition, 2010, 104, 1190-1201.	1.2	84
61	Relations between lipoprotein(a) concentrations, LPA genetic variants, and the risk of mortality in patients with established coronary heart disease: a molecular and genetic association study. Lancet Diabetes and Endocrinology,the, 2017, 5, 534-543.	5.5	84
62	Osteoporosis as a Risk Factor for Distal Radial Fractures. Journal of Bone and Joint Surgery - Series A, 2011, 93, 348-356.	1.4	83
63	Carrying the burden of cardiovascular risk in old age: associations of weight and weight change with prevalent cardiovascular disease, risk factors, and health status in the Cardiovascular Health Study. American Journal of Clinical Nutrition, 1997, 66, 837-844.	2.2	80
64	Correlates of blood pressure in community-dwelling older adults. The Cardiovascular Health Study. Cardiovascular Health Study (CHS) Collaborative Research Group Hypertension, 1994, 23, 59-67.	1.3	79
65	Incident Coronary Heart Disease After Preeclampsia: Role of Reduced Fetal Growth, Preterm Delivery, and Parity. Journal of the American Heart Association, 2017, 6, .	1.6	77
66	The nutritional strategy: Four questions predict morbidity, mortality and health care costs. Clinical Nutrition, 2014, 33, 634-641.	2.3	76
67	Survival of patients undergoing renal replacement therapy in one center with special emphasis on racial differences. American Journal of Kidney Diseases, 1996, 28, 72-81.	2.1	75
68	Plasma Glycine and Risk of Acute Myocardial Infarction in Patients With Suspected Stable Angina Pectoris. Journal of the American Heart Association, 2016, 5, .	1.6	73
69	CHOLESTEROL, HIGH DENSITY LIPOPROTEIN CHOLESTEROL AND TRIGLYCERIDES DURING PUBERTY: THE OSLO YOUTH STUDY. American Journal of Epidemiology, 1985, 122, 750-761.	1.6	72
70	Reliability of a food frequency questionnaire by ethnicity, gender, age and education. Nutrition Research, 1996, 16, 735-745.	1.3	72
71	Favourable trends in incidence of AMI in Norway during 2001–2009 do not include younger adults: a CVDNOR project. European Journal of Preventive Cardiology, 2014, 21, 1358-1364.	0.8	72
72	Effect of Migration on Blood Pressure. Epidemiology, 1991, 2, 88-97.	1.2	71

#	Article	IF	CITATIONS
73	Provitamin A carotenoid intake and carotid artery plaques: the Atherosclerosis Risk in Communities Study. American Journal of Clinical Nutrition, 1998, 68, 726-733.	2.2	71
74	Progressively increasing fracture risk with advancing age after initial incident fragility fracture: The TromsÃ, Study. Journal of Bone and Mineral Research, 2013, 28, 2214-2221.	3.1	70
75	Prospective Associations of Systemic and Urinary Choline Metabolites with Incident Type 2 Diabetes. Clinical Chemistry, 2016, 62, 755-765.	1.5	70
76	Serum Acylcarnitines and Risk of Cardiovascular Death and Acute Myocardial Infarction in Patients With Stable Angina Pectoris. Journal of the American Heart Association, 2017, 6, .	1.6	70
77	Nutritional risk profile in a university hospital population. Clinical Nutrition, 2015, 34, 705-711.	2.3	69
78	Heart Failure Complicating Acute Myocardial Infarction; Burden and Timing of Occurrence: A Nationâ€wide Analysis Including 86Â771 Patients From the Cardiovascular Disease in Norway (CVDNOR) Project. Journal of the American Heart Association, 2016, 5, .	1.6	69
79	Occupational Differences in Levels of Anxiety and Depression: The Hordaland Health Study. Journal of Occupational and Environmental Medicine, 2003, 45, 628-638.	0.9	68
80	Mental Health in Internationally Adopted Adolescents: A Meta-Analysis. Journal of the American Academy of Child and Adolescent Psychiatry, 2017, 56, 203-213.e1.	0.3	68
81	Preconception Cardiovascular Risk Factor Differences Between Gestational Hypertension and Preeclampsia. Hypertension, 2016, 67, 1173-1180.	1.3	67
82	Increased plasma trimethylamine- N -oxide is associated with incident atrial fibrillation. International Journal of Cardiology, 2018, 267, 100-106.	0.8	67
83	Low Serum Levels of 25-Hydroxyvitamin D Predict Hip Fracture in the Elderly: A NOREPOS Study. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 3341-3350.	1.8	66
84	Thirty-fiveâ€"year Trends in First-time Hospitalization for Hip Fracture, 1-year Mortality, and the Prognostic Impact of Comorbidity. Epidemiology, 2017, 28, 898-905.	1.2	63
85	Abdominal obesity increases the risk of hip fracture. A populationâ€based study of 43Â000 women and men aged 60–79Âyears followed for 8Âyears. Cohort of <scp>N</scp> orway. Journal of Internal Medicine, 2015, 277, 306-317.	2.7	62
86	Perceptions of Follow-Up Care in Women with Breast Cancer. American Journal of Clinical Oncology: Cancer Clinical Trials, 1991, 14, 55-59.	0.6	61
87	Correlates of Sleep Behavior among Hemodialysis Patients. American Journal of Nephrology, 2002, 22, 18-28.	1.4	59
88	Plasma concentration of folate as a biomarker for the intake of fruit and vegetables: the Hordaland Homocysteine Study. American Journal of Clinical Nutrition, 2005, 81, 434-439.	2.2	59
89	Intake of vitamin K1 and K2 and risk of hip fractures: The Hordaland Health Study. Bone, 2011, 49, 990-995.	1.4	59
90	Midlife insomnia and subsequent mortality: the Hordaland health study. BMC Public Health, 2014, 14, 720.	1.2	59

#	Article	IF	Citations
91	Preventing the onset of cigarette smoking in Norwegian adolescents: The oslo youth study. Preventive Medicine, 1984, 13, 256-275.	1.6	58
92	Cigarette Smoking Cessation and Extracranial Carotid Atherosclerosis. JAMA - Journal of the American Medical Association, 1989, 261, 1178.	3.8	58
93	Changes in lifestyle and plasma total homocysteine: the Hordaland Homocysteine Study. American Journal of Clinical Nutrition, 2004, 79, 812-819.	2.2	58
94	The kynurenine:tryptophan ratio as a predictor of incident type 2 diabetes mellitus in individuals with coronary artery disease. Diabetologia, 2017, 60, 1712-1721.	2.9	58
95	Plasma Total Homocysteine and Hospitalizations for Cardiovascular Disease. Archives of Internal Medicine, 2002, 162, 1374.	4.3	57
96	Femoral and whole-body bone mineral density in middle-aged and older Norwegian men and women: suitability of the reference values. Osteoporosis International, 2004, 15, 525-34.	1.3	57
97	Cognitive Function in an Elderly Population. Psychosomatic Medicine, 2013, 75, 20-29.	1.3	57
98	Kynurenines as predictors of acute coronary events in the Hordaland Health Study. International Journal of Cardiology, 2015, 189, 18-24.	0.8	56
99	Dietary patterns, food groups, and nutrients as predictors of plasma choline and betaine in middle-aged and elderly men and women. American Journal of Clinical Nutrition, 2008, 88, 1663-1669.	2.2	55
100	Vitamins B $<$ sub $>$ 2 $<$ /sub $>$ and B $<$ sub $>$ 6 $<$ /sub $>$ as determinants of kynurenines and related markers of interferon- \hat{I}^3 -mediated immune activation in the community-based Hordaland Health Study. British Journal of Nutrition, 2014, 112, 1065-1072.	1,2	54
101	Possible Common Aetiology behind Maternal Preeclampsia and Congenital Heart Defects in the Child: a Cardiovascular Diseases in <scp>N</scp> orway Project Study. Paediatric and Perinatal Epidemiology, 2016, 30, 76-85.	0.8	54
102	The Role of Comorbidity in Mortality After Hip Fracture: A Nationwide Norwegian Study of 38,126 Women With Hip Fracture Matched to a General-Population Comparison Cohort. American Journal of Epidemiology, 2019, 188, 398-407.	1.6	54
103	The relationship of white cell count, platelet count, and hematocrit to cigarette smoking in adolescents: the Oslo Youth Study Circulation, 1985, 72, 971-974.	1.6	53
104	Continued decline in hip fracture incidence in Norway: a NOREPOS study. Osteoporosis International, 2016, 27, 2217-2222.	1.3	53
105	Current estrogen-progestin and estrogen replacement therapy in elderly women: Association with carotid atherosclerosis. Annals of Epidemiology, 1996, 6, 314-323.	0.9	51
106	The Effect of Telemedicine Follow-up Care on Diabetes-Related Foot Ulcers: A Cluster-Randomized Controlled Noninferiority Trial. Diabetes Care, 2018, 41, 96-103.	4.3	51
107	Impact of age on excess risk of coronary heart disease in patients with familial hypercholesterolaemia. Heart, 2018, 104, 1600-1607.	1.2	49
108	Heart Failure in Women With Hypertensive Disorders of Pregnancy. Hypertension, 2020, 76, 1506-1513.	1.3	48

#	Article	IF	CITATIONS
109	Plasma stearoylâ€CoA desaturase indices: Association with lifestyle, diet, and body composition. Obesity, 2013, 21, E294-302.	1.5	47
110	Maternal Diabetes, Birth Weight, and Neonatal Risk of Congenital Heart Defects in Norway, 1994–2009. Obstetrics and Gynecology, 2016, 128, 1116-1125.	1.2	47
111	Parental and peer influences on smoking among young adults: ten-year follow-up of the Oslo youth study participants. Addiction, 1995, 90, 561-569.	1.7	47
112	Plasma free choline, betaine and cognitive performance: the Hordaland Health Study. British Journal of Nutrition, 2013, 109, 511-519.	1.2	46
113	Circulating Folate and Vitamin B12 and Risk of Prostate Cancer: A Collaborative Analysis of Individual Participant Data from Six Cohorts Including 6875 Cases and 8104 Controls. European Urology, 2016, 70, 941-951.	0.9	46
114	Trends in incident acute myocardial infarction in Norway: An updated analysis to 2014 using national data from the CVDNOR project. European Journal of Preventive Cardiology, 2018, 25, 1031-1039.	0.8	46
115	The kynurenine pathway and cognitive performance in community-dwelling older adults. The Hordaland Health Study. Brain, Behavior, and Immunity, 2019, 75, 155-162.	2.0	46
116	Dietary predictors of plasma total homocysteine in the Hordaland Homocysteine Study. British Journal of Nutrition, 2007, 98, 201-210.	1.2	45
117	Interferon (IFN)- \hat{I}^3 -mediated inflammation and the kynurenine pathway in relation to bone mineral density: the Hordaland Health Study. Clinical and Experimental Immunology, 2014, 176, 452-460.	1.1	45
118	Ten-Year Follow-up of the Oslo Youth Study Smoking Prevention Program. Preventive Medicine, 1993, 22, 453-462.	1.6	44
119	Dietary Fat Intake and Carotid Artery Wall Thickness: The Atherosclerosis Risk in Communities (ARIC) Study. American Journal of Epidemiology, 1994, 139, 979-989.	1.6	44
120	Picture-Sort Method for Administering a Food Frequency Questionnaire to Older Adults. Journal of the American Dietetic Association, 1996, 96, 137-144.	1.3	44
121	Dietary fat and plasma total homocysteine concentrations in 2 adult age groups: the Hordaland Homocysteine Study. American Journal of Clinical Nutrition, 2007, 85, 1598-1605.	2.2	43
122	Choline in anxiety and depression: the Hordaland Health Study. American Journal of Clinical Nutrition, 2009, 90, 1056-1060.	2.2	43
123	Sarcosine and other metabolites along the choline oxidation pathway in relation to prostate cancer—A large nested case–control study within the JANUS cohort in Norway. International Journal of Cancer, 2014, 134, 197-206.	2.3	42
124	NORRISK 2: A Norwegian risk model for acute cerebral stroke and myocardial infarction. European Journal of Preventive Cardiology, 2017, 24, 773-782.	0.8	42
125	Urinary excretion of homocysteine thiolactone and the risk of acute myocardial infarction in coronary artery disease patients: the <scp>WENBIT</scp> trial. Journal of Internal Medicine, 2019, 285, 232-244.	2.7	42
126	3-Hydroxyisobutyrate, A Strong Marker of Insulin Resistance in Type 2 Diabetes and Obesity That Modulates White and Brown Adipocyte Metabolism. Diabetes, 2020, 69, 1903-1916.	0.3	42

#	Article	IF	CITATIONS
127	Distribution and determinants of serum creatinine in the general population: the Hordaland Health Study. Scandinavian Journal of Clinical and Laboratory Investigation, 2004, 64, 709-722.	0.6	41
128	Interactions between plasma concentrations of folate and markers of vitamin B $<$ sub $>$ 12 $<$ /sub $>$ status with cognitive performance in elderly people not exposed to folic acid fortification: the Hordaland Health Study. British Journal of Nutrition, 2014, 111, 1085-1095.	1.2	41
129	Association Between Maternal Folic Acid Supplementation and Congenital Heart Defects in Offspring in Birth Cohorts From Denmark and Norway. Journal of the American Heart Association, 2019, 8, e011615.	1.6	41
130	Higher Bone Mineral Density in Rural Compared with Urban Dwellers: The NOREPOS Study. American Journal of Epidemiology, 2004, 160, 1039-1046.	1.6	40
131	Implementation of nutritional guidelines in a university hospital monitored by repeated point prevalence surveys. European Journal of Clinical Nutrition, 2012, 66, 388-393.	1.3	40
132	Is depression a risk factor for diabetic foot ulcers? 11-years follow-up of the Nord-TrÃ,ndelag Health Study (HUNT). Journal of Diabetes and Its Complications, 2015, 29, 20-25.	1.2	40
133	Markers of vitamin B6 status and metabolism as predictors of incident cancer: The <scp>H</scp> ordaland <scp>H</scp> ealth <scp>S</scp> tudy. International Journal of Cancer, 2015, 136, 2932-2939.	2.3	39
134	Hypertensive pregnancy disorders increase the risk of maternal cardiovascular disease after adjustment for cardiovascular risk factors. International Journal of Cardiology, 2019, 282, 81-87.	0.8	39
135	Cardiovascular disease and diabetes mellitus in Norway during 1994-2009 CVDNOR – a nationwide research project. Norsk Epidemiologi, 2013, 23, .	0.2	39
136	Serum folate and vitamin B12 concentrations in relation to prostate cancer riska Norwegian population-based nested case-control study of 3000 cases and 3000 controls within the JANUS cohort. International Journal of Epidemiology, 2013, 42, 201-210.	0.9	38
137	Insomnia symptoms and mortality: a registerâ€linked study among women and men from Finland, Norway and Lithuania. Journal of Sleep Research, 2016, 25, 96-103.	1.7	38
138	Ten-year risk of second hip fracture. A NOREPOS study. Bone, 2013, 52, 493-497.	1.4	37
139	The association between history of diabetic foot ulcer, perceived health and psychological distress: the Nord-TrÃ,ndelag Health Study. BMC Endocrine Disorders, 2009, 9, 18.	0.9	36
140	An overview of the European Health Examination Survey Pilot Joint Action. Archives of Public Health, 2012, 70, 20.	1.0	36
141	Eating patterns of community-dwelling older adults: The cardiovascular health study. Annals of Epidemiology, 1994, 4, 404-415.	0.9	35
142	Evaluation of the Body Adiposity Index in a Caucasian Population: The Hordaland Health Study. American Journal of Epidemiology, 2013, 177, 586-592.	1.6	35
143	Ethnic inequalities in acute myocardial infarction and stroke rates in Norway 1994–2009: a nationwide cohort study (CVDNOR). BMC Public Health, 2015, 15, 1073.	1.2	34
144	Sudden unexpected death in children with congenital heart defects. European Heart Journal, 2016, 37, 621-626.	1.0	34

#	Article	lF	CITATIONS
145	Plasma Total Homocysteine Is Influenced by Prandial Status in Humans: The Hordaland Homocysteine Study. Journal of Nutrition, 2001, 131, 1214-1216.	1.3	33
146	Relations of glutamate carboxypeptidase II (GCPII) polymorphisms to folate and homocysteine concentrations and to scores of cognition, anxiety, and depression in a homogeneous Norwegian population: the Hordaland Homocysteine Study. American Journal of Clinical Nutrition, 2007, 86, 514-521.	2.2	33
147	Dietary Intake of Protein Is Positively Associated with Percent Body Fat in Middle-Aged and Older Adults. Journal of Nutrition, 2011, 141, 440-446.	1.3	33
148	Cardiovascular disease risk factors related to sexual maturation: The Oslo youth study. Journal of Chronic Diseases, 1985, 38, 633-642.	1.3	32
149	Trends in Mortality of Congenital Heart Defects. Congenital Heart Disease, 2016, 11, 160-168.	0.0	32
150	Mortality and complications in 3495 children with isolated ventricular septal defects. Archives of Disease in Childhood, 2016, 101, 808-813.	1.0	32
151	Age and Sex Differences in Body Mass Index as a Predictor of Hip Fracture: A NOREPOS Study. American Journal of Epidemiology, 2016, 184, 510-519.	1.6	32
152	Dietary intake of n–3 long-chain polyunsaturated fatty acids and coronary events in Norwegian patients with coronary artery disease. American Journal of Clinical Nutrition, 2010, 92, 244-251.	2.2	31
153	Interferonâ€Ĵ³â€"induced inflammatory markers and the risk of cancer: The Hordaland Health Study. Cancer, 2014, 120, 3370-3377.	2.0	31
154	Cardiovascular disease in patients with genotyped familial hypercholesterolemia in Norway during 1994–2009, a registry study. European Journal of Preventive Cardiology, 2016, 23, 1962-1969.	0.8	31
155	Plasma Concentrations and Dietary Intakes of Choline and Betaine in Association With Atrial Fibrillation Risk: Results From 3 Prospective Cohorts With Different Health Profiles. Journal of the American Heart Association, 2018, 7, .	1.6	31
156	Association of Low-Density Lipoprotein Cholesterol With Risk of Aortic Valve Stenosis in Familial Hypercholesterolemia. JAMA Cardiology, 2019, 4, 1156.	3.0	31
157	Health anxiety and risk of ischaemic heart disease: a prospective cohort study linking the Hordaland Health Study (HUSK) with the Cardiovascular Diseases in Norway (CVDNOR) project. BMJ Open, 2016, 6, e012914.	0.8	30
158	Stage 1 hypertension, sex, and acute coronary syndromes during midlife: the Hordaland Health Study. European Journal of Preventive Cardiology, 2022, 29, 147-154.	0.8	30
159	Do Cadmium, Lead, and Aluminum in Drinking Water Increase the Risk of Hip Fractures? A NOREPOS Study. Biological Trace Element Research, 2014, 157, 14-23.	1.9	29
160	Trends in Acute Myocardial Infarction Event Rates and Risk of Recurrences After an Incident Event in Norway 1994 to 2009 (from a Cardiovascular Disease in Norway Project). American Journal of Cardiology, 2014, 113, 1777-1781.	0.7	29
161	Dietary Intake of Saturated Fat Is Not Associated with Risk of Coronary Events or Mortality in Patients with Established Coronary Artery Disease. Journal of Nutrition, 2015, 145, 299-305.	1.3	29
162	Tryptophan catabolites as metabolic markers of vitamin B-6 status evaluated in cohorts of healthy adults and cardiovascular patients. American Journal of Clinical Nutrition, 2020, 111, 178-186.	2.2	29

#	Article	IF	Citations
163	Celiac disease and risk of fracture in adultsâ€"a review. Osteoporosis International, 2014, 25, 1667-1676.	1.3	28
164	Recurrence of congenital heart defects among siblingsâ€"a nationwide study. American Journal of Medical Genetics, Part A, 2017, 173, 1575-1585.	0.7	28
165	Association of Markers of Inflammation, the Kynurenine Pathway and B Vitamins with Age and Mortality, and a Signature of Inflammaging. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, 77, 826-836.	1.7	28
166	Smoking and Body Fat Mass in Relation to Bone Mineral Density and Hip Fracture: The Hordaland Health Study. PLoS ONE, 2014, 9, e92882.	1.1	27
167	Serum Carnitine Metabolites and Incident Type 2 Diabetes Mellitus in Patients With Suspected Stable Angina Pectoris. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 1033-1041.	1.8	27
168	History of and factors associated with diabetic foot ulcers in Norway: The Nord-TrÃ,ndelag Health Study. Scandinavian Journal of Public Health, 2008, 36, 62-68.	1.2	26
169	Educational Inequalities in Acute Myocardial Infarction Incidence in Norway: A Nationwide Cohort Study. PLoS ONE, 2014, 9, e106898.	1.1	26
170	Urban-rural differences in distal forearm fractures: Cohort Norway. Osteoporosis International, 2007, 18, 1063-1072.	1.3	25
171	In Vivo and In Vitro Comparison of Densitometers in the NOREPOS Study. Journal of Clinical Densitometry, 2008, 11, 276-282.	0.5	25
172	Periconceptional Folic Acid Supplementation and Infant Risk of Congenital Heart Defects in N orway 1999–2009. Paediatric and Perinatal Epidemiology, 2015, 29, 391-400.	0.8	25
173	Prognostic Impact of Inâ€Hospital and Postdischarge Heart Failure in Patients With Acute Myocardial Infarction: A Nationwide Analysis Using Data From the Cardiovascular Disease in Norway (CVDNOR) Project. Journal of the American Heart Association, 2017, 6, .	1.6	25
174	Which Aspects of Positive Affect Are Related to Mortality? Results From a General Population Longitudinal Study. Annals of Behavioral Medicine, 2018, 52, 571-581.	1.7	25
175	Parental education as a predictor of offspring behavioural and physiological cardiovascular disease risk factors. European Journal of Public Health, 2012, 22, 544-550.	0.1	24
176	Trends in 28â€day and 1â€year mortality rates in patients hospitalized for a first acute myocardial infarction in Norway during 2001–2009: a "Cardiovascular disease in Norway―(CVDNOR) project. Journal of Internal Medicine, 2015, 277, 353-361.	2.7	24
177	A combination of low serum concentrations of vitamins K1 and D is associated with increased risk of hip fractures in elderly Norwegians: a NOREPOS study. Osteoporosis International, 2016, 27, 1645-1652.	1.3	24
178	Validity of self-reported myocardial infarction and stroke in regions with Sami and Norwegian populations: the SAMINOR 1 Survey and the CVDNOR project. BMJ Open, 2016, 6, e012717.	0.8	24
179	Risk factors for chronic diseases in Norwegian school children: Preliminary findings of a baseline survey as part of an intervention study (The Oslo Youth Study). Preventive Medicine, 1981, 10, 211-225.	1.6	23
180	Cysteine, homocysteine and bone mineral density: A role for body composition?. Bone, 2009, 44, 954-958.	1.4	23

#	Article	IF	Citations
181	Low serum concentrations of alpha-tocopherol are associated with increased risk of hip fracture. A NOREPOS study. Osteoporosis International, 2014, 25, 2545-2554.	1.3	23
182	Impact of comorbidity, age, and gender on seasonal variation in hip fracture incidence. A NOREPOS study. Archives of Osteoporosis, 2014, 9, 191.	1.0	23
183	The relation of CUN-BAE index and BMI with body fat, cardiovascular events and diabetes during a 6-year follow-up: the Hordaland Health Study. Clinical Epidemiology, 2017, Volume 9, 555-566.	1.5	23
184	Prevalence and incidence rates of atrial fibrillation in Norway 2004–2014. Heart, 2021, 107, 201-207.	1.2	23
185	Depression in Persons with Diabetes by Age and Antidiabetic Treatment: A Cross-Sectional Analysis with Data from the Hordaland Health Study. PLoS ONE, 2015, 10, e0127161.	1.1	23
186	Cohort profile: Norwegian Epidemiologic Osteoporosis Studies (NOREPOS). Scandinavian Journal of Public Health, 2014, 42, 804-813.	1.2	22
187	No increase in risk of hip fracture at high serum retinol concentrations in community-dwelling older Norwegians: the Norwegian Epidemiologic Osteoporosis Studies. American Journal of Clinical Nutrition, 2015, 102, 1289-1296.	2.2	22
188	Estimating the future burden of hip fractures in Norway. A NOREPOS study. Bone, 2020, 131, 115156.	1.4	22
189	Differences in precision in bone mineral density measured by SXA and DXA: the NOREPOS study. European Journal of Epidemiology, 2008, 23, 615-624.	2.5	21
190	Short-term and long-term case fatality in 11 878 patients hospitalized with a first acute myocardial infarction, 1979-2001: the Western Norway cardiovascular registry. European Journal of Cardiovascular Prevention and Rehabilitation, 2009, 16, 621-627.	3.1	21
191	Educational inequalities in 28 day and 1-year mortality after hospitalisation for incident acute myocardial infarction — A nationwide cohort study. International Journal of Cardiology, 2014, 177, 874-880.	0.8	21
192	Mental health problems and resilience in international adoptees: Results from a populationâ€based study of Norwegian adolescents aged 16–19 years. Journal of Adolescence, 2015, 44, 48-56.	1.2	21
193	Association between weight change and mortality in community living older people followed for up to 14 years. The Hordaland Health Study (HUSK). Journal of Nutrition, Health and Aging, 2017, 21, 909-917.	1.5	21
194	Association of dietary vitamin K and risk of coronary heart disease in middle-age adults: the Hordaland Health Study Cohort. BMJ Open, 2020, 10, e035953.	0.8	21
195	Interferon gamma (IFN- \hat{l}^3)-mediated inflammation and the kynurenine pathway in relation to risk of hip fractures: the Hordaland Health Study. Osteoporosis International, 2014, 25, 2067-2075.	1.3	20
196	Eating self-efficacy as predictor of long-term weight loss and obesity-specific quality of life after sleeve gastrectomy: A prospective cohort study. Surgery for Obesity and Related Diseases, 2019, 15, 161-167.	1.0	20
197	POSTURAL CHANGES IN BLOOD PRESSURE AND PULSE RATE AMONG BLACK ADOLESCENTS AND WHITE ADOLESCENTS: THE MINNEAPOLIS CHILDREN'S BLOOD PRESSURE STUDY. American Journal of Epidemiology, 1988, 128, 360-369.	1.6	19
198	Regional differences in hip bone mineral density levels in Norway: the NOREPOS study. Osteoporosis International, 2009, 20, 631-638.	1.3	19

#	Article	IF	Citations
199	Maternal pre-pregnancy risk drinking and toddler behavior problems: the Norwegian Mother and Child Cohort Study. European Child and Adolescent Psychiatry, 2014, 23, 901-911.	2.8	19
200	Non-fasting triglycerides predict incident acute myocardial infarction among those with favourable HDL-cholesterol: Cohort Norway. European Journal of Preventive Cardiology, 2015, 22, 872-881.	0.8	19
201	Smoking, plasma cotinine and risk of atrial fibrillation: the Hordaland Health Study. Journal of Internal Medicine, 2018, 283, 73-82.	2.7	19
202	Changes in quality of life 5 years after sleeve gastrectomy: a prospective cohort study. BMJ Open, 2019, 9, e031170.	0.8	19
203	Heart failure in Norway, 2000–2014: analysing incident, total and readmission rates using data from the Cardiovascular Disease in Norway (CVDNOR) Project. European Journal of Heart Failure, 2020, 22, 241-248.	2.9	19
204	Age, education and dementia related deaths. The Norwegian Counties Study and The Cohort of Norway. Journal of the Neurological Sciences, 2014, 345, 75-82.	0.3	18
205	Population data on calcium in drinking water and hip fracture: An association may depend on other minerals in water. A NOREPOS 1 1Norwegian Epidemiologic Osteoporosis Studies. study. Bone, 2015, 81, 292-299.	1.4	18
206	B Vitamins and Hip Fracture: Secondary Analyses and Extended Follow-Up of Two Large Randomized Controlled Trials. Journal of Bone and Mineral Research, 2017, 32, 1981-1989.	3.1	18
207	Results from the European Prospective Investigation into Cancer and Nutrition Link Vitamin B6 Catabolism and Lung Cancer Risk. Cancer Research, 2018, 78, 302-308.	0.4	18
208	Nationwide data on municipal drinking water and hip fracture: Could calcium and magnesium be protective? A NOREPOS study. Bone, 2013, 57, 84-91.	1.4	17
209	A Prospective Study of the Immune System Activation Biomarker Neopterin and Colorectal Cancer Risk. Journal of the National Cancer Institute, 2015, 107, .	3.0	17
210	Effect of the Lookback Period's Length Used to Identify Incident Acute Myocardial Infarction on the Observed Trends on Incidence Rates and Survival. Circulation: Cardiovascular Quality and Outcomes, 2015, 8, 376-382.	0.9	17
211	Coronary angiography and myocardial revascularization following the first acute myocardial infarction in Norway during 2001–2009: Analyzing time trends and educational inequalities using data from the CVDNOR project. International Journal of Cardiology, 2016, 212, 122-128.	0.8	17
212	The PAr index, an indicator reflecting altered vitamin B-6 homeostasis, is associated with long-term risk of stroke in the general population: the Hordaland Health Study (HUSK). American Journal of Clinical Nutrition, 2018, 107, 105-112.	2.2	17
213	The association between alcohol consumption and risk of hip fracture differs by age and gender in Cohort of Norway: a NOREPOS study. Osteoporosis International, 2018, 29, 2457-2467.	1.3	17
214	2.5-fold increased risk of recurrent acute myocardial infarction with familial hypercholesterolemia. Atherosclerosis, 2021, 319, 28-34.	0.4	17
215	Telemedicine Versus Standard Follow-Up Care for Diabetes-Related Foot Ulcers: Protocol for a Cluster Randomized Controlled Noninferiority Trial (DiaFOTo). JMIR Research Protocols, 2016, 5, e148.	0.5	17
216	Plasma creatinine as a determinant of plasma total homocysteine concentrations in the Hordaland Homocysteine Study: Use of statistical modeling to determine reference limits. Clinical Biochemistry, 2007, 40, 1209-1218.	0.8	16

#	Article	IF	Citations
217	Increased risk of heart failure and atrial fibrillation in heterozygous familial hypercholesterolemia. Atherosclerosis, 2017, 266, 69-73.	0.4	16
218	Use of patient-reported outcome measures (PROMs) in clinical diabetes consultations: study protocol for the DiaPROM randomised controlled trial pilot study. BMJ Open, 2019, 9, e024008.	0.8	16
219	Characteristics of stroke victims associated with early cardiovascular mortality in their children. Journal of Clinical Epidemiology, 1990, 43, 49-54.	2.4	15
220	High-throughput epidemiology: Combining existing data from the Nordic countries in health-related collaborative research. Scandinavian Journal of Public Health, 2010, 38, 777-779.	1.2	15
221	Associations between plasma polyunsaturated fatty acids, plasma stearoyl oA desaturase indices and body fat. Obesity, 2013, 21, E512-9.	1.5	15
222	Procollagen type 1 amino-terminal propeptide (P1NP) and risk of hip fractures in elderly Norwegian men and women. A NOREPOS study. Bone, 2014, 64, 1-7.	1.4	15
223	Anxiety, depression and timing of insulin treatment among people with type 2 diabetes: Nine-year follow-up of the Nord-Trøndelag Health Study, Norway. Journal of Psychosomatic Research, 2015, 79, 309-315.	1.2	15
224	Plasma dimethylglycine, nicotine exposure and risk of low bone mineral density and hip fracture: the Hordaland Health Study. Osteoporosis International, 2015, 26, 1573-1583.	1.3	15
225	Associations between fish intake and the metabolic syndrome and its components among middle-aged men and women: the Hordaland Health Study. Food and Nutrition Research, 2017, 61, 1347479.	1.2	15
226	Adherence to the Healthy Nordic Food Index and the incidence of acute myocardial infarction and mortality among patients with stable angina pectoris. Journal of Human Nutrition and Dietetics, 2019, 32, 86-97.	1.3	15
227	Vitamin B6 catabolism and lung cancer risk: results from the Lung Cancer Cohort Consortium (LC3). Annals of Oncology, 2019, 30, 478-485.	0.6	15
228	Factors associated with increase in blood pressure and incident hypertension in early midlife: the Hordaland Health Study. Blood Pressure, 2020, 29, 267-275.	0.7	15
229	Physical health-related quality of life predicts disability pension due to musculoskeletal disorders: seven years follow-up of the Hordaland Health Study Cohort. BMC Public Health, 2014, 14, 167.	1.2	14
230	High population attributable fractions of myocardial infarction associated with waist–hip ratio. Obesity, 2016, 24, 1162-1169.	1.5	14
231	Physical activity is independently associated with reduced mortality: 15-years follow-up of the Hordaland Health Study (HUSK). PLoS ONE, 2017, 12, e0172932.	1.1	14
232	Plasma Cystathionine and Risk of Incident Stroke in Patients With Suspected Stable Angina Pectoris. Journal of the American Heart Association, 2018, 7, e008824.	1.6	14
233	Diabetes prevalence among older people receiving care at home: associations with symptoms, health status and psychological wellâ€being. Diabetic Medicine, 2019, 36, 96-104.	1.2	14
234	Racial differences in the incidence of endâ€stage renal disease. Ethnicity and Health, 1996, 1, 21-31.	1.5	13

#	Article	IF	CITATIONS
235	Implications of changing definitions of myocardial infarction on number of events and all-cause mortality: the WHO 1979, ESC/ACC 2000, AHA 2003, and Universal 2007 definitions revisited. European Journal of Preventive Cardiology, 2014, 21, 1349-1357.	0.8	13
236	Use of Sleep Medications and Mortality: The Hordaland Health Study. Drugs - Real World Outcomes, 2015, 2, 123-128.	0.7	13
237	Anxiety and Depressive Symptoms as Predictors of All-Cause Mortality among People with Insulin-Na $ ilde{A}$ -ve Type 2 Diabetes: 17-Year Follow-Up of the Second Nord-Tr $ ilde{A}$,ndelag Health Survey (HUNT2), Norway. PLoS ONE, 2016, 11, e0160861.	1.1	13
238	Dietary Choline Intake Is Directly Associated with Bone Mineral Density in the Hordaland Health Study. Journal of Nutrition, 2017, 147, 572-578.	1.3	13
239	Trends in the risk of early and late-onset heart failure as an adverse outcome of acute myocardial infarction: A Cardiovascular Disease in Norway project. European Journal of Preventive Cardiology, 2017, 24, 971-980.	0.8	13
240	Mortality following first-time hospitalization with acute myocardial infarction in Norway, 2001–2014: Time trends, underlying causes and place of death. International Journal of Cardiology, 2019, 294, 6-12.	0.8	13
241	Kynurenines, Neuropsychiatric Symptoms, and Cognitive Prognosis in Patients with Mild Dementia. International Journal of Tryptophan Research, 2019, 12, 117864691987788.	1.0	13
242	Ischemic heart failure as a complication of incident acute myocardial infarction: Timing and time trends: A national analysis including 78,814 Danish patients during 2000–2009. Scandinavian Journal of Public Health, 2020, 48, 294-302.	1.2	13
243	Plasma sulfur amino acids and stearoyl-CoA desaturase activity in two caucasian populations. Prostaglandins Leukotrienes and Essential Fatty Acids, 2013, 89, 297-303.	1.0	12
244	Educational inequalities in mortality of patients with atrial fibrillation in Norway. Scandinavian Cardiovascular Journal, 2017, 51, 82-87.	0.4	12
245	Cardiovascular disease risk associated with serum apolipoprotein B is modified by serum vitamin A. Atherosclerosis, 2017, 265, 325-330.	0.4	12
246	Neopterin as an Effect Modifier of the Cardiovascular Risk Predicted by Total Homocysteine: A Prospective 2â€Cohort Study. Journal of the American Heart Association, 2017, 6, .	1.6	12
247	Electronic capturing of patient-reported outcome measures on a touchscreen computer in clinical diabetes practice (the DiaPROM trial): a feasibility study. Pilot and Feasibility Studies, 2019, 5, 29.	0.5	12
248	Urban–Rural Differences in Hip Fracture Mortality: A Nationwide NOREPOS Study. JBMR Plus, 2019, 3, e10236.	1.3	12
249	Risk of Ischemic Stroke and Total Cerebrovascular Disease in Familial Hypercholesterolemia. Stroke, 2019, 50, 172-174.	1.0	12
250	Effect of a telemedicine intervention for diabetes-related foot ulcers on health, well-being and quality of life: secondary outcomes from a cluster randomized controlled trial (DiaFOTo). BMC Endocrine Disorders, 2020, 20, 157.	0.9	12
251	Use of patient-reported outcome measures (PROMs) in clinical diabetes consultations: the DiaPROM randomised controlled pilot trial. BMJ Open, 2021, 11, e042353.	0.8	12
252	Alcohol and drug use among internationally adopted adolescents: Results from a Norwegian population-based study American Journal of Orthopsychiatry, 2018, 88, 226-235.	1.0	12

#	Article	IF	Citations
253	Surveys of Norwegian youth indicated that breast feeding reduced subsequent risk of obesity. Journal of Clinical Epidemiology, 2005, 58, 849-855.e1.	2.4	11
254	Validity of an algorithm to identify osteonecrosis of the jaw in women with postmenopausal osteoporosis in the Danish National Registry of Patients. Clinical Epidemiology, 2013, 5, 263.	1.5	11
255	Usefulness of Higher Levels of Cardiac Troponin T in Patients With Stable Angina Pectoris to Predict Risk of Acute Myocardial Infarction. American Journal of Cardiology, 2018, 122, 1142-1147.	0.7	11
256	Risk factors for low bone mineral density among a large group of Norwegian women with fractures. European Journal of Epidemiology, 2000, 16, 223-229.	2.5	10
257	Educational Inequalities in Post-Hip Fracture Mortality: A NOREPOS Studys. Journal of Bone and Mineral Research, 2015, 30, 2221-2228.	3.1	10
258	Family history of premature myocardial infarction, life course socioeconomic position and coronary heart disease mortality — A Cohort of Norway (CONOR) study. International Journal of Cardiology, 2015, 190, 302-307.	0.8	10
259	The influence of birth weight and length on bone mineral density and content in adolescence: The TromsÃ, Study, Fit Futures. Archives of Osteoporosis, 2017, 12, 54.	1.0	10
260	Can traditional risk factors explain the higher risk of cardiovascular disease in South Asians compared to Europeans in Norway and New Zealand? Two cohort studies. BMJ Open, 2017, 7, e016819.	0.8	10
261	Reliability of Tanner stage assessments in a multi-center study. American Journal of Human Biology, 1990, 2, 503-510.	0.8	9
262	The risk association of plasma total homocysteine with acute myocardial infarction is modified by serum vitamin A. European Journal of Preventive Cardiology, 2018, 25, 1612-1620.	0.8	9
263	Primary cardiovascular risk prediction by LDL-cholesterol in Caucasian middle-aged and older adults: a joint analysis of three cohorts. European Journal of Preventive Cardiology, 2022, 29, e128-e137.	0.8	9
264	Serum Galectin-3 and Subsequent Risk of Coronary Heart Disease in Subjects With Childhood-Onset Type 1 Diabetes: A Cohort Study. Diabetes Care, 2021, 44, 810-816.	4.3	9
265	Cigarette Smoking and Extracranial Carotid Atherosclerosis. Advances in Experimental Medicine and Biology, 1990, 273, 39-49.	0.8	9
266	Cigarette Smoking, Lipids, Lipoproteins, and Extracranial Carotid Artery Atherosclerosis. Mayo Clinic Proceedings, 1991, 66, 327-331.	1.4	8
267	The universal 2012 definition of myocardial infarction compared to the 2007 definition. Scandinavian Cardiovascular Journal, 2016, 50, 201-205.	0.4	8
268	Assessment of Dietary Choline Intake, Contributing Food Items, and Associations with One-Carbon and Lipid Metabolites in Middle-Aged and Elderly Adults: The Hordaland Health Study. Journal of Nutrition, 2022, 152, 513-524.	1.3	8
269	Is the quality of drinking water a risk factor for self-reported forearm fractures? Cohort of Norway. Osteoporosis International, 2013, 24, 541-551.	1.3	7
270	The educational gradient in coronary heart disease: the association with cognition in a cohort of 57â€279 male conscripts. Journal of Epidemiology and Community Health, 2015, 69, 322-329.	2.0	7

#	Article	IF	CITATIONS
271	Higher education is associated with reduced risk of heart failure among patients with acute myocardial infarction: A nationwide analysis using data from the CVDNOR project. European Journal of Preventive Cardiology, 2016, 23, 1743-1750.	0.8	7
272	A review of systematic reviews on the effects of patientâ€reported outcome monitoring with clinical feedback systems on healthâ€related quality of lifeâ€"implications for a novel technology in obesity treatment. Clinical Obesity, 2018, 8, 452-464.	1.1	7
273	Limited Benefit of Fish Consumption on Risk of Hip Fracture among Men in the Community-Based Hordaland Health Study. Nutrients, 2018, 10, 873.	1.7	7
274	Effectiveness and safety of non-vitamin K antagonist oral anticoagulants and warfarin in atrial fibrillation: a Scandinavian population-based cohort study. European Heart Journal Quality of Care & European Clinical Outcomes, 2022, 8, 577-587.	1.8	7
275	Associations of overweight, obesity and osteoporosis with ankle fractures. BMC Musculoskeletal Disorders, 2021, 22, 723.	0.8	7
276	Comparison of hospital and neighborhood controls in a study of coronary artery disease. Journal of Clinical Epidemiology, 1991, 44, 1097-1104.	2.4	6
277	Dietary vitamins K1, K2 and bone mineral density: the Hordaland Health Study. Archives of Osteoporosis, 2010, 5, 73-81.	1.0	6
278	Methylenetetrahydrofolate Dehydrogenase 1 Polymorphisms Modify the Associations of Plasma Glycine and Serine With Risk of Acute Myocardial Infarction in Patients With Stable Angina Pectoris in WENBIT (Western Norway B Vitamin Intervention Trial). Circulation: Cardiovascular Genetics, 2016, 9, 541-547.	5.1	6
279	Associations between omega-3 fatty acids and 25(OH)D and psychological distress among Inuit in Canada. International Journal of Circumpolar Health, 2017, 76, 1302684.	0.5	6
280	Positive predictive values of ICD-10 codes to identify incident acute pancreatitis and incident primary malignancy in the Scandinavian national patient registries among women with postmenopausal osteoporosis. Clinical Epidemiology, 2017, Volume 9, 411-419.	1.5	6
281	Association of plasma neopterin with risk of an inpatient hospital diagnosis of atrial fibrillation: results from two prospective cohort studies. Journal of Internal Medicine, 2018, 283, 578-587.	2.7	6
282	Overall Treatment Satisfaction 5ÂYears After Bariatric Surgery. Obesity Surgery, 2020, 30, 206-213.	1.1	6
283	Association of fatal myocardial infarction with past level of physical activity: a pooled analysis of cohort studies. European Journal of Preventive Cardiology, 2021, 28, 1590-1598.	0.8	6
284	Increased risk of peripheral artery disease in persons with familial hypercholesterolaemia: a prospective registry study. European Journal of Preventive Cardiology, 2022, 28, e11-e13.	0.8	6
285	Nine-fold higher risk of acute myocardial infarction in subjects with type 1 diabetes compared to controls in Norway 1973–2017. Cardiovascular Diabetology, 2022, 21, 59.	2.7	6
286	The Kidney Outcomes Prediction and Evaluation (KOPE) Study: A Prospective Cohort Investigation of Patients Undergoing Hemodialysis. Annals of Epidemiology, 1998, 8, 192-200.	0.9	5
287	Plasma Choline, Nicotine Exposure, and Risk of Low Bone Mineral Density and Hip Fracture: The Hordaland Health Study. Journal of Bone and Mineral Research, 2014, 29, 242-250.	3.1	5
288	Positive IgA against transglutaminase 2 in patients with distal radius and ankle fractures compared to community-based controls. Scandinavian Journal of Gastroenterology, 2018, 53, 1212-1216.	0.6	5

#	Article	IF	CITATIONS
289	Inequity in disability pension: an intersectional analysis of the co-constitution of gender, education and age. The Hordaland Health Study. Critical Public Health, 2019, 29, 302-313.	1.4	5
290	Socioeconomic Gradients in Mortality Following HF Hospitalization in a Country With Universal Health Care Coverage. JACC: Heart Failure, 2020, 8, 917-927.	1.9	5
291	Transsulfuration metabolites and the association with incident atrial fibrillation – An observational cohort study among Norwegian patients with stable angina pectoris. International Journal of Cardiology, 2020, 317, 75-80.	0.8	5
292	A novel patient-reported outcome monitoring with clinical feedback system in bariatric surgery care: study protocol, design and plan for evaluation. BMJ Open, 2020, 10, e037685.	0.8	5
293	Associations of Binge Drinking With the Risks of Ischemic Heart Disease and Stroke: A Study of Pooled Norwegian Health Surveys. American Journal of Epidemiology, 2021, 190, 1592-1603.	1.6	5
294	Factors Influencing Dietary Habits: Experiences of the Oslo Youth Study., 1982,, 381-396.		4
295	Time Trends and Educational Inequalities in Outâ€ofâ€Hospital Coronary Deaths in Norway 1995–2009: A Cardiovascular Disease in Norway (CVDNOR) Project. Journal of the American Heart Association, 2017, 6, .	1.6	4
296	The gender gap in accrued pension rights – an indicator of women's accumulated disadvantage over the course of working life. The Hordaland Health Study (HUSK). Scandinavian Journal of Public Health, 2018, 46, 417-424.	1,2	4
297	No association between osteoporosis and AO classification of distal radius fractures: an observational study of 289 patients. BMC Musculoskeletal Disorders, 2020, 21, 811.	0.8	4
298	Intake of carbohydrates and SFA and risk of CHD in middle-age adults: the Hordaland Health Study (HUSK). Public Health Nutrition, 2022, 25, 634-648.	1,1	4
299	Lipid parameters and vitamin A modify cardiovascular risk prediction by plasma neopterin. Heart, 2020, 106, 1073-1079.	1.2	4
300	Contribution of elevation and residential proximity to the coast in explaining geographic variations in hip fracture incidence. A Norwegian Epidemiologic Osteoporosis Studies (NOREPOS) study. Osteoporosis International, 2021, 32, 1001-1006.	1.3	4
301	Trimethyllysine predicts all-cause and cardiovascular mortality in community-dwelling adults and patients with coronary heart disease. European Heart Journal Open, 2021, 1 , .	0.9	4
302	Trends in the occurrence of ischaemic heart disease over time in rheumatoid arthritis: 1821 patients from 1972 to 2017. Scandinavian Journal of Rheumatology, 2023, 52, 233-242.	0.6	4
303	Contribution of an extensive medication-based comorbidity index (Rx-Risk) in explaining the excess mortality after hip fracture in older Norwegians: a NOREPOS cohort study. BMJ Open, 2022, 12, e057823.	0.8	4
304	Relative importance of risk factors for coronary heart disease – The Hordaland Homocysteine Study. Scandinavian Cardiovascular Journal, 2012, 46, 316-323.	0.4	3
305	Do smoking and fruit and vegetable intake mediate the association between socio-economic status and plasma carotenoids?. European Journal of Public Health, 2014, 24, 685-690.	0.1	3
306	Airflow limitation as a risk factor for low bone mineral density and hip fracture. European Clinical Respiratory Journal, 2016, 3, 32214.	0.7	3

#	Article	IF	Citations
307	Attempts to improve and confidence in improving health behaviour in 40–49 year olds with and without coronary heart disease: The Hordaland Health Study. European Journal of Cardiovascular Nursing, 2016, 15, e60-e69.	0.4	3
308	Incidence of various types of atherosclerotic disease in patients with genotyped familial hypercholesterolemia. Atherosclerosis, 2017, 263, e26.	0.4	3
309	Validation of the cardiovascular risk model NORRISK 2 in South Asians and people with diabetes. Scandinavian Cardiovascular Journal, 2021, 55, 56-62.	0.4	3
310	Casual blood glucose and subsequent cardiovascular disease and all-cause mortality among 159 731 participants in Cohort of Norway (CONOR). BMJ Open Diabetes Research and Care, 2021, 9, e001928.	1.2	3
311	Association between pregravid physical activity and family history of stroke and risk of stillbirth: population-based cohort study. BMJ Open, 2017, 7, e017034.	0.8	2
312	Long-term cardiovascular morbidity following hyperemesis gravidarum: A Norwegian nationwide cohort study. PLoS ONE, 2019, 14, e0218051.	1.1	2
313	Total and lean fish intake is positively associated with bone mineral density in older women in the community-based Hordaland Health Study. European Journal of Nutrition, 2019, 58, 1403-1413.	1.8	2
314	Initiation of anti-osteoporotic drugs in high-risk female patients starting glucocorticoid treatment: a population study in Norway. Archives of Osteoporosis, 2020, 15, 121.	1.0	2
315	Pharmacologically treated diabetes and hospitalization among older Norwegians receiving homecare services from 2009 to 2014: a nationwide register study. BMJ Open Diabetes Research and Care, 2021, 9, e002000.	1.2	2
316	The association between serum high-sensitivity cardiac troponin T and acute myocardial infarction in patients with suspected chronic coronary syndrome is modified by body mass index. International Journal of Cardiology Cardiovascular Risk and Prevention, 2021, 11, 200109.	0.4	2
317	Examining the lower range of the association between alcohol intake and risk of incident hospitalization with atrial fibrillation. IJC Heart and Vasculature, 2020, 31, 100679.	0.6	2
318	End-stage renal disease: incidence and prediction by coronary heart disease, and educational level. Follow-up from diagnosis of childhood-onset type 1 diabetes throughout Norway 1973–2017. Annals of Epidemiology, 2022, 76, 181-187.	0.9	2
319	Trends in acute myocardial infarction hospitalization rates in Norway during 1994-2009; a CVDNOR project. European Heart Journal, 2013, 34, P2497-P2497.	1.0	1
320	AB0803â€Celiac Disease and Positive IGA Tissue Transglutaminase in Patients with Distal Radius or Ankle Fracture: Interim Analysis: Table 1. Annals of the Rheumatic Diseases, 2014, 73, 1069.2-1069.	0.5	1
321	The impact of age and sex on excess risk of coronary heart disease in patients with familial hypercholesterolemia: A registry study. Atherosclerosis, 2018, 275, e175.	0.4	1
322	Systemic Cardiac Troponin T Associated With Incident Atrial Fibrillation Among Patients With Suspected Stable Angina Pectoris. American Journal of Cardiology, 2020, 127, 30-35.	0.7	1
323	Risk of death from cardiovascular disease in long-term breast cancer survivors: A comparison with women from the general population Journal of Clinical Oncology, 2014, 32, 1534-1534.	0.8	1
324	Prevalence and incidence rates of atrial fibrillation in Denmark 2004–2018. European Heart Journal, 2021, 42, .	1.0	1

#	Article	IF	Citations
325	Trends in 28 day and one year survival in patients hospitalized for an incident acute myocardial infarction in Norway during 2001-2009; a CVDNOR project. European Heart Journal, 2013, 34, P2498-P2498.	1.0	O
326	Seasonality of cardiovascular risk factors - an analysis including over 100,000 participants in seven countries. European Heart Journal, 2013, 34, 2661-2661.	1.0	0
327	Serum acylcarnitines and risk of incident type 2 diabetes in patients with suspected stable angina pectoris $\hat{a}\in$ A prospective cohort study. Atherosclerosis, 2016, 252, e204.	0.4	O
328	The prospective relationships of circulating and urinary choline metabolites with incident type 2 diabetes among patients with suspected stable angina pectoris. Atherosclerosis, 2016, 252, e205.	0.4	0
329	Standardized incidence ratio of peripheral arterial disease and aortic stenosis in genotyped familial hypercholesterolemia in Norway during 2001-2009. Atherosclerosis, 2017, 263, e78.	0.4	0
330	THE AUTHORS REPLY. American Journal of Epidemiology, 2017, 185, 511-513.	1.6	0
331	The gender gap in accrued pension points: an indicator of women's accumulated disadvantages. European Journal of Public Health, 2017, 27, .	0.1	O
332	Positive predictive values of International Classification of Diseases, 10th revision codes for dermatologic events and hypersensitivity leading to hospitalization or emergency room visit among women with postmenopausal osteoporosis in the Danish and Swedish national patient registries. Clinical Epidemiology, 2017, Volume 9, 179-184.	1.5	0
333	Reply to Letter to Editor: Trends in incident acute myocardial infarction in Norway: An updated analysis to 2014 using national data from the CVDNOR project. European Journal of Preventive Cardiology, 2019, 26, 333-333.	0.8	0
334	Quantitative assessment of the lifelong, substantial increased risk of coronary revascularization in familial hypercholesterolemia. Atherosclerosis, 2020, 315, e38-e39.	0.4	0
335	OP20â€The impact of the secular increase in body mass index on hip fracture risk in the norwegian population. , 2021, , .		0
336	OUP accepted manuscript. European Journal of Preventive Cardiology, 2021, , .	0.8	0
337	Lung function as a risk factor for low bone mineral density and hip fracture - The Hordaland health study. , 2015, , .		0
338	Individuals with familial hypercholesterolemia have increased risk of re-hospitalization after acute myocardial infarction compared with controls. European Heart Journal, 2020, 41 , .	1.0	0
339	Is high-normal blood pressure a more important risk factor for cardiovascular disease in women than in men? The Hordaland Health study. European Heart Journal, 2020, 41, .	1.0	0
340	Time trends in incidence rates of atrial fibrillation-related strokes in Norway 2001–2014: a nationwide analysis using data from the cardiovascular disease in Norway (CVDNOR) project. European Heart Journal, 2020, 41, .	1.0	0
341	Is the risk of cardiovascular disease in women with pre-eclampsia modified by very low or very high offspring birth weight? A nationwide cohort study in Norway. BMJ Open, 2022, 12, e055467.	0.8	0