

Grethe S Tell

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7844373/grethe-s-tell-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

320
papers

13,607
citations

64
h-index

103
g-index

350
ext. papers

15,725
ext. citations

5.4
avg, IF

6.52
L-index

#	Paper	IF	Citations
320	Trends in the occurrence of ischaemic heart disease over time in rheumatoid arthritis: 1821 patients from 1972 to 2017.. <i>Scandinavian Journal of Rheumatology</i> , 2022 , 1-10	1.9	1
319	Is the risk of cardiovascular disease in women with pre-eclampsia modified by very low or very high offspring birth weight? A nationwide cohort study in Norway.. <i>BMJ Open</i> , 2022 , 12, e055467	3	
318	Nine-fold higher risk of acute myocardial infarction in subjects with type 1 diabetes compared to controls in Norway 1973-2017.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 59	8.7	1
317	Contribution of an extensive medication-based comorbidity index (Rx-Risk) in explaining the excess mortality after hip fracture in older Norwegians: a NOREPOS cohort study.. <i>BMJ Open</i> , 2022 , 12, e057823	3	0
316	Prevalence and incidence rates of atrial fibrillation in Denmark 2004-2018. <i>European Heart Journal</i> , 2021 , 42,	9.5	1
315	The association between serum high-sensitivity cardiac troponin T and acute myocardial infarction in patients with suspected chronic coronary syndrome is modified by body mass index. <i>International Journal of Cardiology Cardiovascular Risk and Prevention</i> , 2021 , 11, 200109		0
314	Associations of Binge Drinking With the Risks of Ischemic Heart Disease and Stroke: A Study of Pooled Norwegian Health Surveys. <i>American Journal of Epidemiology</i> , 2021 , 190, 1592-1603	3.8	1
313	Use of patient-reported outcome measures (PROMs) in clinical diabetes consultations: the DiaPROM randomised controlled pilot trial. <i>BMJ Open</i> , 2021 , 11, e042353	3	4
312	Stage 1 hypertension, sex, and acute coronary syndromes during midlife: the Hordaland Health Study. <i>European Journal of Preventive Cardiology</i> , 2021 ,	3.9	6
311	SCORE2-OP risk prediction algorithms: estimating incident cardiovascular event risk in older persons in four geographical risk regions. <i>European Heart Journal</i> , 2021 , 42, 2455-2467	9.5	31
310	Association of markers of inflammation, the kynurenine pathway and B vitamins with age and mortality, and a signature of inflammaging. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 ,	6.4	7
309	Validation of the cardiovascular risk model NORRISK 2 in South Asians and people with diabetes. <i>Scandinavian Cardiovascular Journal</i> , 2021 , 55, 56-62	2	1
308	Contribution of elevation and residential proximity to the coast in explaining geographic variations in hip fracture incidence. A Norwegian Epidemiologic Osteoporosis Studies (NOREPOS) study. <i>Osteoporosis International</i> , 2021 , 32, 1001-1006	5.3	0
307	Prevalence and incidence rates of atrial fibrillation in Norway 2004-2014. <i>Heart</i> , 2021 , 107, 201-207	5.1	6
306	2.5-fold increased risk of recurrent acute myocardial infarction with familial hypercholesterolemia. <i>Atherosclerosis</i> , 2021 , 319, 28-34	3.1	3
305	Association of fatal myocardial infarction with past level of physical activity: a pooled analysis of cohort studies. <i>European Journal of Preventive Cardiology</i> , 2021 ,	3.9	2
304	Associations of overweight, obesity and osteoporosis with ankle fractures. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 723	2.8	1

303	Serum Galectin-3 and Subsequent Risk of Coronary Heart Disease in Subjects With Childhood-Onset Type 1 Diabetes: A Cohort Study. <i>Diabetes Care</i> , 2021 , 44, 810-816	14.6	3
302	Development and validation of a ceramide- and phospholipid-based cardiovascular risk estimation score for coronary artery disease patients. <i>European Heart Journal</i> , 2020 , 41, 371-380	9.5	87
301	Lipid parameters and vitamin A modify cardiovascular risk prediction by plasma neopterin. <i>Heart</i> , 2020 , 106, 1073-1079	5.1	3
300	Transsulfuration metabolites and the association with incident atrial fibrillation - An observational cohort study among Norwegian patients with stable angina pectoris. <i>International Journal of Cardiology</i> , 2020 , 317, 75-80	3.2	2
299	Factors associated with increase in blood pressure and incident hypertension in early midlife: the Hordaland Health Study. <i>Blood Pressure</i> , 2020 , 29, 267-275	1.7	5
298	Association of dietary vitamin K and risk of coronary heart disease in middle-age adults: the Hordaland Health Study Cohort. <i>BMJ Open</i> , 2020 , 10, e035953	3	13
297	A novel patient-reported outcome monitoring with clinical feedback system in bariatric surgery care: study protocol, design and plan for evaluation. <i>BMJ Open</i> , 2020 , 10, e037685	3	1
296	3-Hydroxyisobutyrate, A Strong Marker of Insulin Resistance in Type 2 Diabetes and Obesity That Modulates White and Brown Adipocyte Metabolism. <i>Diabetes</i> , 2020 , 69, 1903-1916	0.9	20
295	Systemic Cardiac Troponin T Associated With Incident Atrial Fibrillation Among Patients With Suspected Stable Angina Pectoris. <i>American Journal of Cardiology</i> , 2020 , 127, 30-35	3	
294	Examining the lower range of the association between alcohol intake and risk of incident hospitalization with atrial fibrillation. <i>IJC Heart and Vasculature</i> , 2020 , 31, 100679	2.4	1
293	Estimating the future burden of hip fractures in Norway. A NOREPOS study. <i>Bone</i> , 2020 , 131, 115156	4.7	8
292	Socioeconomic Gradients in Mortality Following HF Hospitalization in a Country With Universal Health Care Coverage. <i>JACC: Heart Failure</i> , 2020 , 8, 917-927	7.9	2
291	No association between osteoporosis and AO classification of distal radius fractures: an observational study of 289 patients. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 811	2.8	1
290	Initiation of anti-osteoporotic drugs in high-risk female patients starting glucocorticoid treatment: a population study in Norway. <i>Archives of Osteoporosis</i> , 2020 , 15, 121	2.9	1
289	Effect of a telemedicine intervention for diabetes-related foot ulcers on health, well-being and quality of life: secondary outcomes from a cluster randomized controlled trial (DiaFOTo). <i>BMC Endocrine Disorders</i> , 2020 , 20, 157	3.3	2
288	Heart Failure in Women With Hypertensive Disorders of Pregnancy: Insights From the Cardiovascular Disease in Norway Project. <i>Hypertension</i> , 2020 , 76, 1506-1513	8.5	18
287	Intake of carbohydrates and SFA and risk of CHD in middle-age adults: the Hordaland Health Study (HUSK). <i>Public Health Nutrition</i> , 2020 , 1-15	3.3	1
286	Ischemic heart failure as a complication of incident acute myocardial infarction: Timing and time trends: A national analysis including 78,814 Danish patients during 2000-2009. <i>Scandinavian Journal of Public Health</i> , 2020 , 48, 294-302	3	8

285	Tryptophan catabolites as metabolic markers of vitamin B-6 status evaluated in cohorts of healthy adults and cardiovascular patients. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 178-186	7	13
284	Heart failure in Norway, 2000-2014: analysing incident, total and readmission rates using data from the Cardiovascular Disease in Norway (CVDNOR) Project. <i>European Journal of Heart Failure</i> , 2020 , 22, 241-248	12.3	13
283	Overall Treatment Satisfaction 5 Years After Bariatric Surgery. <i>Obesity Surgery</i> , 2020 , 30, 206-213	3.7	3
282	Hypertensive pregnancy disorders increase the risk of maternal cardiovascular disease after adjustment for cardiovascular risk factors. <i>International Journal of Cardiology</i> , 2019 , 282, 81-87	3.2	27
281	Vitamin B6 catabolism and lung cancer risk: results from the Lung Cancer Cohort Consortium (LC3). <i>Annals of Oncology</i> , 2019 , 30, 478-485	10.3	8
280	Long-term cardiovascular morbidity following hyperemesis gravidarum: A Norwegian nationwide cohort study. <i>PLoS ONE</i> , 2019 , 14, e0218051	3.7	1
279	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019 , 569, 260-264	50.4	278
278	Electronic capturing of patient-reported outcome measures on a touchscreen computer in clinical diabetes practice (the DiaPROM trial): a feasibility study. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 29	1.9	7
277	Association Between Maternal Folic Acid Supplementation and Congenital Heart Defects in Offspring in Birth Cohorts From Denmark and Norway. <i>Journal of the American Heart Association</i> , 2019 , 8, e011615	6	26
276	Diabetes prevalence among older people receiving care at home: associations with symptoms, health status and psychological well-being. <i>Diabetic Medicine</i> , 2019 , 36, 96-104	3.5	10
275	Adherence to the Healthy Nordic Food Index and the incidence of acute myocardial infarction and mortality among patients with stable angina pectoris. <i>Journal of Human Nutrition and Dietetics</i> , 2019 , 32, 86-97	3.1	9
274	Inequity in disability pension: an intersectional analysis of the co-constitution of gender, education and age. The Hordaland Health Study. <i>Critical Public Health</i> , 2019 , 29, 302-313	2.6	5
273	Mortality following first-time hospitalization with acute myocardial infarction in Norway, 2001-2014: Time trends, underlying causes and place of death. <i>International Journal of Cardiology</i> , 2019 , 294, 6-12	3.2	6
272	Association of Low-Density Lipoprotein Cholesterol With Risk of Aortic Valve Stenosis in Familial Hypercholesterolemia. <i>JAMA Cardiology</i> , 2019 , 4, 1156-1159	16.2	18
271	Kynurenines, Neuropsychiatric Symptoms, and Cognitive Prognosis in Patients with Mild Dementia. <i>International Journal of Tryptophan Research</i> , 2019 , 12, 1178646919877883	5.6	8
270	Use of patient-reported outcome measures (PROMs) in clinical diabetes consultations: study protocol for the DiaPROM randomised controlled trial pilot study. <i>BMJ Open</i> , 2019 , 9, e024008	3	10
269	Changes in quality of life 5 years after sleeve gastrectomy: a prospective cohort study. <i>BMJ Open</i> , 2019 , 9, e031170	3	7
268	Urban-Rural Differences in Hip Fracture Mortality: A Nationwide NOREPOS Study. <i>JBMR Plus</i> , 2019 , 3, e10236	3.9	5

267	Urinary excretion of homocysteine thiolactone and the risk of acute myocardial infarction in coronary artery disease patients: the WENBIT trial. <i>Journal of Internal Medicine</i> , 2019 , 285, 232-244	10.8	24
266	The Role of Comorbidity in Mortality After Hip Fracture: A Nationwide Norwegian Study of 38,126 Women With Hip Fracture Matched to a General-Population Comparison Cohort. <i>American Journal of Epidemiology</i> , 2019 , 188, 398-407	3.8	32
265	Reply to Letter to Editor: Trends in incident acute myocardial infarction in Norway: An updated analysis to 2014 using national data from the CVDNOR project. <i>European Journal of Preventive Cardiology</i> , 2019 , 26, 333	3.9	
264	Eating self-efficacy as predictor of long-term weight loss and obesity-specific quality of life after sleeve gastrectomy: A prospective cohort study. <i>Surgery for Obesity and Related Diseases</i> , 2019 , 15, 161-167	3.7	10
263	The kynurenine pathway and cognitive performance in community-dwelling older adults. The Hordaland Health Study. <i>Brain, Behavior, and Immunity</i> , 2019 , 75, 155-162	16.6	28
262	Total and lean fish intake is positively associated with bone mineral density in older women in the community-based Hordaland Health Study. <i>European Journal of Nutrition</i> , 2019 , 58, 1403-1413	5.2	2
261	Which Aspects of Positive Affect Are Related to Mortality? Results From a General Population Longitudinal Study. <i>Annals of Behavioral Medicine</i> , 2018 , 52, 571-581	4.5	17
260	Impact of age on excess risk of coronary heart disease in patients with familial hypercholesterolaemia. <i>Heart</i> , 2018 , 104, 1600-1607	5.1	30
259	Plasma Concentrations and Dietary Intakes of Choline and Betaine in Association With Atrial Fibrillation Risk: Results From 3 Prospective Cohorts With Different Health Profiles. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	19
258	Ceramide stearic to palmitic acid ratio predicts incident diabetes. <i>Diabetologia</i> , 2018 , 61, 1424-1434	10.3	50
257	The PAR index, an indicator reflecting altered vitamin B-6 homeostasis, is associated with long-term risk of stroke in the general population: the Hordaland Health Study (HUSK). <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 105-112	7	7
256	Association of plasma neopterin with risk of an inpatient hospital diagnosis of atrial fibrillation: results from two prospective cohort studies. <i>Journal of Internal Medicine</i> , 2018 , 283, 578-587	10.8	3
255	Serum Carnitine Metabolites and Incident Type 2 Diabetes Mellitus in Patients With Suspected Stable Angina Pectoris. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 1033-1041	5.6	18
254	The gender gap in accrued pension rights - an indicator of women's accumulated disadvantage over the course of working life. The Hordaland Health Study (HUSK). <i>Scandinavian Journal of Public Health</i> , 2018 , 46, 417-424	3	3
253	Results from the European Prospective Investigation into Cancer and Nutrition Link Vitamin B6 Catabolism and Lung Cancer Risk. <i>Cancer Research</i> , 2018 , 78, 302-308	10.1	12
252	Smoking, plasma cotinine and risk of atrial fibrillation: the Hordaland Health Study. <i>Journal of Internal Medicine</i> , 2018 , 283, 73-82	10.8	6
251	Increased plasma trimethylamine-N-oxide is associated with incident atrial fibrillation. <i>International Journal of Cardiology</i> , 2018 , 267, 100-106	3.2	38
250	The association between alcohol consumption and risk of hip fracture differs by age and gender in Cohort of Norway: a NOREPOS study. <i>Osteoporosis International</i> , 2018 , 29, 2457-2467	5.3	12

249	The risk association of plasma total homocysteine with acute myocardial infarction is modified by serum vitamin A. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1612-1620	3.9	7
248	The Limited Benefit of Fish Consumption on Risk of Hip Fracture among Men in the Community-Based Hordaland Health Study. <i>Nutrients</i> , 2018 , 10,	6.7	4
247	Alcohol and drug use among internationally adopted adolescents: Results from a Norwegian population-based study. <i>American Journal of Orthopsychiatry</i> , 2018 , 88, 226-235	2.8	8
246	Risk of Ischemic Stroke and Total Cerebrovascular Disease in Familial Hypercholesterolemia. <i>Stroke</i> , 2018 , STROKEAHA118023456	6.7	6
245	The Effect of Telemedicine Follow-up Care on Diabetes-Related Foot Ulcers: A Cluster-Randomized Controlled Noninferiority Trial. <i>Diabetes Care</i> , 2018 , 41, 96-103	14.6	27
244	Plasma Cystathionine and Risk of Incident Stroke in Patients With Suspected Stable Angina Pectoris. <i>Journal of the American Heart Association</i> , 2018 , 7, e008824	6	8
243	Positive IgA against transglutaminase 2 in patients with distal radius and ankle fractures compared to community-based controls. <i>Scandinavian Journal of Gastroenterology</i> , 2018 , 53, 1212-1216	2.4	5
242	A review of systematic reviews on the effects of patient-reported outcome monitoring with clinical feedback systems on health-related quality of life-implications for a novel technology in obesity treatment. <i>Clinical Obesity</i> , 2018 , 8, 452-464	3.6	5
241	Association Between Gestational Hypertension and Risk of Cardiovascular Disease Among 617589 Norwegian Women. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	61
240	Trends in incident acute myocardial infarction in Norway: An updated analysis to 2014 using national data from the CVDNOR project. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1031-1039	3.9	26
239	Usefulness of Higher Levels of Cardiac Troponin T in Patients With Stable Angina Pectoris to Predict Risk of Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2018 , 122, 1142-1147	3	10
238	NORRISK 2: A Norwegian risk model for acute cerebral stroke and myocardial infarction. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 773-782	3.9	27
237	Dietary Choline Intake Is Directly Associated with Bone Mineral Density in the Hordaland Health Study. <i>Journal of Nutrition</i> , 2017 , 147, 572-578	4.1	8
236	Incident Coronary Heart Disease After Preeclampsia: Role of Reduced Fetal Growth, Preterm Delivery, and Parity. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	56
235	Time Trends and Educational Inequalities in Out-of-Hospital Coronary Deaths in Norway 1995-2009: A Cardiovascular Disease in Norway (CVDNOR) Project. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	3
234	Serum Acylcarnitines and Risk of Cardiovascular Death and Acute Myocardial Infarction in Patients With Stable Angina Pectoris. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	42
233	Recurrence of congenital heart defects among siblings-a nationwide study. <i>American Journal of Medical Genetics, Part A</i> , 2017 , 173, 1575-1585	2.5	17
232	Trends in the risk of early and late-onset heart failure as an adverse outcome of acute myocardial infarction: A Cardiovascular Disease in Norway project. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 971-980	3.9	6

231	Associations between omega-3 fatty acids and 25(OH)D and psychological distress among Inuit in Canada. <i>International Journal of Circumpolar Health</i> , 2017 , 76, 1302684	1.7	3
230	The kynurenine:tryptophan ratio as a predictor of incident type 2 diabetes mellitus in individuals with coronary artery disease. <i>Diabetologia</i> , 2017 , 60, 1712-1721	10.3	37
229	Relations between lipoprotein(a) concentrations, LPA genetic variants, and the risk of mortality in patients with established coronary heart disease: a molecular and genetic association study. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 534-543	18.1	69
228	B Vitamins and Hip Fracture: Secondary Analyses and Extended Follow-Up of Two Large Randomized Controlled Trials. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 1981-1989	6.3	14
227	Prognostic Impact of In-Hospital and Postdischarge Heart Failure in Patients With Acute Myocardial Infarction: A Nationwide Analysis Using Data From the Cardiovascular Disease in Norway (CVDNOR) Project. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	12
226	Educational inequalities in mortality of patients with atrial fibrillation in Norway. <i>Scandinavian Cardiovascular Journal</i> , 2017 , 51, 82-87	2	5
225	Mental Health in Internationally Adopted Adolescents: A Meta-Analysis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017 , 56, 203-213.e1	7.2	48
224	Increased risk of heart failure and atrial fibrillation in heterozygous familial hypercholesterolemia. <i>Atherosclerosis</i> , 2017 , 266, 69-73	3.1	11
223	Physical activity is independently associated with reduced mortality: 15-years follow-up of the Hordaland Health Study (HUSK). <i>PLoS ONE</i> , 2017 , 12, e0172932	3.7	8
222	Positive predictive values of ICD-10 codes to identify incident acute pancreatitis and incident primary malignancy in the Scandinavian national patient registries among women with postmenopausal osteoporosis. <i>Clinical Epidemiology</i> , 2017 , 9, 411-419	5.9	5
221	Positive predictive values of International Classification of Diseases, 10th revision codes for dermatologic events and hypersensitivity leading to hospitalization or emergency room visit among women with postmenopausal osteoporosis in the Danish and Swedish national patient registries. <i>Clinical Epidemiology</i> , 2017 , 9, 179-184	5.9	
220	The relation of CUN-BAE index and BMI with body fat, cardiovascular events and diabetes during a 6-year follow-up: the Hordaland Health Study. <i>Clinical Epidemiology</i> , 2017 , 9, 555-566	5.9	14
219	Incidence of various types of atherosclerotic disease in patients with genotyped familial hypercholesterolemia. <i>Atherosclerosis</i> , 2017 , 263, e26	3.1	3
218	Cardiovascular disease risk associated with serum apolipoprotein B is modified by serum vitamin A. <i>Atherosclerosis</i> , 2017 , 265, 325-330	3.1	8
217	Associations between fish intake and the metabolic syndrome and its components among middle-aged men and women: the Hordaland Health Study. <i>Food and Nutrition Research</i> , 2017 , 61, 1347-1359	3.1	12
216	Thirty-five-year Trends in First-time Hospitalization for Hip Fracture, 1-year Mortality, and the Prognostic Impact of Comorbidity: A Danish Nationwide Cohort Study, 1980-2014. <i>Epidemiology</i> , 2017 , 28, 898-905	3.1	45
215	Association between pregravid physical activity and family history of stroke and risk of stillbirth: population-based cohort study. <i>BMJ Open</i> , 2017 , 7, e017034	3	1
214	Neopterin as an Effect Modifier of the Cardiovascular Risk Predicted by Total Homocysteine: A Prospective 2-Cohort Study. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	10

213	Association between Weight Change and Mortality in Community Living Older People Followed for Up to 14 Years. The Hordaland Health Study (HUSK). <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 909-917	5.2	15
212	The influence of birth weight and length on bone mineral density and content in adolescence: The Tromsø Study, Fit Futures. <i>Archives of Osteoporosis</i> , 2017 , 12, 54	2.9	8
211	THE AUTHORS REPLY. <i>American Journal of Epidemiology</i> , 2017 , 185, 511-513	3.8	
210	Can traditional risk factors explain the higher risk of cardiovascular disease in South Asians compared to Europeans in Norway and New Zealand? Two cohort studies. <i>BMJ Open</i> , 2017 , 7, e016819	3	7
209	Sudden unexpected death in children with congenital heart defects. <i>European Heart Journal</i> , 2016 , 37, 621-6	9.5	30
208	Attempts to improve and confidence in improving health behaviour in 40-49 year olds with and without coronary heart disease: The Hordaland Health Study. <i>European Journal of Cardiovascular Nursing</i> , 2016 , 15, e60-9	3.3	2
207	Methylenetetrahydrofolate Dehydrogenase 1 Polymorphisms Modify the Associations of Plasma Glycine and Serine With Risk of Acute Myocardial Infarction in Patients With Stable Angina Pectoris in WENBIT (Western Norway B Vitamin Intervention Trial). <i>Circulation: Cardiovascular Genetics</i> , 2016 , 9, 541-547		2
206	Age and Sex Differences in Body Mass Index as a Predictor of Hip Fracture: A NOREPOS Study. <i>American Journal of Epidemiology</i> , 2016 , 184, 510-519	3.8	23
205	Validity of self-reported myocardial infarction and stroke in regions with Sami and Norwegian populations: the SAMINOR 1 Survey and the CVDNOR project. <i>BMJ Open</i> , 2016 , 6, e012717	3	17
204	Continued decline in hip fracture incidence in Norway: a NOREPOS study. <i>Osteoporosis International</i> , 2016 , 27, 2217-2222	5.3	36
203	The universal 2012 definition of myocardial infarction compared to the 2007 definition. <i>Scandinavian Cardiovascular Journal</i> , 2016 , 50, 201-5	2	8
202	Cardiovascular risk estimation in older persons: SCORE O.P. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1093-103	3.9	91
201	Heart Failure Complicating Acute Myocardial Infarction; Burden and Timing of Occurrence: A Nation-wide Analysis Including 86 771 Patients From the Cardiovascular Disease in Norway (CVDNOR) Project. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	26
200	Prospective Associations of Systemic and Urinary Choline Metabolites with Incident Type 2 Diabetes. <i>Clinical Chemistry</i> , 2016 , 62, 755-65	5.5	52
199	Plasma Biomarkers of Inflammation, the Kynurenine Pathway, and Risks of All-Cause, Cancer, and Cardiovascular Disease Mortality: The Hordaland Health Study. <i>American Journal of Epidemiology</i> , 2016 , 183, 249-58	3.8	92
198	Telemedicine Versus Standard Follow-Up Care for Diabetes-Related Foot Ulcers: Protocol for a Cluster Randomized Controlled Noninferiority Trial (DiaFOTO). <i>JMIR Research Protocols</i> , 2016 , 5, e148	2	16
197	Airflow limitation as a risk factor for low bone mineral density and hip fracture. <i>European Clinical Respiratory Journal</i> , 2016 , 3, 32214	2	3
196	Anxiety and Depressive Symptoms as Predictors of All-Cause Mortality among People with Insulin-Dependent Type 2 Diabetes: 17-Year Follow-Up of the Second Nord-Trøndelag Health Survey (HUNT2), Norway. <i>PLoS ONE</i> , 2016 , 11, e0160861	3.7	8

195	Trends in Mortality of Congenital Heart Defects. <i>Congenital Heart Disease</i> , 2016 , 11, 160-8	3.1	23
194	Maternal Diabetes, Birth Weight, and Neonatal Risk of Congenital Heart Defects in Norway, 1994-2009. <i>Obstetrics and Gynecology</i> , 2016 , 128, 1116-1125	4.9	30
193	Mortality and complications in 3495 children with isolated ventricular septal defects. <i>Archives of Disease in Childhood</i> , 2016 , 101, 808-13	2.2	24
192	Health anxiety and risk of ischaemic heart disease: a prospective cohort study linking the Hordaland Health Study (HUSK) with the Cardiovascular Diseases in Norway (CVDNOR) project. <i>BMJ Open</i> , 2016 , 6, e012914	3	22
191	A combination of low serum concentrations of vitamins K1 and D is associated with increased risk of hip fractures in elderly Norwegians: a NOREPOS study. <i>Osteoporosis International</i> , 2016 , 27, 1645-1652	5.3	17
190	Circulating Folate and Vitamin B and Risk of Prostate Cancer: A Collaborative Analysis of Individual Participant Data from Six Cohorts Including 6875 Cases and 8104 Controls. <i>European Urology</i> , 2016 , 70, 941-951	10.2	36
189	Coronary angiography and myocardial revascularization following the first acute myocardial infarction in Norway during 2001-2009: Analyzing time trends and educational inequalities using data from the CVDNOR project. <i>International Journal of Cardiology</i> , 2016 , 212, 122-8	3.2	12
188	Plasma ceramides predict cardiovascular death in patients with stable coronary artery disease and acute coronary syndromes beyond LDL-cholesterol. <i>European Heart Journal</i> , 2016 , 37, 1967-76	9.5	279
187	Preconception Cardiovascular Risk Factor Differences Between Gestational Hypertension and Preeclampsia: Cohort Norway Study. <i>Hypertension</i> , 2016 , 67, 1173-80	8.5	51
186	Cardiovascular disease in patients with genotyped familial hypercholesterolemia in Norway during 1994-2009, a registry study. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1962-1969	3.9	21
185	Higher education is associated with reduced risk of heart failure among patients with acute myocardial infarction: A nationwide analysis using data from the CVDNOR project. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1743-1750	3.9	3
184	High population attributable fractions of myocardial infarction associated with waist-hip ratio. <i>Obesity</i> , 2016 , 24, 1162-9	8	12
183	Insomnia symptoms and mortality: a register-linked study among women and men from Finland, Norway and Lithuania. <i>Journal of Sleep Research</i> , 2016 , 25, 96-103	5.8	29
182	Possible Common Aetiology behind Maternal Preeclampsia and Congenital Heart Defects in the Child: a Cardiovascular Diseases in Norway Project Study. <i>Paediatric and Perinatal Epidemiology</i> , 2016 , 30, 76-85	2.7	31
181	A prospective study of the immune system activation biomarker neopterin and colorectal cancer risk. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	16
180	The educational gradient in coronary heart disease: the association with cognition in a cohort of 57,279 male conscripts. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 322-9	5.1	6
179	Mental health problems and resilience in international adoptees: Results from a population-based study of Norwegian adolescents aged 16-19 years. <i>Journal of Adolescence</i> , 2015 , 44, 48-56	3.4	18
178	Population data on calcium in drinking water and hip fracture: An association may depend on other minerals in water. A NOREPOS study. <i>Bone</i> , 2015 , 81, 292-299	4.7	11

177	Anxiety, depression and timing of insulin treatment among people with type 2 diabetes: Nine-year follow-up of the Nord-Trøndelag Health Study, Norway. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 309-15	4.1	12
176	Family history of premature myocardial infarction, life course socioeconomic position and coronary heart disease mortality--A Cohort of Norway (CONOR) study. <i>International Journal of Cardiology</i> , 2015 , 190, 302-7	3.2	6
175	Plasma dimethylglycine, nicotine exposure and risk of low bone mineral density and hip fracture: the Hordaland Health Study. <i>Osteoporosis International</i> , 2015 , 26, 1573-83	5.3	10
174	Kynurenines as predictors of acute coronary events in the Hordaland Health Study. <i>International Journal of Cardiology</i> , 2015 , 189, 18-24	3.2	44
173	No increase in risk of hip fracture at high serum retinol concentrations in community-dwelling older Norwegians: the Norwegian Epidemiologic Osteoporosis Studies. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1289-96	7	19
172	Trends in 28-day and 1-year mortality rates in patients hospitalized for a first acute myocardial infarction in Norway during 2001-2009: a "Cardiovascular disease in Norway" (CVDNOR) project. <i>Journal of Internal Medicine</i> , 2015 , 277, 353-361	10.8	18
171	Effect of the Lookback Period Length Used to Identify Incident Acute Myocardial Infarction on the Observed Trends on Incidence Rates and Survival: Cardiovascular Disease in Norway Project. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015 , 8, 376-82	5.8	16
170	Dietary intake of saturated fat is not associated with risk of coronary events or mortality in patients with established coronary artery disease. <i>Journal of Nutrition</i> , 2015 , 145, 299-305	4.1	20
169	Nutritional risk profile in a university hospital population. <i>Clinical Nutrition</i> , 2015 , 34, 705-11	5.9	49
168	Non-fasting triglycerides predict incident acute myocardial infarction among those with favourable HDL-cholesterol: Cohort Norway. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 872-81	3.9	16
167	Plasma Glycine and Risk of Acute Myocardial Infarction in Patients With Suspected Stable Angina Pectoris. <i>Journal of the American Heart Association</i> , 2015 , 5,	6	48
166	Periconceptional Folic Acid Supplementation and Infant Risk of Congenital Heart Defects in Norway 1999-2009. <i>Paediatric and Perinatal Epidemiology</i> , 2015 , 29, 391-400	2.7	20
165	Ethnic inequalities in acute myocardial infarction and stroke rates in Norway 1994-2009: a nationwide cohort study (CVDNOR). <i>BMC Public Health</i> , 2015 , 15, 1073	4.1	26
164	Educational Inequalities in Post-Hip Fracture Mortality: A NOREPOS Study. <i>Journal of Bone and Mineral Research</i> , 2015 , 30, 2221-8	6.3	10
163	Abdominal obesity increases the risk of hip fracture. A population-based study of 43,000 women and men aged 60-79 years followed for 8 years. Cohort of Norway. <i>Journal of Internal Medicine</i> , 2015 , 277, 306-317	10.8	52
162	Expert position paper on air pollution and cardiovascular disease. <i>European Heart Journal</i> , 2015 , 36, 83-93	9.5	445
161	Use of Sleep Medications and Mortality: The Hordaland Health Study. <i>Drugs - Real World Outcomes</i> , 2015 , 2, 123-128	2.2	7
160	Is depression a risk factor for diabetic foot ulcers? 11-years follow-up of the Nord-Trøndelag Health Study (HUNT). <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 20-5	3.2	27

159	Markers of vitamin B6 status and metabolism as predictors of incident cancer: the Hordaland Health Study. <i>International Journal of Cancer</i> , 2015 , 136, 2932-9	7.5	28
158	Depression in persons with diabetes by age and antidiabetic treatment: a cross-sectional analysis with data from the Hordaland Health Study. <i>PLoS ONE</i> , 2015 , 10, e0127161	3.7	17
157	Physical health-related quality of life predicts disability pension due to musculoskeletal disorders: seven years follow-up of the Hordaland Health Study Cohort. <i>BMC Public Health</i> , 2014 , 14, 167	4.1	10
156	Interferon (IFN)- β -mediated inflammation and the kynurenine pathway in relation to bone mineral density: the Hordaland Health Study. <i>Clinical and Experimental Immunology</i> , 2014 , 176, 452-60	6.2	36
155	Trends in acute myocardial infarction event rates and risk of recurrences after an incident event in Norway 1994 to 2009 (from a Cardiovascular Disease in Norway Project). <i>American Journal of Cardiology</i> , 2014 , 113, 1777-81	3	23
154	Plasma choline, nicotine exposure, and risk of low bone mineral density and hip fracture: the Hordaland health study. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 242-50	6.3	4
153	Sarcosine and other metabolites along the choline oxidation pathway in relation to prostate cancer--a large nested case-control study within the JANUS cohort in Norway. <i>International Journal of Cancer</i> , 2014 , 134, 197-206	7.5	35
152	Low serum concentrations of alpha-tocopherol are associated with increased risk of hip fracture. A NOREPOS study. <i>Osteoporosis International</i> , 2014 , 25, 2545-54	5.3	19
151	Age, education and dementia related deaths. The Norwegian Counties Study and The Cohort of Norway. <i>Journal of the Neurological Sciences</i> , 2014 , 345, 75-82	3.2	16
150	Impact of comorbidity, age, and gender on seasonal variation in hip fracture incidence. A NOREPOS study. <i>Archives of Osteoporosis</i> , 2014 , 9, 191	2.9	18
149	Midlife insomnia and subsequent mortality: the Hordaland health study. <i>BMC Public Health</i> , 2014 , 14, 720	4.1	49
148	Celiac disease and risk of fracture in adults--a review. <i>Osteoporosis International</i> , 2014 , 25, 1667-76	5.3	19
147	Interferon gamma (IFN- γ)-mediated inflammation and the kynurenine pathway in relation to risk of hip fractures: the Hordaland Health Study. <i>Osteoporosis International</i> , 2014 , 25, 2067-75	5.3	17
146	Seasonality of cardiovascular risk factors: an analysis including over 230 000 participants in 15 countries. <i>Heart</i> , 2014 , 100, 1517-23	5.1	88
145	The nutritional strategy: four questions predict morbidity, mortality and health care costs. <i>Clinical Nutrition</i> , 2014 , 33, 634-41	5.9	53
144	Smoking and body fat mass in relation to bone mineral density and hip fracture: the Hordaland Health Study. <i>PLoS ONE</i> , 2014 , 9, e92882	3.7	19
143	Educational inequalities in acute myocardial infarction incidence in Norway: a nationwide cohort study. <i>PLoS ONE</i> , 2014 , 9, e106898	3.7	20
142	AB0803 Celiac Disease and Positive IGA Tissue Transglutaminase in Patients with Distal Radius or Ankle Fracture: Interim Analysis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1069.2-1069	2.4	1

141	Interactions between plasma concentrations of folate and markers of vitamin B(12) status with cognitive performance in elderly people not exposed to folic acid fortification: the Hordaland Health Study. <i>British Journal of Nutrition</i> , 2014 , 111, 1085-95	3.6	29
140	Interferon- γ -Induced inflammatory markers and the risk of cancer: the Hordaland Health Study. <i>Cancer</i> , 2014 , 120, 3370-7	6.4	24
139	Do smoking and fruit and vegetable intake mediate the association between socio-economic status and plasma carotenoids?. <i>European Journal of Public Health</i> , 2014 , 24, 685-90	2.1	2
138	Educational inequalities in 28 day and 1-year mortality after hospitalisation for incident acute myocardial infarction--a nationwide cohort study. <i>International Journal of Cardiology</i> , 2014 , 177, 874-80	3.2	16
137	Implications of changing definitions of myocardial infarction on number of events and all-cause mortality: the WHO 1979, ESC/ACC 2000, AHA 2003, and Universal 2007 definitions revisited. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 1349-57	3.9	11
136	Maternal pre-pregnancy risk drinking and toddler behavior problems: the Norwegian Mother and Child Cohort Study. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 901-11	5.5	16
135	Cohort profile: Norwegian Epidemiologic Osteoporosis Studies (NOREPOS). <i>Scandinavian Journal of Public Health</i> , 2014 , 42, 804-13	3	15
134	Birth prevalence of congenital heart defects in Norway 1994-2009--a nationwide study. <i>American Heart Journal</i> , 2014 , 168, 956-64	4.9	79
133	Vitamins B2 and B6 as determinants of kynurenines and related markers of interferon- γ -mediated immune activation in the community-based Hordaland Health Study. <i>British Journal of Nutrition</i> , 2014 , 112, 1065-72	3.6	38
132	Favourable trends in incidence of AMI in Norway during 2001-2009 do not include younger adults: a CVDNOR project. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 1358-64	3.9	57
131	Procollagen type 1 amino-terminal propeptide (P1NP) and risk of hip fractures in elderly Norwegian men and women. A NOREPOS study. <i>Bone</i> , 2014 , 64, 1-7	4.7	12
130	Do cadmium, lead, and aluminum in drinking water increase the risk of hip fractures? A NOREPOS study. <i>Biological Trace Element Research</i> , 2014 , 157, 14-23	4.5	20
129	Mortality following the first hip fracture in Norwegian women and men (1999-2008). A NOREPOS study. <i>Bone</i> , 2014 , 63, 81-6	4.7	98
128	Risk of death from cardiovascular disease in long-term breast cancer survivors: A comparison with women from the general population.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1534-1534	2.2	1
127	Associations between plasma polyunsaturated fatty acids, plasma stearoyl-CoA desaturase indices and body fat. <i>Obesity</i> , 2013 , 21, E512-9	8	13
126	Plasma stearoyl-CoA desaturase indices: association with lifestyle, diet, and body composition. <i>Obesity</i> , 2013 , 21, E294-302	8	39
125	Cognitive function in an elderly population: interaction between vitamin B12 status, depression, and apolipoprotein E ϵ : the Hordaland Homocysteine Study. <i>Psychosomatic Medicine</i> , 2013 , 75, 20-9	3.7	38
124	Is the quality of drinking water a risk factor for self-reported forearm fractures? Cohort of Norway. <i>Osteoporosis International</i> , 2013 , 24, 541-51	5.3	5

123	Neopterin and kynurenine-tryptophan ratio as predictors of coronary events in older adults, the Hordaland Health Study. <i>International Journal of Cardiology</i> , 2013 , 168, 1435-40	3.2	67
122	Plasma sulfur amino acids and stearoyl-CoA desaturase activity in two Caucasian populations. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2013 , 89, 297-303	2.8	10
121	Nationwide data on municipal drinking water and hip fracture: could calcium and magnesium be protective? A NOREPOS study. <i>Bone</i> , 2013 , 57, 84-91	4.7	12
120	Progressively increasing fracture risk with advancing age after initial incident fragility fracture: the Tromsø study. <i>Journal of Bone and Mineral Research</i> , 2013 , 28, 2214-21	6.3	56
119	Low serum levels of 25-hydroxyvitamin D predict hip fracture in the elderly: a NOREPOS study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3341-50	5.6	59
118	Ten-year risk of second hip fracture. A NOREPOS study. <i>Bone</i> , 2013 , 52, 493-7	4.7	26
117	Plasma dimethylglycine and risk of incident acute myocardial infarction in patients with stable angina pectoris. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 2041-8	9.4	75
116	Trends in 28 day and one year survival in patients hospitalized for an incident acute myocardial infarction in Norway during 2001-2009; a CVDNOR project. <i>European Heart Journal</i> , 2013 , 34, P2498-P2498	9.5	1
115	Trends in acute myocardial infarction hospitalization rates in Norway during 1994-2009; a CVDNOR project. <i>European Heart Journal</i> , 2013 , 34, P2497-P2497	9.5	1
114	Seasonality of cardiovascular risk factors - an analysis including over 100,000 participants in seven countries. <i>European Heart Journal</i> , 2013 , 34, 2661-2661	9.5	1
113	Population-level changes to promote cardiovascular health. <i>European Journal of Preventive Cardiology</i> , 2013 , 20, 409-21	3.9	76
112	Serum folate and vitamin B12 concentrations in relation to prostate cancer risk--a Norwegian population-based nested case-control study of 3000 cases and 3000 controls within the JANUS cohort. <i>International Journal of Epidemiology</i> , 2013 , 42, 201-10	7.8	30
111	A community-based study on determinants of circulating markers of cellular immune activation and kynurenines: the Hordaland Health Study. <i>Clinical and Experimental Immunology</i> , 2013 , 173, 121-30	6.2	68
110	Evaluation of the body adiposity index in a Caucasian population: the Hordaland health study. <i>American Journal of Epidemiology</i> , 2013 , 177, 586-92	3.8	29
109	Plasma free choline, betaine and cognitive performance: the Hordaland Health Study. <i>British Journal of Nutrition</i> , 2013 , 109, 511-9	3.6	35
108	Validity of an algorithm to identify osteonecrosis of the jaw in women with postmenopausal osteoporosis in the Danish National Registry of Patients. <i>Clinical Epidemiology</i> , 2013 , 5, 263-7	5.9	9
107	Cardiovascular disease and diabetes mellitus in Norway during 1994-2009 CVDNOR - a nationwide research project. <i>Norsk Epidemiologi</i> , 2013 , 23,	2.8	33
106	Hip fractures in Norway 1999-2008: time trends in total incidence and second hip fracture rates: a NOREPOS study. <i>European Journal of Epidemiology</i> , 2012 , 27, 807-14	12.1	75

105	An overview of the European Health Examination Survey Pilot Joint Action. <i>Archives of Public Health</i> , 2012 , 70, 20	2.6	29
104	Relative importance of risk factors for coronary heart disease--the Hordaland Homocysteine study. <i>Scandinavian Cardiovascular Journal</i> , 2012 , 46, 316-23	2	2
103	Implementation of nutritional guidelines in a university hospital monitored by repeated point prevalence surveys. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 388-93	5.2	27
102	Parental education as a predictor of offspring behavioural and physiological cardiovascular disease risk factors. <i>European Journal of Public Health</i> , 2012 , 22, 544-50	2.1	20
101	Intake of vitamin K1 and K2 and risk of hip fractures: The Hordaland Health Study. <i>Bone</i> , 2011 , 49, 990-5	4.7	48
100	The association between habitual diet quality and the common mental disorders in community-dwelling adults: the Hordaland Health study. <i>Psychosomatic Medicine</i> , 2011 , 73, 483-90	3.7	194
99	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , 2011 , 43, 60-5	36.3	199
98	The MDM2 promoter SNP285C/309G haplotype diminishes Sp1 transcription factor binding and reduces risk for breast and ovarian cancer in Caucasians. <i>Cancer Cell</i> , 2011 , 19, 273-82	24.3	94
97	Osteoporosis as a risk factor for distal radial fractures: a case-control study. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011 , 93, 348-56	5.6	64
96	Dietary intake of protein is positively associated with percent body fat in middle-aged and older adults. <i>Journal of Nutrition</i> , 2011 , 141, 440-6	4.1	28
95	Dietary intake of n-3 long-chain polyunsaturated fatty acids and coronary events in Norwegian patients with coronary artery disease. <i>American Journal of Clinical Nutrition</i> , 2010 , 92, 244-51	7	25
94	High-throughput epidemiology: combining existing data from the Nordic countries in health-related collaborative research. <i>Scandinavian Journal of Public Health</i> , 2010 , 38, 777-9	3	13
93	Cognitive performance among the elderly in relation to the intake of plant foods. The Hordaland Health Study. <i>British Journal of Nutrition</i> , 2010 , 104, 1190-201	3.6	70
92	Dietary vitamins K1, K2 and bone mineral density: the Hordaland Health Study. <i>Archives of Osteoporosis</i> , 2010 , 5, 73-81	2.9	6
91	History of foot ulcer increases mortality among individuals with diabetes: ten-year follow-up of the Nord-Trøndelag Health Study, Norway. <i>Diabetes Care</i> , 2009 , 32, 2193-9	14.6	145
90	Physical fitness and physical activity at age 13 years as predictors of cardiovascular disease risk factors at ages 15, 25, 33, and 40 years: extended follow-up of the Oslo Youth Study. <i>Pediatrics</i> , 2009 , 123, e80-6	7.4	77
89	Determinants of plasma methylmalonic acid in a large population: implications for assessment of vitamin B12 status. <i>Clinical Chemistry</i> , 2009 , 55, 2198-206	5.5	94
88	Short-term and long-term case fatality in 11 878 patients hospitalized with a first acute myocardial infarction, 1979-2001: the Western Norway cardiovascular registry. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009 , 16, 621-7		18

87	Dietary sources of vitamin B-12 and their association with plasma vitamin B-12 concentrations in the general population: the Hordaland Homocysteine Study. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1078-87	7	106
86	Intake of flavonoid-rich wine, tea, and chocolate by elderly men and women is associated with better cognitive test performance. <i>Journal of Nutrition</i> , 2009 , 139, 120-7	4.1	176
85	Choline in anxiety and depression: the Hordaland Health Study. <i>American Journal of Clinical Nutrition</i> , 2009 , 90, 1056-60	7	32
84	Regional differences in hip bone mineral density levels in Norway: the NOREPOS study. <i>Osteoporosis International</i> , 2009 , 20, 631-8	5.3	17
83	The association between history of diabetic foot ulcer, perceived health and psychological distress: the Nord-Trøndelag Health Study. <i>BMC Endocrine Disorders</i> , 2009 , 9, 18	3.3	30
82	Cysteine, homocysteine and bone mineral density: a role for body composition?. <i>Bone</i> , 2009 , 44, 954-8	4.7	19
81	Association between magnesium intake and depression and anxiety in community-dwelling adults: the Hordaland Health Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 45-52	2.6	95
80	Does a higher educational level protect against anxiety and depression? The HUNT study. <i>Social Science and Medicine</i> , 2008 , 66, 1334-45	5.1	304
79	Impact of lean mass and fat mass on bone mineral density: The Hordaland Health Study. <i>Maturitas</i> , 2008 , 59, 191-200	5	72
78	In vivo and in vitro comparison of densitometers in the NOREPOS study. <i>Journal of Clinical Densitometry</i> , 2008 , 11, 276-82	3.5	24
77	History of and factors associated with diabetic foot ulcers in Norway: the Nord-Trøndelag Health Study. <i>Scandinavian Journal of Public Health</i> , 2008 , 36, 62-8	3	26
76	Dietary patterns, food groups, and nutrients as predictors of plasma choline and betaine in middle-aged and elderly men and women. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 1663-9	7	48
75	Cohort profile: cohort of Norway (CONOR). <i>International Journal of Epidemiology</i> , 2008 , 37, 481-5	7.8	136
74	Working overtime is associated with anxiety and depression: the Hordaland Health Study. <i>Journal of Occupational and Environmental Medicine</i> , 2008 , 50, 658-66	2	74
73	Divergent associations of plasma choline and betaine with components of metabolic syndrome in middle age and elderly men and women. <i>Journal of Nutrition</i> , 2008 , 138, 914-20	4.1	162
72	Homocysteine, cysteine, and body composition in the Hordaland Homocysteine Study: does cysteine link amino acid and lipid metabolism?. <i>American Journal of Clinical Nutrition</i> , 2008 , 88, 738-46	7	110
71	Differences in precision in bone mineral density measured by SXA and DXA: the NOREPOS study. <i>European Journal of Epidemiology</i> , 2008 , 23, 615-24	12.1	19
70	Cognitive performance among the elderly and dietary fish intake: the Hordaland Health Study. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 1470-8	7	114

69	Dietary fat and plasma total homocysteine concentrations in 2 adult age groups: the Hordaland Homocysteine Study. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 1598-605	7	39
68	Relations of glutamate carboxypeptidase II (GCPII) polymorphisms to folate and homocysteine concentrations and to scores of cognition, anxiety, and depression in a homogeneous Norwegian population: the Hordaland Homocysteine Study. <i>American Journal of Clinical Nutrition</i> , 2007 , 86, 514-21	7	28
67	Plasma creatinine as a determinant of plasma total homocysteine concentrations in the Hordaland Homocysteine Study: use of statistical modeling to determine reference limits. <i>Clinical Biochemistry</i> , 2007 , 40, 1209-18	3.5	16
66	Plasma homocysteine, folate, and vitamin B 12 and the risk of hip fracture: the hordaland homocysteine study. <i>Journal of Bone and Mineral Research</i> , 2007 , 22, 747-56	6.3	112
65	Urban-rural differences in distal forearm fractures: Cohort Norway. <i>Osteoporosis International</i> , 2007 , 18, 1063-72	5.3	21
64	Prevalence and risk factors of subjective sleepiness in the general adult population. <i>Sleep</i> , 2007 , 30, 619-24	11.0	
63	Dietary predictors of plasma total homocysteine in the Hordaland Homocysteine Study. <i>British Journal of Nutrition</i> , 2007 , 98, 201-10	3.6	40
62	Plasma total homocysteine level and bone mineral density: the Hordaland Homocysteine Study. <i>Archives of Internal Medicine</i> , 2006 , 166, 88-94		114
61	The Hordaland Homocysteine Study: a community-based study of homocysteine, its determinants, and associations with disease. <i>Journal of Nutrition</i> , 2006 , 136, 1731S-1740S	4.1	330
60	Surveys of Norwegian youth indicated that breast feeding reduced subsequent risk of obesity. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 849-55	5.7	10
59	Plasma concentration of folate as a biomarker for the intake of fruit and vegetables: the Hordaland Homocysteine Study. <i>American Journal of Clinical Nutrition</i> , 2005 , 81, 434-9	7	46
58	Size at birth and gestational age as predictors of adult height and weight. <i>Epidemiology</i> , 2005 , 16, 175-81	3.1	98
57	Plasma total homocysteine and memory in the elderly: the Hordaland Homocysteine Study. <i>Annals of Neurology</i> , 2005 , 58, 847-57	9.4	136
56	Testing the Job Demand-Control-Support model with anxiety and depression as outcomes: the Hordaland Health Study. <i>Occupational Medicine</i> , 2005 , 55, 463-73	2.1	125
55	Changes in lifestyle and plasma total homocysteine: the Hordaland Homocysteine Study. <i>American Journal of Clinical Nutrition</i> , 2004 , 79, 812-9	7	49
54	Higher bone mineral density in rural compared with urban dwellers: the NOREPOS study. <i>American Journal of Epidemiology</i> , 2004 , 160, 1039-46	3.8	37
53	Femoral and whole-body bone mineral density in middle-aged and older Norwegian men and women: suitability of the reference values. <i>Osteoporosis International</i> , 2004 , 15, 525-34	5.3	47
52	Distribution and determinants of serum creatinine in the general population: the Hordaland Health Study. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2004 , 64, 709-22	2	35

51	Associations between maternal methylenetetrahydrofolate reductase polymorphisms and adverse outcomes of pregnancy: the Hordaland Homocysteine Study. <i>American Journal of Medicine</i> , 2004 , 117, 26-31	2.4	121
50	Predictors and tracking of body mass index from adolescence into adulthood: follow-up of 18 to 20 years in the Oslo Youth Study. <i>JAMA Pediatrics</i> , 2003 , 157, 1212-8		150
49	Occupational differences in levels of anxiety and depression: the Hordaland Health Study. <i>Journal of Occupational and Environmental Medicine</i> , 2003 , 45, 628-38	2	42
48	Folate, vitamin B12, homocysteine, and the MTHFR 677C->T polymorphism in anxiety and depression: the Hordaland Homocysteine Study. <i>Archives of General Psychiatry</i> , 2003 , 60, 618-26		264
47	Correlates of sleep behavior among hemodialysis patients. The kidney outcomes prediction and evaluation (KOPE) study. <i>American Journal of Nephrology</i> , 2002 , 22, 18-28	4.6	51
46	Plasma total homocysteine and hospitalizations for cardiovascular disease: the Hordaland Homocysteine Study. <i>Archives of Internal Medicine</i> , 2002 , 162, 1374-81		43
45	Plasma total homocysteine is influenced by prandial status in humans: the Hordaland Homocysteine Study. <i>Journal of Nutrition</i> , 2001 , 131, 1214-6	4.1	29
44	Plasma total homocysteine and cardiovascular and noncardiovascular mortality: the Hordaland Homocysteine Study. <i>American Journal of Clinical Nutrition</i> , 2001 , 74, 130-6	7	150
43	Risk factors for low bone mineral density among a large group of Norwegian women with fractures. <i>European Journal of Epidemiology</i> , 2000 , 16, 223-9	12.1	10
42	Descriptive epidemiology of blood pressure response to change in body position. The ARIC study. <i>Hypertension</i> , 1999 , 33, 1123-9	8.5	87
41	The Kidney Outcomes Prediction and Evaluation (KOPE) study: a prospective cohort investigation of patients undergoing hemodialysis. Study design and baseline characteristics. <i>Annals of Epidemiology</i> , 1998 , 8, 192-200	6.4	4
40	Relationship between balance and abnormalities in cerebral magnetic resonance imaging in older adults. <i>Archives of Neurology</i> , 1998 , 55, 73-9		99
39	Cigarette smoking and progression of atherosclerosis: The Atherosclerosis Risk in Communities (ARIC) Study. <i>JAMA - Journal of the American Medical Association</i> , 1998 , 279, 119-24	27.4	469
38	Provitamin A carotenoid intake and carotid artery plaques: the Atherosclerosis Risk in Communities Study. <i>American Journal of Clinical Nutrition</i> , 1998 , 68, 726-33	7	65
37	Dietary assessment using a picture-sort approach. <i>American Journal of Clinical Nutrition</i> , 1997 , 65, 1123S-1129S		77
36	Carrying the burden of cardiovascular risk in old age: associations of weight and weight change with prevalent cardiovascular disease, risk factors, and health status in the Cardiovascular Health Study. <i>American Journal of Clinical Nutrition</i> , 1997 , 66, 837-44	7	75
35	Reliability of a food frequency questionnaire by ethnicity, gender, age and education. <i>Nutrition Research</i> , 1996 , 16, 735-745	4	58
34	Survival of patients undergoing renal replacement therapy in one center with special emphasis on racial differences. <i>American Journal of Kidney Diseases</i> , 1996 , 28, 72-81	7.4	65

33	Current estrogen-progestin and estrogen replacement therapy in elderly women: association with carotid atherosclerosis. CHS Collaborative Research Group. Cardiovascular Health Study. <i>Annals of Epidemiology</i> , 1996 , 6, 314-23	6.4	46
32	Picture-sort method for administering a food frequency questionnaire to older adults. <i>Journal of the American Dietetic Association</i> , 1996 , 96, 137-44		39
31	Racial differences in the incidence of end-stage renal disease. <i>Ethnicity and Health</i> , 1996 , 1, 21-31	2.2	9
30	Compensatory increase in common carotid artery diameter. Relation to blood pressure and artery intima-media thickness in older adults. Cardiovascular Health Study. <i>Stroke</i> , 1996 , 27, 2012-5	6.7	74
29	Parental and peer influences on smoking among young adults: ten-year follow-up of the Oslo youth study participants. <i>Addiction</i> , 1995 , 90, 561-569	4.6	39
28	Subclinical disease as an independent risk factor for cardiovascular disease. <i>Circulation</i> , 1995 , 92, 720-6	16.7	185
27	Dietary antioxidants and carotid artery wall thickness. The ARIC Study. Atherosclerosis Risk in Communities Study. <i>Circulation</i> , 1995 , 92, 2142-50	16.7	125
26	Relation of smoking with carotid artery wall thickness and stenosis in older adults. The Cardiovascular Health Study. The Cardiovascular Health Study (CHS) Collaborative Research Group. <i>Circulation</i> , 1994 , 90, 2905-8	16.7	125
25	Correlates of blood pressure in community-dwelling older adults. The Cardiovascular Health Study. Cardiovascular Health Study (CHS) Collaborative Research Group. <i>Hypertension</i> , 1994 , 23, 59-67	8.5	76
24	Dietary intake patterns and sociodemographic factors in the atherosclerosis risk in communities study. ARIC Study Investigators. <i>Preventive Medicine</i> , 1994 , 23, 769-80	4.3	125
23	Eating patterns of community-dwelling older adults: the Cardiovascular Health Study. <i>Annals of Epidemiology</i> , 1994 , 4, 404-15	6.4	32
22	Dietary fat intake and carotid artery wall thickness: the Atherosclerosis Risk in Communities (ARIC) Study. <i>American Journal of Epidemiology</i> , 1994 , 139, 979-89	3.8	42
21	Ten-year follow-up of the Oslo Youth Study Smoking Prevention Program. <i>Preventive Medicine</i> , 1993 , 22, 453-62	4.3	36
20	Recruitment of adults 65 years and older as participants in the Cardiovascular Health Study. <i>Annals of Epidemiology</i> , 1993 , 3, 358-66	6.4	491
19	Perceptions of follow-up care in women with breast cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1991 , 14, 55-9	2.7	53
18	Effect of migration on blood pressure: the Yi People Study. <i>Epidemiology</i> , 1991 , 2, 88-97	3.1	62
17	Relation of electrolytes to blood pressure in men. The Yi people study. <i>Hypertension</i> , 1991 , 17, 378-85	8.5	77
16	Comparison of hospital and neighborhood controls in a study of coronary artery disease. <i>Journal of Clinical Epidemiology</i> , 1991 , 44, 1097-104	5.7	5

15	Reliability of Tanner stage assessments in a multi-center study. <i>American Journal of Human Biology</i> , 1990 , 2, 503-510	2.7	8
14	Characteristics of stroke victims associated with early cardiovascular mortality in their children. <i>Journal of Clinical Epidemiology</i> , 1990 , 43, 49-54	5.7	15
13	Cigarette smoking and extracranial carotid atherosclerosis. <i>Advances in Experimental Medicine and Biology</i> , 1990 , 273, 39-49	3.6	6
12	Cigarette Smoking Cessation and Extracranial Carotid Atherosclerosis. <i>JAMA - Journal of the American Medical Association</i> , 1989 , 261, 1178	27.4	40
11	Risk factors for site specific extracranial carotid artery plaque distribution as measured by B-mode ultrasound. <i>Journal of Clinical Epidemiology</i> , 1989 , 42, 551-9	5.7	103
10	Physical fitness, physical activity, and cardiovascular disease risk factors in adolescents: the Oslo Youth Study. <i>Preventive Medicine</i> , 1988 , 17, 12-24	4.3	124
9	Relation between blood lipids, lipoproteins, and cerebrovascular atherosclerosis. A review. <i>Stroke</i> , 1988 , 19, 423-30	6.7	122
8	Postural changes in blood pressure and pulse rate among black adolescents and white adolescents: the Minneapolis Children's Blood Pressure Study. <i>American Journal of Epidemiology</i> , 1988 , 128, 360-9	3.8	14
7	Cholesterol, high density lipoprotein cholesterol and triglycerides during puberty: the Oslo Youth Study. <i>American Journal of Epidemiology</i> , 1985 , 122, 750-61	3.8	64
6	The relationship of white cell count, platelet count, and hematocrit to cigarette smoking in adolescents: the Oslo Youth Study. <i>Circulation</i> , 1985 , 72, 971-4	16.7	46
5	Cardiovascular disease risk factors related to sexual maturation: the Oslo Youth Study. <i>Journal of Chronic Diseases</i> , 1985 , 38, 633-42		31
4	Preventing the onset of cigarette smoking in Norwegian adolescents: the Oslo youth study. <i>Preventive Medicine</i> , 1984 , 13, 256-75	4.3	48
3	Factors Influencing Dietary Habits: Experiences of the Oslo Youth Study 1982 , 381-396		2
2	Screening for risk factors for chronic disease in children from fifteen countries. <i>Preventive Medicine</i> , 1981 , 10, 121-32	4.3	81
1	Risk factors of chronic diseases in Norwegian school children: preliminary findings of a baseline survey as part of an intervention study (the Oslo Youth Study). <i>Preventive Medicine</i> , 1981 , 10, 211-25	4.3	21