Hong Quang Tran

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7845065/publications.pdf

Version: 2024-02-01

623734 677142 64 686 14 22 citations g-index h-index papers 65 65 65 843 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Tanzawaic acid derivatives from a marine isolate of Penicillium sp. (SF-6013) with anti-inflammatory and PTP1B inhibitory activities. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 5787-5791.	2.2	45
2	Fabrication, characterization, and adsorption capacity for cadmium ions of graphene aerogels. Synthetic Metals, 2019, 247, 116-123.	3.9	40
3	Steppogenin Isolated from Cudrania tricuspidata Shows Antineuroinflammatory Effects via NF-κB and MAPK Pathways in LPS-Stimulated BV2 and Primary Rat Microglial Cells. Molecules, 2017, 22, 2130.	3.8	39
4	Anti-neuroinflammatory activities of indole alkaloids from kanjang (Korean fermented soy source) in lipopolysaccharide-induced BV2 microglial cells. Food Chemistry, 2016, 213, 69-75.	8.2	37
5	Preparation of magnetic iron oxide/graphene aerogel nanocomposites for removal of bisphenol A from water. Synthetic Metals, 2019, 255, 116106.	3.9	32
6	Macrolide and phenolic metabolites from the marine-derived fungus Paraconiothyrium sp. VK-13 with anti-inflammatory activity. Journal of Antibiotics, 2018, 71, 826-830.	2.0	28
7	Sesquiterpene derivatives from marine sponge Smenospongia cerebriformis and their anti-inflammatory activity. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 1525-1529.	2.2	25
8	A Prenylated Xanthone, Cudratricusxanthone A, Isolated from Cudrania tricuspidata Inhibits Lipopolysaccharide-Induced Neuroinflammation through Inhibition of NF-κB and p38 MAPK Pathways in BV2 Microglia. Molecules, 2016, 21, 1240.	3.8	24
9	Furanoaustinol and 7-acetoxydehydroaustinol: new meroterpenoids from a marine-derived fungal strain Penicillium sp. SF-5497. Journal of Antibiotics, 2018, 71, 557-563.	2.0	24
10	Anti-inflammatory coumarins from <i>Paramignya trimera</i> . Pharmaceutical Biology, 2017, 55, 1195-1201.	2.9	23
11	Diterpenoids and Flavonoids from <i>Andrographis paniculata</i> . Chemical and Pharmaceutical Bulletin, 2020, 68, 96-99.	1.3	21
12	New ent-kauranes from the fruits of Annona glabra and their inhibitory nitric oxide production in LPS-stimulated RAW264.7 macrophages. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 254-258.	2.2	20
13	Pregnane glycosides from <i>Gymnema inodorum</i> and their \hat{l} ±-glucosidase inhibitory activity. Natural Product Research, 2021, 35, 2157-2163.	1.8	19
14	Chemical Components from <i>Phaeanthus vietnamensis</i> and Their Inhibitory <scp>NO</scp> Production in <scp>BV</scp> 2 Cells. Chemistry and Biodiversity, 2017, 14, e1700013.	2.1	17
15	Steroidal saponins from Datura metel. Steroids, 2017, 121, 1-9.	1.8	15
16	New preaustinoids from a marine-derived fungal strain Penicillium sp. SF-5497 and their inhibitory effects against PTP1B activity. Journal of Antibiotics, 2019, 72, 629-633.	2.0	14
17	Macrocyclic <i>bis</i> -quinolizidine alkaloids from <i>Xestospongia muta</i> . Natural Product Research, 2019, 33, 400-406.	1.8	14
18	Andropaniosides A and B, two new ent-labdane diterpenoid glucosides from Andrographis paniculata. Phytochemistry Letters, 2020, 35, 37-40.	1.2	14

#	Article	IF	CITATIONS
19	Cytotoxic and immunomodulatory phenol derivatives from a marine sponge-derived fungus <i>Ascomycota</i> sp. VK12. Natural Product Research, 2021, 35, 5153-5159.	1.8	14
20	Sesquiterpenoids from <i>Saussurea costus</i> . Natural Product Research, 2021, 35, 1399-1405.	1.8	14
21	Oleanolic Triterpene Saponins from the Roots of Panax bipinnatifidus. Chemical and Pharmaceutical Bulletin, 2011, 59, 1417-1420.	1.3	12
22	Naphtoquinones and Sesquiterpene Cyclopentenones from the Sponge <i>Smenospongia cerebriformis</i> with Their Cytotoxic Activity. Chemical and Pharmaceutical Bulletin, 2017, 65, 589-592.	1.3	12
23	Synthesis of Fe2O3/TiO2/graphene aerogel composite as an efficient Fenton-photocatalyst for removal of methylene blue from aqueous solution. Vietnam Journal of Chemistry, 2020, 58, 697-704.	0.8	11
24	Cudraflavanone B Isolated from the Root Bark of Cudrania tricuspidata Alleviates Lipopolysaccharide-Induced Inflammatory Responses by Downregulating NF-κB and ERK MAPK Signaling Pathways in RAW264.7 Macrophages and BV2 Microglia. Inflammation, 2021, 44, 104-115.	3.8	11
25	Secondary metabolites from a peanut-associated fungus <i>Aspergillus niger</i> IMBC-NMTP01 with cytotoxic, anti-inflammatory, and antimicrobial activities. Natural Product Research, 2022, 36, 1215-1223.	1.8	11
26	Polyacetylene and phenolic constituents from the roots of Codonopsis javanica. Natural Product Research, 2020, , 1-7.	1.8	10
27	Anti-inflammatory norclerodane diterpenoids and tetrahydrophenanthrene from the leaves and stems of Dioscorea bulbifera. Fìtoterapìâ, 2021, 153, 104965.	2.2	9
28	Polyhydroxylated steroids from the Vietnamese soft coral Sarcophyton ehrenbergi. Steroids, 2021, 176, 108932.	1.8	9
29	Three new muurolane-type sesquiterpene glycosides from the whole plants of <i>Balanophora fungosa</i> subsp. <i>indica</i> Natural Product Research, 2020, 34, 2964-2970.	1.8	8
30	Cytotoxic constituents from <i>Isotrema tadungense</i> Isournal of Asian Natural Products Research, 2021, 23, 491-497.	1.4	8
31	Diarylheptanoid glycosides from Tacca plantaginea and their effects on NF-κB activation and PPAR transcriptional activity. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 6681-6687.	2.2	7
32	Two New Steroidal Alkaloid Saponins from the Whole Plants of <i>Solanum nigrum</i> Natural Product Communications, 2018, 13, 1934578X1801301.	0.5	6
33	Anti-neuroinflammatory effect of oxaline, isorhodoptilometrin, and 5-hydroxy-7-(2′-hydroxypropyl)-2-methyl-chromone obtained from the marine fungal strain Penicillium oxalicum CLC-MF05. Archives of Pharmacal Research, 2022, 45, 90-104.	6.3	6
34	Tirucallane Glycoside from the Leaves of Antidesma bunius and Inhibitory NO Production in BV2 Cells and RAW264.7 Macrophages. Natural Product Communications, 2016, 11, 1934578X1601100.	0.5	5
35	Spirostanol saponins from Tacca vietnamensis and their anti-inflammatory activity. Bioorganic and Medicinal Chemistry Letters, 2016, 26, 3780-3784.	2.2	5
36	New Acetylated Terpenoids from Sponge <i>Rhabdastrella providentiae</i> Inhibit NO Production in LPS Stimulated BV2 Cells. Natural Product Communications, 2018, 13, 1934578X1801300.	0.5	5

#	Article	IF	CITATIONS
37	Rhabdaprovidines D–G, Four New 6,6,5-Tricyclic Terpenoids from the Vietnamese Sponge Rhabdastrella providentiae. Natural Product Communications, 2018, 13, 1934578X1801301.	0.5	5
38	Anti-influenza Sesquiterpene from the Roots of Reynoutria japonica. Natural Product Communications, 2014, 9, 1934578X1400900.	0.5	4
39	Anti-inflammatory phenylpropanoid glycosides from the roots of <i>Polygala aureocauda</i> Dunn. Vietnam Journal of Chemistry, 2019, 57, 525-530.	0.8	4
40	Bicyclic lactones from the octocoral Dendronephthya mucronata. Natural Product Research, 2021, 35, 1134-1138.	1.8	4
41	Saurobacciosides A - C: three new glycosides from Sauropus bacciformis with their cytotoxic activity. Natural Product Research, 2021, , 1-15.	1.8	4
42	Dammarane-type triterpenoid saponins from the flower buds of <i>Panax pseudoginseng</i> with cytotoxic activity. Natural Product Research, 2022, 36, 4343-4351.	1.8	4
43	Bioactive secondary metabolites from a soybean-derived fungus Aspergillus versicolor IMBC-NMTP02. Phytochemistry Letters, 2021, 45, 93-99.	1.2	4
44	Chemical Constituents of <i>Vitex trifolia</i> Leaves. Natural Product Communications, 2018, 13, 1934578X1801300.	0.5	3
45	Iridoid Glycosides and Phenolic Glycosides from Buddleja asiatica with Anti-inflammatory and Cytoprotective Activities. Natural Product Communications, 2018, 13, 1934578X1801300.	0.5	3
46	Secondary metabolites from the marine-derived fungus <i>Paraconiothyrium</i> sp. VK-13. Vietnam Journal of Chemistry, 2018, 56, 434-439.	0.8	3
47	Three New Constituents From the Parasitic Plant Balanophora laxiflora. Natural Product Communications, 2019, 14, 1934578X1984995.	0.5	3
48	Phenolic glycosides from Oroxylum indicum. Natural Product Research, 2020, , 1-5.	1.8	3
49	Iridoids and cycloartane saponins from <i>mussaenda pilosissima</i> valeton and their inhibitory NO production in BV2 cells. Natural Product Research, 2021, 35, 4126-4132.	1.8	3
50	Chemical constituents from <i>Lycopodiella cernua</i> and their anti-inflammatory and cytotoxic activities. Natural Product Research, 2022, 36, 4045-4051.	1.8	3
51	Cytotoxic and nitric oxide inhibitory activities of triterpenoids from <i>Lycopodium clavatum</i> L Natural Product Research, 2022, 36, 6232-6239.	1.8	3
52	Oleananeâ€ <i>type</i> Saponins from <i>Glochidion hirsutum</i> and Their Cytotoxic Activities. Chemistry and Biodiversity, 2017, 14, e1600445.	2.1	2
53	Sesquiterpene Quinones and Diterpenes from Smenospongia cerebriformis and Their Cytotoxic Activity. Natural Product Communications, 2017, 12, 1934578X1701200.	0.5	2
54	Two new eudesmane sesquiterpene glucosides from the aerial parts of Artemisia vulgaris. Natural Product Research, 2022, , 1 -6.	1.8	2

#	Article	IF	CITATIONS
55	Sulfated Naphthopyrones and Anthraquinones from the Vietnamese Crinoid <i>Comanthus delicata</i> . Chemical and Pharmaceutical Bulletin, 2022, 70, 408-412.	1.3	2
56	Steroidal Glucosides from the Rhizomes of Tacca Chantrieri and Their Inhibitory Activities of NO Production in BV2 Cells. Natural Product Communications, 2016, 11, 1934578X1601100.	0.5	1
57	Secondary metabolites from the aerial parts of Buddleja macrostachya Benth. Vietnam Journal of Chemistry, 2018, 56, 139-145.	0.8	1
58	Ursane- and oleane-type triterpene glycosides from <i>llex godajam </i> . Vietnam Journal of Chemistry, 2019, 57, 562-567.	0.8	1
59	Chemical constituents from the soft coralSinularia digitata. Vietnam Journal of Chemistry, 2019, 57, 636-640.	0.8	1
60	Polyhydroxylated steroid derivatives from the starfish <i>Pentaceraster regulus</i> . Natural Product Research, 2022, 36, 2223-2229.	1.8	1
61	Triterpene Tetraglycosides From <i>Stichopus Herrmanni</i> Semper, 1868. Natural Product Communications, 2022, 17, 1934578X2211053.	0.5	1
62	Bioactive Secondary Metabolites from the Aerial Parts of <i>Buddleja macrostachya</i> Natural Product Communications, 2017, 12, 1934578X1701201.	0.5	0
63	Phenolic glycosides from the aerial parts of <i>Buddleja macrostachya</i> Benth Vietnam Journal of Chemistry, 2018, 56, 466-472.	0.8	0
64	Secondary metabolites from the fruit peels of <i>Durio zibethinus</i> L. and their cytotoxic activity. Natural Product Research, 0, , 1-7.	1.8	0