

Hong Quang Tran

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7845065/publications.pdf>

Version: 2024-02-01

64
papers

686
citations

623734

14
h-index

677142

22
g-index

65
all docs

65
docs citations

65
times ranked

843
citing authors

#	ARTICLE	IF	CITATIONS
1	Polyhydroxylated steroid derivatives from the starfish <i>Pentaceraster regulus</i> . Natural Product Research, 2022, 36, 2223-2229.	1.8	1
2	Dammarane-type triterpenoid saponins from the flower buds of <i>Panax pseudoginseng</i> with cytotoxic activity. Natural Product Research, 2022, 36, 4343-4351.	1.8	4
3	Chemical constituents from <i>Lycopodiella cernua</i> and their anti-inflammatory and cytotoxic activities. Natural Product Research, 2022, 36, 4045-4051.	1.8	3
4	Secondary metabolites from a peanut-associated fungus <i>Aspergillus niger</i> IMBC-NMTP01 with cytotoxic, anti-inflammatory, and antimicrobial activities. Natural Product Research, 2022, 36, 1215-1223.	1.8	11
5	Anti-neuroinflammatory effect of oxaline, isorhodoptilometrin, and 5-hydroxy-7-(2-hydroxypropyl)-2-methyl-chromone obtained from the marine fungal strain <i>Penicillium oxalicum</i> CLC-MF05. Archives of Pharmacal Research, 2022, 45, 90-104.	6.3	6
6	Cytotoxic and nitric oxide inhibitory activities of triterpenoids from <i>Lycopodium clavatum</i> L.. Natural Product Research, 2022, 36, 6232-6239.	1.8	3
7	Two new eudesmane sesquiterpene glucosides from the aerial parts of <i>Artemisia vulgaris</i> . Natural Product Research, 2022, , 1-6.	1.8	2
8	Sulfated Naphthopyrones and Anthraquinones from the Vietnamese Crinoid <i>Comanthus delicata</i> . Chemical and Pharmaceutical Bulletin, 2022, 70, 408-412.	1.3	2
9	Triterpene Tetraglycosides From <i>Stichopus Herrmanni</i> Semper, 1868. Natural Product Communications, 2022, 17, 1934578X2211053.	0.5	1
10	Pregnane glycosides from <i>Gymnema inodorum</i> and their β -glucosidase inhibitory activity. Natural Product Research, 2021, 35, 2157-2163.	1.8	19
11	Iridoids and cycloartane saponins from <i>mussaenda pilosissima</i> valeton and their inhibitory NO production in BV2 cells. Natural Product Research, 2021, 35, 4126-4132.	1.8	3
12	Cytotoxic and immunomodulatory phenol derivatives from a marine sponge-derived fungus <i>Ascomycota</i> sp. VK12. Natural Product Research, 2021, 35, 5153-5159.	1.8	14
13	Cytotoxic constituents from <i>Isotrema tadungense</i> . Journal of Asian Natural Products Research, 2021, 23, 491-497.	1.4	8
14	Cudraflavanone B Isolated from the Root Bark of <i>Cudrania tricuspidata</i> Alleviates Lipopolysaccharide-Induced Inflammatory Responses by Downregulating NF- κ B and ERK MAPK Signaling Pathways in RAW264.7 Macrophages and BV2 Microglia. Inflammation, 2021, 44, 104-115.	3.8	11
15	Sesquiterpenoids from <i>Saussurea costus</i> . Natural Product Research, 2021, 35, 1399-1405.	1.8	14
16	Bicyclic lactones from the octocoral <i>Dendronephthya mucronata</i> . Natural Product Research, 2021, 35, 1134-1138.	1.8	4
17	Saurobacciosides A - C: three new glycosides from <i>Sauropus bacciformis</i> with their cytotoxic activity. Natural Product Research, 2021, , 1-15.	1.8	4
18	Anti-inflammatory norclerodane diterpenoids and tetrahydrophenanthrene from the leaves and stems of <i>Dioscorea bulbifera</i> . F \ddot{A} -totera \ddot{A} , 2021, 153, 104965.	2.2	9

#	ARTICLE	IF	CITATIONS
19	Bioactive secondary metabolites from a soybean-derived fungus <i>Aspergillus versicolor</i> IMBC-NMTP02. <i>Phytochemistry Letters</i> , 2021, 45, 93-99.	1.2	4
20	Polyhydroxylated steroids from the Vietnamese soft coral <i>Sarcophyton ehrenbergi</i> . <i>Steroids</i> , 2021, 176, 108932.	1.8	9
21	Three new muurolane-type sesquiterpene glycosides from the whole plants of <i>Balanophora fungosa</i> subsp. <i>indica</i> . <i>Natural Product Research</i> , 2020, 34, 2964-2970.	1.8	8
22	Andropaniosides A and B, two new ent-labdane diterpenoid glucosides from <i>Andrographis paniculata</i> . <i>Phytochemistry Letters</i> , 2020, 35, 37-40.	1.2	14
23	Diterpenoids and Flavonoids from <i>Andrographis paniculata</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2020, 68, 96-99.	1.3	21
24	Phenolic glycosides from <i>Oroxylum indicum</i> . <i>Natural Product Research</i> , 2020, , 1-5.	1.8	3
25	Polyacetylene and phenolic constituents from the roots of <i>Codonopsis javanica</i> . <i>Natural Product Research</i> , 2020, , 1-7.	1.8	10
26	Synthesis of Fe ₂ O ₃ /TiO ₂ /graphene aerogel composite as an efficient Fenton-photocatalyst for removal of methylene blue from aqueous solution. <i>Vietnam Journal of Chemistry</i> , 2020, 58, 697-704.	0.8	11
27	Preparation of magnetic iron oxide/graphene aerogel nanocomposites for removal of bisphenol A from water. <i>Synthetic Metals</i> , 2019, 255, 116106.	3.9	32
28	Three New Constituents From the Parasitic Plant <i>Balanophora laxiflora</i> . <i>Natural Product Communications</i> , 2019, 14, 1934578X1984995.	0.5	3
29	New preaustinoids from a marine-derived fungal strain <i>Penicillium</i> sp. SF-5497 and their inhibitory effects against PTP1B activity. <i>Journal of Antibiotics</i> , 2019, 72, 629-633.	2.0	14
30	Anti-inflammatory phenylpropanoid glycosides from the roots of <i>Polygala aureocauda</i> Dunn. <i>Vietnam Journal of Chemistry</i> , 2019, 57, 525-530.	0.8	4
31	Ursane- and oleanane-type triterpene glycosides from <i>Ilex godajam</i> . <i>Vietnam Journal of Chemistry</i> , 2019, 57, 562-567.	0.8	1
32	Chemical constituents from the soft coral <i>Sinularia digitata</i> . <i>Vietnam Journal of Chemistry</i> , 2019, 57, 636-640.	0.8	1
33	Fabrication, characterization, and adsorption capacity for cadmium ions of graphene aerogels. <i>Synthetic Metals</i> , 2019, 247, 116-123.	3.9	40
34	Macrocyclic bis-quinolizidine alkaloids from <i>Xestospongia muta</i> . <i>Natural Product Research</i> , 2019, 33, 400-406.	1.8	14
35	Furanoaustinol and 7-acetoxydehydroaustinol: new meroterpenoids from a marine-derived fungal strain <i>Penicillium</i> sp. SF-5497. <i>Journal of Antibiotics</i> , 2018, 71, 557-563.	2.0	24
36	New Acetylated Terpenoids from Sponge <i>Rhabdastrella providentiae</i> Inhibit NO Production in LPS Stimulated BV2 Cells. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300.	0.5	5

#	ARTICLE	IF	CITATIONS
37	Chemical Constituents of <i>Vitex trifolia</i> Leaves. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300.	0.5	3
38	Two New Steroidal Alkaloid Saponins from the Whole Plants of <i>Solanum nigrum</i> . <i>Natural Product Communications</i> , 2018, 13, 1934578X1801301.	0.5	6
39	Iridoid Glycosides and Phenolic Glycosides from <i>Buddleja asiatica</i> with Anti-inflammatory and Cytoprotective Activities. <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300.	0.5	3
40	Rhabdaprovidines D-G, Four New 6,6,5-Tricyclic Terpenoids from the Vietnamese Sponge <i>Rhabdastrella providentiae</i> . <i>Natural Product Communications</i> , 2018, 13, 1934578X1801301.	0.5	5
41	Secondary metabolites from the aerial parts of <i>Buddleja macrostachya</i> Benth. <i>Vietnam Journal of Chemistry</i> , 2018, 56, 139-145.	0.8	1
42	Phenolic glycosides from the aerial parts of <i>Buddleja macrostachya</i> Benth.. <i>Vietnam Journal of Chemistry</i> , 2018, 56, 466-472.	0.8	0
43	Secondary metabolites from the marine-derived fungus <i>Paraconiothyrium</i> sp. VK-13. <i>Vietnam Journal of Chemistry</i> , 2018, 56, 434-439.	0.8	3
44	Macrolide and phenolic metabolites from the marine-derived fungus <i>Paraconiothyrium</i> sp. VK-13 with anti-inflammatory activity. <i>Journal of Antibiotics</i> , 2018, 71, 826-830.	2.0	28
45	Sesquiterpene derivatives from marine sponge <i>Smenospongia cerebriformis</i> and their anti-inflammatory activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 1525-1529.	2.2	25
46	Steroidal saponins from <i>Datura metel</i> . <i>Steroids</i> , 2017, 121, 1-9.	1.8	15
47	Anti-inflammatory coumarins from <i>Paramignya trimera</i> . <i>Pharmaceutical Biology</i> , 2017, 55, 1195-1201.	2.9	23
48	Chemical Components from <i>Phaeanthus vietnamensis</i> and Their Inhibitory NO Production in BV2 Cells. <i>Chemistry and Biodiversity</i> , 2017, 14, e1700013.	2.1	17
49	Oleanane-type Saponins from <i>Glochidion hirsutum</i> and Their Cytotoxic Activities. <i>Chemistry and Biodiversity</i> , 2017, 14, e1600445.	2.1	2
50	Naphtoquinones and Sesquiterpene Cyclopentenones from the Sponge <i>Smenospongia cerebriformis</i> ; with Their Cytotoxic Activity. <i>Chemical and Pharmaceutical Bulletin</i> , 2017, 65, 589-592.	1.3	12
51	Sesquiterpene Quinones and Diterpenes from <i>Smenospongia cerebriformis</i> and Their Cytotoxic Activity. <i>Natural Product Communications</i> , 2017, 12, 1934578X1701200.	0.5	2
52	Bioactive Secondary Metabolites from the Aerial Parts of <i>Buddleja macrostachya</i> . <i>Natural Product Communications</i> , 2017, 12, 1934578X1701201.	0.5	0
53	Steppogenin Isolated from <i>Cudrania tricuspidata</i> Shows Antineuroinflammatory Effects via NF- κ B and MAPK Pathways in LPS-Stimulated BV2 and Primary Rat Microglial Cells. <i>Molecules</i> , 2017, 22, 2130.	3.8	39
54	Tirucallane Glycoside from the Leaves of <i>Antidesma bunius</i> and Inhibitory NO Production in BV2 Cells and RAW264.7 Macrophages. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.	0.5	5

#	ARTICLE	IF	CITATIONS
55	A Prenylated Xanthone, Cudraticusxanthone A, Isolated from <i>Cudrania tricuspidata</i> Inhibits Lipopolysaccharide-Induced Neuroinflammation through Inhibition of NF- κ B and p38 MAPK Pathways in BV2 Microglia. <i>Molecules</i> , 2016, 21, 1240.	3.8	24
56	Steroidal Glucosides from the Rhizomes of <i>Tacca Chantrieri</i> and Their Inhibitory Activities of NO Production in BV2 Cells. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.	0.5	1
57	Spirostanol saponins from <i>Tacca vietnamensis</i> and their anti-inflammatory activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 3780-3784.	2.2	5
58	Anti-neuroinflammatory activities of indole alkaloids from kanjang (Korean fermented soy source) in lipopolysaccharide-induced BV2 microglial cells. <i>Food Chemistry</i> , 2016, 213, 69-75.	8.2	37
59	New ent-kauranes from the fruits of <i>Annona glabra</i> and their inhibitory nitric oxide production in LPS-stimulated RAW264.7 macrophages. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 254-258.	2.2	20
60	Anti-influenza Sesquiterpene from the Roots of <i>Reynoutria japonica</i> . <i>Natural Product Communications</i> , 2014, 9, 1934578X1400900.	0.5	4
61	Tanzawaic acid derivatives from a marine isolate of <i>Penicillium</i> sp. (SF-6013) with anti-inflammatory and PTP1B inhibitory activities. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 5787-5791.	2.2	45
62	Diarylheptanoid glycosides from <i>Tacca plantaginea</i> and their effects on NF- κ B activation and PPAR transcriptional activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 6681-6687.	2.2	7
63	Oleanolic Triterpene Saponins from the Roots of <i>Panax bipinnatifidus</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 1417-1420.	1.3	12
64	Secondary metabolites from the fruit peels of <i>Durio zibethinus</i> L. and their cytotoxic activity. <i>Natural Product Research</i> , 0, , 1-7.	1.8	0