Mayumi Ishida

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7845354/publications.pdf

Version: 2024-02-01

1162889 1125617 32 209 8 13 citations g-index h-index papers 33 33 33 134 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	What are the clinical signs of thiamine deficiency in elderly patients?. Journal of General and Family Medicine, 2022, 23, 71-71.	0.3	1
2	A case of Wernicke encephalopathy arising in the early stage after the start of hemodialysis. CEN Case Reports, 2022, 11, 314-320.	0.5	2
3	Is a decrease in activities of daily living in the elderly irreversible? A case report of Wernicke encephalopathy in home medical care. Journal of General and Family Medicine, 2022, 23, 180-182.	0.3	1
4	Fighting racism in research – CORRIGENDUM. Palliative and Supportive Care, 2022, 20, 303-303.	0.6	0
5	Naldemedine-induced opioid withdrawal syndrome with severe psychiatric symptoms in an advanced cervical cancer patient without brain metastasis. Palliative and Supportive Care, 2022, 20, 445-447.	0.6	2
6	Opioid withdrawal syndrome developing after long-term administration of naldemedine. Palliative and Supportive Care, 2022, 20, 897-899.	0.6	2
7	Subclinical thiamine deficiency identified by pretreatment evaluation in an esophageal cancer patient. European Journal of Clinical Nutrition, 2021, 75, 564-566.	1.3	5
8	High proportion of thiamine deficiency in referred cancer patients with delirium: a retrospective descriptive study. European Journal of Clinical Nutrition, 2021, 75, 1499-1505.	1.3	20
9	Reversible dementia due to vitamin B12 deficiency in a lung cancer patient: Relevance of preoperative evaluation. Palliative and Supportive Care, 2021, 19, 377-379.	0.6	0
10	Wernicke encephalopathy in a lung cancer patient receiving home medical care. Palliative and Supportive Care, 2021, 19, 501-503.	0.6	3
11	Thiamine deficiency unrelated to alcohol consumption in highâ€income countries: a literature review. Annals of the New York Academy of Sciences, 2021, 1505, 5-6.	1.8	O
12	How Can Documentation of Caregivers Offer More Than One-Way Care by Health Care Professionals?. Journal of Clinical Oncology, 2021, 39, 3188-3188.	0.8	2
13	Fighting racism in research. Palliative and Supportive Care, 2021, 19, 513-514.	0.6	4
14	Wernicke encephalopathy in a caregiver: A serious physical issue resulting from stress in a family member caring for an advanced cancer patient. Palliative and Supportive Care, 2021, , 1-3.	0.6	0
15	Thiamine deficiency in a patient with recurrent renal cell carcinoma who developed weight loss with normal appetite and loss of energy soon after nivolumab treatment. Palliative and Supportive Care, 2020, 18, 241-243.	0.6	7
16	Subclinical thiamine deficiency: What is the most appropriate method of diagnosis and treatment?. Palliative and Supportive Care, 2020, 18, 614-616.	0.6	7
17	Exacerbation of psychotic symptoms as clinical presentation of Wernicke encephalopathy in an Alzheimer's disease patient. Journal of General and Family Medicine, 2020, 21, 185-187.	0.3	4
18	Wernicke encephalopathy in a lung cancer patient during treatment with nivolumab. Palliative and Supportive Care, 2019, 17, 245-247.	0.6	7

#	Article	IF	Citations
19	Thiamine deficiency observed in a cancer patient's caregiver. Palliative and Supportive Care, 2019, 17, 611-613.	0.6	5
20	Thiamine deficiency in the bereaved after cancer-related spousal loss. Palliative and Supportive Care, 2019, 17, 738-740.	0.6	3
21	Subclinical thiamine deficiency identified by preoperative evaluation in an ovarian cancer patient: Diagnosis and the need for preoperative thiamine measurement. Palliative and Supportive Care, 2019, 17, 609-610.	0.6	15
22	Subclinical thiamine deficiency in patients with abdominal cancer. Palliative and Supportive Care, 2018, 16, 497-499.	0.6	25
23	Communication Disparity Between the Bereaved and Others: What Hurts Them and What Is Unhelpful? A Nationwide Study of the Cancer Bereaved. Journal of Pain and Symptom Management, 2018, 55, 1061-1067.e1.	0.6	5
24	Early detection and successful treatment of Wernicke's encephalopathy in outpatients without the complete classic triad of symptoms who attended a psycho-oncology clinic. Palliative and Supportive Care, 2018, 16, 633-636.	0.6	10
25	Wernicke encephalopathy without delirium in patients with cancer. Palliative and Supportive Care, 2018, 16, 118-121.	0.6	13
26	Wernicke encephalopathy without delirium that appeared as agitation in a patient with lung cancer. Palliative and Supportive Care, 2018, 16, 800-802.	0.6	5
27	Early detection and successful treatment of Wernicke encephalopathy in a patient with advanced carcinoma of the external genitalia during chemotherapy. Palliative and Supportive Care, 2016, 14, 302-306.	0.6	18
28	Missing memories of death: Dissociative amnesia in the bereaved the day after a cancer death. Palliative and Supportive Care, 2015, 13, 1787-1790.	0.6	3
29	Does the Approach of Disclosing More Detailed Information of Cancer for the Terminally Ill Patients Improve the Quality of Communication Involving Patients, Families, and Medical Professionals?. American Journal of Hospice and Palliative Medicine, 2015, 32, 776-782.	0.8	11
30	Psychological Distress of the Bereaved Seeking Medical Counseling at a Cancer Center. Japanese Journal of Clinical Oncology, 2012, 42, 506-512.	0.6	15
31	Psychiatric Disorders in Patients Who Lost Family Members to Cancer and Asked for Medical Help: Descriptive Analysis of Outpatient Services for Bereaved Families at Japanese Cancer Center Hospital. Japanese Journal of Clinical Oncology, 2011, 41, 380-385.	0.6	7
32	Bereavement Dream? Successful antidepressant treatment for bereavement-related distressing dreams in patients with major depression. Palliative and Supportive Care, 2010, 8, 95-98.	0.6	7