

Marco Innamorati

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7845868/marco-innamorati-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

203 papers	5,633 citations	43 h-index	65 g-index
228 ext. papers	6,840 ext. citations	4 avg, IF	5.41 L-index

#	Paper	IF	Citations
203	Suicidal behavior and alcohol abuse. <i>International Journal of Environmental Research and Public Health</i> , 2010 , 7, 1392-431	4.6	222
202	Epidemiology of suicide in bipolar disorders: a systematic review of the literature. <i>Bipolar Disorders</i> , 2013 , 15, 457-90	3.8	206
201	HPA axis and aging in depression: systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2014 , 41, 46-62	5	189
200	Posttraumatic stress disorder and suicide risk among veterans: a literature review. <i>Journal of Nervous and Mental Disease</i> , 2013 , 201, 802-12	1.8	117
199	Psychiatric comorbidity in patients with chronic daily headache and migraine: a selective overview including personality traits and suicide risk. <i>Journal of Headache and Pain</i> , 2009 , 10, 283-90	8.8	109
198	Suicide risk in first episode psychosis: a selective review of the current literature. <i>Schizophrenia Research</i> , 2011 , 129, 1-11	3.6	105
197	The hypothalamic-pituitary-adrenal axis and serotonin abnormalities: a selective overview for the implications of suicide prevention. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 583-600	5.1	97
196	Second-generation antipsychotics and neuroleptic malignant syndrome: systematic review and case report analysis. <i>Drugs in R and D</i> , 2015 , 15, 45-62	3.4	96
195	Bereavement after the suicide of a significant other. <i>Indian Journal of Psychiatry</i> , 2013 , 55, 256-63	2.2	94
194	Completed suicide in schizophrenia: evidence from a case-control study. <i>Psychiatry Research</i> , 2009 , 167, 251-7	9.9	91
193	The associations among childhood maltreatment, "male depression" and suicide risk in psychiatric patients. <i>Psychiatry Research</i> , 2014 , 220, 571-8	9.9	90
192	Periventricular white matter hyperintensities as predictors of suicide attempts in bipolar disorders and unipolar depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1501-5	5.7	84
191	Vitamin D and psychosis: mini meta-analysis. <i>Schizophrenia Research</i> , 2013 , 150, 235-9	3.6	82
190	Life events as precipitants of suicide attempts among first-time suicide attempters, repeaters, and non-attempters. <i>Psychiatry Research</i> , 2011 , 186, 300-5	9.9	82
189	The State-Trait Anxiety Inventory: Shadows and Lights on its Construct Validity. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2013 , 35, 475-486	2	80
188	Prolactin and thyroid hormone levels are associated with suicide attempts in psychiatric patients. <i>Psychiatry Research</i> , 2012 , 200, 389-94	9.9	79
187	The communication of suicidal intentions: a meta-analysis. <i>Psychological Medicine</i> , 2016 , 46, 2239-53	6.9	78

186	Substance abuse and suicide risk among adolescents. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 469	5.1	76
185	Temperament and personality dimensions in suicidal and nonsuicidal psychiatric inpatients. <i>Psychopathology</i> , 2008 , 41, 313-21	3.4	76
184	Affective temperamental profiles are associated with white matter hyperintensity and suicidal risk in patients with mood disorders. <i>Journal of Affective Disorders</i> , 2011 , 129, 47-55	6.6	73
183	Web-Based Interventions for Weight Loss or Weight Loss Maintenance in Overweight and Obese People: A Systematic Review of Systematic Reviews. <i>Journal of Medical Internet Research</i> , 2017 , 19, e2297.6	7.6	71
182	Is good insight associated with depression among patients with schizophrenia? Systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2015 , 162, 234-47	3.6	70
181	Cyclothymic-depressive-anxious temperament pattern is related to suicide risk in 346 patients with major mood disorders. <i>Journal of Affective Disorders</i> , 2012 , 136, 405-11	6.6	68
180	Insomnia as a predictor of high-lethality suicide attempts. <i>International Journal of Clinical Practice</i> , 2013 , 67, 1311-6	2.9	68
179	Improving adherence in mood disorders: the struggle against relapse, recurrence and suicide risk. <i>Expert Review of Neurotherapeutics</i> , 2009 , 9, 985-1004	4.3	67
178	Life adverse experiences in relation with obesity and binge eating disorder: A systematic review. <i>Journal of Behavioral Addictions</i> , 2016 , 5, 11-31	6.3	67
177	Car accidents as a method of suicide: a comprehensive overview. <i>Forensic Science International</i> , 2012 , 223, 1-9	2.6	63
176	Psychometric properties of the Gotland Scale for Depression in Italian psychiatric inpatients and its utility in the prediction of suicide risk. <i>Journal of Affective Disorders</i> , 2011 , 132, 99-103	6.6	63
175	Affective temperaments and hopelessness as predictors of health and social functioning in mood disorder patients: a prospective follow-up study. <i>Journal of Affective Disorders</i> , 2013 , 150, 216-22	6.6	62
174	Psychiatric comorbidity and suicide risk in patients with chronic migraine. <i>Neuropsychiatric Disease and Treatment</i> , 2010 , 6, 81-91	3.1	62
173	Assessment and treatment of suicide risk in bipolar disorders. <i>Expert Review of Neurotherapeutics</i> , 2009 , 9, 109-36	4.3	62
172	White matter hyperintensities and their associations with suicidality in patients with major affective disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 494-9	5.1	60
171	Temperaments mediate suicide risk and psychopathology among patients with bipolar disorders. <i>Comprehensive Psychiatry</i> , 2012 , 53, 280-5	7.3	59
170	Suicide risk in depression and bipolar disorder: Do impulsiveness-aggressiveness and pharmacotherapy predict suicidal intent?. <i>Neuropsychiatric Disease and Treatment</i> , 2008 , 4, 247-55	3.1	59
169	Agomelatine, a novel intriguing antidepressant option enhancing neuroplasticity: a critical review. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 412-31	3.8	54

168	Can cannabis increase the suicide risk in psychosis? A critical review. <i>Current Pharmaceutical Design</i> , 2012 , 18, 5165-87	3.3	54
167	Pharmacological properties of glutamatergic drugs targeting NMDA receptors and their application in major depression. <i>Current Pharmaceutical Design</i> , 2013 , 19, 1898-922	3.3	54
166	Quality of life and suicide risk in patients with diabetes mellitus. <i>Psychosomatics</i> , 2009 , 50, 16-23	2.6	54
165	Suicide in Italy during a time of economic recession: some recent data related to age and gender based on a nationwide register study. <i>Health and Social Care in the Community</i> , 2014 , 22, 361-7	2.6	53
164	The role of microRNAs in synaptic plasticity, major affective disorders and suicidal behavior. <i>Neuroscience Research</i> , 2012 , 73, 179-90	2.9	53
163	Duloxetine in acute major depression: review of comparisons to placebo and standard antidepressants using dissimilar methods. <i>Human Psychopharmacology</i> , 2009 , 24, 177-90	2.3	51
162	Does the level of education influence completed suicide? A nationwide register study. <i>Journal of Affective Disorders</i> , 2013 , 147, 437-40	6.6	49
161	Suicide risk in type 1 diabetes mellitus: A systematic review. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 352-60	4.1	47
160	The "Insight Paradox" in Schizophrenia: Magnitude, Moderators and Mediators of the Association Between Insight and Depression. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1225-33	1.3	43
159	The association among food addiction, binge eating severity and psychopathology in obese and overweight patients attending low-energy-diet therapy. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1358-62	7.3	40
158	Suicide in the elderly: a psychological autopsy study in a North Italy area (1994-2004). <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 727-35	6.5	40
157	Psychometric properties of the Italian Yale Food Addiction Scale in overweight and obese patients. <i>Eating and Weight Disorders</i> , 2015 , 20, 119-27	3.6	39
156	Impact of living with bipolar patients: Making sense of caregivers' burden. <i>World Journal of Psychiatry</i> , 2014 , 4, 1-12	3	39
155	Modification of EEG functional connectivity and EEG power spectra in overweight and obese patients with food addiction: An eLORETA study. <i>Brain Imaging and Behavior</i> , 2015 , 9, 703-16	4.1	35
154	Assessment and treatment of suicide risk in schizophrenia. <i>Expert Review of Neurotherapeutics</i> , 2008 , 8, 51-74	4.3	35
153	Childhood trauma in obese and overweight women with food addiction and clinical-level of binge eating. <i>Child Abuse and Neglect</i> , 2016 , 58, 180-90	4.3	34
152	Differential associations of affective temperaments and diagnosis of major affective disorders with suicidal behavior. <i>Journal of Affective Disorders</i> , 2017 , 210, 19-21	6.6	33
151	Cognitive impairment and its associations with the path of illness in affective disorders: a comparison between patients with bipolar and unipolar depression in remission. <i>Journal of Psychiatric Practice</i> , 2013 , 19, 275-87	1.3	33

150	Suicide risk and psychiatric comorbidity in patients with psoriasis. <i>Journal of International Medical Research</i> , 2016 , 44, 61-66	1.4	33
149	Completed suicide and marital status according to the Italian region of origin. <i>Psychiatric Quarterly</i> , 2010 , 81, 57-71	4.1	32
148	Biased processing of neutral facial expressions is associated with depressive symptoms and suicide ideation in individuals at risk for major depression due to affective temperaments. <i>Comprehensive Psychiatry</i> , 2014 , 55, 518-25	7.3	31
147	Suicide in the old elderly: results from one Italian county. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1158-67	6.5	29
146	Food Cravings Questionnaire-Trait (FCQ-T) discriminates between obese and overweight patients with and without binge eating tendencies: the Italian version of the FCQ-T. <i>Journal of Personality Assessment</i> , 2014 , 96, 632-9	2.8	29
145	Substance abuse, temperament and suicide risk: evidence from a case-control study. <i>Journal of Addictive Diseases</i> , 2009 , 28, 13-20	1.7	28
144	Depression, Hopelessness, and Complicated Grief in Survivors of Suicide. <i>Frontiers in Psychology</i> , 2018 , 9, 198	3.4	27
143	Childhood Traumatic Experiences and Dissociative Phenomena in Eating Disorders: Level and Association with the Severity of Binge Eating Symptoms. <i>Journal of Trauma and Dissociation</i> , 2018 , 19, 88-107	2.8	26
142	Characterization of patients with mood disorders for their prevalent temperament and level of hopelessness. <i>Journal of Affective Disorders</i> , 2014 , 166, 285-91	6.6	26
141	Suicide risk and personality traits in physically and/or sexually abused acute psychiatric inpatients: a preliminary study. <i>Psychological Reports</i> , 2009 , 105, 554-68	1.6	26
140	Partial androgen deficiency, depression, and testosterone supplementation in aging men. <i>International Journal of Endocrinology</i> , 2012 , 2012, 280724	2.7	25
139	Mental turmoil, suicide risk, illness perception, and temperament, and their impact on quality of life in chronic daily headache. <i>Journal of Headache and Pain</i> , 2008 , 9, 349-57	8.8	25
138	Food Addiction: definition, measurement and prevalence in healthy subjects and in patients with eating disorders. <i>Rivista Di Psichiatria</i> , 2016 , 51, 60-5	3.1	25
137	Psychometric properties of the suicidal history self-rating screening scale. <i>Archives of Suicide Research</i> , 2011 , 15, 87-92	2.3	24
136	Factor Structure of the Binge Eating Scale in a Large Sample of Obese and Overweight Patients Attending Low Energy Diet Therapy. <i>European Eating Disorders Review</i> , 2016 , 24, 174-8	5.3	24
135	Measuring anxiety in the elderly: psychometric properties of the state trait inventory of cognitive and somatic anxiety (STICSA) in an elderly Italian sample. <i>International Psychogeriatrics</i> , 2015 , 27, 999-1008	3.4	23
134	Cognitive Vulnerabilities and Depression in Young Adults: An ROC Curves Analysis. <i>Depression Research and Treatment</i> , 2013 , 2013, 407602	3.8	23
133	Antidepressants and Suicide Risk: A Comprehensive Overview. <i>Pharmaceuticals</i> , 2010 , 3, 2861-2883	5.2	23

132	Factor Validity of the Beck Hopelessness Scale in Italian Medical Patients. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2014 , 36, 300-307	2	22
131	Emotion Regulation and Mentalization in People at Risk for Food Addiction. <i>Behavioral Medicine</i> , 2017 , 43, 21-30	4.4	21
130	Cyclothymic temperament rather than polarity is associated with hopelessness and suicidality in hospitalized patients with mood disorders. <i>Journal of Affective Disorders</i> , 2015 , 170, 161-5	6.6	21
129	Psychiatric pathology and suicide risk in patients with cancer. <i>Journal of Psychosocial Oncology</i> , 2014 , 32, 383-95	2.8	21
128	Psychometric Properties of the Attitudes toward Self-Revised in Italian Young Adults. <i>Depression Research and Treatment</i> , 2013 , 2013, 209216	3.8	21
127	Preventing suicide in jails and prisons: suggestions from experience with psychiatric inpatients. <i>Journal of Forensic Sciences</i> , 2009 , 54, 1155-62	1.8	21
126	Completed versus attempted suicide in psychiatric patients: a psychological autopsy study. <i>Journal of Psychiatric Practice</i> , 2008 , 14, 216-24	1.3	21
125	Depression and affective temperaments are associated with poor health-related quality of life in patients with HIV infection. <i>Journal of Psychiatric Practice</i> , 2013 , 19, 109-17	1.3	20
124	Nearly lethal resuscitated suicide attempters have no low serum levels of cholesterol and triglycerides. <i>Psychological Reports</i> , 2010 , 106, 785-90	1.6	20
123	The Association among Childhood Trauma, Pathological Dissociation and Gambling Severity in Casino Gamblers. <i>Clinical Psychology and Psychotherapy</i> , 2017 , 24, 203-211	2.9	19
122	Validation of the Italian Yale Food Addiction Scale in postgraduate university students. <i>Eating and Weight Disorders</i> , 2018 , 23, 167-176	3.6	19
121	Mentalization and depressive symptoms in a clinical sample of adolescents and young adults. <i>Child and Adolescent Mental Health</i> , 2017 , 22, 69-76	2.2	19
120	Unemployment as a risk factor for completed suicide: a psychological autopsy study. <i>Archives of Suicide Research</i> , 2014 , 18, 181-92	2.3	19
119	Temperament, post-partum depression, hopelessness, and suicide risk among women soon after delivering. <i>Women and Health</i> , 2011 , 51, 511-24	1.7	19
118	Suicide among Italian adolescents: 1970-2002. <i>European Child and Adolescent Psychiatry</i> , 2009 , 18, 525-33.5	3.5	19
117	Health-related quality of life and its association with alexithymia and difficulties in emotion regulation in patients with psoriasis. <i>Comprehensive Psychiatry</i> , 2016 , 70, 200-8	7.3	19
116	Psychometric properties of the Italian Food Cravings Questionnaire-Trait-reduced (FCQ-T-r). <i>Eating and Weight Disorders</i> , 2015 , 20, 129-35	3.6	18
115	Sociodemographic and clinical differences between suicide ideators and attempters: a study of mood disordered patients 50 years and older. <i>Suicide and Life-Threatening Behavior</i> , 2014 , 44, 34-45	3.9	18

114	Alcohol consumption predicts the EU suicide rates in young women aged 15-29 years but not in men: analysis of trends and differences among early and new EU countries since 2004. <i>Alcohol</i> , 2010 , 44, 463-9	2.7	18
113	Co-rumination, anxiety, and maladaptive cognitive schemas: when friendship can hurt. <i>Psychology Research and Behavior Management</i> , 2018 , 11, 133-144	3.8	18
112	Psychometric properties of the modified Yale Food Addiction Scale Version 2.0 in an Italian non-clinical sample. <i>Eating and Weight Disorders</i> , 2019 , 24, 37-45	3.6	17
111	Higher hopelessness and suicide risk predict lower self-deception among psychiatric patients and non-clinical individuals. <i>Rivista Di Psichiatria</i> , 2011 , 46, 24-30	3.1	17
110	Psychiatric comorbidity and suicidal ideation in psoriasis, melanoma and allergic disorders. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017 , 21, 209-214	2.4	16
109	Tryptophan and Kynurenine Metabolites: Are They Related to Depression?. <i>Neuropsychobiology</i> , 2019 , 77, 23-28	4	16
108	Overattachment and perceived disability in chronic migraineurs. <i>Clinical Neurology and Neurosurgery</i> , 2013 , 115, 954-8	2	16
107	Gender differences in food craving among overweight and obese patients attending low energy diet therapy: a matched case-control study. <i>Eating and Weight Disorders</i> , 2013 , 18, 297-303	3.6	16
106	Inequalities in suicide rates in the European Union's elderly: trends and impact of macro-socioeconomic factors between 1980 and 2006. <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 229-38	4.8	16
105	Inequalities and impact of socioeconomic-cultural factors in suicide rates across Italy. <i>Crisis</i> , 2011 , 32, 178-85	2.8	16
104	Temperaments in psychotic and major affective disorders. <i>Journal of Affective Disorders</i> , 2018 , 225, 195-200	2.0	16
103	Mediators in the Association Between Affective Temperaments and Suicide Risk Among Psychiatric Inpatients. <i>Psychiatry (New York)</i> , 2018 , 81, 240-257	1	16
102	Depression, hopelessness and suicide risk among patients suffering from epilepsy. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2007 , 43, 425-9	1.6	16
101	Psychometric properties of the stagnation scale in medication overuse headache patients. <i>Journal of Headache and Pain</i> , 2015 , 16, 1052	8.8	15
100	Suicide attempts in major depressed patients with personality disorder. <i>Suicide and Life-Threatening Behavior</i> , 2014 , 44, 155-66	3.9	15
99	The validation of the Italian Perceived Disability Scale (IPDS) in chronic daily headache sufferers. <i>Journal of Headache and Pain</i> , 2009 , 10, 21-6	8.8	15
98	Gender effects among undergraduates relating to suicide risk, impulsivity, aggression and self-efficacy. <i>Personality and Individual Differences</i> , 2007 , 43, 2047-2056	3.3	15
97	The impact of anxiety, depression, and suicidality on quality of life and functional status of patients with congestive heart failure and hypertension: an observational cross-sectional study. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2010 , 12,		15

96	Validating Driver Behavior and Attitude Measure for Older Italian Drivers and Investigating Their Link to Rare Collision Events. <i>Frontiers in Psychology</i> , 2019 , 10, 368	3.4	14
95	Assessment of Affect Lability: Psychometric Properties of the ALS-18. <i>Frontiers in Psychology</i> , 2018 , 9, 427	3.4	14
94	Sex and ethnic differences among South Tirolese suicides: a psychological autopsy study. <i>European Psychiatry</i> , 2009 , 24, 47-56	6	14
93	Body uneasiness and suicide risk in a non-clinical sample of university students. <i>Archives of Suicide Research</i> , 2007 , 11, 193-202	2.3	14
92	Prevalence of Food Addiction and Binge Eating in an Italian sample of bariatric surgery candidates and overweight/obese patients seeking low-energy-diet therapy. <i>Rivista Di Psichiatria</i> , 2019 , 54, 127-130 ^{3.1}		14
91	Affective temperaments and psychopathological dimensions of personality in bipolar and cyclothymic patients. <i>Behavioral Medicine</i> , 2013 , 39, 17-23	4.4	13
90	The Association between Food Addiction and Early Maladaptive Schemas in Overweight and Obese Women: A Preliminary Investigation. <i>Nutrients</i> , 2017 , 9,	6.7	13
89	White matter hyperintensities and self-reported depression in a sample of patients with chronic headache. <i>Journal of Headache and Pain</i> , 2012 , 13, 661-7	8.8	13
88	How does subjective experience of pain relate to psychopathology among psychiatric patients?. <i>General Hospital Psychiatry</i> , 2012 , 34, 534-40	5.6	13
87	Prospective, open study of long-acting injected risperidone versus oral antipsychotics in 88 chronically psychotic patients. <i>Pharmacopsychiatry</i> , 2010 , 43, 66-72	2	13
86	Tobacco smoking and suicidal ideation in school-aged children 12-15 years old: impact of cultural differences. <i>Journal of Addictive Diseases</i> , 2011 , 30, 359-67	1.7	13
85	Weight Bias Internalization Scale Discriminates Obese and Overweight Patients with Different Severity Levels of Depression: the Italian Version of the WBIS. <i>Current Psychology</i> , 2017 , 36, 242-251	1.4	12
84	The Symptom-Checklist-K-9 (SCL-K-9) Discriminates between Overweight/Obese Patients with and without Significant Binge Eating Pathology: Psychometric Properties of an Italian Version. <i>Nutrients</i> , 2020 , 12,	6.7	12
83	Affective temperament and attachment in adulthood in patients with Bipolar Disorder and Cyclothymia. <i>Comprehensive Psychiatry</i> , 2014 , 55, 999-1006	7.3	12
82	Quality of life and personality traits in patients with malignant pleural mesothelioma and their first-degree caregivers. <i>Neuropsychiatric Disease and Treatment</i> , 2013 , 9, 1193-202	3.1	12
81	Alterations of EEG functional connectivity in resting state obese and overweight patients with binge eating disorder: A preliminary report. <i>Neuroscience Letters</i> , 2015 , 607, 120-124	3.3	11
80	Cognitive impairment in patients with psoriasis: A matched case-control study. <i>Journal of Psychosomatic Research</i> , 2018 , 105, 99-105	4.1	11
79	Nightmares and suicide risk in psychiatric patients: The roles of hopelessness and male depressive symptoms. <i>Psychiatry Research</i> , 2018 , 264, 20-25	9.9	11

78	Food craving is associated with multiple weight loss attempts. <i>Mediterranean Journal of Nutrition and Metabolism</i> , 2013 , 6, 79-83	1.3	11
77	Deep white matter hyperintensities as possible predictor of poor prognosis in a sample of patients with late-onset bipolar II disorder. <i>Bipolar Disorders</i> , 2010 , 12, 755-6	3.8	11
76	Patient outcome in migraine prophylaxis: the role of psychopharmacological agents. <i>Patient Related Outcome Measures</i> , 2010 , 1, 107-18	2.9	11
75	Factorial validity of the Childhood Trauma Questionnaire in Italian psychiatric patients. <i>Psychiatry Research</i> , 2016 , 245, 297-302	9.9	11
74	Structural validity, measurement invariance, reliability and diagnostic accuracy of the Italian version of the Yale Food Addiction Scale 2.0 in patients with severe obesity and the general population. <i>Eating and Weight Disorders</i> , 2021 , 26, 345-366	3.6	11
73	Temperaments in completed suicides: Are they different from those in suicide attempters and controls?. <i>Comprehensive Psychiatry</i> , 2016 , 65, 98-102	7.3	10
72	Genetic association analysis of serotonin and signal transduction pathways in suicide attempters from an Italian sample of psychiatric patients. <i>Neuroscience Letters</i> , 2017 , 656, 94-102	3.3	10
71	Psychosocial correlates of alcohol use and heavy episodic drinking among Italian adolescents: Data from the second International Self-Reported Delinquency study. <i>American Journal on Addictions</i> , 2015 , 24, 507-14	3.7	10
70	Pharmacotherapy in bipolar disorders during hospitalization and at discharge predicts clinical and psychosocial functioning at follow-up. <i>Human Psychopharmacology</i> , 2014 , 29, 578-88	2.3	10
69	The role of asenapine in the treatment of manic or mixed states associated with bipolar I disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2011 , 7, 259-65	3.1	10
68	Affective temperaments are associated with higher hopelessness and perceived disability in patients with open-angle glaucoma. <i>International Journal of Clinical Practice</i> , 2011 , 65, 976-84	2.9	10
67	Response to intravenous antidepressant treatment by suicidal vs. nonsuicidal depressed patients. <i>Journal of Affective Disorders</i> , 2010 , 122, 154-8	6.6	10
66	Risk-taking and reasons for living in non-clinical Italian university students. <i>Death Studies</i> , 2007 , 31, 751-62	9.9	10
65	The Interplay Between Suicide Risk, Cognitive Vulnerability, Subjective Happiness and Depression Among Students. <i>Current Psychology</i> , 2016 , 35, 450-458	1.4	9
64	Assessing psychopathology in bariatric surgery candidates: discriminant validity of the SCL-90-R and SCL-K-9 in a large sample of patients. <i>Eating and Weight Disorders</i> , 2021 , 26, 2211-2218	3.6	9
63	Factors associated with suicide: Case-control study in South Tyrol. <i>Comprehensive Psychiatry</i> , 2018 , 80, 150-154	7.3	9
62	Psychosocial correlates of adolescent cannabis use: data from the Italian subsample of the second International Self-Reported Delinquency study. <i>Journal of Addictive Diseases</i> , 2014 , 33, 210-20	1.7	9
61	Disease control in patients with asthma is associated with alexithymia but not with depression or anxiety. <i>Behavioral Medicine</i> , 2013 , 39, 138-45	4.4	9

60	Cannabis use and the risk behavior syndrome in Italian university students: are they related to suicide risk?. <i>Psychological Reports</i> , 2008 , 102, 577-94	1.6	9
59	Further Insights Into the Beck Hopelessness Scale (BHS): Unidimensionality Among Psychiatric Inpatients. <i>Frontiers in Psychiatry</i> , 2020 , 11, 727	5	9
58	Suicidal ideation, perceived disability, hopelessness and affective temperaments in patients affected by Parkinson's disease. <i>International Journal of Clinical Practice</i> , 2018 , 73, e13287	2.9	9
57	The association between suicide and the utilization of mental health services in South Tirol, Italy: a psychological autopsy study. <i>International Journal of Social Psychiatry</i> , 2014 , 60, 30-9	8.5	8
56	Suicide verdicts as opposed to accidental deaths in substance-related fatalities (UK, 2001-2007). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 1279-83	5.5	8
55	Persistent suicide risk in clinically improved schizophrenia patients: challenge of the suicidal dimension. <i>Neuropsychiatric Disease and Treatment</i> , 2010 , 6, 633-8	3.1	8
54	Recreational drug use and suicidality among Italian young adults. <i>Journal of Addictive Diseases</i> , 2008 , 27, 51-9	1.7	8
53	No cathartic effect in suicide attempters admitted to the emergency department. <i>Journal of Psychiatric Practice</i> , 2009 , 15, 433-41	1.3	7
52	Factors associated with hopelessness in epileptic patients. <i>World Journal of Psychiatry</i> , 2014 , 4, 141-9	3	7
51	The impact of Covid-19 on unemployment across Italy: Consequences for those affected by psychiatric conditions. <i>Journal of Affective Disorders</i> , 2022 , 296, 59-66	6.6	7
50	Is nocturnal eating in restless legs syndrome linked to a specific psychopathological profile? A pilot study. <i>Journal of Neural Transmission</i> , 2015 , 122, 1563-71	4.3	6
49	Construct validity and reliability of the adult rejection sensitivity questionnaire: a comparison of three factor models. <i>Depression Research and Treatment</i> , 2014 , 2014, 972424	3.8	6
48	The Association between Cannabis Use, Mental Illness, and Suicidal Behavior: What is the Role of Hopelessness?. <i>Frontiers in Psychiatry</i> , 2013 , 4, 125	5	6
47	Depression and insomnia are independently associated with satisfaction and enjoyment of life in medication-overuse headache patients. <i>International Journal of Psychiatry in Medicine</i> , 2016 , 51, 442-455 ¹		6
46	Atypical antipsychotics in the treatment of depressive and psychotic symptoms in patients with chronic schizophrenia: a naturalistic study. <i>Schizophrenia Research and Treatment</i> , 2013 , 2013, 423205	0.6	5
45	Glycosides, depression and suicidal behaviour: the role of glycoside-linked proteins. <i>Molecules</i> , 2011 , 16, 2688-713	4.8	5
44	Il suicidio in Italia. Aspetti epidemiologici e socio demografici. <i>Quaderni Italiani Di Psichiatria</i> , 2010 , 29, 41-50		5
43	Suicide attempts in acute psychiatric referrals with substance use disorders. <i>Rivista Di Psichiatria</i> , 2012 , 47, 313-8	3.1	5

42	The impact of periventricular white matter lesions in patients with bipolar disorder type I. <i>CNS Spectrums</i> , 2016 , 21, 23-34	1.8	5
41	Body uneasiness is associated with food addiction symptoms: A cross-sectional study. <i>European Eating Disorders Review</i> , 2018 , 26, 638-644	5.3	5
40	A bidimensional measure of empathy: Empathic Experience Scale. <i>PLoS ONE</i> , 2019 , 14, e0216164	3.7	4
39	Suicide attempters in the emergency department before hospitalization in a psychiatric ward. <i>Perspectives in Psychiatric Care</i> , 2011 , 47, 23-34	2.2	4
38	Socioeconomic risk factors and depressive symptoms in alcohol use disorders among male suicides in South Tirol, Italy. <i>Journal of Addictive Diseases</i> , 2010 , 29, 466-74	1.7	4
37	Unmet treatment needs in schizophrenia patients: is asenapine a potential therapeutic option?. <i>Expert Review of Neurotherapeutics</i> , 2011 , 11, 989-1006	4.3	4
36	The impact of the COVID-19 pandemic on suicide ideation and suicide attempts in a sample of psychiatric inpatients. <i>Psychiatry Research</i> , 2021 , 303, 114072	9.9	4
35	Differences among South Tyrolean suicides: a psychological autopsy study. <i>Wiener Klinische Wochenschrift</i> , 2016 , 128, 125-30	2.3	3
34	Deficits in Mentalization Predict Suicide Risk Among Psychiatric Inpatients. <i>European Psychiatry</i> , 2017 , 41, S264-S265	6	3
33	Short-term psychodynamic psychotherapy in patients with "male depression" syndrome, hopelessness, and suicide risk: a pilot study. <i>Depression Research and Treatment</i> , 2013 , 2013, 408983	3.8	3
32	Alexithymia and self-reflectiveness in bronchial asthma. <i>Rivista Di Psichiatria</i> , 2015 , 50, 245-52	3.1	3
31	Suicidal ideation, hopelessness, and affective temperament in patients with blepharospasm. <i>International Journal of Psychiatry in Clinical Practice</i> , 2021 , 25, 344-349	2.4	3
30	Are Demoralization and Insight Involved in Suicide Risk? An Observational Study on Psychiatric Inpatients. <i>Psychopathology</i> , 2021 , 54, 127-135	3.4	3
29	Preliminary Validation of the Italian Night Eating Questionnaire (I-NEQ-16): Item Analysis and Factor Structure. <i>Frontiers in Psychology</i> , 2018 , 9, 2628	3.4	3
28	Questioning on consistency of a stagnation scale in medication overuse headache: one more added to a plea of emperor's clothes?. <i>Journal of Headache and Pain</i> , 2015 , 16, 13	8.8	2
27	Compatibility quotient, and its relationship with marital satisfaction and personality traits in Italian married couples. <i>Sexual and Relationship Therapy</i> , 2016 , 31, 83-94	1.1	2
26	Assessment of Suicide-related Knowledge and Skills in a Sample of Health Professionals and Students. <i>European Psychiatry</i> , 2017 , 41, S300-S301	6	2
25	Violent deaths among Russian and EU male older adults. <i>International Journal of Social Psychiatry</i> , 2014 , 60, 89-94	8.5	2

24	Trends in alcohol-related deaths in the EU countries in 1980-2003. <i>International Journal of Social Psychiatry</i> , 2013 , 59, 443-51	8.5	2
23	Projective Technique Testing Approach to the Understanding of Psychological Pain in Suicidal and Non-Suicidal Psychiatric Inpatients. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 17,	4.6	2
22	Eating Behaviors in Cuban Adults: Results from an Exploratory Transcultural Study. <i>Frontiers in Psychology</i> , 2016 , 7, 1455	3.4	2
21	Measuring Knowledge, Attitudes, and Barriers to Medication Adherence in Potential Bariatric Surgery Patients. <i>Obesity Surgery</i> , 2021 , 31, 4045-4054	3.7	2
20	Suicide and drug and alcohol addiction: Self-destructive behaviours. An observational study on clinic hospital population. <i>European Psychiatry</i> , 2017 , 41, S400-S400	6	1
19	Psychiatric diagnoses during institutionalization: an investigation of 1334 psychiatric patients hospitalized in an Italian asylum during the 20th century. <i>Wiener Klinische Wochenschrift</i> , 2011 , 123, 135-142	2.2	1
18	Psychiatric comorbidity in the frail patient. <i>Archives of Gerontology and Geriatrics</i> , 2007 , 44 Suppl 1, 139-142	4	1
17	Clinical Differences Between Single and Multiple Suicide Attempters, Suicide Ideators, and Non-suicidal Inpatients. <i>Frontiers in Psychiatry</i> , 2020 , 11, 605140	5	1
16	Impulsivity, Aggression, and Suicide Risk in Patients with Schizophrenia. <i>Psychiatric Annals</i> , 2013 , 43, 458-462	0.5	1
15	Are Affective Temperaments, Emotional Abuse, and Neglect Involved in Mentalization Abilities in Patients With Psychiatric Disorders?. <i>Journal of Nervous and Mental Disease</i> , 2021 ,	1.8	1
14	Neurocognitive and Psychopathological Predictors of Weight Loss After Bariatric Surgery: A 4-Year Follow-Up Study. <i>Frontiers in Endocrinology</i> , 2021 , 12, 662252	5.7	1
13	Psychiatric comorbidity and suicide risk in patients with psoriasis. <i>European Psychiatry</i> , 2016 , 33, S395-S396	3	1
12	The Characteristics of Mood Polarity, Temperament, and Suicide Risk in Adult ADHD. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
11	Negative emotion dysregulation is linked to the intensity of suicidal ideation in a mixed inpatient sample. <i>Journal of Affective Disorders</i> , 2021 , 281, 605-608	6.6	1
10	Suicide-Related Knowledge and Attitudes among a Sample of Mental Health Professionals. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
9	The association between adult ADHD and food addiction: A mediation analysis. <i>Appetite</i> , 2021 , 167, 105613	4.13	1
8	An MMPI-2 hopelessness scale: Construction, initial validation and implication for suicide risk. <i>Journal of Affective Disorders Reports</i> , 2021 , 3, 100057	1.4	1
7	The Relationship between Alexithymia and Mental Health Is Fully Mediated by Anxiety and Depression in Patients with Psoriasis.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	1

6	Survey on centres and procedures for the diagnosis and treatment of adult ADHD in public services in Italy. <i>Rivista Di Psichiatria</i> , 2020 , 55, 355-365	3.1	0
5	Adult ADHD: a study on evaluation and treatment pathways in Italian Mental Health Services.. <i>Rivista Di Psichiatria</i> , 2021 , 56, 300-307	3.1	0
4	Clinical Features of ADHD: An Assessment of Suicide Risk and Substance Abuse. <i>European Psychiatry</i> , 2017 , 41, S294-S294	6	
3	Food craving is associated with multiple weight loss attempts. <i>Mediterranean Journal of Nutrition and Metabolism</i> , 2012 , 6, 79-83	1.3	
2	Suicide risk and suicide risk factors among immigrants in Italy: A bi-center matched sample study.. <i>International Journal of Social Psychiatry</i> , 2022 , 207640211072425	8.5	
1	Psychometric Properties of the Italian Mentalization Questionnaire: Assessing Structural Invariance and Construct Validity. <i>Journal of Personality Assessment</i> , 2021 , 1-9	2.8	