

Marco Innamorati

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7845868/marco-innamorati-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

203 papers	5,633 citations	43 h-index	65 g-index
228 ext. papers	6,840 ext. citations	4 avg, IF	5.41 L-index

#	Paper	IF	Citations
203	Suicide risk and suicide risk factors among immigrants in Italy: A bi-center matched sample study.. <i>International Journal of Social Psychiatry</i> , 2022 , 207640211072425	8.5	
202	The impact of Covid-19 on unemployment across Italy: Consequences for those affected by psychiatric conditions. <i>Journal of Affective Disorders</i> , 2022 , 296, 59-66	6.6	7
201	The Relationship between Alexithymia and Mental Health Is Fully Mediated by Anxiety and Depression in Patients with Psoriasis.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	1
200	Assessing psychopathology in bariatric surgery candidates: discriminant validity of the SCL-90-R and SCL-K-9 in a large sample of patients. <i>Eating and Weight Disorders</i> , 2021 , 26, 2211-2218	3.6	9
199	Psychometric Properties of the Italian Mentalization Questionnaire: Assessing Structural Invariance and Construct Validity. <i>Journal of Personality Assessment</i> , 2021 , 1-9	2.8	
198	Are Affective Temperaments, Emotional Abuse, and Neglect Involved in Mentalization Abilities in Patients With Psychiatric Disorders?. <i>Journal of Nervous and Mental Disease</i> , 2021 ,	1.8	1
197	Suicidal ideation, hopelessness, and affective temperament in patients with blepharospasm. <i>International Journal of Psychiatry in Clinical Practice</i> , 2021 , 25, 344-349	2.4	3
196	Are Demoralization and Insight Involved in Suicide Risk? An Observational Study on Psychiatric Inpatients. <i>Psychopathology</i> , 2021 , 54, 127-135	3.4	3
195	Neurocognitive and Psychopathological Predictors of Weight Loss After Bariatric Surgery: A 4-Year Follow-Up Study. <i>Frontiers in Endocrinology</i> , 2021 , 12, 662252	5.7	1
194	Structural validity, measurement invariance, reliability and diagnostic accuracy of the Italian version of the Yale Food Addiction Scale 2.0 in patients with severe obesity and the general population. <i>Eating and Weight Disorders</i> , 2021 , 26, 345-366	3.6	11
193	Negative emotion dysregulation is linked to the intensity of suicidal ideation in a mixed inpatient sample. <i>Journal of Affective Disorders</i> , 2021 , 281, 605-608	6.6	1
192	Measuring Knowledge, Attitudes, and Barriers to Medication Adherence in Potential Bariatric Surgery Patients. <i>Obesity Surgery</i> , 2021 , 31, 4045-4054	3.7	2
191	Suicide-Related Knowledge and Attitudes among a Sample of Mental Health Professionals. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
190	The impact of the COVID-19 pandemic on suicide ideation and suicide attempts in a sample of psychiatric inpatients. <i>Psychiatry Research</i> , 2021 , 303, 114072	9.9	4
189	The association between adult ADHD and food addiction: A mediation analysis. <i>Appetite</i> , 2021 , 167, 105613	4.3	1
188	An MMPI-2 hopelessness scale: Construction, initial validation and implication for suicide risk. <i>Journal of Affective Disorders Reports</i> , 2021 , 3, 100057	1.4	1
187	Adult ADHD: a study on evaluation and treatment pathways in Italian Mental Health Services.. <i>Rivista Di Psichiatria</i> , 2021 , 56, 300-307	3.1	0

186	The Symptom-Checklist-K-9 (SCL-K-9) Discriminates between Overweight/Obese Patients with and without Significant Binge Eating Pathology: Psychometric Properties of an Italian Version. <i>Nutrients</i> , 2020 , 12,	6.7	12
185	Clinical Differences Between Single and Multiple Suicide Attempters, Suicide Ideators, and Non-suicidal Inpatients. <i>Frontiers in Psychiatry</i> , 2020 , 11, 605140	5	1
184	Further Insights Into the Beck Hopelessness Scale (BHS): Unidimensionality Among Psychiatric Inpatients. <i>Frontiers in Psychiatry</i> , 2020 , 11, 727	5	9
183	The Characteristics of Mood Polarity, Temperament, and Suicide Risk in Adult ADHD. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
182	Survey on centres and procedures for the diagnosis and treatment of adult ADHD in public services in Italy. <i>Rivista Di Psichiatria</i> , 2020 , 55, 355-365	3.1	0
181	A bidimensional measure of empathy: Empathic Experience Scale. <i>PLoS ONE</i> , 2019 , 14, e0216164	3.7	4
180	Validating Driver Behavior and Attitude Measure for Older Italian Drivers and Investigating Their Link to Rare Collision Events. <i>Frontiers in Psychology</i> , 2019 , 10, 368	3.4	14
179	Tryptophan and Kynurenine Metabolites: Are They Related to Depression?. <i>Neuropsychobiology</i> , 2019 , 77, 23-28	4	16
178	Prevalence of Food Addiction and Binge Eating in an Italian sample of bariatric surgery candidates and overweight/obese patients seeking low-energy-diet therapy. <i>Rivista Di Psichiatria</i> , 2019 , 54, 127-130 ^{3.1}	3.1	14
177	Projective Technique Testing Approach to the Understanding of Psychological Pain in Suicidal and Non-Suicidal Psychiatric Inpatients. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 17,	4.6	2
176	Psychometric properties of the modified Yale Food Addiction Scale Version 2.0 in an Italian non-clinical sample. <i>Eating and Weight Disorders</i> , 2019 , 24, 37-45	3.6	17
175	Cognitive impairment in patients with psoriasis: A matched case-control study. <i>Journal of Psychosomatic Research</i> , 2018 , 105, 99-105	4.1	11
174	Nightmares and suicide risk in psychiatric patients: The roles of hopelessness and male depressive symptoms. <i>Psychiatry Research</i> , 2018 , 264, 20-25	9.9	11
173	Validation of the Italian Yale Food Addiction Scale in postgraduate university students. <i>Eating and Weight Disorders</i> , 2018 , 23, 167-176	3.6	19
172	Childhood Traumatic Experiences and Dissociative Phenomena in Eating Disorders: Level and Association with the Severity of Binge Eating Symptoms. <i>Journal of Trauma and Dissociation</i> , 2018 , 19, 88-107	2.8	26
171	Factors associated with suicide: Case-control study in South Tyrol. <i>Comprehensive Psychiatry</i> , 2018 , 80, 150-154	7.3	9
170	Depression, Hopelessness, and Complicated Grief in Survivors of Suicide. <i>Frontiers in Psychology</i> , 2018 , 9, 198	3.4	27
169	Assessment of Affect Lability: Psychometric Properties of the ALS-18. <i>Frontiers in Psychology</i> , 2018 , 9, 427	3.4	14

168	Suicidal ideation, perceived disability, hopelessness and affective temperaments in patients affected by Parkinson's disease. <i>International Journal of Clinical Practice</i> , 2018 , 73, e13287	2.9	9
167	Temperaments in psychotic and major affective disorders. <i>Journal of Affective Disorders</i> , 2018 , 225, 195-200	2.0	16
166	Preliminary Validation of the Italian Night Eating Questionnaire (I-NEQ-16): Item Analysis and Factor Structure. <i>Frontiers in Psychology</i> , 2018 , 9, 2628	3.4	3
165	Co-rumination, anxiety, and maladaptive cognitive schemas: when friendship can hurt. <i>Psychology Research and Behavior Management</i> , 2018 , 11, 133-144	3.8	18
164	Mediators in the Association Between Affective Temperaments and Suicide Risk Among Psychiatric Inpatients. <i>Psychiatry (New York)</i> , 2018 , 81, 240-257	1	16
163	Body uneasiness is associated with food addiction symptoms: A cross-sectional study. <i>European Eating Disorders Review</i> , 2018 , 26, 638-644	5.3	5
162	Emotion Regulation and Mentalization in People at Risk for Food Addiction. <i>Behavioral Medicine</i> , 2017 , 43, 21-30	4.4	21
161	Weight Bias Internalization Scale Discriminates Obese and Overweight Patients with Different Severity Levels of Depression: the Italian Version of the WBIS. <i>Current Psychology</i> , 2017 , 36, 242-251	1.4	12
160	The Association among Childhood Trauma, Pathological Dissociation and Gambling Severity in Casino Gamblers. <i>Clinical Psychology and Psychotherapy</i> , 2017 , 24, 203-211	2.9	19
159	Psychiatric comorbidity and suicidal ideation in psoriasis, melanoma and allergic disorders. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017 , 21, 209-214	2.4	16
158	Differential associations of affective temperaments and diagnosis of major affective disorders with suicidal behavior. <i>Journal of Affective Disorders</i> , 2017 , 210, 19-21	6.6	33
157	Genetic association analysis of serotonin and signal transduction pathways in suicide attempters from an Italian sample of psychiatric patients. <i>Neuroscience Letters</i> , 2017 , 656, 94-102	3.3	10
156	Assessment of Suicide-related Knowledge and Skills in a Sample of Health Professionals and Students. <i>European Psychiatry</i> , 2017 , 41, S300-S301	6	2
155	Clinical Features of ADHD: An Assessment of Suicide Risk and Substance Abuse. <i>European Psychiatry</i> , 2017 , 41, S294-S294	6	
154	Suicide and drug and alcohol addiction: Self-destructive behaviours. An observational study on clinic hospital population. <i>European Psychiatry</i> , 2017 , 41, S400-S400	6	1
153	Deficits in Mentalization Predict Suicide Risk Among Psychiatric Inpatients. <i>European Psychiatry</i> , 2017 , 41, S264-S265	6	3
152	Mentalization and depressive symptoms in a clinical sample of adolescents and young adults. <i>Child and Adolescent Mental Health</i> , 2017 , 22, 69-76	2.2	19
151	The Association between Food Addiction and Early Maladaptive Schemas in Overweight and Obese Women: A Preliminary Investigation. <i>Nutrients</i> , 2017 , 9,	6.7	13

150	Web-Based Interventions for Weight Loss or Weight Loss Maintenance in Overweight and Obese People: A Systematic Review of Systematic Reviews. <i>Journal of Medical Internet Research</i> , 2017 , 19, e2297.6	7.6	71
149	The Interplay Between Suicide Risk, Cognitive Vulnerability, Subjective Happiness and Depression Among Students. <i>Current Psychology</i> , 2016 , 35, 450-458	1.4	9
148	Childhood trauma in obese and overweight women with food addiction and clinical-level of binge eating. <i>Child Abuse and Neglect</i> , 2016 , 58, 180-90	4.3	34
147	The communication of suicidal intentions: a meta-analysis. <i>Psychological Medicine</i> , 2016 , 46, 2239-53	6.9	78
146	Temperaments in completed suicides: Are they different from those in suicide attempters and controls?. <i>Comprehensive Psychiatry</i> , 2016 , 65, 98-102	7.3	10
145	Differences among South Tyrolean suicides: a psychological autopsy study. <i>Wiener Klinische Wochenschrift</i> , 2016 , 128, 125-30	2.3	3
144	Compatibility quotient, and its relationship with marital satisfaction and personality traits in Italian married couples. <i>Sexual and Relationship Therapy</i> , 2016 , 31, 83-94	1.1	2
143	Food Addiction: definition, measurement and prevalence in healthy subjects and in patients with eating disorders. <i>Rivista Di Psichiatria</i> , 2016 , 51, 60-5	3.1	25
142	Eating Behaviors in Cuban Adults: Results from an Exploratory Transcultural Study. <i>Frontiers in Psychology</i> , 2016 , 7, 1455	3.4	2
141	Factor Structure of the Binge Eating Scale in a Large Sample of Obese and Overweight Patients Attending Low Energy Diet Therapy. <i>European Eating Disorders Review</i> , 2016 , 24, 174-8	5.3	24
140	Depression and insomnia are independently associated with satisfaction and enjoyment of life in medication-overuse headache patients. <i>International Journal of Psychiatry in Medicine</i> , 2016 , 51, 442-455 ¹		6
139	Life adverse experiences in relation with obesity and binge eating disorder: A systematic review. <i>Journal of Behavioral Addictions</i> , 2016 , 5, 11-31	6.3	67
138	Psychiatric comorbidity and suicide risk in patients with psoriasis. <i>European Psychiatry</i> , 2016 , 33, S395-S396		1
137	The impact of periventricular white matter lesions in patients with bipolar disorder type I. <i>CNS Spectrums</i> , 2016 , 21, 23-34	1.8	5
136	The "Insight Paradox" in Schizophrenia: Magnitude, Moderators and Mediators of the Association Between Insight and Depression. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1225-33	1.3	43
135	Health-related quality of life and its association with alexithymia and difficulties in emotion regulation in patients with psoriasis. <i>Comprehensive Psychiatry</i> , 2016 , 70, 200-8	7.3	19
134	Factorial validity of the Childhood Trauma Questionnaire in Italian psychiatric patients. <i>Psychiatry Research</i> , 2016 , 245, 297-302	9.9	11
133	Suicide risk and psychiatric comorbidity in patients with psoriasis. <i>Journal of International Medical Research</i> , 2016 , 44, 61-66	1.4	33

132	Second-generation antipsychotics and neuroleptic malignant syndrome: systematic review and case report analysis. <i>Drugs in R and D</i> , 2015 , 15, 45-62	3.4	96
131	Questioning on consistency of a stagnation scale in medication overuse headache: one more added to a plea of emperor's clothes?. <i>Journal of Headache and Pain</i> , 2015 , 16, 13	8.8	2
130	Psychometric properties of the Italian Food Cravings Questionnaire-Trait-reduced (FCQ-T-r). <i>Eating and Weight Disorders</i> , 2015 , 20, 129-35	3.6	18
129	Modification of EEG functional connectivity and EEG power spectra in overweight and obese patients with food addiction: An eLORETA study. <i>Brain Imaging and Behavior</i> , 2015 , 9, 703-16	4.1	35
128	Psychometric properties of the Italian Yale Food Addiction Scale in overweight and obese patients. <i>Eating and Weight Disorders</i> , 2015 , 20, 119-27	3.6	39
127	Measuring anxiety in the elderly: psychometric properties of the state trait inventory of cognitive and somatic anxiety (STICSA) in an elderly Italian sample. <i>International Psychogeriatrics</i> , 2015 , 27, 999-1008	3.4	23
126	Alterations of EEG functional connectivity in resting state obese and overweight patients with binge eating disorder: A preliminary report. <i>Neuroscience Letters</i> , 2015 , 607, 120-124	3.3	11
125	Is nocturnal eating in restless legs syndrome linked to a specific psychopathological profile? A pilot study. <i>Journal of Neural Transmission</i> , 2015 , 122, 1563-71	4.3	6
124	Cyclothymic temperament rather than polarity is associated with hopelessness and suicidality in hospitalized patients with mood disorders. <i>Journal of Affective Disorders</i> , 2015 , 170, 161-5	6.6	21
123	Psychometric properties of the stagnation scale in medication overuse headache patients. <i>Journal of Headache and Pain</i> , 2015 , 16, 1052	8.8	15
122	Psychosocial correlates of alcohol use and heavy episodic drinking among Italian adolescents: Data from the second International Self-Reported Delinquency study. <i>American Journal on Addictions</i> , 2015 , 24, 507-14	3.7	10
121	Is good insight associated with depression among patients with schizophrenia? Systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2015 , 162, 234-47	3.6	70
120	Alexithymia and self-reflectiveness in bronchial asthma. <i>Rivista Di Psichiatria</i> , 2015 , 50, 245-52	3.1	3
119	HPA axis and aging in depression: systematic review and meta-analysis. <i>Psychoneuroendocrinology</i> , 2014 , 41, 46-62	5	189
118	The associations among childhood maltreatment, "male depression" and suicide risk in psychiatric patients. <i>Psychiatry Research</i> , 2014 , 220, 571-8	9.9	90
117	Factor Validity of the Beck Hopelessness Scale in Italian Medical Patients. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2014 , 36, 300-307	2	22
116	Suicide risk in type 1 diabetes mellitus: A systematic review. <i>Journal of Psychosomatic Research</i> , 2014 , 76, 352-60	4.1	47
115	Suicide in the old elderly: results from one Italian county. <i>American Journal of Geriatric Psychiatry</i> , 2014 , 22, 1158-67	6.5	29

114	Affective temperament and attachment in adulthood in patients with Bipolar Disorder and Cyclothymia. <i>Comprehensive Psychiatry</i> , 2014 , 55, 999-1006	7.3	12
113	The association among food addiction, binge eating severity and psychopathology in obese and overweight patients attending low-energy-diet therapy. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1358-62	7.3	40
112	Characterization of patients with mood disorders for their prevalent temperament and level of hopelessness. <i>Journal of Affective Disorders</i> , 2014 , 166, 285-91	6.6	26
111	Impact of living with bipolar patients: Making sense of caregiversSburden. <i>World Journal of Psychiatry</i> , 2014 , 4, 1-12	3	39
110	Psychiatric pathology and suicide risk in patients with cancer. <i>Journal of Psychosocial Oncology</i> , 2014 , 32, 383-95	2.8	21
109	Food Cravings Questionnaire-Trait (FCQ-T) discriminates between obese and overweight patients with and without binge eating tendencies: the Italian version of the FCQ-T. <i>Journal of Personality Assessment</i> , 2014 , 96, 632-9	2.8	29
108	Suicide in Italy during a time of economic recession: some recent data related to age and gender based on a nationwide register study. <i>Health and Social Care in the Community</i> , 2014 , 22, 361-7	2.6	53
107	Pharmacotherapy in bipolar disorders during hospitalization and at discharge predicts clinical and psychosocial functioning at follow-up. <i>Human Psychopharmacology</i> , 2014 , 29, 578-88	2.3	10
106	Suicide attempts in major depressed patients with personality disorder. <i>Suicide and Life-Threatening Behavior</i> , 2014 , 44, 155-66	3.9	15
105	Sociodemographic and clinical differences between suicide ideators and attempters: a study of mood disordered patients 50 years and older. <i>Suicide and Life-Threatening Behavior</i> , 2014 , 44, 34-45	3.9	18
104	The association between suicide and the utilization of mental health services in South Tirol, Italy: a psychological autopsy study. <i>International Journal of Social Psychiatry</i> , 2014 , 60, 30-9	8.5	8
103	Violent deaths among Russian and EU male older adults. <i>International Journal of Social Psychiatry</i> , 2014 , 60, 89-94	8.5	2
102	Construct validity and reliability of the adult rejection sensitivity questionnaire: a comparison of three factor models. <i>Depression Research and Treatment</i> , 2014 , 2014, 972424	3.8	6
101	Psychosocial correlates of adolescent cannabis use: data from the Italian subsample of the second International Self-Reported Delinquency study. <i>Journal of Addictive Diseases</i> , 2014 , 33, 210-20	1.7	9
100	Unemployment as a risk factor for completed suicide: a psychological autopsy study. <i>Archives of Suicide Research</i> , 2014 , 18, 181-92	2.3	19
99	Biased processing of neutral facial expressions is associated with depressive symptoms and suicide ideation in individuals at risk for major depression due to affective temperaments. <i>Comprehensive Psychiatry</i> , 2014 , 55, 518-25	7.3	31
98	Factors associated with hopelessness in epileptic patients. <i>World Journal of Psychiatry</i> , 2014 , 4, 141-9	3	7
97	Agomelatine, a novel intriguing antidepressant option enhancing neuroplasticity: a critical review. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 412-31	3.8	54

96	The State-Trait Anxiety Inventory: Shadows and Lights on its Construct Validity. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2013 , 35, 475-486	2	80
95	Food craving is associated with multiple weight loss attempts. <i>Mediterranean Journal of Nutrition and Metabolism</i> , 2013 , 6, 79-83	1.3	11
94	Epidemiology of suicide in bipolar disorders: a systematic review of the literature. <i>Bipolar Disorders</i> , 2013 , 15, 457-90	3.8	206
93	Vitamin D and psychosis: mini meta-analysis. <i>Schizophrenia Research</i> , 2013 , 150, 235-9	3.6	82
92	Affective temperaments and psychopathological dimensions of personality in bipolar and cyclothymic patients. <i>Behavioral Medicine</i> , 2013 , 39, 17-23	4.4	13
91	Affective temperaments and hopelessness as predictors of health and social functioning in mood disorder patients: a prospective follow-up study. <i>Journal of Affective Disorders</i> , 2013 , 150, 216-22	6.6	62
90	Does the level of education influence completed suicide? A nationwide register study. <i>Journal of Affective Disorders</i> , 2013 , 147, 437-40	6.6	49
89	Overattachment and perceived disability in chronic migraineurs. <i>Clinical Neurology and Neurosurgery</i> , 2013 , 115, 954-8	2	16
88	Atypical antipsychotics in the treatment of depressive and psychotic symptoms in patients with chronic schizophrenia: a naturalistic study. <i>Schizophrenia Research and Treatment</i> , 2013 , 2013, 423205	0.6	5
87	Gender differences in food craving among overweight and obese patients attending low energy diet therapy: a matched case-control study. <i>Eating and Weight Disorders</i> , 2013 , 18, 297-303	3.6	16
86	Cognitive Vulnerabilities and Depression in Young Adults: An ROC Curves Analysis. <i>Depression Research and Treatment</i> , 2013 , 2013, 407602	3.8	23
85	Psychometric Properties of the Attitudes toward Self-Revised in Italian Young Adults. <i>Depression Research and Treatment</i> , 2013 , 2013, 209216	3.8	21
84	Short-term psychodynamic psychotherapy in patients with "male depression" syndrome, hopelessness, and suicide risk: a pilot study. <i>Depression Research and Treatment</i> , 2013 , 2013, 408983	3.8	3
83	Bereavement after the suicide of a significant other. <i>Indian Journal of Psychiatry</i> , 2013 , 55, 256-63	2.2	94
82	Posttraumatic stress disorder and suicide risk among veterans: a literature review. <i>Journal of Nervous and Mental Disease</i> , 2013 , 201, 802-12	1.8	117
81	Cognitive impairment and its associations with the path of illness in affective disorders: a comparison between patients with bipolar and unipolar depression in remission. <i>Journal of Psychiatric Practice</i> , 2013 , 19, 275-87	1.3	33
80	Depression and affective temperaments are associated with poor health-related quality of life in patients with HIV infection. <i>Journal of Psychiatric Practice</i> , 2013 , 19, 109-17	1.3	20
79	Trends in alcohol-related deaths in the EU countries in 1980-2003. <i>International Journal of Social Psychiatry</i> , 2013 , 59, 443-51	8.5	2

78	Insomnia as a predictor of high-lethality suicide attempts. <i>International Journal of Clinical Practice</i> , 2013 , 67, 1311-6	2.9	68
77	Disease control in patients with asthma is associated with alexithymia but not with depression or anxiety. <i>Behavioral Medicine</i> , 2013 , 39, 138-45	4.4	9
76	Pharmacological properties of glutamatergic drugs targeting NMDA receptors and their application in major depression. <i>Current Pharmaceutical Design</i> , 2013 , 19, 1898-922	3.3	54
75	Quality of life and personality traits in patients with malignant pleural mesothelioma and their first-degree caregivers. <i>Neuropsychiatric Disease and Treatment</i> , 2013 , 9, 1193-202	3.1	12
74	The Association between Cannabis Use, Mental Illness, and Suicidal Behavior: What is the Role of Hopelessness?. <i>Frontiers in Psychiatry</i> , 2013 , 4, 125	5	6
73	Impulsivity, Aggression, and Suicide Risk in Patients with Schizophrenia. <i>Psychiatric Annals</i> , 2013 , 43, 458-462	0.5	1
72	Cyclothymic-depressive-anxious temperament pattern is related to suicide risk in 346 patients with major mood disorders. <i>Journal of Affective Disorders</i> , 2012 , 136, 405-11	6.6	68
71	Substance abuse and suicide risk among adolescents. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 469	5.1	76
70	Car accidents as a method of suicide: a comprehensive overview. <i>Forensic Science International</i> , 2012 , 223, 1-9	2.6	63
69	Prolactin and thyroid hormone levels are associated with suicide attempts in psychiatric patients. <i>Psychiatry Research</i> , 2012 , 200, 389-94	9.9	79
68	White matter hyperintensities and self-reported depression in a sample of patients with chronic headache. <i>Journal of Headache and Pain</i> , 2012 , 13, 661-7	8.8	13
67	Can cannabis increase the suicide risk in psychosis? A critical review. <i>Current Pharmaceutical Design</i> , 2012 , 18, 5165-87	3.3	54
66	The role of microRNAs in synaptic plasticity, major affective disorders and suicidal behavior. <i>Neuroscience Research</i> , 2012 , 73, 179-90	2.9	53
65	Temperaments mediate suicide risk and psychopathology among patients with bipolar disorders. <i>Comprehensive Psychiatry</i> , 2012 , 53, 280-5	7.3	59
64	How does subjective experience of pain relate to psychopathology among psychiatric patients?. <i>General Hospital Psychiatry</i> , 2012 , 34, 534-40	5.6	13
63	Food craving is associated with multiple weight loss attempts. <i>Mediterranean Journal of Nutrition and Metabolism</i> , 2012 , 6, 79-83	1.3	
62	Partial androgen deficiency, depression, and testosterone supplementation in aging men. <i>International Journal of Endocrinology</i> , 2012 , 2012, 280724	2.7	25
61	Suicide attempts in acute psychiatric referrals with substance use disorders. <i>Rivista Di Psichiatria</i> , 2012 , 47, 313-8	3.1	5

60	Suicide risk in first episode psychosis: a selective review of the current literature. <i>Schizophrenia Research</i> , 2011 , 129, 1-11	3.6	105
59	Suicide verdicts as opposed to accidental deaths in substance-related fatalities (UK, 2001-2007). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011 , 35, 1279-83	5.5	8
58	Life events as precipitants of suicide attempts among first-time suicide attempters, repeaters, and non-attempters. <i>Psychiatry Research</i> , 2011 , 186, 300-5	9.9	82
57	The role of asenapine in the treatment of manic or mixed states associated with bipolar I disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2011 , 7, 259-65	3.1	10
56	Glycosides, depression and suicidal behaviour: the role of glycoside-linked proteins. <i>Molecules</i> , 2011 , 16, 2688-713	4.8	5
55	Affective temperaments are associated with higher hopelessness and perceived disability in patients with open-angle glaucoma. <i>International Journal of Clinical Practice</i> , 2011 , 65, 976-84	2.9	10
54	Suicide attempters in the emergency department before hospitalization in a psychiatric ward. <i>Perspectives in Psychiatric Care</i> , 2011 , 47, 23-34	2.2	4
53	Affective temperamental profiles are associated with white matter hyperintensity and suicidal risk in patients with mood disorders. <i>Journal of Affective Disorders</i> , 2011 , 129, 47-55	6.6	73
52	Psychometric properties of the Gotland Scale for Depression in Italian psychiatric inpatients and its utility in the prediction of suicide risk. <i>Journal of Affective Disorders</i> , 2011 , 132, 99-103	6.6	63
51	Psychiatric diagnoses during institutionalization: an investigation of 1334 psychiatric patients hospitalized in an Italian asylum during the 20th century. <i>Wiener Klinische Wochenschrift</i> , 2011 , 123, 135-44	2.3	1
50	Temperament, post-partum depression, hopelessness, and suicide risk among women soon after delivering. <i>Women and Health</i> , 2011 , 51, 511-24	1.7	19
49	Tobacco smoking and suicidal ideation in school-aged children 12-15 years old: impact of cultural differences. <i>Journal of Addictive Diseases</i> , 2011 , 30, 359-67	1.7	13
48	Unmet treatment needs in schizophrenia patients: is asenapine a potential therapeutic option?. <i>Expert Review of Neurotherapeutics</i> , 2011 , 11, 989-1006	4.3	4
47	Psychometric properties of the suicidal history self-rating screening scale. <i>Archives of Suicide Research</i> , 2011 , 15, 87-92	2.3	24
46	Inequalities and impact of socioeconomic-cultural factors in suicide rates across Italy. <i>Crisis</i> , 2011 , 32, 178-85	2.8	16
45	Higher hopelessness and suicide risk predict lower self-deception among psychiatric patients and non-clinical individuals. <i>Rivista Di Psichiatria</i> , 2011 , 46, 24-30	3.1	17
44	Deep white matter hyperintensities as possible predictor of poor prognosis in a sample of patients with late-onset bipolar II disorder. <i>Bipolar Disorders</i> , 2010 , 12, 755-6	3.8	11
43	Psychiatric comorbidity and suicide risk in patients with chronic migraine. <i>Neuropsychiatric Disease and Treatment</i> , 2010 , 6, 81-91	3.1	62

42	Persistent suicide risk in clinically improved schizophrenia patients: challenge of the suicidal dimension. <i>Neuropsychiatric Disease and Treatment</i> , 2010 , 6, 633-8	3.1	8
41	Patient outcome in migraine prophylaxis: the role of psychopharmacological agents. <i>Patient Related Outcome Measures</i> , 2010 , 1, 107-18	2.9	11
40	Nearly lethal resuscitated suicide attempters have no low serum levels of cholesterol and triglycerides. <i>Psychological Reports</i> , 2010 , 106, 785-90	1.6	20
39	Antidepressants and Suicide Risk: A Comprehensive Overview. <i>Pharmaceuticals</i> , 2010 , 3, 2861-2883	5.2	23
38	Prospective, open study of long-acting injected risperidone versus oral antipsychotics in 88 chronically psychotic patients. <i>Pharmacopsychiatry</i> , 2010 , 43, 66-72	2	13
37	Il suicidio in Italia. Aspetti epidemiologici e socio demografici. <i>Quaderni Italiani Di Psichiatria</i> , 2010 , 29, 41-50		5
36	Suicidal behavior and alcohol abuse. <i>International Journal of Environmental Research and Public Health</i> , 2010 , 7, 1392-431	4.6	222
35	Socioeconomic risk factors and depressive symptoms in alcohol use disorders among male suicides in South Tirol, Italy. <i>Journal of Addictive Diseases</i> , 2010 , 29, 466-74	1.7	4
34	Inequalities in suicide rates in the European Union's elderly: trends and impact of macro-socioeconomic factors between 1980 and 2006. <i>Canadian Journal of Psychiatry</i> , 2010 , 55, 229-38	4.8	16
33	The hypothalamic-pituitary-adrenal axis and serotonin abnormalities: a selective overview for the implications of suicide prevention. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010 , 260, 583-600	5.1	97
32	Completed suicide and marital status according to the Italian region of origin. <i>Psychiatric Quarterly</i> , 2010 , 81, 57-71	4.1	32
31	Response to intravenous antidepressant treatment by suicidal vs. nonsuicidal depressed patients. <i>Journal of Affective Disorders</i> , 2010 , 122, 154-8	6.6	10
30	Alcohol consumption predicts the EU suicide rates in young women aged 15-29 years but not in men: analysis of trends and differences among early and new EU countries since 2004. <i>Alcohol</i> , 2010 , 44, 463-9	2.7	18
29	The impact of anxiety, depression, and suicidality on quality of life and functional status of patients with congestive heart failure and hypertension: an observational cross-sectional study. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2010 , 12,		15
28	Assessment and treatment of suicide risk in bipolar disorders. <i>Expert Review of Neurotherapeutics</i> , 2009 , 9, 109-36	4.3	62
27	Suicide risk and personality traits in physically and/or sexually abused acute psychiatric inpatients: a preliminary study. <i>Psychological Reports</i> , 2009 , 105, 554-68	1.6	26
26	Duloxetine in acute major depression: review of comparisons to placebo and standard antidepressants using dissimilar methods. <i>Human Psychopharmacology</i> , 2009 , 24, 177-90	2.3	51
25	The validation of the Italian Perceived Disability Scale (IPDS) in chronic daily headache sufferers. <i>Journal of Headache and Pain</i> , 2009 , 10, 21-6	8.8	15

24	Psychiatric comorbidity in patients with chronic daily headache and migraine: a selective overview including personality traits and suicide risk. <i>Journal of Headache and Pain</i> , 2009 , 10, 283-90	8.8	109
23	Suicide among Italian adolescents: 1970-2002. <i>European Child and Adolescent Psychiatry</i> , 2009 , 18, 525-33	3.5	19
22	Preventing suicide in jails and prisons: suggestions from experience with psychiatric inpatients. <i>Journal of Forensic Sciences</i> , 2009 , 54, 1155-62	1.8	21
21	Substance abuse, temperament and suicide risk: evidence from a case-control study. <i>Journal of Addictive Diseases</i> , 2009 , 28, 13-20	1.7	28
20	Completed suicide in schizophrenia: evidence from a case-control study. <i>Psychiatry Research</i> , 2009 , 167, 251-7	9.9	91
19	Improving adherence in mood disorders: the struggle against relapse, recurrence and suicide risk. <i>Expert Review of Neurotherapeutics</i> , 2009 , 9, 985-1004	4.3	67
18	Sex and ethnic differences among South Tirolean suicides: a psychological autopsy study. <i>European Psychiatry</i> , 2009 , 24, 47-56	6	14
17	Quality of life and suicide risk in patients with diabetes mellitus. <i>Psychosomatics</i> , 2009 , 50, 16-23	2.6	54
16	No cathartic effect in suicide attempters admitted to the emergency department. <i>Journal of Psychiatric Practice</i> , 2009 , 15, 433-41	1.3	7
15	Periventricular white matter hyperintensities as predictors of suicide attempts in bipolar disorders and unipolar depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1501-7	5.5	84
14	Suicide in the elderly: a psychological autopsy study in a North Italy area (1994-2004). <i>American Journal of Geriatric Psychiatry</i> , 2008 , 16, 727-35	6.5	40
13	Temperament and personality dimensions in suicidal and nonsuicidal psychiatric inpatients. <i>Psychopathology</i> , 2008 , 41, 313-21	3.4	76
12	Recreational drug use and suicidality among Italian young adults. <i>Journal of Addictive Diseases</i> , 2008 , 27, 51-9	1.7	8
11	Assessment and treatment of suicide risk in schizophrenia. <i>Expert Review of Neurotherapeutics</i> , 2008 , 8, 51-74	4.3	35
10	Cannabis use and the risk behavior syndrome in Italian university students: are they related to suicide risk?. <i>Psychological Reports</i> , 2008 , 102, 577-94	1.6	9
9	Completed versus attempted suicide in psychiatric patients: a psychological autopsy study. <i>Journal of Psychiatric Practice</i> , 2008 , 14, 216-24	1.3	21
8	Suicide risk in depression and bipolar disorder: Do impulsiveness-aggressiveness and pharmacotherapy predict suicidal intent?. <i>Neuropsychiatric Disease and Treatment</i> , 2008 , 4, 247-55	3.1	59
7	Mental turmoil, suicide risk, illness perception, and temperament, and their impact on quality of life in chronic daily headache. <i>Journal of Headache and Pain</i> , 2008 , 9, 349-57	8.8	25

6	Risk-taking and reasons for living in non-clinical Italian university students. <i>Death Studies</i> , 2007 , 31, 751-62	9.2	10
5	Psychiatric comorbidity in the frail patient. <i>Archives of Gerontology and Geriatrics</i> , 2007 , 44 Suppl 1, 139-42	4	1
4	Gender effects among undergraduates relating to suicide risk, impulsivity, aggression and self-efficacy. <i>Personality and Individual Differences</i> , 2007 , 43, 2047-2056	3.3	15
3	White matter hyperintensities and their associations with suicidality in patients with major affective disorders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 494-9	5.1	60
2	Body uneasiness and suicide risk in a non-clinical sample of university students. <i>Archives of Suicide Research</i> , 2007 , 11, 193-202	2.3	14
1	Depression, hopelessness and suicide risk among patients suffering from epilepsy. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2007 , 43, 425-9	1.6	16