

Ofir Artzi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7846978/publications.pdf>

Version: 2024-02-01

58
papers

705
citations

758635

12
h-index

676716

22
g-index

58
all docs

58
docs citations

58
times ranked

521
citing authors

#	ARTICLE	IF	CITATIONS
1	Laser Treatment of Traumatic Scars and Contractures: 2020 International Consensus Recommendations. <i>Lasers in Surgery and Medicine</i> , 2020, 52, 96-116.	1.1	89
2	Resistant and Recurrent Late Reaction to Hyaluronic Acid-Based Gel. <i>Dermatologic Surgery</i> , 2016, 42, 31-37.	0.4	84
3	Delayed Inflammatory Reactions to Hyaluronic Acid Fillers: A Literature Review and Proposed Treatment Algorithm. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2020, Volume 13, 371-378.	0.8	48
4	Energy-based devices for the treatment of Acne Scars: 2022 International consensus recommendations. <i>Lasers in Surgery and Medicine</i> , 2022, 54, 10-26.	1.1	33
5	The toxic edge: A novel treatment for refractory erythema and flushing of rosacea. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 325-331.	1.1	30
6	Clinical efficacy of fecal microbial transplantation treatment in adults with moderate-to-severe atopic dermatitis. <i>Immunity, Inflammation and Disease</i> , 2022, 10, .	1.3	28
7	The pathogenesis of melasma and implications for treatment. <i>Journal of Cosmetic Dermatology</i> , 2021, 20, 3432-3445.	0.8	25
8	Topical Oxybutynin 10% Gel for the Treatment of Primary Focal Hyperhidrosis: A Randomized Double-blind Placebo-controlled Split Area Study. <i>Acta Dermato-Venereologica</i> , 2017, 97, 1120-1124.	0.6	21
9	A new approach in the treatment of pediatric hypertrophic burn scars: Tixel-associated topical triamcinolone acetonide and 5-fluorouracil delivery. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 131-134.	0.8	20
10	A treatment protocol for botulinum toxin injections in the treatment of pachyonychia congenita-associated keratoderma. <i>British Journal of Dermatology</i> , 2020, 182, 671-677.	1.4	19
11	Picosecond 532-nm neodymium-doped yttrium aluminium garnet laser: a novel and promising modality for the treatment of café-au-lait macules. <i>Lasers in Medical Science</i> , 2018, 33, 693-697.	1.0	17
12	Dual-plane hyaluronic acid treatment for atrophic acne scars. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 69-74.	0.8	15
13	The Scar Bane, Without the Pain: A New Approach in the Treatment of Elevated Scars: Thermomechanical Delivery of Topical Triamcinolone Acetonide and 5-Fluorouracil. <i>Dermatology and Therapy</i> , 2019, 9, 321-326.	1.4	13
14	Mitigation of Postsurgical Scars Using Lasers: A Review. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020, 8, e2746.	0.3	12
15	Brimonidine tartrate 0.33% gel for the management of posttreatment erythema induced by laser skin resurfacing. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, e53-e55.	0.6	11
16	Early intervention with pulse dye and CO2 ablative fractional lasers to improve cutaneous scarring post-lumpectomy: a randomized controlled trial on the impact of intervention on final cosmesis. <i>Lasers in Medical Science</i> , 2019, 34, 1881-1887.	1.0	11
17	A 1064-nm Neodymium-doped Yttrium Aluminum Garnet Picosecond Laser for the Treatment of Hyperpigmented Scars. <i>Dermatologic Surgery</i> , 2019, 45, 725-729.	0.4	11
18	Pulse-Dye Laser Followed by Betamethasone-Calcioptriol and Fractional Ablative CO2-Laser-Assisted Delivery for Nail Psoriasis. <i>Dermatologic Surgery</i> , 2021, 47, e111-e116.	0.4	11

#	ARTICLE	IF	CITATIONS
19	Novel Stereoscopic Optical System for Objectively Measuring Above-Surface Scar Volume—First-Time Quantification of Responses to Various Treatment Modalities. <i>Dermatologic Surgery</i> , 2018, 44, 848-854.	0.4	10
20	Treatment of port wine stain with <sc>Tixel</sc> -induced rapamycin delivery following pulsed dye laser application. <i>Dermatologic Therapy</i> , 2020, 33, e13172.	0.8	10
21	Potentials for implementing pressure-controlled jet injection in management of keloids with intralesional 5FU and corticosteroids. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 1966-1972.	0.8	10
22	Thermomechanical Ablation-Assisted Photodynamic Therapy for the Treatment of Acne Vulgaris. A Retrospective Chart Review of 30 Patients. <i>Lasers in Surgery and Medicine</i> , 2020, 52, 966-970.	1.1	10
23	Fractional ablative carbon dioxide laser followed by topical sodium stibogluconate application: A treatment option for pediatric cutaneous leishmaniasis. <i>Pediatric Dermatology</i> , 2018, 35, 366-369.	0.5	9
24	Efficacy of a combination of diluted calcium hydroxylapatite-based filler and an energy-based device for the treatment of facial atrophic acne scars. <i>Clinical and Experimental Dermatology</i> , 2019, 44, e171-e176.	0.6	9
25	<p>Management Patterns of Delayed Inflammatory Reactions to Hyaluronic Acid Dermal Fillers: An Online Survey in Israel</p>. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2020, Volume 13, 345-349.	0.8	9
26	Intense focused ultrasound for neck and lower face skin tightening a prospective study. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 850-854.	0.8	9
27	Treatment of periorbital wrinkles using thermo-mechanical fractional injury therapy versus fractional non-ablative 1565-nm laser: A comparative prospective, randomized, double-arm, controlled study. <i>Lasers in Surgery and Medicine</i> , 2021, , .	1.1	9
28	Radio Peel—Synergism Between Nano-fractional Radiofrequency and 20% Trichloroacetic Acid Chemical Peeling. <i>Dermatologic Surgery</i> , 2019, 45, 711-717.	0.4	8
29	Successful treatment of Schamberg's disease with fractional non-ablative 1540 nm erbium:glass laser. <i>Journal of Cosmetic and Laser Therapy</i> , 2018, 20, 265-268.	0.3	7
30	Vectorial facial sculpting: A novel sub-SMAS filler injection technique to reverse the impact of the attenuated retaining ligaments. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 1948-1954.	0.8	7
31	Thermo-Mechanical Fractional Injury Therapy for Facial Skin Rejuvenation in Skin Types II to V: A Retrospective Double-Center Chart Review. <i>Lasers in Surgery and Medicine</i> , 2021, 53, 1152-1157.	1.1	7
32	A review of combined treatments for melasma involving energy-based devices and proposed pathogenesis-oriented combinations. <i>Journal of Cosmetic Dermatology</i> , 2022, 21, 461-472.	0.8	7
33	The effect of ozonated sterile saline irrigation on the endometrium — A preliminary study. <i>Journal of Obstetrics and Gynaecology</i> , 2016, 36, 635-640.	0.4	6
34	The Effect of Tranilast 8% Liposomal Gel Versus Placebo on Post-Cesarean Surgical Scars: A Prospective Double-Blind Split-Scar Study. <i>Dermatologic Surgery</i> , 2017, 43, 1157-1163.	0.4	6
35	Forehead Lift Using Botulinum Toxin. <i>Aesthetic Surgery Journal</i> , 2018, 38, 312-320.	0.9	6
36	An enhanced transcutaneous delivery of botulinum toxin for the treatment of Hailey—Hailey disease. <i>Dermatologic Therapy</i> , 2020, 33, e13184.	0.8	6

#	ARTICLE	IF	CITATIONS
37	Nonablative laser skin resurfacing for periorbital wrinklingâ€”A case series of 16 patients. <i>Journal of Cosmetic Dermatology</i> , 2021, 20, 99-104.	0.8	6
38	A splitâ€”face clinical trial of conventional redâ€”light photodynamic therapy versus daylight photodynamic therapy for acne vulgaris. <i>Journal of Cosmetic Dermatology</i> , 2021, 20, 3924-3930.	0.8	6
39	Current use of botulinum neurotoxin in esthetic practiceâ€”Clinical guide and review. <i>Journal of Cosmetic Dermatology</i> , 2021, 20, 1648-1654.	0.8	5
40	Fractional Ablative CO2 Laser Followed by Topical Application of Sodium Stibogluconate for Treatment of Active Cutaneous Leishmaniasis: A Randomized Controlled Trial. <i>Acta Dermato-Venereologica</i> , 2018, 99, 53-57.	0.6	4
41	The Aging neckâ€”A Case base treatment algorithm. <i>Journal of Cosmetic Dermatology</i> , 2021, 20, 569-576.	0.8	4
42	Development and Validation of IBSA Photographic Scale for the Assessment of Neck Laxity. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2021, Volume 14, 349-354.	0.8	4
43	Preauricular Aging: A Three-Point Grading System to Guide Treatment in Facial Rejuvenation. <i>Aesthetic Plastic Surgery</i> , 2021, 45, 2180-2187.	0.5	4
44	The combined effect of tranilast 8% liposomal gel on the final cosmesis of acne scarring in patients concomitantly treated by isotretinoin: prospective, doubleâ€”blind, splitâ€”face study. <i>Clinical and Experimental Dermatology</i> , 2020, 45, 41-47.	0.6	3
45	Enhanced Percutaneous Delivery of Beta-Blockers Using Thermal Resurfacing Drug Delivery System for Topical Treatment of Infantile Hemangiomas. <i>Dermatology</i> , 2020, 236, 565-570.	0.9	3
46	Retrospective photographic review of nontattoo indications treated by picosecond laser. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 612-621.	0.8	3
47	Deep Layer Radiofrequency Thermo-coagulative Technology for Cervicofacial Contouring: Sonographic and Clinical Results. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2020, 8, e3286.	0.3	3
48	Painting CROSS TCA technique: Modification of the CROSS method for the treatment of atrophic acne scarsâ€”Case series. <i>Journal of Cosmetic Dermatology</i> , 2022, 21, 327-330.	0.8	3
49	Efficacy and safety of thermomechanical fractional injuryâ€”assisted corticosteroid delivery versus intralesional corticosteroid injection for the treatment of hypertrophic scars: A randomized splitâ€”scar trial. <i>Lasers in Surgery and Medicine</i> , 2022, 54, 483-489.	1.1	3
50	Evaluation of subject response following treatment for pigmentation or wrinkles using a diode laser. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 1371-1376.	0.8	2
51	Quasi longâ€”pulsed 1064nm Nd:YAG (micro pulsed) technology for the treatment of active acne: A case series. <i>Journal of Cosmetic Dermatology</i> , 2021, 20, 2102-2107.	0.8	2
52	Development and Validation of IBSA Photographic Scale for the Assessment of Inner Upper Arm Laxity. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2021, Volume 14, 1465-1471.	0.8	2
53	Laser pretreatment for the attenuation of planned surgical scars: A randomized self-controlled hemi-scar pilot study. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2020, 73, 893-898.	0.5	1
54	Fractional radiofrequency based combinations for augmented skin rejuvenation results. <i>Dermatological Reviews</i> , 2020, 1, 27-32.	0.3	1

#	ARTICLE	IF	CITATIONS
55	Two-step treatment of bulky keloids on the cheeks after deep chemical peeling: intralesional cryosurgery followed by pulsed dye and ablative fractional CO2 laser. <i>European Journal of Plastic Surgery</i> , 2020, 43, 851-854.	0.3	1
56	A stereoscopic optical system for objective quantification of the change in cumulative acne scar depth following various treatment interventions. <i>Journal of Cosmetic Dermatology</i> , 2022, 21, 2099-2105.	0.8	1
57	Dermal Filler Injections in Patients With Autoimmune and Inflammatory Rheumatic Diseases—The Patients' Perspective. <i>Dermatologic Surgery</i> , 2022, 48, 82-86.	0.4	1
58	Moisture Response Films Versus the Starch Iodine Test for the Detection of Palmar Hyperhidrosis. <i>Dermatologic Surgery</i> , 2021, Publish Ahead of Print, 668-671.	0.4	0