

# Andr © Del Guerzo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7848716/publications.pdf>

Version: 2024-02-01

65  
papers

2,091  
citations

218381

26  
h-index

233125

45  
g-index

66  
all docs

66  
docs citations

66  
times ranked

2675  
citing authors

#	ARTICLE	IF	CITATIONS
1	Photophysical behavior of transition metal complexes having interacting ligand localized and metal-to-ligand charge transfer states. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2004, 5, 55-77.	5.6	204
2	White-Light-Emitting Self-Assembled NanoFibers and Their Evidence by Microspectroscopy of Individual Objects. <i>Journal of the American Chemical Society</i> , 2011, 133, 316-325.	6.6	170
3	Energy Transfer in Self-Assembled [n]-Acene Fibers Involving 100 Donors Per Acceptor. <i>Journal of the American Chemical Society</i> , 2005, 127, 17984-17985.	6.6	168
4	Magnetic Deformation of Self-Assembled Sexithiophene Spherical Nanocapsules. <i>Journal of the American Chemical Society</i> , 2005, 127, 1112-1113.	6.6	105
5	Photophysics of Re(I) and Ru(II) Diimine Complexes Covalently Linked to Pyrene: Contributions from Intra-Ligand Charge Transfer States. <i>Inorganic Chemistry</i> , 2002, 41, 359-366.	1.9	94
6	Magnetic Alignment of Self-Assembled Anthracene Organogel Fibers. <i>Langmuir</i> , 2005, 21, 2108-2112.	1.6	78
7	Self-Assembly of Supramolecular Fullerene Ribbons via Hydrogen-Bonding Interactions and Their Impact on Fullerene Electronic Interactions and Charge Carrier Mobility. <i>Journal of the American Chemical Society</i> , 2010, 132, 12717-12723.	6.6	74
8	Synthesis of 2,3-Substituted Tetracenes and Evaluation of Their Self-Assembling Properties in Organic Solvents. <i>Organic Letters</i> , 2005, 7, 971-974.	2.4	68
9	Preferential solvation of an ILCT excited state in bis(terpyridine-phenylene-vinylene) Zn(ii) complexes. <i>Chemical Communications</i> , 2002, , 2344-2345.	2.2	67
10	Hybrid Materials Combining Photoactive 2,3-DidecyloxyAnthracene Physical Gels and Gold Nanoparticles. <i>Chemistry of Materials</i> , 2009, 21, 3424-3432.	3.2	61
11	Spontaneous Generation of Highly Emissive RGB Organic Nanospheres. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 7032-7036.	7.2	55
12	The influence of bridging ligand electronic structure on the photophysical properties of noble metal diimine and triimine light harvesting systems. <i>Photosynthesis Research</i> , 2006, 87, 83-103.	1.6	53
13	Bio-inspired supramolecular materials by orthogonal self-assembly of hydrogelators and phospholipids. <i>Chemical Science</i> , 2016, 7, 6021-6031.	3.7	52
14	Exploiting Direct and Cascade Energy Transfer for Color-Tunable and White-Light Emission in Three-Component Self-Assembled Nanofibers. <i>Journal of Physical Chemistry C</i> , 2012, 116, 21706-21716.	1.5	50
15	Photodimers of a Soluble Tetracene Derivative. Excimer Fluorescence from the Head-to-Head Isomer. <i>Organic Letters</i> , 2004, 6, 1899-1902.	2.4	41
16	Spectroscopic, microscopic and first rheological investigations in charge-transfer interaction induced organogels. <i>Journal of Materials Chemistry</i> , 2010, 20, 7227.	6.7	40
17	Facile functionalization of a fully fluorescent perfluorophenyl BODIPY: photostable thiol and amine conjugates. <i>Chemical Communications</i> , 2011, 47, 10425.	2.2	40
18	Self-assembling and light-harvesting properties of fluorescent linear condensed aromatic gelators. <i>Pure and Applied Chemistry</i> , 2006, 78, 2333-2339.	0.9	33

#	ARTICLE	IF	CITATIONS
19	Fluorescence Amplification in Self-Assembled Organic Nanoparticles by Excitation Energy Migration and Transfer. <i>Journal of Physical Chemistry C</i> , 2010, 114, 10410-10416.	1.5	33
20	Tunable Stokes shift and circularly polarized luminescence by supramolecular gel. <i>Journal of Materials Chemistry C</i> , 2015, 3, 5970-5975.	2.7	32
21	Photophysical behavior of Ru(II) and Os(II) terpyridyl phenylene vinylene complexes: perturbation of MLCT state by intra-ligand charge-transfer state. <i>Research on Chemical Intermediates</i> , 2007, 33, 63-77.	1.3	31
22	Self-assembled composite nano-materials exploiting a thermo reversible n-acene fibrillar scaffold and organic-capped ZnO nanoparticles. <i>Journal of Materials Chemistry</i> , 2011, 21, 2740.	6.7	30
23	Hybrid organogels and aerogels from co-assembly of structurally different low molecular weight gelators. <i>Journal of Materials Chemistry C</i> , 2013, 1, 3305.	2.7	30
24	Continuous synthesis of high quality CdSe quantum dots in supercritical fluids. <i>Journal of Materials Chemistry C</i> , 2015, 3, 7561-7566.	2.7	30
25	Quantitative analysis of the effect of derivatisation of [Ru(BPY) <sub>2</sub> phen] <sup>2+</sup> with a quinoline moiety on the interaction with DNA. <i>Physical Chemistry Chemical Physics</i> , 2001, 3, 2911-2920.	1.3	28
26	In vitro inhibition of gene transcription by novel photo-activated polyazaaromatic ruthenium(II) complexes. Electronic supplementary information (ESI) available: representative autoradiograph for the transcribed messenger RNA of expected size and experimental procedures. See <a 61="" 77="" 955="" 970"="" data-label="Page-Footer" href="http://www.rsc.org/suppdata/cc/b2/b202905g/Abbreviations: POQ-Nmet: 5-{4-[N-methyl-N-(7-chloroquinolin-4-yl)amino]-2-thiabutanecarboxamido}-1,10-phenanthroline; TAP: 1,4,5,8-tetraazaphenanthrene; HAT: 1,4,5,8,9,12-hexaazatriphenylene. &lt;i&gt;Chemical Communications&lt;/i&gt;, 2002, , 10.&lt;/td&gt; &lt;td&gt;2.2&lt;/td&gt; &lt;td&gt;28&lt;/td&gt; &lt;/tr&gt; &lt;tr&gt; &lt;td&gt;27&lt;/td&gt; &lt;td&gt;Self-assembling and spectroscopic properties of soluble linear acenes. &lt;i&gt;Pure and Applied Chemistry&lt;/i&gt;, 2006, 78, 707-719.&lt;/td&gt; &lt;td&gt;0.9&lt;/td&gt; &lt;td&gt;26&lt;/td&gt; &lt;/tr&gt; &lt;tr&gt; &lt;td&gt;28&lt;/td&gt; &lt;td&gt;Photophysical behavior and intramolecular energy transfer in Os(II) diimine complexes covalently linked to anthracene. &lt;i&gt;Photochemical and Photobiological Sciences&lt;/i&gt;, 2005, 4, 89.&lt;/td&gt; &lt;td&gt;1.6&lt;/td&gt; &lt;td&gt;25&lt;/td&gt; &lt;/tr&gt; &lt;tr&gt; &lt;td&gt;29&lt;/td&gt; &lt;td&gt;Striking Correlation between the Unusual Trigonal Crystal Packing and the Ability to Self-Assemble into Nanofibers of 2,3-Di-&lt;i&gt;n&lt;/i&gt;-alkyloxyanthracenes. &lt;i&gt;Langmuir&lt;/i&gt;, 2009, 25, 8606-8614.&lt;/td&gt; &lt;td&gt;1.6&lt;/td&gt; &lt;td&gt;25&lt;/td&gt; &lt;/tr&gt; &lt;tr&gt; &lt;td&gt;30&lt;/td&gt; &lt;td&gt;Versatile one-step introduction of multiple hydrogen-bonding sites onto extended &lt;math&gt;\pi&lt;/math&gt;-conjugated systems. &lt;i&gt;Chemical Communications&lt;/i&gt;, 2008, , 6369.&lt;/td&gt; &lt;td&gt;2.2&lt;/td&gt; &lt;td&gt;24&lt;/td&gt; &lt;/tr&gt; &lt;tr&gt; &lt;td&gt;31&lt;/td&gt; &lt;td&gt;Photophysics of Bifunctional Ru(II) Complexes Bearing an Aminoquinoline Organic Unit. Potential New Photoprobes and Photoreagents of DNA. &lt;i&gt;Journal of Physical Chemistry B&lt;/i&gt;, 1997, 101, 7012-7021.&lt;/td&gt; &lt;td&gt;1.2&lt;/td&gt; &lt;td&gt;22&lt;/td&gt; &lt;/tr&gt; &lt;tr&gt; &lt;td&gt;32&lt;/td&gt; &lt;td&gt;Novel DNA Sensor for Guanine Content. &lt;i&gt;Inorganic Chemistry&lt;/i&gt;, 2002, 41, 938-945.&lt;/td&gt; &lt;td&gt;1.9&lt;/td&gt; &lt;td&gt;22&lt;/td&gt; &lt;/tr&gt; &lt;tr&gt; &lt;td&gt;33&lt;/td&gt; &lt;td&gt;Structural Relationships in 2,3-Bis-&lt;i&gt;n&lt;/i&gt;-decyloxyanthracene and 12-Hydroxystearic Acid Molecular Gels and Aerogels Processed in Supercritical CO&lt;sub&gt;2&lt;/sub&gt;. &lt;i&gt;Journal of Physical Chemistry B&lt;/i&gt;, 2010, 114, 11409-11419.&lt;/td&gt; &lt;td&gt;1.2&lt;/td&gt; &lt;td&gt;22&lt;/td&gt; &lt;/tr&gt; &lt;tr&gt; &lt;td&gt;34&lt;/td&gt; &lt;td&gt;Temperature dependence of luminescence for different surface flaws in high purity silica glass. &lt;i&gt;Optical Materials Express&lt;/i&gt;, 2013, 3, 1.&lt;/td&gt; &lt;td&gt;1.6&lt;/td&gt; &lt;td&gt;21&lt;/td&gt; &lt;/tr&gt; &lt;tr&gt; &lt;td&gt;35&lt;/td&gt; &lt;td&gt;Chemisorption of fluoros copper(II)-carboxylate complexes on SiO&lt;sub&gt;2&lt;/sub&gt; surfaces: versatile binding layers applied to the preparation of porphyrin monolayers. &lt;i&gt;Chemical Communications&lt;/i&gt;, 2010, 46, 2617.&lt;/td&gt; &lt;td&gt;2.2&lt;/td&gt; &lt;td&gt;17&lt;/td&gt; &lt;/tr&gt; &lt;tr&gt; &lt;td&gt;36&lt;/td&gt; &lt;td&gt;Reversible hydrocarbon/perfluorocarbon phase-switching of [Ru(bipy)&lt;sub&gt;3&lt;/sub&gt;]&lt;sup&gt;2+&lt;/sup&gt; driven by supramolecular heteromeric fluoros carboxylate-carboxylic acid H-bond interactions. &lt;i&gt;Chemical Communications&lt;/i&gt;, 2011, 47, 8250.&lt;/td&gt; &lt;td&gt;2.2&lt;/td&gt; &lt;td&gt;16&lt;/td&gt; &lt;/tr&gt; &lt;/tbody&gt; &lt;/table&gt; &lt;/div&gt; &lt;div data-bbox=">3</a>		

#	ARTICLE	IF	CITATIONS
37	Time-resolved confocal fluorescence microscopy of trinitrobenzene-responsive organic nanofibers. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 125-131.	1.9	13
38	Nanofiberâ€Directed Anisotropic Selfâ€Assembly of CdSeâ€CdS Quantum Rods for Linearly Polarized Light Emission Evidenced by Quantum Rod Orientation Microscopy. <i>Small</i> , 2018, 14, e1802311.	5.2	13
39	Characterisation of bifunctional ruthenium(II) complexes, potential DNA photo-probes. Presence of folded and unfolded conformersâ€Šâ€. <i>Dalton Transactions RSC</i> , 2000, , 1173-1180.	2.3	12
40	Electroluminescence from Spontaneously Generated Single-Vesicle Aggregates Using Solution-Processed Small Organic Molecules. <i>ACS Nano</i> , 2016, 10, 998-1006.	7.3	12
41	Controlling the Emission Polarization from Single Crystals Using Light: Towards Photopolic Materials. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 9584-9588.	7.2	10
42	Probing Lateral Charge Transport in Single Molecule Layers: How Charge is Transported Over Long Distances in Fullerene Selfâ€Assembled Monolayers. <i>Small</i> , 2014, 10, 454-461.	5.2	10
43	Photodimerization of soluble tetracene derivatives using visible light. <i>Journal of Physical Organic Chemistry</i> , 2007, 20, 838-844.	0.9	9
44	Incorporation of narcissistic self-sorting supramolecular interactions for the spontaneous fabrication of multiple-color solid-state materials for OLED applications. <i>Materials Chemistry Frontiers</i> , 2020, 4, 845-850.	3.2	9
45	Photoresponsive Gels. , 2006, , 817-855.		8
46	Self-assembly of soluble anthracene, tetracene and pentacene derivatives. <i>Research on Chemical Intermediates</i> , 2008, 34, 137-145.	1.3	7
47	Kinetic selection between organogel fibers and nano-ribbons of 2,3-didecyloxy-9,10-bisphenylethynyl-anthracene. <i>Photochemical and Photobiological Sciences</i> , 2012, 11, 1730.	1.6	7
48	Emissive nanotubes from templated self-assembly of small molecules. <i>Chemical Physics Letters</i> , 2017, 683, 43-48.	1.2	5
49	2D and 3D surface photopatterning via laser-promoted homopolymerization of a perfluorophenyl azide-substituted BODIPY. <i>Nanoscale</i> , 2017, 9, 16908-16914.	2.8	5
50	Fluorous gels of a fluorous alcohol using a low molecular weight anthracene organogelator. <i>Journal of Fluorine Chemistry</i> , 2018, 205, 30-34.	0.9	5
51	A fluorous sodium <sc>l</sc>-prolinate derivative as low molecular weight gelator for perfluorocarbons. <i>Chemical Communications</i> , 2020, 56, 8655-8658.	2.2	5
52	Photocontrolled Hierarchical Selfâ€Assembly of Anisotropic Micropatterns of Nanofibers onto Isotropic Surfaces. <i>Small</i> , 2020, 16, 1906723.	5.2	5
53	Oriented attachment and activated dipoles leading to anisotropic H-bond-free self-assembly of n-acene derivatives into organic nanoribbons emitting linearly polarised blue light. <i>Journal of Materials Chemistry C</i> , 2021, 9, 136-147.	2.7	5
54	Photochromism and Self-Assembly of Soluble Tetracenes. <i>Molecular Crystals and Liquid Crystals</i> , 2005, 431, 455-459.	0.4	4

#	ARTICLE	IF	CITATIONS
55	Supramolecular control of electronic properties in aromatic materials. <i>Pure and Applied Chemistry</i> , 2014, 86, 471-481.	0.9	4
56	Three-Dimensional High Spatial Localization of Efficient Resonant Energy Transfer from Laser-Assisted Precipitated Silver Clusters to Trivalent Europium Ions. <i>Crystals</i> , 2021, 11, 148.	1.0	4
57	A new bifunctional para-toluenesulfonamidophenanthroline-aminoquinoline ligand. Synthesis and characterisation of the corresponding Ru(II) complex. <i>Inorganic Chemistry Communication</i> , 1998, 1, 339-342.	1.8	3
58	Effect of hydrogen-bonding on the excited-state reactivity of fullerene derivatives and its impact on the control of the emission polarisation from photopolic single crystals. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 8859.	1.3	3
59	Frequency-Selective Photobleaching as a Route to Chromatic Control in Supramolecular OLED Devices. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 36045-36052.	4.0	3
60	Wire-Like Tip-to-Tip Linked Assemblies of CdSe/CdS Quantum Rods Promoted on Supramolecular Nanofibers of Hybrid Organo- and Hydrogels. <i>ChemNanoMat</i> , 2020, 6, 79-88.	1.5	3
61	Supramolecular gating of TADF process in self-assembled nano-spheres for high-resolution OLED applications. <i>Chemical Communications</i> , 2022, 58, 1163-1166.	2.2	3
62	Femtosecond Direct Laser Writing of Silver Clusters in Phosphate Glasses for X-ray Spatially-Resolved Dosimetry. <i>Chemosensors</i> , 2022, 10, 110.	1.8	3
63	Confocal Laser Scanning Microscopy: A Versatile Spectroscopic Tool for the Investigation of Molecular Gels. , 2012, , 607-627.		2
64	Multifunctional Anthracene-Based Ni-MOF with Encapsulated Fullerenes: Polarized Fluorescence Emission and Selective Separation of C <sub>70</sub> from C <sub>60</sub> . <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 1397-1403.	4.0	1
65	Narcissistic self-sorting of <i>n</i> -acene nano-ribbons yielding energy-transfer and electroluminescence at p-n junctions. <i>Nanoscale</i> , 2022, 14, 8951-8958.	2.8	1