

Pierre Bady

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7850286/publications.pdf>

Version: 2024-02-01

32
papers

2,178
citations

318942

23
h-index

488211

31
g-index

35
all docs

35
docs citations

35
times ranked

4393
citing authors

#	ARTICLE	IF	CITATIONS
1	DNA methylation-based age acceleration observed in IDH wild-type glioblastoma is associated with better outcome including in elderly patients. <i>Acta Neuropathologica Communications</i> , 2022, 10, 39.	2.4	6
2	BET inhibitors repress expression of interferon-stimulated genes and synergize with HDAC inhibitors in glioblastoma. <i>Neuro-Oncology</i> , 2021, 23, 1680-1692.	0.6	17
3	Metabolic and transcriptomic profiles of glioblastoma invasion revealed by comparisons between patients and corresponding orthotopic xenografts in mice. <i>Acta Neuropathologica Communications</i> , 2021, 9, 133.	2.4	7
4	The DNA methylome of DDR genes and benefit from RT or TMZ in IDH mutant low-grade glioma treated in EORTC 22033. <i>Acta Neuropathologica</i> , 2018, 135, 601-615.	3.9	76
5	Ubiquitin Specific Peptidase 15 (USP15) suppresses glioblastoma cell growth via stabilization of HECTD1 E3 ligase attenuating WNT pathway activity. <i>Oncotarget</i> , 2017, 8, 110490-110502.	0.8	29
6	Cilengitide in newly diagnosed glioblastoma: biomarker expression and outcome. <i>Oncotarget</i> , 2016, 7, 15018-15032.	0.8	62
7	Phase II Study of Radiotherapy and Temozolimus versus Radiochemotherapy with Temozolomide in Patients with Newly Diagnosed Glioblastoma without <i>MGMT</i> Promoter Hypermethylation (EORTC 26082). <i>Clinical Cancer Research</i> , 2016, 22, 4797-4806.	3.2	105
8	Sensitivity Analysis of the MGMT-STP27 Model and Impact of Genetic and Epigenetic Context to Predict the MGMT Methylation Status in Gliomas and Other Tumors. <i>Journal of Molecular Diagnostics</i> , 2016, 18, 350-361.	1.2	90
9	Genome-wide DNA methylation detection by MethylCap-seq and Infinium HumanMethylation450 BeadChips: an independent large-scale comparison. <i>Scientific Reports</i> , 2015, 5, 15375.	1.6	17
10	Mir-21 "Sox2 Axis Delineates Glioblastoma Subtypes with Prognostic Impact. <i>Journal of Neuroscience</i> , 2015, 35, 15097-15112.	1.7	53
11	Chromosome 7 gain and DNA hypermethylation at the HOXA10 locus are associated with expression of a stem cell related HOX-signature in glioblastoma. <i>Genome Biology</i> , 2015, 16, 16.	3.8	82
12	EG-05 * COMBINATION OF GENE COPY GAIN AND EPIGENETIC DEREGLATION ARE ASSOCIATED WITH THE ABERRANT EXPRESSION OF A STEM CELL RELATED HOX-SIGNATURE IN GLIOBLASTOMA. <i>Neuro-Oncology</i> , 2014, 16, v75-v76.	0.6	0
13	A continental-scale analysis of fish assemblage functional structure in European rivers. <i>Ecography</i> , 2013, 36, 80-91.	2.1	58
14	DNA fingerprinting of glioma cell lines and considerations on similarity measurements. <i>Neuro-Oncology</i> , 2012, 14, 701-711.	0.6	46
15	MGMT methylation analysis of glioblastoma on the Infinium methylation BeadChip identifies two distinct CpG regions associated with gene silencing and outcome, yielding a prediction model for comparisons across datasets, tumor grades, and CIMP-status. <i>Acta Neuropathologica</i> , 2012, 124, 547-560.	3.9	274
16	Presence of an oligodendroglioma-like component in newly diagnosed glioblastoma identifies a pathogenetically heterogeneous subgroup and lacks prognostic value: central pathology review of the EORTC_26981/NCIC_CE.3 trial. <i>Acta Neuropathologica</i> , 2012, 123, 841-852.	3.9	77
17	Modelling the habitat requirement of riverine fish species at the European scale: sensitivity to temperature and precipitation and associated uncertainty. <i>Ecology of Freshwater Fish</i> , 2012, 21, 266-282.	0.7	49
18	Abstract 4031: <i>MGMT</i> methylation based outcome prediction is associated with two CpG regions separated by a prediction minimum centred at the initiation start site. <i>Cancer Research</i> , 2012, 72, 4031-4031.	0.4	2

#	ARTICLE	IF	CITATIONS
19	Pathway Analysis of Glioblastoma Tissue after Preoperative Treatment with the EGFR Tyrosine Kinase Inhibitor Gefitinibâ€”A Phase II Trial. <i>Molecular Cancer Therapeutics</i> , 2011, 10, 1102-1112.	1.9	170
20	Impact of standardised review of intravenous antibiotic therapy 72 hours after prescription in two internal medicine wards. <i>Journal of Hospital Infection</i> , 2010, 74, 326-331.	1.4	24
21	Prognostic value of sentinel node biopsy in 327 prospective melanoma patients from a single institution. <i>European Journal of Surgical Oncology</i> , 2008, 34, 673-679.	0.5	33
22	Prospective study on procalcitonin and other systemic infection markers in patients with leukocytosis. <i>International Journal of Infectious Diseases</i> , 2008, 12, 319-324.	1.5	11
23	At-Risk Drinking and Drug Use Among Patients Seeking Care in an Emergency Department. <i>Journal of Studies on Alcohol and Drugs</i> , 2007, 68, 28-35.	0.6	18
24	Deletion of μ - and δ -Opioid Receptors in Mice Changes Epidermal Hypertrophy, Density of Peripheral Nerve Endings, and Itch Behavior. <i>Journal of Investigative Dermatology</i> , 2007, 127, 1479-1488.	0.3	52
25	Effects of infectious disease on plasma lipids and their diagnostic significance in critical illness. <i>European Journal of Clinical Investigation</i> , 2007, 37, 573-579.	1.7	27
26	Brief alcohol intervention and alcohol assessment do not influence alcohol use in injured patients treated in the emergency department: a randomized controlled clinical trial. <i>Addiction</i> , 2007, 102, 1224-1233.	1.7	125
27	Impacts of global changes and extreme hydroclimatic events on macroinvertebrate community structures in the French RhÃˆne River. <i>Oecologia</i> , 2007, 151, 544-559.	0.9	102
28	Deletion of δ -opioid receptor in mice alters skin differentiation and delays wound healing. <i>Differentiation</i> , 2006, 74, 174-185.	1.0	63
29	Use of invertebrate traits for the biomonitoring of European large rivers: the effects of sampling effort on genus richness and functional diversity. <i>Freshwater Biology</i> , 2005, 50, 159-173.	1.2	143
30	Invertebrate traits for the biomonitoring of large European rivers: an initial assessment of trait patterns in least impacted river reaches. <i>Freshwater Biology</i> , 2005, 50, 2136-2161.	1.2	97
31	Multiple co-inertia analysis: a tool for assessing synchrony in the temporal variability of aquatic communities. <i>Comptes Rendus - Biologies</i> , 2004, 327, 29-36.	0.1	44
32	Invertebrate traits for the biomonitoring of large European rivers: an initial assessment of alternative metrics. <i>Freshwater Biology</i> , 2003, 48, 2045-2064.	1.2	219