

Kee Namkoong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7851367/publications.pdf>

Version: 2024-02-01

116
papers

3,874
citations

126708

33
h-index

155451

55
g-index

120
all docs

120
docs citations

120
times ranked

6059
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The Relationship Between Online Game Addiction and Aggression, Self-Control and Narcissistic Personality Traits. <i>European Psychiatry</i> , 2008, 23, 212-218. | 0.1 | 514 |
| 2 | Dopamine transporter density in the basal ganglia assessed with [123I]IPT SPET in children with attention deficit hyperactivity disorder. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 306-311. | 3.3 | 177 |
| 3 | Hydrogen peroxide-induced alterations of tight junction proteins in bovine brain microvascular endothelial cells. <i>Microvascular Research</i> , 2004, 68, 231-238. | 1.1 | 143 |
| 4 | Initial and Maintenance Naltrexone Treatment for Alcohol Dependence Using Primary Care vs Specialty Care. <i>Archives of Internal Medicine</i> , 2003, 163, 1695. | 4.3 | 134 |
| 5 | A Randomized Controlled Study of Sequentially Applied Repetitive Transcranial Magnetic Stimulation in Obsessive-Compulsive Disorder. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1645-1651. | 1.1 | 91 |
| 6 | Resting-state synchrony between anterior cingulate cortex and precuneus relates to body shape concern in anorexia nervosa and bulimia nervosa. <i>Psychiatry Research - Neuroimaging</i> , 2014, 221, 43-48. | 0.9 | 83 |
| 7 | Dopamine transporter density of the basal ganglia assessed with [123I]IPT SPECT in drug-naive children with Tourette's disorder. <i>Psychiatry Research - Neuroimaging</i> , 2004, 130, 85-95. | 0.9 | 75 |
| 8 | Increased P3 Amplitudes Induced by Alcohol-Related Pictures in Patients With Alcohol Dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 1317-1323. | 1.4 | 72 |
| 9 | ACAMPROSATE IN KOREAN ALCOHOL-DEPENDENT PATIENTS: A MULTI-CENTRE, RANDOMIZED, DOUBLE-BLIND, PLACEBO-CONTROLLED STUDY. <i>Alcohol and Alcoholism</i> , 2003, 38, 135-141. | 0.9 | 69 |
| 10 | Impaired prefrontal cognitive control over interference by food images in binge-eating disorder and bulimia nervosa. <i>Neuroscience Letters</i> , 2017, 651, 95-101. | 1.0 | 69 |
| 11 | Sleep disturbance in women with eating disorder: Prevalence and clinical characteristics. <i>Psychiatry Research</i> , 2010, 176, 88-90. | 1.7 | 67 |
| 12 | Relationships between chronotypes and affective temperaments in healthy young adults. <i>Journal of Affective Disorders</i> , 2015, 175, 256-259. | 2.0 | 65 |
| 13 | Multidimensional Measures of Impulsivity in Obsessive-Compulsive Disorder: Cannot Wait and Stop. <i>PLoS ONE</i> , 2014, 9, e111739. | 1.1 | 61 |
| 14 | Alteration of brain metabolites in young alcoholics without structural changes. <i>NeuroReport</i> , 2007, 18, 1511-1514. | 0.6 | 59 |
| 15 | Standardization of the Korean version of Mini-Mental Adjustment to Cancer (K-Mini-MAC) scale: factor structure, reliability and validity. <i>Psycho-Oncology</i> , 2008, 17, 592-597. | 1.0 | 57 |
| 16 | Organotypic hippocampal slice culture from the adult mouse brain: A versatile tool for translational neuropsychopharmacology. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 41, 36-43. | 2.5 | 57 |
| 17 | The relationship between brain morphometry and neuropsychological performance in alcohol dependence. <i>Neuroscience Letters</i> , 2007, 428, 21-26. | 1.0 | 56 |
| 18 | Abnormalities of emotional awareness and perception in patients with obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 2012, 141, 286-293. | 2.0 | 55 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Frontostriatal Connectivity Changes in Major Depressive Disorder After Repetitive Transcranial Magnetic Stimulation. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e1137-e1143. | 1.1 | 54 |
| 20 | Caregiver's Burden and Quality of Life in Mitochondrial Disease. <i>Pediatric Neurology</i> , 2010, 42, 271-276. | 1.0 | 50 |
| 21 | Further evidence of a dissociation between decision-making under ambiguity and decision-making under risk in obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 2015, 176, 118-124. | 2.0 | 46 |
| 22 | Reduced P3 amplitudes by negative facial emotional photographs in schizophrenia. <i>Schizophrenia Research</i> , 2003, 64, 125-135. | 1.1 | 45 |
| 23 | Circadian preference and trait impulsivity, sensation-seeking and response inhibition in healthy young adults. <i>Chronobiology International</i> , 2015, 32, 235-241. | 0.9 | 43 |
| 24 | Internalized stigma and its psychosocial correlates in Korean patients with serious mental illness. <i>Psychiatry Research</i> , 2015, 225, 433-439. | 1.7 | 41 |
| 25 | Development and Verification of an Alcohol Craving Induction Tool Using Virtual Reality: Craving Characteristics in Social Pressure Situation. <i>Cyberpsychology, Behavior and Social Networking</i> , 2008, 11, 302-309. | 2.2 | 40 |
| 26 | Mammillothalamic functional connectivity and memory function in Wernicke's encephalopathy. <i>Brain</i> , 2009, 132, 369-376. | 3.7 | 40 |
| 27 | FKBP5 polymorphisms as vulnerability to anxiety and depression in patients with advanced gastric cancer: A controlled and prospective study. <i>Psychoneuroendocrinology</i> , 2012, 37, 1569-1576. | 1.3 | 40 |
| 28 | Alexithymia and perfectionism traits are associated with suicidal risk in patients with obsessive-compulsive disorder. <i>Journal of Affective Disorders</i> , 2016, 192, 50-55. | 2.0 | 40 |
| 29 | Mirtazapine for patients with alcohol dependence and comorbid depressive disorders: A multicentre, open label study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 1196-1201. | 2.5 | 38 |
| 30 | Alcohol. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2014, 125, 115-121. | 1.0 | 38 |
| 31 | Abnormal gray matter volume and impulsivity in young adults with Internet gaming disorder. <i>Addiction Biology</i> , 2018, 23, 1160-1167. | 1.4 | 38 |
| 32 | Reduced visual P300 amplitudes in individuals at ultra-high risk for psychosis and first-episode schizophrenia. <i>Neuroscience Letters</i> , 2010, 486, 156-160. | 1.0 | 37 |
| 33 | Prevalence and associated factors of psychological distress among Korean cancer patients. <i>General Hospital Psychiatry</i> , 2011, 33, 246-252. | 1.2 | 37 |
| 34 | Social Pressure-Induced Craving in Patients with Alcohol Dependence: Application of Virtual Reality to Coping Skill Training. <i>Psychiatry Investigation</i> , 2008, 5, 239. | 0.7 | 37 |
| 35 | Gray matter differences in the anterior cingulate and orbitofrontal cortex of young adults with Internet gaming disorder: Surface-based morphometry. <i>Journal of Behavioral Addictions</i> , 2018, 7, 21-30. | 1.9 | 35 |
| 36 | Lateral orbitofrontal gray matter abnormalities in subjects with problematic smartphone use. <i>Journal of Behavioral Addictions</i> , 2019, 8, 404-411. | 1.9 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Association Between Homozygosity of a G Allele of the Alpha-2a-Adrenergic Receptor Gene and Methylphenidate Response in Korean Children and Adolescents with Attention-Deficit/Hyperactivity Disorder. <i>Biological Psychiatry</i> , 2009, 65, 564-570. | 0.7 | 34 |
| 38 | The association of 5-HTTLPR and DRD4 VNTR polymorphisms with affective temperamental traits in healthy volunteers. <i>Journal of Affective Disorders</i> , 2008, 109, 157-163. | 2.0 | 33 |
| 39 | Metabolomic Signatures in Peripheral Blood Associated with Alzheimer's Disease Amyloid- β -Induced Neuroinflammation. <i>Journal of Alzheimer's Disease</i> , 2014, 42, 421-433. | 1.2 | 32 |
| 40 | Associations between actigraphy-assessed sleep, inflammatory markers, and insulin resistance in the Midlife Development in the United States (MIDUS) study. <i>Sleep Medicine</i> , 2016, 27-28, 72-79. | 0.8 | 32 |
| 41 | Altered resting-state functional connectivity in women with chronic fatigue syndrome. <i>Psychiatry Research - Neuroimaging</i> , 2015, 234, 292-297. | 0.9 | 31 |
| 42 | Association study of dopamine D2, D4 receptor gene, GABAA receptor β 2 subunit gene, serotonin transporter gene polymorphism with children of alcoholics in Korea: A preliminary study. <i>Alcohol</i> , 2008, 42, 77-81. | 0.8 | 30 |
| 43 | Influence of BDNF and COMT polymorphisms on emotional decision making. <i>Neuropharmacology</i> , 2010, 58, 1109-1113. | 2.0 | 30 |
| 44 | Association of DRD4 and COMT polymorphisms with anger and forgiveness traits in healthy volunteers. <i>Neuroscience Letters</i> , 2008, 430, 252-257. | 1.0 | 29 |
| 45 | Genetic Influence of COMT and BDNF Gene Polymorphisms on Resilience in Healthy College Students. <i>Neuropsychobiology</i> , 2013, 68, 174-180. | 0.9 | 29 |
| 46 | Interindividual reproducibility of glutamate quantification using 1.5-T proton magnetic resonance spectroscopy. <i>Magnetic Resonance in Medicine</i> , 2005, 53, 708-712. | 1.9 | 27 |
| 47 | Measurement of Compliance With Naltrexone in the Treatment of Alcohol Dependence. <i>Journal of Clinical Psychiatry</i> , 1999, 60, 449-453. | 1.1 | 27 |
| 48 | Factors Associated with Insomnia among the Elderly in a Korean Rural Community. <i>Psychiatry Investigation</i> , 2017, 14, 400. | 0.7 | 27 |
| 49 | AMPK β 2 subunit gene PRKAG2 polymorphism associated with cognitive impairment as well as diabetes in old age. <i>Psychoneuroendocrinology</i> , 2012, 37, 358-365. | 1.3 | 26 |
| 50 | Utility of the Montreal Cognitive Assessment (MoCA) and its subset in HIV-associated neurocognitive disorder (HAND) screening. <i>Journal of Psychosomatic Research</i> , 2016, 80, 53-57. | 1.2 | 25 |
| 51 | Interaction effects between COMT and BDNF polymorphisms on boredom susceptibility of sensation seeking traits. <i>Psychiatry Research</i> , 2010, 178, 132-136. | 1.7 | 24 |
| 52 | Gamma oscillatory activity in relation to memory ability in older adults. <i>International Journal of Psychophysiology</i> , 2012, 86, 58-65. | 0.5 | 24 |
| 53 | Pharmacotherapy for Alcohol Dependence: Anticraving Medications for Relapse Prevention. <i>Yonsei Medical Journal</i> , 2006, 47, 167. | 0.9 | 23 |
| 54 | Interaction between serotonin transporter promoter and dopamine receptor D4 polymorphisms on decision making. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 1217-1222. | 2.5 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Altered Heart Rate Variability During Gameplay in Internet Gaming Disorder: The Impact of Situations During the Game. <i>Frontiers in Psychiatry</i> , 2018, 9, 429. | 1.3 | 23 |
| 56 | Perception bias of disgust in ambiguous facial expressions in obsessive-compulsive disorder. <i>Psychiatry Research</i> , 2010, 178, 126-131. | 1.7 | 22 |
| 57 | Cholinesterase Inhibitor Donepezil Increases Mitochondrial Biogenesis through AMP-Activated Protein Kinase in the Hippocampus. <i>Neuropsychobiology</i> , 2016, 73, 81-91. | 0.9 | 22 |
| 58 | Long-Term Culture of Organotypic Hippocampal Slice from Old 3xTg-AD Mouse: An ex vivo Model of Alzheimer's Disease. <i>Psychiatry Investigation</i> , 2018, 15, 205-213. | 0.7 | 21 |
| 59 | Differences of Photographs Inducing Craving Between Alcoholics and Non-alcoholics. <i>Yonsei Medical Journal</i> , 2006, 47, 491. | 0.9 | 20 |
| 60 | Association of DRD4 and COMT Polymorphisms with Disgust Sensitivity in Healthy Volunteers. <i>Neuropsychobiology</i> , 2010, 61, 105-112. | 0.9 | 20 |
| 61 | Synchrony of Anterior Cingulate Cortex and Insular-Striatal Activation Predicts Ambiguity Aversion in Individuals with Low Impulsivity. <i>Cerebral Cortex</i> , 2014, 24, 1397-1408. | 1.6 | 20 |
| 62 | Compromised frontocerebellar circuitry contributes to nonplanning impulsivity in recovering alcoholics. <i>Psychopharmacology</i> , 2014, 231, 4443-4453. | 1.5 | 20 |
| 63 | Effect of hypertension on the resting-state functional connectivity in patients with Alzheimer's disease (AD). <i>Archives of Gerontology and Geriatrics</i> , 2015, 60, 210-216. | 1.4 | 20 |
| 64 | Association between childhood and adult attention deficit hyperactivity disorder symptoms in Korean young adults with Internet addiction. <i>Journal of Behavioral Addictions</i> , 2017, 6, 345-353. | 1.9 | 20 |
| 65 | Dorsal striatal functional connectivity changes in Internet gaming disorder: A longitudinal magnetic resonance imaging study. <i>Addiction Biology</i> , 2021, 26, e12868. | 1.4 | 19 |
| 66 | Human orbitofrontal-striatum functional connectivity modulates behavioral persistence. <i>NeuroReport</i> , 2010, 21, 502-506. | 0.6 | 18 |
| 67 | Body image, sexual function and depression in Korean patients with breast cancer: modification by 5-HTT polymorphism. <i>Supportive Care in Cancer</i> , 2012, 20, 2177-2182. | 1.0 | 18 |
| 68 | Neural Evidence for Emotional Involvement in Pathological Alcohol Craving. <i>Alcohol and Alcoholism</i> , 2013, 48, 288-294. | 0.9 | 18 |
| 69 | Incidence of narcolepsy before and after MF59-adjuvanted influenza A(H1N1)pdm09 vaccination in South Korean soldiers. <i>Vaccine</i> , 2015, 33, 4868-4872. | 1.7 | 18 |
| 70 | Altered Functional Connectivity of the Default Mode Network in Low-Empathy Subjects. <i>Yonsei Medical Journal</i> , 2017, 58, 1061. | 0.9 | 18 |
| 71 | Altered Heart Rate Variability During Gaming in Internet Gaming Disorder. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2018, 21, 259-267. | 2.1 | 18 |
| 72 | Aberrant posterior superior temporal sulcus functional connectivity and executive dysfunction in adolescents with internet gaming disorder. <i>Journal of Behavioral Addictions</i> , 2020, 9, 589-597. | 1.9 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Aberrantly flattened responsivity to emotional pictures in paranoid schizophrenia. <i>Psychiatry Research</i> , 2006, 143, 135-145. | 1.7 | 17 |
| 74 | Disruption of Orbitofronto-Striatal Functional Connectivity Underlies Maladaptive Persistent Behaviors in Alcohol-Dependent Patients. <i>Psychiatry Investigation</i> , 2013, 10, 266. | 0.7 | 17 |
| 75 | Cox Proportional Hazard Regression Versus a Deep Learning Algorithm in the Prediction of Dementia: An Analysis Based on Periodic Health Examination. <i>JMIR Medical Informatics</i> , 2019, 7, e13139. | 1.3 | 16 |
| 76 | Influence of the BDNF Val66Met polymorphism on coping response to stress in patients with advanced gastric cancer. <i>Journal of Psychosomatic Research</i> , 2014, 77, 76-80. | 1.2 | 15 |
| 77 | Requirement of AMPK activation for neuronal metabolic-enhancing effects of antidepressant paroxetine. <i>NeuroReport</i> , 2015, 26, 424-428. | 0.6 | 14 |
| 78 | Association between the Catechol-O-Methyltransferase (COMT) Val ¹⁵⁸ Met Polymorphism and Alexithymia in Patients with Obsessive-Compulsive Disorder. <i>Yonsei Medical Journal</i> , 2016, 57, 721. | 0.9 | 14 |
| 79 | Altered functional connectivity of the dorsal attention network among problematic social network users. <i>Addictive Behaviors</i> , 2021, 116, 106823. | 1.7 | 14 |
| 80 | Shape deformation of the insula in alcoholics: reduction of left-right asymmetry. <i>NeuroReport</i> , 2007, 18, 1787-1791. | 0.6 | 13 |
| 81 | Preliminary evidence of altered gray matter volume in subjects with internet gaming disorder: associations with history of childhood attention-deficit/hyperactivity disorder symptoms. <i>Brain Imaging and Behavior</i> , 2019, 13, 660-668. | 1.1 | 13 |
| 82 | Greater Impairment in Negative Emotion Evaluation Ability in Patients with Paranoid Schizophrenia. <i>Yonsei Medical Journal</i> , 2006, 47, 343. | 0.9 | 12 |
| 83 | Blunted response of hippocampal AMPK associated with reduced neurogenesis in older versus younger mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 71, 57-65. | 2.5 | 12 |
| 84 | Altered resting-state functional connectivity in patients with obsessive-compulsive disorder: A magnetoencephalography study. <i>International Journal of Psychophysiology</i> , 2018, 123, 80-87. | 0.5 | 12 |
| 85 | Association of a 5-HT _{1D} ² Receptor Gene Polymorphism with Obsessive-Compulsive Disorder in Korean Male Subjects. <i>Neuropsychobiology</i> , 2009, 59, 96-99. | 0.9 | 11 |
| 86 | Alpha amplitude and phase locking in obsessive-compulsive disorder during working memory. <i>International Journal of Psychophysiology</i> , 2012, 83, 1-7. | 0.5 | 11 |
| 87 | Cognitive Behavioral Therapy for Insomnia Reduces Hypnotic Prescriptions. <i>Psychiatry Investigation</i> , 2018, 15, 499-504. | 0.7 | 11 |
| 88 | Does a Copycat Effect Exist in the Emergency Department?. <i>International Journal of Psychiatry in Medicine</i> , 2013, 45, 59-72. | 0.8 | 10 |
| 89 | The relationship between parental marital status and suicidal ideation and attempts by gender in adolescents: Results from a nationally representative Korean sample. <i>Comprehensive Psychiatry</i> , 2014, 55, 1093-1099. | 1.5 | 10 |
| 90 | Changes in resting-state brain connectivity following computerized cognitive behavioral therapy for insomnia in dialysis patients: A pilot study. <i>General Hospital Psychiatry</i> , 2020, 66, 24-29. | 1.2 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Relationship Between BMI, Body image, and Smoking in Korean Women as Determined by Urine Cotinine: Results of a Nationwide Survey. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012, 13, 1003-1010. | 0.5 | 10 |
| 92 | The Effects of Serotonin Transporter Promoter and Monoamine Oxidase A Gene Polymorphisms on Trait Emotional Intelligence. <i>Neuropsychobiology</i> , 2011, 64, 224-230. | 0.9 | 9 |
| 93 | Phosphorylation of hypothalamic AMPK on serine485/491 related to sustained weight loss by alpha-lipoic acid in mice treated with olanzapine. <i>Psychopharmacology</i> , 2014, 231, 4059-4069. | 1.5 | 9 |
| 94 | Lack of Association between Oxytocin Receptor (OXTR) Gene Polymorphisms and Alexithymia: Evidence from Patients with Obsessive-Compulsive Disorder. <i>PLoS ONE</i> , 2015, 10, e0143168. | 1.1 | 9 |
| 95 | Subregions of the Anterior Cingulate Cortex Form Distinct Functional Connectivity Patterns in Young Males With Internet Gaming Disorder With Comorbid Depression. <i>Frontiers in Psychiatry</i> , 2018, 9, 380. | 1.3 | 9 |
| 96 | Population-based dementia prediction model using Korean public health examination data: A cohort study. <i>PLoS ONE</i> , 2019, 14, e0211957. | 1.1 | 9 |
| 97 | Psychotic Features as the First Manifestation of 22q11.2 Deletion Syndrome. <i>Psychiatry Investigation</i> , 2010, 7, 72. | 0.7 | 8 |
| 98 | Associations of systemic inflammation with frontotemporal functional network connectivity and out-degree social-network size in community-dwelling older adults. <i>Brain, Behavior, and Immunity</i> , 2019, 79, 309-313. | 2.0 | 8 |
| 99 | Diminished Frontal Theta Activity During Gaming in Young Adults With Internet Gaming Disorder. <i>Frontiers in Neuroscience</i> , 2019, 13, 1183. | 1.4 | 8 |
| 100 | Diminished cognitive control in Internet gaming disorder: A multimodal approach with magnetic resonance imaging and real-time heart rate variability. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110127. | 2.5 | 8 |
| 101 | Differential priming effect for subliminal fear and disgust facial expressions. <i>Attention, Perception, and Psychophysics</i> , 2011, 73, 473-481. | 0.7 | 7 |
| 102 | Altered Functional Connectivity of the Salience Network in Problematic Smartphone Users. <i>Frontiers in Psychiatry</i> , 2021, 12, 636730. | 1.3 | 7 |
| 103 | Association between use of benzodiazepines and occurrence of acute angle-closure glaucoma in the elderly: A population-based study. <i>Journal of Psychosomatic Research</i> , 2019, 122, 1-5. | 1.2 | 6 |
| 104 | Increased resting-state cerebellar-cortical connectivity in breast cancer survivors with cognitive complaints after chemotherapy. <i>Scientific Reports</i> , 2021, 11, 12105. | 1.6 | 6 |
| 105 | Restoration of mammillothalamic functional connectivity through thiamine replacement therapy in Wernicke's encephalopathy. <i>Neuroscience Letters</i> , 2010, 479, 257-261. | 1.0 | 5 |
| 106 | Associations between polymorphisms in the <i>NR1D1</i> gene encoding for nuclear receptor REV-ERB α and circadian typologies. <i>Chronobiology International</i> , 2015, 32, 568-572. | 0.9 | 5 |
| 107 | Suppression of AIMP1 protects cognition in Alzheimer's disease model mice 3xTg-AD. <i>NeuroReport</i> , 2017, 28, 82-86. | 0.6 | 4 |
| 108 | Impact of data extraction errors in meta-analyses on the association between depression and peripheral inflammatory biomarkers: an umbrella review. <i>Psychological Medicine</i> , 2023, 53, 2017-2030. | 2.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Deactivation of anterior cingulate cortex during virtual social interaction in obsessive-compulsive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2020, 304, 111154. | 0.9 | 3 |
| 110 | Distinct affective processing of emotionally stimulating written words and pictures in patients with alcohol dependence. <i>Psychiatry Research</i> , 2009, 170, 267-270. | 1.7 | 2 |
| 111 | Benzodiazepine Use and Risk of Acute Angle-Closure Glaucoma: A Population-Based Case-Crossover Study. <i>Drug Safety</i> , 2020, 43, 539-547. | 1.4 | 2 |
| 112 | Alpha-tocopherol Prevents H2O2-induced Tight Junction Occludin Disruption in Blood-Brain Barrier. <i>Korean Journal of Physical Anthropology</i> , 2006, 19, 223. | 0.2 | 2 |
| 113 | Factors Affecting Stigma Resistance in Patients with Bipolar Disorder. <i>Journal of Korean Neuropsychiatric Association</i> , 2015, 54, 309. | 0.2 | 1 |
| 114 | Pharmacotherapeutic Interventions to Maintaining Abstinence in Alcoholism. <i>Taehan Uihak Hyophoe Chi the Journal of the Korean Medical Association</i> , 2006, 49, 134. | 0.1 | 0 |
| 115 | The Associations between Anger Expression and Insomnia among Community-Dwelling Older Adults in Korea. <i>Chronobiology in Medicine</i> , 2019, 1, 86-93. | 0.2 | 0 |
| 116 | Sex differences in the association between social relationships and insomnia symptoms. <i>Journal of Clinical Sleep Medicine</i> , 2020, 16, 1871-1881. | 1.4 | 0 |