

# Alessandro Tafuri

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7853029/alessandro-tafuri-publications-by-year.pdf>

**Version:** 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122  
papers

779  
citations

17  
h-index

21  
g-index

153  
ext. papers

1,127  
ext. citations

2.4  
avg, IF

4.37  
L-index

#	Paper	IF	Citations
122	Concomitant Radical Cystectomy and Infraarenal Aortic Aneurysm Repair with Cryopreserved Aortic Allograft: A Case Report. <i>Uro</i> , <b>2022</b> , 2, 6-12		
121	The Influence of Endogenous Testosterone Density on Unfavorable Disease and Tumor Load at Final Pathology in Intermediate-Risk Prostate Cancer: Results in 338 Patients Treated with Radical Prostatectomy and Extended Pelvic Lymph Node Dissection.. <i>Urologia Internationalis</i> , <b>2022</b> , 1-12	1.9	0
120	Endogenous testosterone density is an independent predictor of pelvic lymph node invasion in high-risk prostate cancer: results in 201 consecutive patients treated with radical prostatectomy and extended pelvic lymph node dissection.. <i>International Urology and Nephrology</i> , <b>2022</b> , 54, 541	2.3	0
119	Can We Avoid a Systematic Biopsy in Men with PI-RADS 5? Reply. <i>Journal of Urology</i> , <b>2022</b> , 207, 241-242.	2.5	
118	Pre-Clinical Validation of a Semi-Autonomous Robot for Transperineal Prostate Biopsy. <i>IEEE Transactions on Medical Robotics and Bionics</i> , <b>2022</b> , 1-1	3.1	1
117	Prediction of significant renal function decline after open, laparoscopic, and robotic partial nephrectomy: External validation of the Martini's nomogram on the RECORD2 project cohort.. <i>International Journal of Urology</i> , <b>2022</b> ,	2.3	1
116	Radiotherapy-related toxicity for localized prostate cancer: meta-analysis comparing conventional or moderately hypofractionated vs. ultrahypofractionated protocols.. <i>Clinical and Translational Oncology</i> , <b>2022</b> , 1	3.6	1
115	Is antibiotic prophylaxis still mandatory for transperineal prostate biopsy? Results of a comparative study.. <i>Prostate International</i> , <b>2022</b> , 10, 34-37	3.4	0
114	Reporting Characteristics of cadaver training and surgical studies: The CACTUS guidelines.. <i>International Journal of Surgery</i> , <b>2022</b> , 106619	7.5	0
113	Validation of a Novel Three-Dimensional (3D Fusion) Gross Sampling Protocol for Clear Cell Renal Cell Carcinoma to Overcome Intratumoral Heterogeneity: The Meet-Uro 18 Study. <i>Journal of Personalized Medicine</i> , <b>2022</b> , 12, 727	3.6	0
112	Uroflowmetry and Altitude Hypoxia: A Report from Healthy Italian Trekkers and Nepali Porters During Himalayan Expedition. <i>Advances in Experimental Medicine and Biology</i> , <b>2021</b> , 1289, 99-105	3.6	1
111	Surgical management of urinary diversion and stomas in adults: multidisciplinary Italian panel guidelines. <i>Minerva Urology and Nephrology</i> , <b>2021</b> ,	2.3	1
110	Oncologic outcome of salvage high-intensity focused ultrasound (HIFU) in radiorecurrent prostate cancer. A systematic review. <i>Acta Biomedica</i> , <b>2021</b> , 92, e2021191	3.2	0
109	External validation of the Palacios equation: a simple and accurate tool to estimate the new baseline renal function after renal cancer surgery. <i>World Journal of Urology</i> , <b>2021</b> , 1	4	2
108	Live Surgery and Safety Standards <b>2021</b> , 203-210		
107	Neoadjuvant Strategies Before Radical Prostatectomy for High Risk Prostate Cancer in the Era of New Hormonal Agents. <i>Current Drug Targets</i> , <b>2021</b> , 22, 68-76	3	3
106	Endogenous testosterone density as ratio of endogenous testosterone levels on prostate volume predicts tumor upgrading in low-risk prostate cancer. <i>International Urology and Nephrology</i> , <b>2021</b> , 53, 2505-2515	2.3	

105	The Impact of SARS-CoV-2 Pandemic on Time to Primary, Secondary Resection and Adjuvant Intravesical Therapy in Patients with High-Risk Non-Muscle Invasive Bladder Cancer: A Retrospective Multi-Institutional Cohort Analysis. <i>Cancers</i> , <b>2021</b> , 13,	6.6	6
104	Delaying BCG immunotherapy onset after transurethral resection of non-muscle-invasive bladder cancer is associated with adverse survival outcomes. <i>World Journal of Urology</i> , <b>2021</b> , 39, 2545-2552	4	6
103	Italian Guidelines for the Nursing Management of Enteral and Urinary Stomas in Adults: An Executive Summary. <i>Journal of Wound, Ostomy and Continence Nursing</i> , <b>2021</b> , 48, 137-147	1.7	5
102	Consulting Dr. Google for minimally invasive urological oncological surgeries: A contemporary web-based trend analysis. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , <b>2021</b> , 17, e2250	2.9	3
101	Low-intensity extracorporeal shock wave therapy (Li-ESWT) for priapism-induced erectile dysfunction in young patients: the first case series. <i>International Journal of Impotence Research</i> , <b>2021</b> ,	2.3	1
100	Fusion 3D gross sampling method to overcome heterogeneity in clear cell renal cell carcinoma (ccRCC) and grading angiogenic versus immune signatures.. <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, e16565-e16565	2.2	2
99	Omics in urology: An overview on concepts, current status and future perspectives. <i>Urologia</i> , <b>2021</b> , 88, 270-279	1.2	2
98	Prostatic Inflammation in Prostate Cancer: Protective Effect or Risk Factor?. <i>Uro</i> , <b>2021</b> , 1, 54-59		2
97	ABO blood group system and risk of positive surgical margins in patients treated with robot-assisted radical prostatectomy: results in 1114 consecutive patients. <i>Journal of Robotic Surgery</i> , <b>2021</b> , 1	2.9	0
96	Severe intraoperative bleeding predicts the risk of perioperative blood transfusion after robot-assisted radical prostatectomy. <i>Journal of Robotic Surgery</i> , <b>2021</b> , 1	2.9	0
95	Late diagnosis of ureteral injury from anterior lumbar spine interbody fusion surgery: Case report and literature review. <i>Urologia</i> , <b>2021</b> , 3915603211030230	1.2	
94	The bladder-flap ureteral augmentation: An original solution in case of complex distal stricture. <i>Urology Case Reports</i> , <b>2021</b> , 37, 101636	0.5	
93	Is a Drain Needed After Robotic Radical Prostatectomy With or Without Pelvic Lymph Node Dissection? Results of a Single-Center Randomized Clinical Trial. <i>Journal of Endourology</i> , <b>2021</b> , 35, 922-928	2.7	11
92	Serum testosterone and obesity in prostate cancer biology: a call for health promotion in the ageing male. <i>Aging Clinical and Experimental Research</i> , <b>2021</b> , 33, 1399-1401	4.8	5
91	The dramatic COVID 19 outbreak in Italy is responsible of a huge drop of urological surgical activity: a multicenter observational study. <i>BJU International</i> , <b>2021</b> , 127, 56-63	5.6	13
90	The impact of preoperative nutritional status on post-surgical complication and mortality rates in patients undergoing radical cystectomy for bladder cancer: a systematic review of the literature. <i>World Journal of Urology</i> , <b>2021</b> , 39, 1045-1081	4	7
89	Predictors of Lymph Node Invasion in Patients with Clinically Localized Prostate Cancer Who Undergo Radical Prostatectomy and Extended Pelvic Lymph Node Dissection: The Role of Obesity. <i>Urologia Internationalis</i> , <b>2021</b> , 105, 362-369	1.9	1
88	A Double-Blind, Placebo-Controlled Parallel Group Study to Evaluate the Effect of a Single Oral Dose of 5-HT1A Antagonist GSK958108 on Ejaculation Latency Time in Male Patients Suffering From Premature Ejaculation. <i>Journal of Sexual Medicine</i> , <b>2021</b> , 18, 63-71	1.1	2

87	Multiparametric magnetic resonance imaging facilitates reclassification during active surveillance for prostate cancer. <i>BJU International</i> , <b>2021</b> , 127, 712-721	5.6	6
86	The Influence of Endogenous Testosterone on Incidental Prostate Cancer after Transurethral Prostate Resection. <i>Urologia Internationalis</i> , <b>2021</b> , 105, 826-834	1.9	2
85	Assessment of the oncological outcomes of three different bacillus Calmette-Guérin strains in patients with high-grade T1 non-muscle-invasive bladder cancer. <i>Arab Journal of Urology Arab Association of Urology</i> , <b>2021</b> , 19, 78-85	1.7	2
84	Effects of Physical Activity at High Altitude on Hormonal Profiles in Foreign Trekkers and Indigenous Nepalese Porters. <i>Advances in Experimental Medicine and Biology</i> , <b>2021</b> , 1335, 111-119	3.6	0
83	Endogenous testosterone as a predictor of prostate growing disorders in the aging male. <i>International Urology and Nephrology</i> , <b>2021</b> , 53, 843-854	2.3	7
82	Predictors of complications occurring after open and robot-assisted prostate cancer surgery: a retrospective evaluation of 1062 consecutive patients treated in a tertiary referral high volume center. <i>Journal of Robotic Surgery</i> , <b>2021</b> , 1	2.9	0
81	Timing, Patterns and Predictors of 90-Day Readmission Rate after Robotic Radical Cystectomy. <i>Journal of Urology</i> , <b>2021</b> , 205, 491-499	2.5	6
80	Acute kidney injury strongly influences renal function after radical nephroureterectomy for upper tract urothelial carcinoma: A single-centre experience. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2021</b> , 93, 9-14	1.6	1
79	Low endogenous testosterone levels are associated with the extend of lymphnodal invasion at radical prostatectomy and extended pelvic lymph node dissection. <i>International Urology and Nephrology</i> , <b>2021</b> , 53, 2027-2039	2.3	2
78	Toward autonomous robotic prostate biopsy: a pilot study. <i>International Journal of Computer Assisted Radiology and Surgery</i> , <b>2021</b> , 16, 1393-1401	3.9	7
77	Reply by Authors. <i>Journal of Urology</i> , <b>2021</b> , 206, 426	2.5	
76	E-scooter accidents: A rising cause of kidney injury. <i>Urologia</i> , <b>2021</b> , 3915603211037611	1.2	
75	Reply by Authors. <i>Journal of Urology</i> , <b>2021</b> , 206, 297	2.5	
74	Systematic Biopsy of the Prostate can Be Omitted in Men with PI-RADS <sup>2</sup> and Prostate Specific Antigen Density Greater than 15. <i>Journal of Urology</i> , <b>2021</b> , 206, 289-297	2.5	5
73	Incidental prostate cancer after transurethral resection of the prostate: analysis of incidence and risk factors in 458 patients. <i>Minerva Urology and Nephrology</i> , <b>2021</b> , 73, 471-480	2.3	3
72	Perioperative Outcomes of Holmium Laser Enucleation of the Prostate: A Systematic Review. <i>Urologia Internationalis</i> , <b>2021</b> , 1-13	1.9	2
71	Endogenous testosterone density predicts unfavorable disease at final pathology in intermediate risk prostate cancer. <i>International Urology and Nephrology</i> , <b>2021</b> , 53, 2517-2526	2.3	0
70	Physiopathology of Underactive Bladder. <i>Urodynamics, Neurourology and Pelvic Floor Dysfunctions</i> , <b>2021</b> , 97-104	0.1	

69	Perioperative outcomes of patients undergoing urological elective surgery during the COVID-19 pandemic: a national overview across 28 Italian institutions. <i>Central European Journal of Urology</i> , <b>2021</b> , 74, 259-268	0.9	1
68	Ectopic adrenal tissue in the kidney: A systematic review.. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2021</b> , 93, 481-488	1.6	
67	Prostatic chronic inflammation and prostate cancer risk at baseline random biopsy: Analysis of predictors. <i>Arab Journal of Urology Arab Association of Urology</i> , <b>2020</b> , 18, 148-154	1.7	1
66	Quality Assessment of Intraoperative Adverse Event Reporting During 29 227 Robotic Partial Nephrectomies: A Systematic Review and Cumulative Analysis. <i>European Urology Oncology</i> , <b>2020</b> , 3, 780-783	6.7	6
65	Association between Basal Total Testosterone Levels and Prostate Cancer DSAmico Risk Classes. <i>Urologia Internationalis</i> , <b>2020</b> , 104, 716-723	1.9	1
64	Obesity strongly predicts clinically undetected multiple lymph node metastases in intermediate- and high-risk prostate cancer patients who underwent robot assisted radical prostatectomy and extended lymph node dissection. <i>International Urology and Nephrology</i> , <b>2020</b> , 52, 2097-2105	2.3	9
63	Basal total testosterone serum levels predict biopsy and pathological ISUP grade group in a large cohort of Caucasian prostate cancer patients who underwent radical prostatectomy. <i>Therapeutic Advances in Urology</i> , <b>2020</b> , 12, 1756287220929481	3.2	2
62	The impact of extended pelvic lymph node dissection on the risk of hospital readmission within 180' days after robot assisted radical prostatectomy. <i>World Journal of Urology</i> , <b>2020</b> , 38, 2799-2809	4	3
61	Predictive Factors of the Risk of Long-Term Hospital Readmission after Primary Prostate Surgery at a Single Tertiary Referral Center: Preliminary Report. <i>Urologia Internationalis</i> , <b>2020</b> , 104, 465-475	1.9	2
60	Programmed Death 1 and Programmed Death Ligand 1 Inhibitors in Advanced and Recurrent Urothelial Carcinoma: Meta-analysis of Single-Agent Studies. <i>Clinical Genitourinary Cancer</i> , <b>2020</b> , 18, 351-360.e3	3.3	6
59	Response to: Bando et al. Diagnostic and therapeutic value of pelvic lymph node dissection in the fossa of Marcille in patients with clinically localized high-risk prostate cancer: Histological and molecular analyses. <i>Prostate</i> , <b>2020</b> , 80, 795-796	4.2	2
58	Prostate-specific antigen levels and proportion of biopsy positive cores are independent predictors of upgrading patterns in low-risk prostate cancer. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2020</b> , 72, 66-71	4.4	16
57	Open approach, extended pelvic lymph node dissection, and seminal vesicle invasion are independent predictors of hospital readmission after prostate cancer surgery: a large retrospective study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2020</b> , 72, 72-81	4.4	5
56	High body mass index predicts multiple prostate cancer lymph node metastases after radical prostatectomy and extended pelvic lymph node dissection. <i>Asian Journal of Andrology</i> , <b>2020</b> , 22, 323-329	2.8	21
55	HP-3-2 Percutaneous Angioplasty of Internal Pudendal Arteries for the Treatment of Arteriogenic Erectile Dysfunction. Initial Experience in Six Patients. <i>Journal of Sexual Medicine</i> , <b>2020</b> , 17, S159	1.1	
54	Elevated prostate volume index and prostatic chronic inflammation reduce the number of positive cores at first prostate biopsy set: results in 945 consecutive patients. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , <b>2020</b> , 46, 545-556	2	0
53	Endogenous testosterone mirrors prostate cancer aggressiveness: correlation between basal testosterone serum levels and prostate cancer European Urology Association clinical risk classes in a large cohort of Caucasian patients. <i>International Urology and Nephrology</i> , <b>2020</b> , 52, 1261-1269	2.3	8
52	High Intensity Focused Ultrasound Hemigland Ablation for Prostate Cancer: Initial Outcomes of a United States Series. <i>Journal of Urology</i> , <b>2020</b> , 204, 741-747	2.5	17

51	Linear extent of positive surgical margin impacts biochemical recurrence after robot-assisted radical prostatectomy in a high-volume center. <i>Journal of Robotic Surgery</i> , <b>2020</b> , 14, 663-675	2.9	6
50	COMMENT ON: Hospital care in Departments defined as COVID-free: A proposal for a safe hospitalization protecting healthcare professionals and patients not affected by COVID-19. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2020</b> , 92,	1.6	1
49	The pathological and clinical features of anterior lesions of prostate cancer: Evaluation in a single cohort of patients. <i>Archivio Italiano Di Urologia Andrologia</i> , <b>2020</b> , 92,	1.6	2
48	Impact of Implementation of Standardized Criteria in the Assessment of Complication Reporting After Robotic Partial Nephrectomy: A Systematic Review. <i>European Urology Focus</i> , <b>2020</b> , 6, 513-517	5.1	10
47	Prostate volume index and prostatic chronic inflammation predicted low tumor load in 945 patients at baseline prostate biopsy. <i>World Journal of Urology</i> , <b>2020</b> , 38, 957-964	4	7
46	One-Stop MRI and MRI/transrectal ultrasound fusion-guided biopsy: an expedited pathway for prostate cancer diagnosis. <i>World Journal of Urology</i> , <b>2020</b> , 38, 949-956	4	8
45	Risk factors of positive surgical margins after robot-assisted radical prostatectomy in high-volume center: results in 732 cases. <i>Journal of Robotic Surgery</i> , <b>2020</b> , 14, 167-175	2.9	12
44	Consulting "Dr. Google" for Prostate Cancer Treatment Options: A Contemporary Worldwide Trend Analysis. <i>European Urology Oncology</i> , <b>2020</b> , 3, 481-488	6.7	17
43	Radical cystectomy pentaffecta: a proposal for standardisation of outcomes reporting following robot-assisted radical cystectomy. <i>BJU International</i> , <b>2020</b> , 125, 64-72	5.6	13
42	Visualization of peri-prostatic neurovascular fibers before and after radical prostatectomy by means of diffusion tensor imaging (DTI) with clinical correlations: preliminary report. <i>Journal of Robotic Surgery</i> , <b>2020</b> , 14, 357-363	2.9	1
41	Frailty impact on postoperative complications and early mortality rates in patients undergoing radical cystectomy for bladder cancer: a systematic review. <i>Arab Journal of Urology Arab Association of Urology</i> , <b>2020</b> , 19, 9-23	1.7	3
40	Prostate Volume Index Is Able to Differentiate between Prostatic Chronic Inflammation and Prostate Cancer in Patients with Normal Digital Rectal Examination and Prostate-Specific Antigen Values. <i>Urologia Internationalis</i> , <b>2019</b> , 103, 415-422	1.9	5
39	Total testosterone density predicts high tumor load and disease reclassification of prostate cancer: results in 144 low-risk patients who underwent radical prostatectomy. <i>International Urology and Nephrology</i> , <b>2019</b> , 51, 2169-2180	2.3	5
38	Surgeon volume and body mass index influence positive surgical margin risk after robot-assisted radical prostatectomy: Results in 732 cases. <i>Arab Journal of Urology Arab Association of Urology</i> , <b>2019</b> , 17, 234-242	1.7	3
37	Positive Association between Basal Total Testosterone Circulating Levels and Tumor Grade Groups at the Time of Diagnosis of Prostate Cancer. <i>Urologia Internationalis</i> , <b>2019</b> , 103, 400-407	1.9	7
36	High surgeon volume and positive surgical margins can predict the risk of biochemical recurrence after robot-assisted radical prostatectomy. <i>Therapeutic Advances in Urology</i> , <b>2019</b> , 11, 1756287219878283 <sup>2</sup>	3.2	3
35	Multiple stones in neobladder: Case report and literature review. <i>Urologia</i> , <b>2019</b> , 86, 216-219	1.2	2
34	Lymph Nodes Invasion of Marcille's Fossa Associates with High Metastatic Load in Prostate Cancer Patients Undergoing Extended Pelvic Lymph Node Dissection: The Role of "Marcillectomy". <i>Urologia Internationalis</i> , <b>2019</b> , 103, 25-32	1.9	18

33	Low Preoperative Prolactin Levels Predict Non-Organ Confined Prostate Cancer in Clinically Localized Disease. <i>Urologia Internationalis</i> , <b>2019</b> , 103, 391-399	1.9	6
32	Body mass index is an independent predictor of Clavien-Dindo grade 3 complications in patients undergoing robot assisted radical prostatectomy with extensive pelvic lymph node dissection. <i>Journal of Robotic Surgery</i> , <b>2019</b> , 13, 83-89	2.9	22
31	Prostate volume index and prostatic chronic inflammation have an effect on tumor load at baseline random biopsies in patients with normal DRE and PSA values less than 10 ng/ml: results of 564 consecutive cases. <i>Therapeutic Advances in Urology</i> , <b>2019</b> , 11, 1756287219868604	3.2	4
30	Positive Association between Preoperative Total Testosterone and Lymph Node Invasion in Intermediate Risk Prostate Cancer. <i>Current Urology</i> , <b>2019</b> , 12, 216-222	1.7	
29	Extended pelvic lymphadenectomy for prostate cancer: should the Cloquet's nodes dissection be considered only an option?. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2019</b> , 71, 136-145	4.4	17
28	Body Mass Index and prostatic-specific antigen are predictors of prostate cancer metastases in patients undergoing robot-assisted radical prostatectomy and extended pelvic lymph node dissection. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2019</b> , 71, 516-523	4.4	8
27	Anterograde ejaculation preservation after endoscopic treatments in patients with bladder outlet obstruction: systematic review and pooled-analysis of randomized clinical trials. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , <b>2019</b> , 71, 427-434	4.4	15
26	Identification of peri-prostatic neurovascular fibers before and after radical prostatectomy by means of diffusion tensor imaging (DTI) with clinical correlations: initial experience. <i>Pelvipерineology</i> , <b>2019</b> , 35-41	0.3	
25	Reply by Authors. <i>Journal of Urology</i> , <b>2019</b> , 202, 1198	2.5	
24	Hemigland Cryoablation of Localized Low, Intermediate and High Risk Prostate Cancer: Oncologic and Functional Outcomes at 5 Years. <i>Journal of Urology</i> , <b>2019</b> , 202, 1188-1198	2.5	19
23	Italian Guidelines for the Management of Enteral and Urinary Stomas. <i>Diseases of the Colon and Rectum</i> , <b>2019</b> , 62, e3-e4	3.1	4
22	Impact of Combination of Local Anesthetic Wounds Infiltration and Ultrasound Transversus Abdominal Plane Block in Patients Undergoing Robot-Assisted Radical Prostatectomy: Perioperative Results of a Double-Blind Randomized Controlled Trial. <i>Journal of Endourology</i> , <b>2019</b> , 33, 205-209	2.7	17
21	Robotic intracorporeal ileal conduit: Technical aspects. <i>Archivos Espanoles De Urologia</i> , <b>2019</b> , 72, 299-308	0.4	3
20	Inverse Association of Prostatic Chronic Inflammation among Prostate Cancer Tumor Grade Groups: Retrospective Study of 738 Consecutive Cases Elected to a First Random Biopsy Set. <i>Urologia Internationalis</i> , <b>2018</b> , 100, 456-462	1.9	13
19	Associations of Transitional Zone Volume with Intraprostatic Chronic Inflammation and Prostate Cancer Risk in Patients Undergoing a First Random Biopsy Set. <i>Current Urology</i> , <b>2018</b> , 11, 85-91	1.7	4
18	Prostate-specific antigen associates with extensive lymph node invasion in high-risk prostate cancer. <i>Tumori</i> , <b>2018</b> , 104, 307-311	1.7	3
17	Positive Association between Preoperative Total Testosterone Levels and Risk of Positive Surgical Margins by Prostate Cancer: Results in 476 Consecutive Patients Treated Only by Radical Prostatectomy. <i>Urologia Internationalis</i> , <b>2018</b> , 101, 38-46	1.9	23
16	Focal therapy for prostate cancer: concepts and future directions. <i>Current Opinion in Urology</i> , <b>2018</b> , 28, 536-543	2.8	5

15	Clinical factors stratifying the risk of tumor upgrading to high-grade disease in low-risk prostate cancer. <i>Tumori</i> , <b>2018</b> , 104, 111-115	1.7	20
14	Clinical Factors Predicting and Stratifying the Risk of Lymph Node Invasion in Localized Prostate Cancer. <i>Urologia Internationalis</i> , <b>2017</b> , 99, 207-214	1.9	19
13	Clinical Factors of Disease Reclassification or Progression in a Contemporary Cohort of Prostate Cancer Patients Elected to Active Surveillance. <i>Urologia Internationalis</i> , <b>2017</b> , 98, 32-39	1.9	18
12	Low-Risk Prostate Cancer and Tumor Upgrading in the Surgical Specimen: Analysis of Clinical Factors Predicting Tumor Upgrading in a Contemporary Series of Patients Who were Evaluated According to the Modified Gleason Score Grading System. <i>Current Urology</i> , <b>2017</b> , 10, 118-125	1.7	20
11	Preoperative Plasma Levels of Total Testosterone Associated with High Grade Pathology-Detected Prostate Cancer: Preliminary Results of a Prospective Study in a Contemporary Cohort of Patients. <i>Current Urology</i> , <b>2017</b> , 10, 72-80	1.7	6
10	Simultaneous Measurements of Follicle Stimulating Hormone and Total Testosterone and Associations in Clinically Localized Prostate Cancer. <i>Current Urology</i> , <b>2017</b> , 10, 174-181	1.7	0
9	Bilateral lymph node micrometastases and seminal vesicle invasion associated with same clinical predictors in localized prostate cancer. <i>Tumori</i> , <b>2017</b> , 103, 299-306	1.7	20
8	Association between Basal Total Testosterone Levels and Tumor Upgrading in Low and Intermediate Risk Prostate Cancer. <i>Urologia Internationalis</i> , <b>2017</b> , 99, 215-221	1.9	20
7	Clinical Factors Predicting Tumour Upgrading in Patients Under Active Surveillance and Elected to Active Treatment after Disease Reclassification or Progression. <i>Urologia Internationalis</i> , <b>2017</b> , 99, 186-193	1.9	2
6	Clinical Factors Predicting Bilateral Lymph Node Invasion in High-Risk Prostate Cancer. <i>Urologia Internationalis</i> , <b>2017</b> , 99, 392-399	1.9	17
5	Intraprostatic chronic inflammation is associated with a reduced risk of prostate cancer in patients elected to a first random biopsy set. <i>Tumori</i> , <b>2017</b> , 103, 475-482	1.7	8
4	Prostate volume index stratified prostate cancer risk in patients elected to a first random biopsy set. <i>Tumori</i> , <b>2017</b> , 103, 374-379	1.7	5
3	High Testosterone Preoperative Plasma Levels Independently Predict Biopsy Gleason Score Upgrading in Men with Prostate Cancer Undergoing Radical Prostatectomy. <i>Urologia Internationalis</i> , <b>2016</b> , 96, 470-8	1.9	19
2	Low-Risk Prostate Cancer and Tumor Upgrading to Higher Patterns in the Surgical Specimen. Analysis of Clinical Factors Predicting Tumor Upgrading to Higher Gleason Patterns in a Contemporary Series of Patients Who Have Been Evaluated According to the Modified Gleason Score Grading System. <i>Urologia Internationalis</i> , <b>2017</b> , 99, 207-214	1.9	21
1	Robotic assisted radical prostatectomy accelerates postoperative stress recovery: Final results of a contemporary prospective study assessing pathophysiology of cortisol peri-operative kinetics in prostate cancer surgery. <i>Asian Journal of Urology</i> , <b>2016</b> , 3, 88-95	2.7	9