Gary R Graves

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7854114/publications.pdf

Version: 2024-02-01

117625 54911 7,876 107 34 citations h-index papers

g-index 114 114 114 10709 docs citations times ranked citing authors all docs

84

#	Article	IF	CITATIONS
1	Estimating species relative abundances from museum records. Methods in Ecology and Evolution, 2023, 14, 431-443.	5.2	14
2	Merlin Takes Hummingbird in Flight over Lake. Journal of Raptor Research, 2022, , .	0.6	O
3	Late quaternary biotic homogenization of North American mammalian faunas. Nature Communications, 2022, 13, .	12.8	7
4	The Campsis-Icterus association as a model system for avian nectar-robbery studies. Scientific Reports, 2022, 12, .	3.3	0
5	Investigating Biotic Interactions in Deep Time. Trends in Ecology and Evolution, 2021, 36, 61-75.	8.7	26
6	Physiology Drives Reworking of Amino Acid \hat{l} 2H and \hat{l} 13C in Butterfly Tissues. Frontiers in Ecology and Evolution, 2021, 9, .	2.2	7
7	Dense sampling of bird diversity increases power of comparative genomics. Nature, 2020, 587, 252-257.	27.8	251
8	Does solar irradiation drive community assembly of vulture plumage microbiotas?. Animal Microbiome, 2020, 2, 24.	3.8	7
9	Dispersion fields reveal the compositional structure of South American vertebrate assemblages. Nature Communications, 2020, 11, 491.	12.8	9
10	Comparative Analyses of Vertebrate Gut Microbiomes Reveal Convergence between Birds and Bats. MBio, 2020, 11, .	4.1	204
11	Bald Eagle Swims to Shore with Ross's Goose. Journal of Raptor Research, 2020, 54, 84.	0.6	0
12	Reorganization of surviving mammal communities after the end-Pleistocene megafaunal extinction. Science, 2019, 365, 1305-1308.	12.6	33
13	Distinct microbiotas of anatomical gut regions display idiosyncratic seasonal variation in an avian folivore. Animal Microbiome, 2019, 1, 2.	3.8	21
14	Urohidrosis and tarsal color in Cathartes vultures (Aves: Cathartidae). Proceedings of the Biological Society of Washington, 2019, 132, 56.	0.3	3
15	Swainson's Warbler (Limnothlypis swainsonii) in a Monoculture of Invasive Japanese Knotweed (Reynoutria japonica). Northeastern Naturalist, 2019, 26, .	0.3	3
16	Sphyrapicus varius (Yellow-Bellied Sapsucker) Use of Cotinus obovatus (American Smoketree) in the Ozark Mountains. Southeastern Naturalist, 2019, 18, 499.	0.4	0
17	Spatial Organization of the Gastrointestinal Microbiota in Urban Canada Geese. Scientific Reports, 2018, 8, 3713.	3.3	23
18	Stable isotope ecology (δ180, δ13C, δ15N) of modern land snails along an altitudinal gradient in southern Appalachian Mountains, USA. Palaeogeography, Palaeoclimatology, Palaeoecology, 2018, 492, 92-103.	2.3	12

#	Article	IF	Citations
19	Stable hydrogen isotope variability within and among plumage tracts ($\hat{\Gamma}$ 2HF) of a migratory wood warbler. PLoS ONE, 2018, 13, e0193486.	2.5	3
20	Avian Feeding on Seed of the Exotic OrnamentalLagerstroemia indica(Crapemyrtle). Southeastern Naturalist, 2018, 17, 293-297.	0.4	1
21	Opinion: Why we need a centralized repository for isotopic data. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 2997-3001.	7.1	50
22	Field Measurements of Gastrointestinal pH of New World Vultures in Guyana. Journal of Raptor Research, 2017, 51, 465-469.	0.6	7
23	Sexual monomorphism in wing loading and wing aspect ratio in Black Vulture (<i>Coragyps) Tj ETQq1 1 0.78431 Washington, 2017, 130, 240-249.</i>	4 rgBT /O 0.3	verlock 10 Tf 8
24	Anatomical evidence for scent guided foraging in the turkey vulture. Scientific Reports, 2017, 7, 17408.	3.3	36
25	First Record of <i>Citheronia regalis</i> (Lepidoptera: Saturniidae) Feeding on <i>Cotinus obovatus</i> (Anacardiaceae). Florida Entomologist, 2017, 100, 474-475.	0.5	1
26	Diagnoses of hybrid hummingbirds (Aves: Trochilidae). 17. Documentation of the intrageneric hybrid (<i>Archilochus colubris</i> Archilochus alexandri). Proceedings of the Biological Society of Washington, 2016, 129, 1-9.	0.3	2
27	Head color and caruncles of sympatric (i) Cathartes (li) vultures (Aves: Cathartidae) in Guyana and their possible function in intra- and interspecific signaling. Proceedings of the Biological Society of Washington, 2016, 129, 66-75.	0.3	6
28	Lyons et al. reply. Nature, 2016, 537, E5-E6.	27.8	0
29	Lyons et al. reply. Nature, 2016, 538, E3-E4.	27.8	1
30	Common Denominators of Swainson's Warbler Breeding Habitat in Bottomland Hardwood Forest in the White River Watershed in Southeastern Arkansas. Southeastern Naturalist, 2016, 15, 315-330.	0.4	5
31	A New Leafmining Moth (Cameraria cotinivora, Lepidoptera: Gracillariidae) of the American Smoketree (Cotinus obovatus). Proceedings of the Entomological Society of Washington, 2016, 118, 244.	0.2	4
32	Holocene shifts in the assembly of plant and animal communities implicate human impacts. Nature, 2016, 529, 80-83.	27.8	147
33	Recent large-scale colonisation of southern pine plantations by Swainson's Warbler <i>Limnothlypis swainsonii</i> . Bird Conservation International, 2015, 25, 280-293.	1.3	9
34	Swimming Black-Crowned Night-Herons (<i>Nycticorax nycticorax</i>) Kleptoparasitize American Coots (<i>Fulica americana</i>). Southwestern Naturalist, 2015, 60, 130-131.	0.1	1
35	Bird sequencing project takes off. Nature, 2015, 522, 34-34.	27.8	136
36	A primer on the hybrid zone of Jamaican streamertail hummingbirds (Trochilidae:Trochilus). Proceedings of the Biological Society of Washington, 2015, 128, 111-124.	0.3	4

#	Article	IF	CITATIONS
37	Phylogenetic uncertainty revisited: Implications for ecological analyses. Evolution; International Journal of Organic Evolution, 2015, 69, 1301-1312.	2.3	98
38	Similarity thresholds used in DNA sequence assembly from short reads can reduce the comparability of population histories across species. PeerJ, 2015, 3, e895.	2.0	59
39	A framework for evaluating the influence of climate, dispersal limitation, and biotic interactions using fossil pollen associations across the late Quaternary. Ecography, 2014, 37, 1095-1108.	4.5	57
40	The microbiome of New World vultures. Nature Communications, 2014, 5, 5498.	12.8	264
41	Whole-genome analyses resolve early branches in the tree of life of modern birds. Science, 2014, 346, 1320-1331.	12.6	1,583
42	Comparative genomics reveals insights into avian genome evolution and adaptation. Science, 2014, 346, 1311-1320.	12.6	895
43	Historical decline and probable extinction of the Jamaican Golden SwallowTachycineta euchrysea euchrysea. Bird Conservation International, 2014, 24, 239-251.	1.3	6
44	Western Marsh Harrier Preys on Herring Gull. Journal of Raptor Research, 2014, 48, 191-192.	0.6	2
45	Chimney Swifts (<i>Chaetura pelagica</i>) Nest in Tree Cavities in Arkansas. Southeastern Naturalist, 2013, 12, N18-N20.	0.4	1
46	An Update of Wallace's Zoogeographic Regions of the World. Science, 2013, 339, 74-78.	12.6	1,037
47	Comparison of eye morphology and retinal topography in two species of new world vultures (Aves:) Tj ETQq1 10	D.784314	rgBT/Overlo
48	Response to Comment on "An Update of Wallace's Zoogeographic Regions of the World― Science, 2013, 341, 343-343.	12.6	15
49	Nutritional stress and body condition in the Great Gray Owl (<i>StrixÂnebulosa</i>) during winter irruptive migrations. Canadian Journal of Zoology, 2012, 90, 787-797.	1.0	19
50	Next-generation sequencing reveals phylogeographic structure and a species tree for recent bird divergences. Molecular Phylogenetics and Evolution, 2012, 62, 397-406.	2.7	82
51	Multiple independent origins of mitochondrial control region duplications in the order Psittaciformes. Molecular Phylogenetics and Evolution, 2012, 64, 342-356.	2.7	72
52	Specimenâ€Based Modeling, Stopping Rules, and the Extinction of the Ivoryâ€Billed Woodpecker. Conservation Biology, 2012, 26, 47-56.	4.7	29
53	A distinctive new subspecies of the Royal Sunangel (Aves: Trochiliformes; Heliangelus regalis) from the Cordillera Azul, northern Peru. Zootaxa, 2011, 3002, 52.	0.5	1
54	Charting the course of reed-warblers across the Pacific islands. Journal of Biogeography, 2011, 38, 1963-1975.	3.0	36

#	Article	IF	CITATIONS
55	Project Description: DNA Barcodes of Bird Species in the National Museum of Natural History, Smithsonian Institution, USA. ZooKeys, 2011, 152, 87-91.	1.1	45
56	DNA from a 100-year-old holotype confirms the validity of a potentially extinct hummingbird species. Biology Letters, 2010, 6, 112-115.	2.3	24
57	Macroecological signals of species interactions in the Danish avifauna. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 5030-5035.	7.1	229
58	Late 19th Century Abundance Trends of the Eskimo Curlew on Nantucket Island, Massachusetts. Waterbirds, 2010, 33, 236-241.	0.3	4
59	Geographic Variation in the Mitochondrial Control Region of Black-throated Blue Warblers (Dendroica caerulescens). Auk, 2009, 126, 198-210.	1.4	8
60	Host associations and evolutionary relationships of avian blood parasites from West Africa. International Journal for Parasitology, 2009, 39, 257-266.	3.1	105
61	Fifteen polymorphic microsatellite loci from Jamaican streamertail hummingbirds (Trochilus). Conservation Genetics, 2009, 10, 1195-1198.	1.5	10
62	Patterns and causes of species richness: a general simulation model for macroecology. Ecology Letters, 2009, 12, 873-886.	6.4	286
63	Mesoscale patterns of altitudinal tenancy in migratory wood warblers inferred from stable carbon isotopes. Ecological Applications, 2009, 19, 1264-1273.	3.8	6
64	Skeletal correlates of body weight in the Black-billed Streamertail (Trochilus scitulus) of Jamaica. Caribbean Journal of Science, 2009, 45, 69-72.	0.3	3
65	A Multilocus Molecular Phylogeny of the Parrots (Psittaciformes): Support for a Gondwanan Origin during the Cretaceous. Molecular Biology and Evolution, 2008, 25, 2141-2156.	8.9	201
66	Genetic structure of breeding and wintering populations of Swainson's Warbler. Wilson Journal of Ornithology, 2008, 120, 433-445.	0.2	1
67	Diagnoses of hybrid hummingbirds (Aves: Trochilidae). 16. Characterization of a striking intergeneric hybrid (Lampornis clemenciae × Calypte anna) from Ramsey Canyon, Huachuca Mountains, southeastern Arizona. Proceedings of the Biological Society of Washington, 2007, 120, 106-112.	0.3	5
68	Diagnoses of hybrid hummingbirds (Aves: Trochilidae). 15. A new intergeneric hybrid (Hylocharis) Tj ETQq0 0 0 rgE Proceedings of the Biological Society of Washington, 2007, 120, 99-105.	3T /Overlo 0.3	ck 10 Tf 50 6
69	Predicting continental-scale patterns of bird species richness with spatially explicit models. Proceedings of the Royal Society B: Biological Sciences, 2007, 274, 165-174.	2.6	271
70	POSSIBLE PREDATION OF GREAT GRAY OWL BY A BARRED OWL. Journal of Raptor Research, 2006, 40, 175-175.	0.6	5
71	Malarial parasites as geographical markers in migratory birds?. Biology Letters, 2006, 2, 213-216.	2.3	37
72	Global phylogeographic limits of Hawaii's avian malaria. Proceedings of the Royal Society B: Biological Sciences, 2006, 273, 2935-2944.	2.6	218

#	Article	IF	Citations
73	Diagnoses of hybrid hummingbirds (Aves: Trochilidae). 14. New perspectives on Sefton's specimen (Calypte costae × Selasphorus platycercus) from the Rincon Mountains, southeastern Arizona. Proceedings of the Biological Society of Washington, 2006, 119, 516-521.	0.3	7
74	AVIAN HEMATOZOA IN SOUTH AMERICA: A COMPARISON OF TEMPERATE AND TROPICAL ZONES. Ornithological Monographs, 2006, 60, 98.	1.3	74
75	Source pool geometry and the assembly of continental avifaunas. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 7871-7876.	7.1	117
76	Avian commensals in Colonial America: when did Chaetura pelagica become the chimney swift?. Archives of Natural History, 2004, 31, 300-307.	0.3	12
77	TESTICULAR VOLUME AND ASYMMETRY ARE AGE-DEPENDENT IN BLACK-THROATED BLUE WARBLERS (DENDROICA CAERULESCENS). Auk, 2004, 121, 473.	1.4	30
78	Testicular Volume and Asymmetry are Age-Dependent in Black-Throated Blue Warblers (Dendroica) Tj ETQq0 0 0	rgBT /Ove	rlock 10 Tf 50
79	HABITAT CHARACTERISTICS IN THE CORE BREEDING RANGE OF THE SWAINSON'S WARBLER. The Wilson Bulletin, 2002, 114, 210-220.	0.5	35
80	Stable isotope signature of philopatry and dispersal in a migratory songbird. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 8096-8100.	7.1	68
81	Factors Governing the Distribution of Swainson's Warbler Along a Hydrological Gradient in Great Dismal Swamp. Auk, 2001, 118, 650-664.	1.4	21
82	FACTORS GOVERNING THE DISTRIBUTION OF SWAINSON'S WARBLER ALONG A HYDROLOGICAL GRADIENT IN GREAT DISMAL SWAMP. Auk, 2001, 118, 650.	1.4	25
83	Factors Governing the Distribution of Swainson's Warbler along a Hydrological Gradient in Great Dismal Swamp. Auk, 2001, 118, 650-664.	1.4	5
84	Genetic differentiation among populations of a migratory songbird: Limnothlypis swainsonii. Journal of Avian Biology, 2000, 31, 319-328.	1.2	20
85	Costs and benefits of Web access to museum data. Trends in Ecology and Evolution, 2000, 15, 374.	8.7	18
86	Detection of macro-ecological patterns in South American hummingbirds is affected by spatial scale. Proceedings of the Royal Society B: Biological Sciences, 2000, 267, 2259-2265.	2.6	117
87	Dinucleotide microsatellite loci in a migratory wood warbler (Parulidae: Limnothlypis swainsonii) and amplification among other songbirds. Molecular Ecology, 1999, 8, 1553-1556.	3.9	34
88	GEOGRAPHIC CLINES OF AGE RATIOS OF BLACK-THROATED BLUE WARBLERS (DENDROICA CAERULESCENS). Ecology, 1997, 78, 2524-2531.	3.2	39
89	Voucher specimens and quality control in avian molecular studies. Ibis, 1996, 138, 345-346.	1.9	18
90	a reconsideration. Archives of Natural History, 1996, 23, 287-290.	0.3	6

#	Article	IF	CITATIONS
91	Museums: Storehouses of DNA?. Science, 1992, 255, 1335-1336.	12.6	1
92	Function of Crest Displays in Royal Flycatchers (Onychorhynchus). Condor, 1990, 92, 522.	1.6	8
93	An Intergeneric Hybrid Hummingbird (Heliodoxa leadbeateri X Heliangelus amethysticollis) from Northern Colombia. Condor, 1990, 92, 754.	1.6	8
94	Body Size and the Occurrence of Avian Species on Land-Bridge Islands. Journal of Biogeography, 1990, 17, 315.	3.0	44
95	Nest-Site Selection, Nest, and Eggs of the Stout-Billed Cinclodes (Cinclodes excelsior), a High Andean Furnariid. Condor, 1988, 90, 251-253.	1.6	3
96	Linearity of Geographic Range and Its Possible Effect on the Population Structure of Andean Birds. Auk, 1988, 105, 47-52.	1.4	107
97	The Systematic Status of Cranioleuca furcata Taczanowski (Furnariidae). Condor, 1986, 88, 120.	1.6	1
98	Elevational Correlates of Speciation and Intraspecific Geographic Variation in Plumage in Andean Forest Birds. Auk, 1985, 102, 556-579.	1.4	100
99	Neotropical Land-Bridge Avifaunas: New Approaches to Null Hypotheses in Biogeography. Oikos, 1983, 41, 322.	2.7	70
100	Speciation in the Carbonated Flower-Piercer (Diglossa carbonaria) Complex of the Andes. Condor, 1982, 84, 1.	1.6	27
101	Pollination of a Tristerix Mistletoe (Loranthaceae) by Diglossa (Aves, Thraupidae). Biotropica, 1982, 14, 316.	1.6	26
102	Seventeen Bird Species New to Peru from the Pampas De Heath. Auk, 1980, 97, 366-370.	1.4	13
103	Notes on Siptornis striaticollis (Furnariidae) in Peru. Condor, 1979, 81, 319.	1.6	1
104	Predation on Hummingbird by Oropendola. Condor, 1978, 80, 251.	1.6	5
105	First Record of Curlew Sandpiper in Perú. Condor, 1978, 80, 455-455.	1.6	2
106	Winter Surveys of Cotinus obovatus (American smoketree) in the Ozark Mountains. Journal of the Arkansas Academy of Science, 0, 72, .	0.0	1
107	Red-shouldered Hawk (Buteo lineatus) predation on North American Racer (Coluber constrictor) in the Arkansas Ozarks. Journal of the Arkansas Academy of Science, 0, 74, .	0.0	0