Bruce D Hammock

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7855223/publications.pdf Version: 2024-02-01

		1704	6300
1,106	53,323	104	158
papers	citations	h-index	g-index
1118	1118	1118	30818
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Mass spectrometryâ€based metabolomics. Mass Spectrometry Reviews, 2007, 26, 51-78.	5.4	1,754
2	Soluble epoxide hydrolase as a therapeutic target for cardiovascular diseases. Nature Reviews Drug Discovery, 2009, 8, 794-805.	46.4	527
3	Impact of Soluble Epoxide Hydrolase and Epoxyeicosanoids on Human Health. Annual Review of Pharmacology and Toxicology, 2013, 53, 37-58.	9.4	438
4	EPOXIDE HYDROLASES: Mechanisms, Inhibitor Designs, and Biological Roles. Annual Review of Pharmacology and Toxicology, 2005, 45, 311-333.	9.4	432
5	Soluble Epoxide Hydrolase Regulates Hydrolysis of Vasoactive Epoxyeicosatrienoic Acids. Circulation Research, 2000, 87, 992-998.	4.5	428
6	Soluble epoxide hydrolase is a therapeutic target for acute inflammation. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 9772-9777.	7.1	420
7	Epoxide hydrolases: their roles and interactions with lipid metabolism. Progress in Lipid Research, 2005, 44, 1-51.	11.6	400
8	Soluble Epoxide Hydrolase Inhibition Lowers Arterial Blood Pressure in Angiotensin II Hypertension. Hypertension, 2002, 39, 690-694.	2.7	373
9	<i>In Vitro</i> Biologic Activities of the Antimicrobials Triclocarban, Its Analogs, and Triclosan in Bioassay Screens: Receptor-Based Bioassay Screens. Environmental Health Perspectives, 2008, 116, 1203-1210.	6.0	312
10	Quantitative Profiling Method for Oxylipin Metabolome by Liquid Chromatography Electrospray Ionization Tandem Mass Spectrometry. Analytical Chemistry, 2009, 81, 8085-8093.	6.5	292
11	Metabolomics: building on a century of biochemistry to guide human health. Metabolomics, 2005, 1, 3-9.	3.0	281
12	A rapid assay for insect juvenile hormone esterase activity. Analytical Biochemistry, 1977, 82, 573-579.	2.4	276
13	The antiinflammatory effect of laminar flow: The role of PPARÂ, epoxyeicosatrienoic acids, and soluble epoxide hydrolase. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 16747-16752.	7.1	276
14	Bioactivation of leukotoxins to their toxic diols by epoxide hydrolase. Nature Medicine, 1997, 3, 562-566.	30.7	268
15	Epoxy metabolites of docosahexaenoic acid (DHA) inhibit angiogenesis, tumor growth, and metastasis. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 6530-6535.	7.1	251
16	Enhanced Postischemic Functional Recovery in CYP2J2 Transgenic Hearts Involves Mitochondrial ATP-Sensitive K + Channels and p42/p44 MAPK Pathway. Circulation Research, 2004, 95, 506-514.	4.5	247
17	Epoxyeicosanoids stimulate multiorgan metastasis and tumor dormancy escape in mice. Journal of Clinical Investigation, 2012, 122, 178-191.	8.2	242
18	Inflammatory lipid mediators in adipocyte function and obesity. Nature Reviews Endocrinology, 2010, 6, 71-82.	9.6	240

#	Article	IF	CITATIONS
19	An Orally Active Epoxide Hydrolase Inhibitor Lowers Blood Pressure and Provides Renal Protection in Salt-Sensitive Hypertension. Hypertension, 2005, 46, 975-981.	2.7	223
20	Occurrence of endocrine-disrupting chemicals in indoor dust. Science of the Total Environment, 2008, 404, 26-35.	8.0	222
21	Orally Bioavailable Potent Soluble Epoxide Hydrolase Inhibitors. Journal of Medicinal Chemistry, 2007, 50, 3825-3840.	6.4	221
22	Prevention and reversal of cardiac hypertrophy by soluble epoxide hydrolase inhibitors. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 18733-18738.	7.1	215
23	Naturally occurring monoepoxides of eicosapentaenoic acid and docosahexaenoic acid are bioactive antihyperalgesic lipids. Journal of Lipid Research, 2010, 51, 3481-3490.	4.2	213
24	Expression and effects of the juvenile hormone esterase in a baculovirus vector. Nature, 1990, 344, 458-461.	27.8	209
25	Microarray Immunoassay for Phenoxybenzoic Acid Using Polymer Encapsulated Eu:Cd2O3Nanoparticles as Fluorescent Labels. Analytical Chemistry, 2005, 77, 6864-6873.	6.5	209
26	Antiandrogenic properties of parabens and other phenolic containing small molecules in personal care products. Toxicology and Applied Pharmacology, 2007, 221, 278-284.	2.8	205
27	Discovery of Inhibitors of Soluble Epoxide Hydrolase: A Target with Multiple Potential Therapeutic Indications. Journal of Medicinal Chemistry, 2012, 55, 1789-1808.	6.4	199
28	Hapten synthesis, antibody development, and competitive inhibition enzyme immunoassay for s-triazine herbicides. Journal of Agricultural and Food Chemistry, 1990, 38, 990-996.	5.2	198
29	Soluble epoxide hydrolase as a therapeutic target for pain, inflammatory and neurodegenerative diseases. , 2017, 180, 62-76.		197
30	Triclocarban Enhances Testosterone Action: A New Type of Endocrine Disruptor?. Endocrinology, 2008, 149, 1173-1179.	2.8	196
31	Development of Recombinant Baculoviruses for Insect Control. Annual Review of Entomology, 1996, 41, 191-210.	11.8	192
32	The soluble epoxide hydrolase encoded by EPXH2 is a bifunctional enzyme with novel lipid phosphate phosphatase activity. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 1558-1563.	7.1	191
33	The commonly used antimicrobial additive triclosan is a liver tumor promoter. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 17200-17205.	7.1	188
34	Soluble epoxide hydrolase inhibition reveals novel biological functions of epoxyeicosatrienoic acids (EETs). Prostaglandins and Other Lipid Mediators, 2007, 82, 42-49.	1.9	185
35	Inhibition of soluble epoxide hydrolase modulates inflammation and autophagy in obese adipose tissue and liver: Role for omega-3 epoxides. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 536-541.	7.1	185
36	Pathways of Epoxyeicosatrienoic Acid Metabolism in Endothelial Cells. Journal of Biological Chemistry, 2001, 276, 14867-14874.	3.4	179

#	Article	IF	CITATIONS
37	Soluble Epoxide Hydrolase: A Novel Therapeutic Target in Stroke. Journal of Cerebral Blood Flow and Metabolism, 2007, 27, 1931-1940.	4.3	179
38	Radiometric assays for mammalian epoxide hydrolases and glutathione S-transferase. Analytical Biochemistry, 1983, 131, 273-282.	2.4	177
39	Metabolic profiling of major vitamin D metabolites using Diels–Alder derivatization and ultra-performance liquid chromatography–tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2008, 391, 1917-1930.	3.7	175
40	Soluble epoxide hydrolase: Gene structure, expression and deletion. Gene, 2013, 526, 61-74.	2.2	174
41	Structural refinement of inhibitors of urea-based soluble epoxide hydrolases. Biochemical Pharmacology, 2002, 63, 1599-1608.	4.4	173
42	Role of Soluble Epoxide Hydrolase in Postischemic Recovery of Heart Contractile Function. Circulation Research, 2006, 99, 442-450.	4.5	173
43	Enhancement of antinociception by coadministration of nonsteroidal anti-inflammatory drugs and soluble epoxide hydrolase inhibitors. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 13646-13651.	7.1	173
44	Genetic variation in soluble epoxide hydrolase (EPHX2) and risk of coronary heart disease: The Atherosclerosis Risk in Communities (ARIC) study. Human Molecular Genetics, 2006, 15, 1640-1649.	2.9	171
45	Structure of Human Epoxide Hydrolase Reveals Mechanistic Inferences on Bifunctional Catalysis in Epoxide and Phosphate Ester Hydrolysisâ€,‡. Biochemistry, 2004, 43, 4716-4723.	2.5	170
46	Inflammation resolution: a dual-pronged approach to averting cytokine storms in COVID-19?. Cancer and Metastasis Reviews, 2020, 39, 337-340.	5.9	169
47	Soluble Epoxide Hydrolase Is a Main Effector of Angiotensin Il–Induced Hypertension. Hypertension, 2005, 45, 759-765.	2.7	168
48	Soluble epoxide hydrolase is a susceptibility factor for heart failure in a rat model of human disease. Nature Genetics, 2008, 40, 529-537.	21.4	163
49	Soluble epoxide hydrolase and epoxyeicosatrienoic acids modulate two distinct analgesic pathways. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 18901-18906.	7.1	163
50	Attenuation of tobacco smoke-induced lung inflammation by treatment with a soluble epoxide hydrolase inhibitor. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 2186-2191.	7.1	161
51	Epoxyeicosatrienoic and dihydroxyeicosatrienoic acids dilate human coronary arterioles via BK _{Ca} channels: implications for soluble epoxide hydrolase inhibition. American Journal of Physiology - Heart and Circulatory Physiology, 2006, 290, H491-H499.	3.2	159
52	The Soluble Epoxide Hydrolase as a Pharmaceutical Target for Hypertension. Journal of Cardiovascular Pharmacology, 2007, 50, 225-237.	1.9	159
53	Epoxyeicosatrienoic Acids Regulate Trp Channel–Dependent Ca ²⁺ Signaling and Hyperpolarization in Endothelial Cells. Arteriosclerosis, Thrombosis, and Vascular Biology, 2007, 27, 2612-2618.	2.4	158
54	Soluble epoxide hydrolase inhibition protects the kidney from hypertension-induced damage. Journal of the American Society of Nephrology: JASN, 2004, 15, 1244-53.	6.1	153

#	Article	IF	CITATIONS
55	Functionalized Europium Oxide Nanoparticles Used as a Fluorescent Label in an Immunoassay for Atrazine. Analytical Chemistry, 2003, 75, 5282-5286.	6.5	152
56	Soluble epoxide hydrolase plays an essential role in angiotensin II-induced cardiac hypertrophy. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 564-569.	7.1	150
57	Angiotensin II up-regulates soluble epoxide hydrolase in vascular endothelium in vitro and in vivo. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 9018-9023.	7.1	149
58	1-Aryl-3-(1-acylpiperidin-4-yl)urea Inhibitors of Human and Murine Soluble Epoxide Hydrolase: Structureâ^'Activity Relationships, Pharmacokinetics, and Reduction of Inflammatory Pain. Journal of Medicinal Chemistry, 2010, 53, 7067-7075.	6.4	148
59	Synthesis and Structureâ^'Activity Relationship Studies of Urea-Containing Pyrazoles as Dual Inhibitors of Cyclooxygenase-2 and Soluble Epoxide Hydrolase. Journal of Medicinal Chemistry, 2011, 54, 3037-3050.	6.4	148
60	Design, Synthesis, and Biological Activity of 1,3-Disubstituted Ureas as Potent Inhibitors of the Soluble Epoxide Hydrolase of Increased Water Solubility. Journal of Medicinal Chemistry, 2004, 47, 2110-2122.	6.4	147
61	Influence of the ELISA format and the hapten-enzyme conjugate on the sensitivity of an immunoassay for S-triazine herbicides using monoclonal antibodies. Journal of Agricultural and Food Chemistry, 1992, 40, 525-530.	5.2	146
62	One scorpion, two venoms: Prevenom of Parabuthus transvaalicus acts as an alternative type of venom with distinct mechanism of action. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 922-927.	7.1	146
63	Fluorescent substrates for soluble epoxide hydrolase and application to inhibition studies. Analytical Biochemistry, 2005, 343, 66-75.	2.4	145
64	Sequence similarity of mammalian epoxide hydrolases to the bacterial haloalkane dehalogenase and other related proteins. FEBS Letters, 1994, 338, 251-256.	2.8	144
65	Polymorphisms in Human Soluble Epoxide Hydrolase. Molecular Pharmacology, 2003, 64, 482-490.	2.3	142
66	A baculovirus-encoded protein tyrosine phosphatase gene induces enhanced locomotory activity in a lepidopteran host. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 2584-2589.	7.1	142
67	Insecticidal effects of an insect-specific neurotoxin expressed by a recombinant baculovirus. Virology, 1991, 184, 777-780.	2.4	141
68	Antibacterial Colorants: Characterization of Prodiginines and Their Applications on Textile Materials. Biotechnology Progress, 2008, 24, 742-747.	2.6	141
69	Endoplasmic reticulum stress in the peripheral nervous system is a significant driver of neuropathic pain. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 9082-9087.	7.1	141
70	Distribution and properties of a mammalian soluble epoxide hydrase. Biochemical Pharmacology, 1980, 29, 389-395.	4.4	140
71	Metabolomicsa new exciting field within the "omics" sciences Environmental Health Perspectives, 2004, 112, A396-7.	6.0	140
72	Inhibition of soluble epoxide hydrolase reduces LPS-induced thermal hyperalgesia and mechanical allodynia in a rat model of inflammatory pain. Life Sciences, 2006, 79, 2311-2319.	4.3	140

#	Article	IF	CITATIONS
73	Triclosan impairs excitation–contraction coupling and Ca ²⁺ dynamics in striated muscle. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 14158-14163.	7.1	139
74	Differential induction of cytosolic eposide hydrolase, microsomal epoxide hydrolase, and glutathione S-transferase activities. Toxicology and Applied Pharmacology, 1983, 71, 254-265.	2.8	137
75	Biochemical Characterization of the Human Liver Cytochrome P450 Arachidonic Acid Epoxygenase Pathway. Archives of Biochemistry and Biophysics, 1996, 330, 87-96.	3.0	135
76	Substituted thiotrifluoropropanones as potent selective inhibitors of juvenile hormone esterase. Pesticide Biochemistry and Physiology, 1984, 22, 209-223.	3.6	133
77	Stabilized epoxygenated fatty acids regulate inflammation, pain, angiogenesis and cancer. Progress in Lipid Research, 2014, 53, 108-123.	11.6	133
78	Gene Evolution of Epoxide Hydrolases and Recommended Nomenclature. DNA and Cell Biology, 1995, 14, 61-71.	1.9	131
79	The simultaneous quantification of cytochrome P450 dependent linoleate and arachidonate metabolites in urine by HPLC-MS/MS. Journal of Lipid Research, 2002, 43, 1563-1578.	4.2	131
80	Recombinant baculoviruses for insect control. Pest Management Science, 2001, 57, 981-987.	3.4	130
81	Individual variability in esterase activity and CYP1A levels in Chinook salmon (Oncorhynchus) Tj ETQq1 1 0.7843	14 ₇₉ BT /C	overlock 10 T
82	Soluble epoxide hydrolase deficiency alters pancreatic islet size and improves glucose homeostasis in a model of insulin resistance. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 9038-9043.	7.1	130
83	Compensatory Mechanism for Homeostatic Blood Pressure Regulation in Ephx2 Gene-disrupted Mice. Journal of Biological Chemistry, 2007, 282, 2891-2898.	3.4	127
84	Applications of Carboxylesterase Activity in Environmental Monitoring and Toxicity Identification Evaluations (TIEs). Reviews of Environmental Contamination and Toxicology, 2008, 195, 117-178.	1.3	126
85	Epoxyeicosanoids promote organ and tissue regeneration. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 13528-13533.	7.1	124
86	Immunochemical techniques for multianalyte analysis of chemical residues in food and the environment: A review. TrAC - Trends in Analytical Chemistry, 2017, 88, 25-40.	11.4	124
87	Synthesis of haptens for immunoassay of organophosphorus pesticides and effect of heterology in hapten spacer arm length on immunoassay sensitivity. Analytica Chimica Acta, 2003, 475, 85-96.	5.4	123
88	Gene deficiency and pharmacological inhibition of soluble epoxide hydrolase confers resilience to repeated social defeat stress. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E1944-52.	7.1	123
89	Soluble epoxide hydrolase gene deletion attenuates renal injury and inflammation with DOCA-salt hypertension. American Journal of Physiology - Renal Physiology, 2009, 297, F740-F748.	2.7	121
90	Metabolomic profiling of regulatory lipid mediators in sputum from adult cystic fibrosis patients. Free Radical Biology and Medicine, 2012, 53, 160-171.	2.9	120

#	Article	IF	CITATIONS
91	An Epoxide Hydrolase Inhibitor, 12-(3-Adamantan-1-yl-ureido)dodecanoic Acid (AUDA), Reduces Ischemic Cerebral Infarct Size in Stroke-Prone Spontaneously Hypertensive Rats. Journal of Cardiovascular Pharmacology, 2005, 46, 842-848.	1.9	117
92	Chalcone oxides—potent selective inhibitors of cytosolic epoxide hydrolase. Archives of Biochemistry and Biophysics, 1982, 216, 423-439.	3.0	116
93	Metabolic profiling of murine plasma reveals an unexpected biomarker in rofecoxib-mediated cardiovascular events. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 17017-17022.	7.1	116
94	Vitamin D Enhances Corneal Epithelial Barrier Function. , 2011, 52, 7359.		116
95	A COX-2/sEH dual inhibitor PTUPB alleviates lipopolysaccharide-induced acute lung injury in mice by inhibiting NLRP3 inflammasome activation. Theranostics, 2020, 10, 4749-4761.	10.0	116
96	Inhibition of soluble epoxide hydrolase enhances the anti-inflammatory effects of aspirin and 5-lipoxygenase activation protein inhibitor in a murine model. Biochemical Pharmacology, 2010, 79, 880-887.	4.4	115
97	Eicosanoids. American Journal of Pathology, 2020, 190, 1782-1788.	3.8	115
98	Inhibitors of soluble epoxide hydrolase attenuate vascular smooth muscle cell proliferation. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 2222-2227.	7.1	114
99	Inhibition of soluble epoxide hydrolase prevents diabetic retinopathy. Nature, 2017, 552, 248-252.	27.8	113
100	Haemolymph juvenile hormone esterase activity in synchronous last instar larvae of the cabbage looper, Trichoplusia ni. Journal of Insect Physiology, 1979, 25, 125-132.	2.0	112
101	ThePhotorhabdusPir toxins are similar to a developmentally regulated insect protein but show no juvenile hormone esterase activity. FEMS Microbiology Letters, 2005, 245, 47-52.	1.8	112
102	ï‰-3 Polyunsaturated fatty acids-derived lipid metabolites on angiogenesis, inflammation and cancer. Prostaglandins and Other Lipid Mediators, 2014, 113-115, 13-20.	1.9	112
103	Soluble Epoxide Hydrolase Inhibitors Reduce the Development of Atherosclerosis in Apolipoprotein E-Knockout Mouse Model. Journal of Cardiovascular Pharmacology, 2008, 52, 314-323.	1.9	111
104	The haemolymph juvenile hormone esterase of Manduca sexta (L.)—inhibition and regulation. Insect Biochemistry, 1983, 13, 529-541.	1.8	110
105	Use of immunochemical techniques for the analysis of pesticides. Pest Management Science, 1989, 26, 303-317.	0.4	109
106	Soluble Epoxide Hydrolase Deficiency or Inhibition Attenuates Diet-induced Endoplasmic Reticulum Stress in Liver and Adipose Tissue. Journal of Biological Chemistry, 2013, 288, 14189-14199.	3.4	109
107	Development of an ELISA for the Detection of the Residues of the Insecticide Imidacloprid in Agricultural and Environmental Samples. Journal of Agricultural and Food Chemistry, 2001, 49, 2159-2167.	5.2	108
108	Synthesis and bio-functionalization of multifunctional magnetic Fe3O4@Y2O3:Eu nanocomposites. Journal of Materials Chemistry, 2009, 19, 4695.	6.7	108

#	Article	IF	CITATIONS
109	Competitive inhibition ELISA for the s-triazine herbicides: assay optimization and antibody characterization. Journal of Agricultural and Food Chemistry, 1991, 39, 122-128.	5.2	107
110	Cytochrome P450 Epoxygenase Gene Function in Hypoxic Pulmonary Vasoconstriction and Pulmonary Vascular Remodeling. Hypertension, 2006, 47, 762-770.	2.7	105
111	Inhibition or Deletion of Soluble Epoxide Hydrolase Prevents Hyperglycemia, Promotes Insulin Secretion, and Reduces Islet Apoptosis. Journal of Pharmacology and Experimental Therapeutics, 2010, 334, 430-438.	2.5	105
112	Binding of Alkylurea Inhibitors to Epoxide Hydrolase Implicates Active Site Tyrosines in Substrate Activation. Journal of Biological Chemistry, 2000, 275, 15265-15270.	3.4	104
113	Soluble epoxide hydrolase plays a key role in the pathogenesis of Parkinson's disease. Proceedings of the United States of America, 2018, 115, E5815-E5823.	7.1	104
114	Characterization of pyrethroid hydrolysis by the human liver carboxylesterases hCE-1 and hCE-2. Archives of Biochemistry and Biophysics, 2006, 445, 115-123.	3.0	103
115	VHH antibodies: emerging reagents for the analysis of environmental chemicals. Analytical and Bioanalytical Chemistry, 2016, 408, 5985-6002.	3.7	103
116	Soluble Epoxide Inhibition Is Protective Against Cerebral Ischemia via Vascular and Neural Protection. American Journal of Pathology, 2009, 174, 2086-2095.	3.8	102
117	Dendrogenin A arises from cholesterol and histamine metabolism and shows cell differentiation and anti-tumour properties. Nature Communications, 2013, 4, 1840.	12.8	101
118	Carcinogenesis: Failure of resolution of inflammation?. , 2021, 218, 107670.		101
119	HPLCâ	6.5	100
120	Genetically Modified Baculoviruses: A Historical Overview and Future Outlook. Advances in Virus Research, 2006, 68, 323-360.	2.1	100
121	Epoxyeicosatrienoic acids and the soluble epoxide hydrolase are determinants of pulmonary artery pressure and the acute hypoxic pulmonary vasoconstrictor response. FASEB Journal, 2008, 22, 4306-4315.	0.5	100
122	Development of a Green Fluorescent Protein-Based Cell Bioassay for the Rapid and Inexpensive Detection and Characterization of Ah Receptor Agonists. Toxicological Sciences, 2002, 65, 200-210.	3.1	99
123	Optimization of Amide-Based Inhibitors of Soluble Epoxide Hydrolase with Improved Water Solubility. Journal of Medicinal Chemistry, 2005, 48, 3621-3629.	6.4	99
124	Cytochrome P450-derived linoleic acid metabolites EpOMEs and DiHOMEs: a review of recent studies. Journal of Nutritional Biochemistry, 2020, 86, 108484.	4.2	99
125	Cloning and expression of soluble epoxide hydrolase from potato. Plant Journal, 1994, 6, 251-258.	5.7	98
126	Involvement of CYP 2C9 in Mediating the Proinflammatory Effects of Linoleic Acid in Vascular Endothelial Cells. Journal of the American College of Nutrition, 2003, 22, 502-510.	1.8	98

#	Article	IF	CITATIONS
127	Trifluoromethylketones as possible transition state analog inhibitors of juvenile hormone esterase. Pesticide Biochemistry and Physiology, 1982, 17, 76-88.	3.6	97
128	Magnetic/luminescent core/shell particles synthesized by spray pyrolysis and their application in immunoassays with internal standard. Nanotechnology, 2007, 18, 055102.	2.6	97
129	Comparison of coating and immunizing antigen structure on the sensitivity and specificity of immunoassays for benzoylphenyl urea insecticides. Journal of Agricultural and Food Chemistry, 1984, 32, 1294-1301.	5.2	96
130	Hapten design for compound-selective antibodies: ELISAS for environmentally deleterious small molecules. Analytica Chimica Acta, 1998, 376, 83-91.	5.4	96
131	Leukotoxin-Diol. American Journal of Respiratory Cell and Molecular Biology, 2001, 25, 434-438.	2.9	96
132	Vitamin D Intake Needed to Maintain Target Serum 25-Hydroxyvitamin D Concentrations in Participants with Low Sun Exposure and Dark Skin Pigmentation Is Substantially Higher Than Current Recommendations. Journal of Nutrition, 2010, 140, 542-550.	2.9	96
133	Investigation of Human Exposure to Triclocarban after Showering and Preliminary Evaluation of Its Biological Effects. Environmental Science & Technology, 2011, 45, 3109-3115.	10.0	96
134	Inhibition of Soluble Epoxide Hydrolase Attenuates High-Fat-Diet–Induced Hepatic Steatosis by Reduced Systemic Inflammatory Status in Mice. PLoS ONE, 2012, 7, e39165.	2.5	95
135	Maternal glyphosate exposure causes autism-like behaviors in offspring through increased expression of soluble epoxide hydrolase. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 11753-11759.	7.1	95
136	Comparative inhibition of the juvenile hormone esterases from Trichoplusia ni, Tenebrio molitor, and Musca domestica. Pesticide Biochemistry and Physiology, 1980, 14, 290-302.	3.6	94
137	PCB-induced oxidative stress in endothelial cells: modulation by nutrients. International Journal of Hygiene and Environmental Health, 2002, 205, 95-102.	4.3	94
138	Preoperative stimulation of resolution and inflammation blockade eradicates micrometastases. Journal of Clinical Investigation, 2019, 129, 2964-2979.	8.2	94
139	Development of an enzyme-linked immunosorbent assay for the analysis of the thiocarbamate herbicide molinate. Journal of Agricultural and Food Chemistry, 1988, 36, 863-870.	5.2	93
140	Biochemical Evidence for the Involvement of Tyrosine in Epoxide Activation during the Catalytic Cycle of Epoxide Hydrolase. Journal of Biological Chemistry, 2000, 275, 23082-23088.	3.4	93
141	Human soluble epoxide hydrolase: Structural basis of inhibition by 4-(3-cyclohexylureido)-carboxylic acids. Protein Science, 2006, 15, 58-64.	7.6	93
142	Mechanism of Soluble Epoxide Hydrolase. Journal of Biological Chemistry, 1995, 270, 26923-26930.	3.4	92
143	Disc-based immunoassay microarrays. Analytica Chimica Acta, 2000, 411, 1-11.	5.4	92
144	Analgesia mediated by soluble epoxide hydrolase inhibitors is dependent on cAMP. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 5093-5097.	7.1	92

#	Article	IF	CITATIONS
145	Anti-inflammatory Effects of ï‰-3 Polyunsaturated Fatty Acids and Soluble Epoxide Hydrolase Inhibitors in Angiotensin-Il–Dependent Hypertension. Journal of Cardiovascular Pharmacology, 2013, 62, 285-297.	1.9	92
146	Quantitative kinetic assays for glutathione S-transferase and general esterase in individual mosquitoes using an EIA reader. Insect Biochemistry, 1989, 19, 741-751.	1.8	91
147	Eu3+-doped Gd2O3 nanoparticles as reporters for optical detection and visualization of antibodies patterned by microcontact printing. Analytical and Bioanalytical Chemistry, 2006, 384, 631-637.	3.7	91
148	Development of a Nanobody–Alkaline Phosphatase Fusion Protein and Its Application in a Highly Sensitive Direct Competitive Fluorescence Enzyme Immunoassay for Detection of Ochratoxin A in Cereal. Analytical Chemistry, 2015, 87, 1387-1394.	6.5	91
149	Affinity purification of cytosolic epoxide hydrolase using derivatized epoxy-activated Sepharose gels. Analytical Biochemistry, 1988, 169, 71-80.	2.4	90
150	Comparison of free serum oxylipin concentrations in hyper- vs. normolipidemic men. Prostaglandins Leukotrienes and Essential Fatty Acids, 2013, 89, 19-29.	2.2	90
151	Suppression of chemotherapy-induced cytokine/lipid mediator surge and ovarian cancer by a dual COX-2/sEH inhibitor. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 1698-1703.	7.1	89
152	Determination of atrazine metabolites in human urine: Development of a biomarker of exposure. Chemical Research in Toxicology, 1993, 6, 107-116.	3.3	88
153	Pyrethroid tolerance in Culex pipiens pipiens var molestus from Marin County, California. Pest Management Science, 2004, 60, 359-368.	3.4	88
154	Isolation of Alpaca Anti-Idiotypic Heavy-Chain Single-Domain Antibody for the Aflatoxin Immunoassay. Analytical Chemistry, 2013, 85, 8298-8303.	6.5	88
155	The distribution of juvenile hormone esterase and its interrelationship with other proteins influencing juvenile hormone metabolism in the cabbage looper, Trichoplusia ni. Insect Biochemistry, 1981, 11, 473-485.	1.8	87
156	Molecular and Biochemical Evidence for the Involvement of the Asp-333–His-523 Pair in the Catalytic Mechanism of Soluble Epoxide Hydrolase. Journal of Biological Chemistry, 1995, 270, 7968-7974.	3.4	87
157	Development of an Enzyme-Linked Immunosorbent Assay for the Detection of the Pyrethroid Insecticide Fenpropathrin. Journal of Agricultural and Food Chemistry, 1998, 46, 2211-2221.	5.2	87
158	A Sensitive Class Specific Immunoassay for the Detection of Pyrethroid Metabolites in Human Urine. Chemical Research in Toxicology, 2004, 17, 218-225.	3.3	87
159	Dihydroxyoctadecamonoenoate esters inhibit the neutrophil respiratory burst. Journal of Biosciences, 2007, 32, 279-291.	1.1	87
160	Pharmacokinetic optimization of four soluble epoxide hydrolase inhibitors for use in a murine model of inflammation. British Journal of Pharmacology, 2009, 156, 284-296.	5.4	87
161	Synthesis and biological evaluation of sorafenib- and regorafenib-like sEH inhibitors. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 3732-3737.	2.2	87
162	Toxicity of Epoxy Fatty Acids and Related Compounds to Cells Expressing Human Soluble Epoxide Hydrolase. Chemical Research in Toxicology, 2000, 13, 217-226.	3.3	86

#	Article	IF	CITATIONS
163	Unique mechanistic insights into the beneficial effects of soluble epoxide hydrolase inhibitors in the prevention of cardiac fibrosis. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 5618-5623.	7.1	85
164	Using sulfuramidimidoyl fluorides that undergo sulfur(vi) fluoride exchange for inverse drug discovery. Nature Chemistry, 2020, 12, 906-913.	13.6	85
165	Dual inhibition of cyclooxygenase-2 and soluble epoxide hydrolase synergistically suppresses primary tumor growth and metastasis. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 11127-11132.	7.1	84
166	Isolation of Alpaca Anti-Hapten Heavy Chain Single Domain Antibodies for Development of Sensitive Immunoassay. Analytical Chemistry, 2012, 84, 1165-1171.	6.5	82
167	Mammalian Metabolism and Environmental Degradation of the Juvenoid 1-(4'-Ethylphenoxy)-3,7-dimethyl-6,7-epoxy Journal of Agricultural and Food Chemistry, 1974, 22, 386-395.	5.2	81
168	Use of a 96-well microplate reader for measuring routine enzyme activities. Analytical Biochemistry, 1987, 166, 353-360.	2.4	81
169	Beneficial effects of soluble epoxide hydrolase inhibitors in myocardial infarction model: Insight gained using metabolomic approaches. Journal of Molecular and Cellular Cardiology, 2009, 47, 835-845.	1.9	81
170	Inhibition of soluble epoxide hydrolase prevents renal interstitial fibrosis and inflammation. American Journal of Physiology - Renal Physiology, 2014, 307, F971-F980.	2.7	81
171	Optimized Inhibitors of Soluble Epoxide Hydrolase Improve in Vitro Target Residence Time and in Vivo Efficacy. Journal of Medicinal Chemistry, 2014, 57, 7016-7030.	6.4	81
172	Hydration of cis- and trans-epoxymethyl stearates by the cytosolic epoxide hydrase of mouse liver. Biochemical and Biophysical Research Communications, 1979, 89, 965-971.	2.1	80
173	A Highly Sensitive and Rapid ELISA for the Arylurea Herbicides Diuron, Monuron, and Linuron. Journal of Agricultural and Food Chemistry, 1994, 42, 413-422.	5.2	80
174	Evidence of Quinone Metabolites of Naphthalene Covalently Bound to Sulfur Nucleophiles of Proteins of Murine Clara Cells after Exposure to Naphthalene. Chemical Research in Toxicology, 1997, 10, 1008-1014.	3.3	80
175	Homocysteine Upregulates Soluble Epoxide Hydrolase in Vascular Endothelium In Vitro and In Vivo. Circulation Research, 2012, 110, 808-817.	4.5	80
176	Serum oxylipin profiles in IgA nephropathy patients reflect kidney functional alterations. Metabolomics, 2012, 8, 1102-1113.	3.0	80
177	Individual Variation in Lipidomic Profiles of Healthy Subjects in Response to Omega-3 Fatty Acids. PLoS ONE, 2013, 8, e76575.	2.5	80
178	Induction and regulation of juvenile hormone esterases during the last larval instar of the cabbage looper, Trichoplusia ni. Journal of Insect Physiology, 1979, 25, 551-560.	2.0	79
179	Immunochemical techniques for environmental analysis I. Immunosensors. TrAC - Trends in Analytical Chemistry, 1995, 14, 341-350.	11.4	79
180	Synthesis and SAR of conformationally restricted inhibitors of soluble epoxide hydrolase. Bioorganic and Medicinal Chemistry Letters, 2006, 16, 5212-5216.	2.2	79

#	ARTICLE	IF	CITATIONS
181	Protection from hypertension in mice by the Mediterranean diet is mediated by nitro fatty acid inhibition of soluble epoxide hydrolase. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 8167-8172.	7.1	79
182	Impedance Biosensors: Applications to Sustainability and Remaining Technical Challenges. ACS Sustainable Chemistry and Engineering, 2014, 2, 1649-1655.	6.7	79
183	Hydrolysis of carbonates, thiocarbonates, carbamates, and carboxylic esters of alpha-naphthol, beta-naphthol, and p-nitrophenol by human, rat, and mouse liver carboxylesterases. Pharmaceutical Research, 1993, 10, 639-648.	3.5	78
184	Synthesis of Haptens and Derivation of Monoclonal Antibodies for Immunoassay of the Phenylurea Herbicide Diuron. Journal of Agricultural and Food Chemistry, 1994, 42, 301-309.	5.2	78
185	Development of a Highly Sensitive Enzyme-Linked Immunosorbent Assay Based on Polyclonal Antibodies for the Detection of Polychlorinated Dibenzo-p-dioxins. Analytical Chemistry, 1998, 70, 1092-1099.	6.5	78
186	Joint acute toxicity of esfenvalerate and diazinon to larval fathead minnows (<i>Pimephales) Tj ETQq0 0 0 rgBT</i>	Overlock 2 4.3	10 Tf 50 542
187	Analytical Performance of Accelerator Mass Spectrometry and Liquid Scintillation Counting for Detection of14C-Labeled Atrazine Metabolites in Human Urine. Analytical Chemistry, 1998, 70, 3463-3469.	6.5	77
188	Increasing or stabilizing renal epoxyeicosatrienoic acid production attenuates abnormal renal function and hypertension in obese rats. American Journal of Physiology - Renal Physiology, 2007, 293, F342-F349.	2.7	77
189	Effects of the selective EET antagonist, 14,15-EEZE, on cardioprotection produced by exogenous or endogenous EETs in the canine heart. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 294, H2838-H2844.	3.2	77
190	Juvenile hormone esterase: biochemistry and structure. Journal of Pesticide Sciences, 2010, 35, 265-274.	1.4	77
191	An epoxide hydrolase inhibitor reduces neuroinflammation in a mouse model of Alzheimer's disease. Science Translational Medicine, 2020, 12, .	12.4	77
192	Glutathione S-transferase isozymes in Aedes aegypti: Purification, characterization, and isozyme-specific regulation. Insect Biochemistry, 1991, 21, 421-433.	1.8	76
193	Genetic and molecular evidence for a trans-acting regulatory locus controlling glutathione S-transferase-2 expression in Aedes aegypti. Molecular Genetics and Genomics, 1992, 234, 169-176.	2.4	76
194	Development of an Immunoassay for the Pyrethroid Insecticide Esfenvalerate. Journal of Agricultural and Food Chemistry, 1999, 47, 2145-2155.	5.2	76
195	QSAR and Classification of Murine and Human Soluble Epoxide Hydrolase Inhibition by Urea-Like Compounds. Journal of Medicinal Chemistry, 2003, 46, 1066-1080.	6.4	76
196	Effect of soluble epoxide hydrolase inhibition on epoxyeicosatrienoic acid metabolism in human blood vessels. American Journal of Physiology - Heart and Circulatory Physiology, 2004, 287, H2412-H2420.	3.2	76
197	Development of a high-throughput screen for soluble epoxide hydrolase inhibition. Analytical Biochemistry, 2006, 355, 71-80.	2.4	76
198	Pharmacokinetic screening of soluble epoxide hydrolase inhibitors in dogs. European Journal of Pharmaceutical Sciences, 2010, 40, 222-238.	4.0	76

12

#	Article	IF	CITATIONS
199	An Omega-3 Epoxide of Docosahexaenoic Acid Lowers Blood Pressure in Angiotensin-Il–Dependent Hypertension. Journal of Cardiovascular Pharmacology, 2014, 64, 87-99.	1.9	76
200	Movement to the Clinic of Soluble Epoxide Hydrolase Inhibitor EC5026 as an Analgesic for Neuropathic Pain and for Use as a Nonaddictive Opioid Alternative. Journal of Medicinal Chemistry, 2021, 64, 1856-1872.	6.4	76
201	Ligand binding by a recombinant insect juvenile hormone binding protein. Biochemistry, 1993, 32, 2068-2075.	2.5	75
202	Administration of a substituted adamantyl urea inhibitor of soluble epoxide hydrolase protects the kidney from damage in hypertensive Goto–Kakizaki rats. Clinical Science, 2009, 116, 61-70.	4.3	75
203	VHH Phage-Based Competitive Real-Time Immuno-Polymerase Chain Reaction for Ultrasensitive Detection of Ochratoxin A in Cereal. Analytical Chemistry, 2014, 86, 7471-7477.	6.5	75
204	Characterization of an Arabidopsis cDNA for a soluble epoxide hydrolase gene that is inducible by auxin and water stress. Plant Journal, 1994, 6, 259-269.	5.7	74
205	Development of a Nanobody-AviTag Fusion Protein and Its Application in a Streptavidin–Biotin-Amplified Enzyme-Linked Immunosorbent Assay for Ochratoxin A in Cereal. Analytical Chemistry, 2018, 90, 10628-10634.	6.5	74
206	Application of luminescent Eu:Gd[sub 2]O[sub 3] nanoparticles to the visualization of protein micropatterns. Journal of Biomedical Optics, 2005, 10, 064006.	2.6	73
207	Lipoxin Generation Is Related to Soluble Epoxide Hydrolase Activity in Severe Asthma. American Journal of Respiratory and Critical Care Medicine, 2014, 190, 886-897.	5.6	73
208	Soluble Epoxide Hydrolase Inhibitor Attenuates Lipopolysaccharide-Induced Acute Lung Injury and Improves Survival in Mice. Shock, 2017, 47, 638-645.	2.1	73
209	<i>Pseudomonas aeruginosa</i> sabotages the generation of host proresolving lipid mediators. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 136-141.	7.1	73
210	Synthesis and bioassay of isoprenoid 3-alkylthio-1,1,1-trifluoro-2-propanones: Potent, selective inhibitors of juvenile hormone esterase. Archives of Biochemistry and Biophysics, 1984, 228, 639-645.	3.0	72
211	3-octylthio-1,1,1-trifluoro-2-propanone, a high affinity and slow binding inhibitor of juvenile hormone esterase from Trichoplusia ni (hübner). Insect Biochemistry, 1985, 15, 111-122.	1.8	72
212	Individual metabolism should guide agriculture toward foods for improved health and nutrition. American Journal of Clinical Nutrition, 2001, 74, 283-286.	4.7	72
213	Development of a class selective immunoassay for the type II pyrethroid insecticides. Analytica Chimica Acta, 2005, 534, 109-120.	5.4	72
214	Sorafenib has soluble epoxide hydrolase inhibitory activity, which contributes to its effect profile <i>in vivo</i> . Molecular Cancer Therapeutics, 2009, 8, 2193-2203.	4.1	72
215	Use of a soluble epoxide hydrolase inhibitor as an adjunctive analgesic in a horse with laminitis. Veterinary Anaesthesia and Analgesia, 2013, 40, 440-448.	0.6	72
216	Mechanism of Mammalian Soluble Epoxide Hydrolase Inhibition by Chalcone Oxide Derivatives. Archives of Biochemistry and Biophysics, 1998, 356, 214-228.	3.0	71

Bruce D Hammock

#	Article	IF	CITATIONS
217	Influence of container adsorption upon observed pyrethroid toxicity to Ceriodaphnia dubia and Hyalella azteca. Aquatic Toxicology, 2005, 74, 47-52.	4.0	71
218	14,15-Epoxyeicosa-5,8,11-trienoic Acid (14,15-EET) Surrogates Containing Epoxide Bioisosteres: Influence upon Vascular Relaxation and Soluble Epoxide Hydrolase Inhibition. Journal of Medicinal Chemistry, 2009, 52, 5069-5075.	6.4	71
219	Potential of Immunochemical Technology for Pesticide Analysis. ACS Symposium Series, 1980, , 321-352.	0.5	70
220	Inhibition of soluble epoxide hydrolase attenuates hepatic fibrosis and endoplasmic reticulum stress induced by carbon tetrachloride in mice. Toxicology and Applied Pharmacology, 2015, 286, 102-111.	2.8	70
221	Nanobody-based enzyme immunoassay for ochratoxin A in cereal with high resistance to matrix interference. Talanta, 2017, 164, 154-158.	5.5	70
222	Development of an enzyme-linked immunosorbent assay for carbaryl. Journal of Agricultural and Food Chemistry, 1993, 41, 423-430.	5.2	69
223	1,3-Disubstituted Ureas Functionalized with Ether Groups are Potent Inhibitors of the Soluble Epoxide Hydrolase with Improved Pharmacokinetic Properties. Journal of Medicinal Chemistry, 2007, 50, 5217-5226.	6.4	69
224	Competitive Selection from Single Domain Antibody Libraries Allows Isolation of High-Affinity Antihapten Antibodies That Are Not Favored in the llama Immune Response. Analytical Chemistry, 2011, 83, 7213-7220.	6.5	69
225	A comparison of the induced and naturally occurring juvenile hormone esterases from last instar larvae of Trichoplusia ni. Insect Biochemistry, 1979, 9, 411-421.	1.8	68
226	Acute augmentation of epoxygenated fatty acid levels rapidly reduces pain-related behavior in a rat model of type I diabetes. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 11390-11395.	7.1	68
227	Corncob Bedding Alters the Effects of Estrogens on Aggressive Behavior and Reduces Estrogen Receptor-α Expression in the Brain. Endocrinology, 2012, 153, 949-953.	2.8	68
228	The role of long chain fatty acids and their epoxide metabolites in nociceptive signaling. Prostaglandins and Other Lipid Mediators, 2014, 113-115, 2-12.	1.9	68
229	Comparison of the effects of long-chain omega-3 fatty acid supplementation on plasma levels of free and esterified oxylipins. Prostaglandins and Other Lipid Mediators, 2014, 113-115, 21-29.	1.9	68
230	[32] Analysis of juvenile hormone esterase activity. Methods in Enzymology, 1985, 111, 487-494.	1.0	67
231	Cress and Potato Soluble Epoxide Hydrolases: Purification, Biochemical Characterization, and Comparison to Mammalian Enzymes. Archives of Biochemistry and Biophysics, 2000, 378, 321-332.	3.0	67
232	Enzyme-Linked Immunosorbent Assay for the Pyrethroid Permethrin. Journal of Agricultural and Food Chemistry, 2000, 48, 4032-4040.	5.2	67
233	Juvenile hormone (JH) esterase: why are you so JH specific?. Insect Biochemistry and Molecular Biology, 2003, 33, 1261-1273.	2.7	67
234	Hypoxia-induced pulmonary hypertension: comparison of soluble epoxide hydrolase deletion vs. inhibition. Cardiovascular Research, 2010, 85, 232-240.	3.8	66

#	Article	IF	CITATIONS
235	Detection and analysis of epoxides with 4-(p-nitrobenzyl)-pyridine. Bulletin of Environmental Contamination and Toxicology, 1974, 12, 759-764.	2.7	65
236	1-(1-Acetyl-piperidin-4-yl)-3-adamantan-1-yl-urea (AR9281) as a potent, selective, and orally available soluble epoxide hydrolase inhibitor with efficacy in rodent models of hypertension and dysglycemia. Bioorganic and Medicinal Chemistry Letters, 2011, 21, 983-988.	2.2	65
237	Vascular localization of soluble epoxide hydrolase in the human kidney. American Journal of Physiology - Renal Physiology, 2004, 286, F720-F726.	2.7	64
238	Lipid Sulfates and Sulfonates Are Allosteric Competitive Inhibitors of the N-Terminal Phosphatase Activity of the Mammalian Soluble Epoxide Hydrolase. Biochemistry, 2005, 44, 12179-12187.	2.5	64
239	Activation of Peroxisome Proliferator-Activated Receptor α by Substituted Urea-Derived Soluble Epoxide Hydrolase Inhibitors. Journal of Pharmacology and Experimental Therapeutics, 2005, 314, 260-270.	2.5	64
240	Competitive immunochromatographic assay for the detection of the organophosphorus pesticide chlorpyrifos. Analytica Chimica Acta, 2011, 693, 106-113.	5.4	64
241	EH3 (ABHD9): the first member of a new epoxide hydrolase family with high activity for fatty acid epoxides. Journal of Lipid Research, 2012, 53, 2038-2045.	4.2	64
242	Pharmacological inhibition of soluble epoxide hydrolase prevents renal interstitial fibrogenesis in obstructive nephropathy. American Journal of Physiology - Renal Physiology, 2015, 308, F131-F139.	2.7	64
243	Synthesis of New Carboxylesterase Inhibitors and Evaluation of Potency and Water Solubility. Chemical Research in Toxicology, 2001, 14, 1563-1572.	3.3	63
244	Soluble Epoxide Hydrolase Inhibitors and Heart Failure. Cardiovascular Therapeutics, 2011, 29, 99-111.	2.5	63
245	Inhibition of soluble epoxide hydrolase by <i>cis</i> -4-[4-(3-adamantan-1-ylureido)cyclohexyl-oxy]benzoic acid exhibits antihypertensive and cardioprotective actions in transgenic rats with angiotensin II-dependent hypertension. Clinical Science, 2012, 122, 513-527.	4.3	63
246	The 2014 Bernard B. Brodie Award Lecture—Epoxide Hydrolases: Drug Metabolism to Therapeutics for Chronic Pain. Drug Metabolism and Disposition, 2015, 43, 788-802.	3.3	63
247	Ingestion of Faecalibaculum rodentium causes depression-like phenotypes in resilient Ephx2 knock-out mice: A role of brain–gut–microbiota axis via the subdiaphragmatic vagus nerve. Journal of Affective Disorders, 2021, 292, 565-573.	4.1	63
248	Synthesis and morphogenetic activity of derivatives and analogs of aryl geranyl ether juvenoids. Journal of Agricultural and Food Chemistry, 1974, 22, 379-385.	5.2	62
249	NADPH dependent epoxidation of methyl farnesoate to juvenile hormone in the cockroach L Life Sciences, 1975, 17, 323-328.	4.3	62
250	Substituted trifluoroketones as potent, selective inhibitors of mammalian carboxylesterases. Biochemical Pharmacology, 1987, 36, 1869-1879.	4.4	62
251	Development of enzyme-linked immunosorbent assays for 4-nitrophenol and substituted 4-nitrophenols. Journal of Agricultural and Food Chemistry, 1991, 39, 1685-1692.	5.2	62
252	Analysis of the catalytic mechanism of juvenile hormone esterase by site-directed mutagenesis. International Journal of Biochemistry & Cell Biology, 1992, 24, 1933-1941.	0.5	62

BRUCE D НАММОСК

#	Article	IF	CITATIONS
253	Dietary omega-3 fatty acids aid in the modulation of inflammation and metabolic health. California Agriculture, 2011, 65, 106-111.	0.8	62
254	Enhancement of Vitamin D Metabolites in the Eye Following Vitamin D3 Supplementation and UV-B Irradiation. Current Eye Research, 2012, 37, 871-878.	1.5	62
255	Substituted phenyl groups improve the pharmacokinetic profile and anti-inflammatory effect of urea-based soluble epoxide hydrolase inhibitors in murine models. European Journal of Pharmaceutical Sciences, 2013, 48, 619-627.	4.0	62
256	Development of an enzyme-linked immunosorbent assay for the herbicide bentazon. Journal of Agricultural and Food Chemistry, 1991, 39, 1537-1544.	5.2	61
257	Measurement of Soluble Epoxide Hydrolase (sEH) Activity. Current Protocols in Toxicology / Editorial Board, Mahin D Maines (editor-in-chief) [et Al], 2007, 33, Unit 4.23.	1.1	61
258	Phage-Displayed Peptide That Mimics Aflatoxins and Its Application in Immunoassay. Journal of Agricultural and Food Chemistry, 2013, 61, 2426-2433.	5.2	61
259	Heterologous Antigen Selection of Camelid Heavy Chain Single Domain Antibodies against Tetrabromobisphenol A. Analytical Chemistry, 2014, 86, 8296-8302.	6.5	61
260	Development of enzyme-linked immunosorbent assays for residue analysis of diflubenzuron and BAY SIR 8514. Journal of Agricultural and Food Chemistry, 1982, 30, 949-957.	5.2	60
261	An immunoarray for the simultaneous determination of multiple triazine herbicides. Analytica Chimica Acta, 1995, 304, 339-352.	5.4	60
262	Polymorphism in Soluble Epoxide Hydrolase and Blood Pressure in Spontaneously Hypertensive Rats. Hypertension, 2002, 40, 485-490.	2.7	60
263	Biocatalysis in ionic liquids: the stereoconvergent hydrolysis of trans-β-methylstyrene oxide catalyzed by soluble epoxide hydrolase. Journal of Molecular Catalysis B: Enzymatic, 2004, 27, 243-248.	1.8	60
264	Soluble epoxide hydrolase regulates hematopoietic progenitor cell function via generation of fatty acid diols. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 9995-10000.	7.1	60
265	Modulation of mitochondrial dysfunction and endoplasmic reticulum stress are key mechanisms for the wide-ranging actions of epoxy fatty acids and soluble epoxide hydrolase inhibitors. Prostaglandins and Other Lipid Mediators, 2017, 133, 68-78.	1.9	60
266	Regulation of juvenile hormone esterase gene expression in the tobacco budworm (Heliothis) Tj ETQq0 0 0 rgBT	/Oyerlock	105f 50 222
267	Differential regulation of soluble epoxide hydrolase by clofibrate and sexual hormones in the liver and kidneys of mice. Biochemical Pharmacology, 1995, 50, 501-508.	4.4	59
268	One Pathway Can Incorporate either Adenine or Dimethylbenzimidazole as an α-Axial Ligand of B ₁₂ Cofactors in <i>Salmonella enterica</i> . Journal of Bacteriology, 2008, 190, 1160-1171.	2.2	59
269	A potent soluble epoxide hydrolase inhibitor, t-AUCB, acts through PPARÎ ³ to modulate the function of endothelial progenitor cells from patients with acute myocardial infarction. International Journal of Cardiology, 2013, 167, 1298-1304.	1.7	59
270	Modulation of blood oxylipin levels by long-chain omega-3 fatty acid supplementation in hyper- and normolipidemic men. Prostaglandins Leukotrienes and Essential Fatty Acids, 2014, 90, 27-37.	2.2	59

#	Article	IF	CITATIONS
271	Lipidomic profiling reveals soluble epoxide hydrolase as a therapeutic target of obesity-induced colonic inflammation. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 5283-5288.	7.1	59
272	Humble beginnings with big goals: Small molecule soluble epoxide hydrolase inhibitors for treating CNS disorders. Progress in Neurobiology, 2019, 172, 23-39.	5.7	59
273	Development of an S-bioallethrin specific antibody. Journal of Agricultural and Food Chemistry, 1978, 26, 1328-1333.	5.2	58
274	The source and action of head factors regulating juvenile hormone esterase in larvae of the cabbage looper, Trichoplusia ni. Journal of Insect Physiology, 1981, 27, 85-91.	2.0	58
275	Juvenile hormone esterases of Lepidoptera. Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology, 1982, 148, 1-10.	1.5	58
276	Visualization of a Covalent Intermediate between Microsomal Epoxide Hydrolase, but not Cholesterol Epoxide Hydrolase, and their Substrates. FEBS Journal, 1997, 245, 490-496.	0.2	58
277	Soluble epoxide hydrolase inhibition, epoxygenated fatty acids and nociception. Prostaglandins and Other Lipid Mediators, 2011, 96, 76-83.	1.9	58
278	Pharmacological Inhibition of Soluble Epoxide Hydrolase Ameliorates Diet-Induced Metabolic Syndrome in Rats. Experimental Diabetes Research, 2012, 2012, 1-11.	3.8	58
279	Prepupal regulation of juvenile hormone esterase through direct induction by juvenile hormone. Journal of Insect Physiology, 1983, 29, 471-475.	2.0	57
280	Method for the analysis of 4-nitrophenol and parathion in soil using supercritical fluid extraction and immunoassay. Journal of Agricultural and Food Chemistry, 1991, 39, 1802-1807.	5.2	57
281	Structural Studies of a Potent Insect Maturation Inhibitor Bound to the Juvenile Hormone Esterase ofManduca sextaâ€,‡. Biochemistry, 2006, 45, 4045-4057.	2.5	57
282	Asthmatics Exhibit Altered Oxylipin Profiles Compared to Healthy Individuals after Subway Air Exposure. PLoS ONE, 2011, 6, e23864.	2.5	57
283	Sorafenib attenuates p21 in kidney cancer cells and augments cell death in combination with DNA-damaging chemotherapy. Cancer Biology and Therapy, 2011, 12, 827-836.	3.4	57
284	Smartphone-interfaced lab-on-a-chip devices for field-deployable enzyme-linked immunosorbent assay. Biomicrofluidics, 2014, 8, 064101.	2.4	57
285	Development of an Immunoassay for the Detection of the Phenylpyrazole Insecticide Fipronil. Environmental Science & Technology, 2015, 49, 10038-10047.	10.0	57
286	Anti-idiotypic nanobody-alkaline phosphatase fusion proteins: Development of a one-step competitive enzyme immunoassay for fumonisin B 1 detection in cereal. Analytica Chimica Acta, 2016, 924, 53-59.	5.4	57
287	Cyclooxygenase-derived proangiogenic metabolites of epoxyeicosatrienoic acids. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 4370-4375.	7.1	57
288	Epoxide hydrolase activity in the mitochondrial and submitochondrial fractions of mouse liver. Biochemical Pharmacology, 1981, 30, 2111-2120.	4.4	56

#	Article	IF	CITATIONS
289	Developmental and behavioural responses of larval Trichoplusia ni to parasitization by an imported braconid parasite Chelonus sp. Physiological Entomology, 1981, 6, 387-394.	1.5	56
290	Cellular Characterization of Leukotoxin Diol-Induced Mitochondrial Dysfunction. Archives of Biochemistry and Biophysics, 2001, 392, 32-37.	3.0	56
291	The Role of Methyl-Linoleic Acid Epoxide and Diol Metabolites in the Amplified Toxicity of Linoleic Acid and Polychlorinated Biphenyls to Vascular Endothelial Cells. Toxicology and Applied Pharmacology, 2001, 171, 184-193.	2.8	56
292	Identification, Expression, and Purification of a Pyrethroidhydrolyzing Carboxylesterase from Mouse Liver Microsomes. Journal of Biological Chemistry, 2004, 279, 29863-29869.	3.4	56
293	Human vitamin B12 absorption measurement by accelerator mass spectrometry using specifically labeled 14C-cobalamin. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 5694-5699.	7.1	56
294	A Lipid Gate for the Peripheral Control of Pain. Journal of Neuroscience, 2014, 34, 15184-15191.	3.6	56
295	Evaluation of an enzymeâ€linked immunosorbent assay (ELISA) for the direct analysis of molinate (Ordram®) in rice field water. Food and Agricultural Immunology, 1989, 1, 37-51.	1.4	55
296	Development of a Selective Enzyme-Linked Immunosorbent Assay for 1-Naphthol-the Major Metabolite of Carbaryl (1-Naphthyl N-Methylcarbamate). Journal of Agricultural and Food Chemistry, 1994, 42, 934-943.	5.2	55
297	Novel mechanism of brain soluble epoxide hydrolaseâ€mediated blood pressure regulation in the spontaneously hypertensive rat. FASEB Journal, 2005, 19, 1-17.	0.5	55
298	Nanobody Based Immunoassay for Human Soluble Epoxide Hydrolase Detection Using Polymeric Horseradish Peroxidase (PolyHRP) for Signal Enhancement: The Rediscovery of PolyHRP?. Analytical Chemistry, 2017, 89, 6248-6256.	6.5	55
299	One-Step Ultrasensitive Bioluminescent Enzyme Immunoassay Based on Nanobody/Nanoluciferase Fusion for Detection of Aflatoxin B ₁ in Cereal. Journal of Agricultural and Food Chemistry, 2019, 67, 5221-5229.	5.2	55
300	Inhibition of Microsomal Epoxide Hydrolases by Ureas, Amides, and Amines. Chemical Research in Toxicology, 2001, 14, 409-415.	3.3	54
301	Further enhancement of baculovirus insecticidal efficacy with scorpion toxins that interact cooperatively. FEBS Letters, 2003, 537, 106-110.	2.8	54
302	Toxicology in the Fast Lane: Application of High-Throughput Bioassays to Detect Modulation of Key Enzymes and Receptors. Environmental Health Perspectives, 2009, 117, 1867-1872.	6.0	54
303	Soluble epoxide hydrolase inhibition and peroxisome proliferator activated receptor γ agonist improve vascular function and decrease renal injury in hypertensive obese rats. Experimental Biology and Medicine, 2012, 237, 1402-1412.	2.4	54
304	Allergic Asthmatics Show Divergent Lipid Mediator Profiles from Healthy Controls Both at Baseline and following Birch Pollen Provocation. PLoS ONE, 2012, 7, e33780.	2.5	54
305	Epoxy Fatty Acids and Inhibition of the Soluble Epoxide Hydrolase Selectively Modulate GABA Mediated Neurotransmission to Delay Onset of Seizures. PLoS ONE, 2013, 8, e80922.	2.5	54
306	Inhibition of the Soluble Epoxide Hydrolase Promotes Albuminuria in Mice with Progressive Renal Disease. PLoS ONE, 2010, 5, e11979.	2.5	54

BRUCE D НАММОСК

#	Article	IF	CITATIONS
307	Differential substrate selectivity of murine hepatic cytosolic and microsomal epoxide hydrolases. Biochemical Pharmacology, 1983, 32, 1155-1164.	4.4	53
308	Identification of a juvenile hormone esterase gene by matching its peptide mass fingerprint with a sequence from the Drosophila genome project. Insect Biochemistry and Molecular Biology, 2001, 31, 513-520.	2.7	53
309	Isolation and characterization of a novel type of neurotoxic peptide from the venom of the South African scorpion Parabuthus transvaalicus (Buthidae). FEBS Journal, 2001, 268, 5407-5413.	0.2	53
310	Increased blood pressure in mice lacking cytochrome P450 2J5. FASEB Journal, 2008, 22, 4096-4108.	0.5	53
311	Comparative efficacy of 3 soluble epoxide hydrolase inhibitors in rat neuropathic and inflammatory pain models. European Journal of Pharmacology, 2013, 700, 93-101.	3.5	53
312	Metabolic products of soluble epoxide hydrolase are essential for monocyte chemotaxis to MCP-1 in vitro and in vivo. Journal of Lipid Research, 2013, 54, 436-447.	4.2	53
313	Soluble epoxide hydrolase inhibitor 1-trifluoromethoxyphenyl-3- (1-propionylpiperidin-4-yl) urea attenuates bleomycin-induced pulmonary fibrosis in mice. Cell and Tissue Research, 2016, 363, 399-409.	2.9	53
314	Effects of adamantane alterations on soluble epoxide hydrolase inhibition potency, physical properties and metabolic stability. Bioorganic Chemistry, 2018, 76, 510-527.	4.1	53
315	Enzyme-Linked Immunosorbent Assay for the Pyrethroid Deltamethrin. Journal of Agricultural and Food Chemistry, 2002, 50, 5526-5532.	5.2	52
316	DEVELOPMENT OF TOXICITY IDENTIFICATION EVALUATION PROCEDURES FOR PYRETHROID DETECTION USING ESTERASE ACTIVITY. Environmental Toxicology and Chemistry, 2004, 23, 2699.	4.3	52
317	High-Throughput Automated Luminescent Magnetic Particle-Based Immunoassay to Monitor Human Exposure to Pyrethroid Insecticides. Analytical Chemistry, 2007, 79, 8883-8890.	6.5	52
318	Inhibition of the soluble epoxide hydrolase attenuates monocrotaline-induced pulmonary hypertension in rats. Journal of Hypertension, 2009, 27, 322-331.	0.5	52
319	Soluble Epoxide Hydrolase Deficiency Attenuates Neointima Formation in the Femoral Cuff Model of Hyperlipidemic Mice. Arteriosclerosis, Thrombosis, and Vascular Biology, 2010, 30, 909-914.	2.4	52
320	Epoxyeicosatrienoic acids and soluble epoxide hydrolase: potential therapeutic targets for inflammation and its induced carcinogenesis. American Journal of Translational Research (discontinued), 2010, 2, 447-57.	0.0	52
321	Multiplexed immunoassays for proteins using magnetic luminescent nanoparticles for internal calibration. Analytical Biochemistry, 2007, 369, 34-40.	2.4	51
322	Opposite Regulation of Cholesterol Levels by the Phosphatase and Hydrolase Domains of Soluble Epoxide Hydrolase. Journal of Biological Chemistry, 2008, 283, 36592-36598.	3.4	51
323	Soluble epoxide hydrolase in the generation and maintenance of high blood pressure in spontaneously hypertensive rats. American Journal of Physiology - Endocrinology and Metabolism, 2011, 300, E691-E698.	3.5	51
324	GABA _A receptor target of tetramethylenedisulfotetramine. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 8607-8612.	7.1	51

BRUCE D НАММОСК

#	Article	IF	CITATIONS
325	Enhanced Sensitive Immunoassay: Noncompetitive Phage Anti-Immune Complex Assay for the Determination of Malachite Green and Leucomalachite Green. Journal of Agricultural and Food Chemistry, 2014, 62, 8752-8758.	5.2	51
326	Peripheral FAAH and soluble epoxide hydrolase inhibitors are synergistically antinociceptive. Pharmacological Research, 2015, 97, 7-15.	7.1	51
327	Inhibition of epoxidation of methyl farnesoate to juvenile hormone III by cockroach corpus allatum homogenates. Pesticide Biochemistry and Physiology, 1978, 9, 39-47.	3.6	50
328	A partition assay for epoxide hydrases acting on insect juvenile hormone and an epoxide-containing juvenoid. Analytical Biochemistry, 1979, 92, 16-21.	2.4	50
329	Development of an Enzyme-Linked Immunosorbent Assay for the Detection of the Organophosphorus Insecticide Acephate. Journal of Agricultural and Food Chemistry, 2003, 51, 3695-3703.	5.2	50
330	High-throughput pharmacokinetic method: Cassette dosing in mice associated with minuscule serial bleedings and LC/MS/MS analysis. Analytica Chimica Acta, 2006, 559, 37-44.	5.4	50
331	Inhibition of Soluble Epoxide Hydrolase by trans-4- [4-(3-adamantan-1-yl-ureido)-cyclohexyloxy]-benzoic acid Is Protective Against Ischemia–Reperfusion Injury. Journal of Cardiovascular Pharmacology, 2010, 55, 67-73.	1.9	50
332	Redox Regulation of Soluble Epoxide Hydrolase by 15-Deoxy-î"-Prostaglandin J ₂ Controls Coronary Hypoxic Vasodilation. Circulation Research, 2011, 108, 324-334.	4.5	50
333	Role of soluble epoxide hydrolase phosphatase activity in the metabolism of lysophosphatidic acids. Biochemical and Biophysical Research Communications, 2012, 419, 796-800.	2.1	50
334	An Innovative Nanobody-Based Electrochemical Immunosensor Using Decorated Nylon Nanofibers for Point-of-Care Monitoring of Human Exposure to Pyrethroid Insecticides. ACS Applied Materials & Interfaces, 2020, 12, 6159-6168.	8.0	50
335	Discovery of Soluble Epoxide Hydrolase Inhibitors from Chemical Synthesis and Natural Products. Journal of Medicinal Chemistry, 2021, 64, 184-215.	6.4	50
336	Substrate selectivity and stereochemistry of enzymatic epoxide hydration in the soluble fraction of mouse liver. Pesticide Biochemistry and Physiology, 1979, 11, 275-284.	3.6	49
337	Diverse roles of 2-arachidonoylglycerol in invasion of prostate carcinoma cells: Location, hydrolysis and 12-lipoxygenase metabolism. International Journal of Cancer, 2007, 121, 984-991.	5.1	49
338	Design of bioavailable derivatives of 12-(3-adamantan-1-yl-ureido)dodecanoic acid, a potent inhibitor of the soluble epoxide hydrolase. Bioorganic and Medicinal Chemistry, 2007, 15, 312-323.	3.0	49
339	Synthesis and characterization of multifunctional silica core–shell nanocomposites with magnetic and fluorescent functionalities. Journal of Magnetism and Magnetic Materials, 2009, 321, 1368-1371.	2.3	49
340	Development of ELISAs for the Class-Specific Determination of Organophosphorus Pesticides. Journal of Agricultural and Food Chemistry, 2009, 57, 10004-10013.	5.2	49
341	Biomarkers of exposure to triclocarban in urine and serum. Toxicology, 2011, 286, 69-74.	4.2	49
342	N-terminal domain of soluble epoxide hydrolase negatively regulates the VEGF-mediated activation of endothelial nitric oxide synthase. Cardiovascular Research, 2012, 93, 120-129.	3.8	49

#	Article	IF	CITATIONS
343	Nutritional lipidomics: Molecular metabolism, analytics, and diagnostics. Molecular Nutrition and Food Research, 2013, 57, 1319-1335.	3.3	49
344	Ultrasensitive and rapid detection of ochratoxin A in agro-products by a nanobody-mediated FRET-based immunosensor. Journal of Hazardous Materials, 2020, 387, 121678.	12.4	49
345	Opposite Effects of Gene Deficiency and Pharmacological Inhibition of Soluble Epoxide Hydrolase on Cardiac Fibrosis. PLoS ONE, 2014, 9, e94092.	2.5	49
346	Positive cooperativity among insecticidal scorpion neurotoxins. Toxicon, 1995, 33, 1099-1102.	1.6	48
347	Evaluation of α-cyanoesters as fluorescent substrates for examining interindividual variation in general and pyrethroid-selective esterases in human liver microsomes. Analytical Biochemistry, 2003, 315, 208-222.	2.4	48
348	Use of Metabolomic Profiling in the Study of Arachidonic Acid Metabolism in Cardiovascular Disease. Congestive Heart Failure, 2011, 17, 42-46.	2.0	48
349	Epoxygenated Fatty Acids and Soluble Epoxide Hydrolase Inhibition: Novel Mediators of Pain Reduction. Journal of Agricultural and Food Chemistry, 2011, 59, 2816-2824.	5.2	48
350	Ergocalciferol from Mushrooms or Supplements Consumed with a Standard Meal Increases 25-Hydroxyergocalciferol but Decreases 25-Hydroxycholecalciferol in the Serum of Healthy Adults. Journal of Nutrition, 2012, 142, 1246-1252.	2.9	48
351	Resolution of eicosanoid/cytokine storm prevents carcinogen and inflammation-initiated hepatocellular cancer progression. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 21576-21587.	7.1	48
352	Selective inhibition of JH esterases from cockroach hemolymph. Pesticide Biochemistry and Physiology, 1977, 7, 517-530.	3.6	47
353	Development of recombinant viral insecticides by expression of an insect-specific toxin and insect-specific enzyme in nuclear polyhedrosis viruses. Archives of Insect Biochemistry and Physiology, 1993, 22, 315-344.	1.5	47
354	Development of Sensitive Esterase Assays Based on α-Cyano-Containing Esters. Analytical Biochemistry, 2001, 299, 54-62.	2.4	47
355	Creatinine Measurements in 24 h Urine by Liquid Chromatographyâ^Tandem Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2008, 56, 333-336.	5.2	47
356	Cloning and characterization of two glutathione <i>S</i> â€ŧransferases from pyrethroidâ€ŧesistant <i>Culex pipiens</i> . Pest Management Science, 2012, 68, 764-772.	3.4	47
357	Symmetric adamantyl-diureas as soluble epoxide hydrolase inhibitors. Bioorganic and Medicinal Chemistry Letters, 2014, 24, 2193-2197.	2.2	47
358	Identification of CYP2C9 as a Human Liver Microsomal Linoleic Acid Epoxygenase. Archives of Biochemistry and Biophysics, 2000, 376, 199-205.	3.0	46
359	Metabolism of Monoepoxides of Methyl Linoleate: Bioactivation and Detoxification. Archives of Biochemistry and Biophysics, 2000, 376, 420-432.	3.0	46
360	Isolation and characterization of a novel lepidopteran-selective toxin from the venom of South Indian red scorpion, Mesobuthus tamulus. BMC Biochemistry, 2001, 2, 16.	4.4	46

#	Article	IF	CITATIONS
361	A new class of inhibitors of 2-arachidonoylglycerol hydrolysis and invasion of prostate cancer cells. Biochemical and Biophysical Research Communications, 2005, 332, 1028-1033.	2.1	46
362	Immunoassay for Monitoring Environmental and Human Exposure to the Polybrominated Diphenyl Ether BDE-47. Environmental Science & Technology, 2009, 43, 7784-7790.	10.0	46
363	Soluble Epoxide Hydrolase Gene Deficiency or Inhibition Attenuates Chronic Active Inflammatory Bowel Disease in IL-10(â^'/â^') Mice. Digestive Diseases and Sciences, 2012, 57, 2580-2591.	2.3	46
364	Pyrethroids in house dust from the homes of farm worker families in the MICASA study. Environment International, 2013, 61, 57-63.	10.0	46
365	Systemic alterations in the metabolome of diabetic NOD mice delineate increased oxidative stress accompanied by reduced inflammation and hypertriglyceremia. American Journal of Physiology - Endocrinology and Metabolism, 2015, 308, E978-E989.	3.5	46
366	Lipidomic Analysis of Oxidized Fatty Acids in Plant and Algae Oils. Journal of Agricultural and Food Chemistry, 2017, 65, 1941-1951.	5.2	46
367	Omega-6 and omega-3 oxylipins are implicated in soybean oil-induced obesity in mice. Scientific Reports, 2017, 7, 12488.	3.3	46
368	Regulation of rat plasma and cerebral cortex oxylipin concentrations with increasing levels of dietary linoleic acid. Prostaglandins Leukotrienes and Essential Fatty Acids, 2018, 138, 71-80.	2.2	46
369	A rapid radiometric assay for mammalian cytosolic epoxide hydrolase. Analytical Biochemistry, 1980, 106, 476-485.	2.4	45
370	Molecular Cloning, Characterization, and Expression of a Redox-Responsive Cutinase from Monilinia fructicola (Wint.) Honey. Fungal Genetics and Biology, 2002, 35, 261-276.	2.1	45
371	Altered Kidney CYP2C and Cyclooxygenaseâ€⊋ Levels Are Associated with Obesityâ€Related Albuminuria. Obesity, 2004, 12, 1278-1289.	4.0	45
372	Delivery methods for peptide and protein toxins in insect control. Toxicon, 2007, 49, 576-596.	1.6	45
373	The Molecular Structure of Epoxide Hydrolase B from Mycobacterium tuberculosis and Its Complex with a Urea-Based Inhibitor. Journal of Molecular Biology, 2008, 381, 897-912.	4.2	45
374	Hepoxilin A3 Facilitates Neutrophilic Breach of Lipoxygenase-Expressing Airway Epithelial Barriers. Journal of Immunology, 2012, 189, 4960-4969.	0.8	45
375	Use of a Soluble Epoxide Hydrolase Inhibitor in Smoke-Induced Chronic Obstructive Pulmonary Disease. American Journal of Respiratory Cell and Molecular Biology, 2012, 46, 614-622.	2.9	45
376	Soluble Epoxide Hydrolase Inhibitor Attenuates Inflammation and Airway Hyperresponsiveness in Mice. American Journal of Respiratory Cell and Molecular Biology, 2015, 52, 46-55.	2.9	45
377	Epoxide metabolites of arachidonate and docosahexaenoate function conversely in acute kidney injury involved in GSK3β signaling. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, 12608-12613.	7.1	45
378	Targeted Metabolomics Identifies the Cytochrome P450 Monooxygenase Eicosanoid Pathway as a Novel Therapeutic Target of Colon Tumorigenesis. Cancer Research, 2019, 79, 1822-1830.	0.9	45

#	Article	IF	CITATIONS
379	Pharmacological Inhibition of Soluble Epoxide Hydrolase as a New Therapy for Alzheimer's Disease. Neurotherapeutics, 2020, 17, 1825-1835.	4.4	45
380	Determination of atrazine and simazine in water and soil using polyclonal and monoclonal antibodies in enzymeâ€linked immunosorbent assays. Food and Agricultural Immunology, 1991, 3, 155-167.	1.4	44
381	Development and Potential of Genetically Engineered Viral Insecticides. Biotechnology and Genetic Engineering Reviews, 1992, 10, 455-490.	6.2	44
382	Comparison of wild type and genetically engineered nuclear polyhedrosis viruses of Autographa californica for mortality, virus replication and polyhedra production in Trichoplusia ni larvae. Entomologia Experimentalis Et Applicata, 1996, 81, 251-257.	1.4	44
383	Development of an Enzyme-Linked Immunosorbent Assay for Atrazine Mercapturic Acid in Human Urine. Chemical Research in Toxicology, 1998, 11, 342-352.	3.3	44
384	Gerry Brooks and epoxide hydrolases: four decades to a pharmaceutical. Pest Management Science, 2008, 64, 594-609.	3.4	44
385	Soluble epoxide hydrolase inhibitor, <scp>TUPS</scp> , protects against isoprenalineâ€induced cardiac hypertrophy. British Journal of Pharmacology, 2013, 168, 1794-1807.	5.4	44
386	A novel p21 attenuator which is structurally related to sorafenib. Cancer Biology and Therapy, 2013, 14, 278-285.	3.4	44
387	Dietary linoleic acid-induced alterations in pro- and anti-nociceptive lipid autacoids. Molecular Pain, 2016, 12, 174480691663638.	2.1	44
388	Highly Specific Monoclonal Antibody and Sensitive Quantum Dot Beads-Based Fluorescence Immunochromatographic Test Strip for Tebuconazole Assay in Agricultural Products. Journal of Agricultural and Food Chemistry, 2019, 67, 9096-9103.	5.2	44
389	A novel and simple imidazo[1,2-a]pyridin fluorescent probe for the sensitive and selective imaging of cysteine in living cells and zebrafish. Analytica Chimica Acta, 2019, 1058, 155-165.	5.4	44
390	Epoxide metabolism in the liver of mice treated with clofibrate (ethyl-α-(p-chlorophenoxyisobutyrate)), a peroxisome proliferator. Toxicology and Applied Pharmacology, 1985, 78, 351-362.	2.8	43
391	Substituted Adamantyl-Urea Inhibitors of the Soluble Epoxide Hydrolase Dilate Mesenteric Resistance Vessels. Journal of Pharmacology and Experimental Therapeutics, 2006, 318, 1307-1314.	2.5	43
392	Alteration in plasma testosterone levels in male mice lacking soluble epoxide hydrolase. American Journal of Physiology - Endocrinology and Metabolism, 2009, 297, E375-E383.	3.5	43
393	Attenuation of cisplatin nephrotoxicity by inhibition of soluble epoxide hydrolase. Cell Biology and Toxicology, 2009, 25, 217-225.	5.3	43
394	Novel and highly sensitive fluorescent assay for leucine aminopeptidases. Analytical Biochemistry, 2009, 391, 11-16.	2.4	43
395	Combined inhibition of 20-hydroxyeicosatetraenoic acid formation and of epoxyeicosatrienoic acids degradation attenuates hypertension and hypertensioninduced end-organ damage in Ren-2 transgenic rats. Clinical Science, 2010, 118, 617-632.	4.3	43
396	Bioconcentration, metabolism and excretion of triclocarban in larval Qurt medaka (Oryzias latipes). Aquatic Toxicology, 2011, 105, 448-454.	4.0	43

#	Article	IF	CITATIONS
397	Lipid mediator serum profiles in asthmatics significantly shift following dietary supplementation with omegaâ€3 fatty acids. Molecular Nutrition and Food Research, 2013, 57, 1378-1389.	3.3	43
398	Anti-inflammatory properties of prostaglandin E2: Deletion of microsomal prostaglandin E synthase-1 exacerbates non-immune inflammatory arthritis in mice. Prostaglandins Leukotrienes and Essential Fatty Acids, 2013, 89, 351-358.	2.2	43
399	Soluble epoxide hydrolase inhibitor <i>trans</i> -4-[4-(3-adamantan-1-yl-ureido)-cyclohexyloxy]-benzoic acid is neuroprotective in rat model of ischemic stroke. American Journal of Physiology - Heart and Circulatory Physiology, 2013, 305, H1605-H1613.	3.2	43
400	Oral treatment of rodents with soluble epoxide hydrolase inhibitor 1-(1-propanoylpiperidin-4-yl)-3-[4-(trifluoromethoxy)phenyl]urea (TPPU): Resulting drug levels and modulation of oxylipin pattern. Prostaglandins and Other Lipid Mediators, 2015, 121, 131-137.	1.9	43
401	Diclofenac induces proteasome and mitochondrial dysfunction in murine cardiomyocytes and hearts. International Journal of Cardiology, 2016, 223, 923-935.	1.7	43
402	Chemiluminescent Enzyme Immunoassay and Bioluminescent Enzyme Immunoassay for Tenuazonic Acid Mycotoxin by Exploitation of Nanobody and Nanobody–Nanoluciferase Fusion. Analytical Chemistry, 2020, 92, 11935-11942.	6.5	43
403	Plasma Linoleate Diols Are Potential Biomarkers for Severe COVID-19 Infections. Frontiers in Physiology, 2021, 12, 663869.	2.8	43
404	Characterization of distinct forms of cytochromes P-450, epoxide metabolizing enzymes and UDP-glucuronosyltransferases in rat skin. Biochemical Pharmacology, 1989, 38, 2187-2194.	4.4	42
405	The juvenile hormone titre during the penultimate and ultimate larval stadia of Trichoplusia ni. Journal of Insect Physiology, 1990, 36, 77-83.	2.0	42
406	Inhibition of cytosolic epoxide hydrolase by trans-3-phenylglycidols. Biochemical Pharmacology, 1991, 42, 1163-1175.	4.4	42
407	An enzyme immunoassay for the environmental monitoring of the herbicide bromacil. Journal of Agricultural and Food Chemistry, 1993, 41, 2220-2227.	5.2	42
408	Homology model of Juvenile Hormone Esterase from the crop pest,Heliothis virescens. Proteins: Structure, Function and Bioinformatics, 1999, 34, 184-196.	2.6	42
409	Human coronary endothelial cells convert 14,15-EET to a biologically active chain-shortened epoxide. American Journal of Physiology - Heart and Circulatory Physiology, 2002, 283, H2306-H2314.	3.2	42
410	Tetramethylenedisulfotetramine Alters Ca2+ Dynamics in Cultured Hippocampal Neurons: Mitigation by NMDA Receptor Blockade and GABAA Receptor-Positive Modulation. Toxicological Sciences, 2012, 130, 362-372.	3.1	42
411	Juvenile hormone esterases of Lepidoptera II. Isoelectric points and binding affinities of hemolymph juvenile hormone esterase and binding protein activities. Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology, 1984, 154, 213-223.	1.5	41
412	Apparent multiple catalytic sites involved in the ester hydrolysis of juvenile hormones by the hemolymph and by an affinity-purified esterase from Manduca sexta johannson (Lepidoptera:) Tj ETQq0 0 0 rgBT	/Osuerlock	1 0 ∎f 50 137
413	High-Frequency Homologous Recombination betweenBaculoviruses Involves DNAReplication. Journal of Virology, 2003, 77, 13053-13061.	3.4	41

⁴¹⁴Development of an Enzyme-Linked Immunosorbent Assay for the Pyrethroid Cypermethrin. Journal of
Agricultural and Food Chemistry, 2004, 52, 1039-1043.5.241

#	Article	IF	CITATIONS
415	Magnetic bead-based phage anti-immunocomplex assay (PHAIA) for the detection of the urinary biomarker 3-phenoxybenzoic acid to assess human exposure to pyrethroid insecticides. Analytical Biochemistry, 2009, 386, 45-52.	2.4	41
416	Characterization of Seizures Induced by Acute and Repeated Exposure to Tetramethylenedisulfotetramine. Journal of Pharmacology and Experimental Therapeutics, 2012, 341, 435-446.	2.5	41
417	Photonic Crystal Lab-On-a-Chip for Detecting Staphylococcal Enterotoxin B at Low Attomolar Concentration. Analytical Chemistry, 2013, 85, 3104-3109.	6.5	41
418	One-Step Immunoassay for Tetrabromobisphenol A Using a Camelid Single Domain Antibody–Alkaline Phosphatase Fusion Protein. Analytical Chemistry, 2015, 87, 4741-4748.	6.5	41
419	Pro-atherogenic role of smooth muscle Nox4-based NADPH oxidase. Journal of Molecular and Cellular Cardiology, 2016, 92, 30-40.	1.9	41
420	The effect of hepatic microsomal and cytosolic subcellular fractions on the mutagenic activity of epoxide-containing compounds in the Salmonella assay. Mutation Research - Genetic Toxicology Testing and Biomonitoring of Environmental Or Occupational Exposure, 1980, 79, 59-71.	1.2	40
421	Comparison of an enzyme-linked immunosorbent assay and gas chromatographic prodedures for the determination of molinate residues. Analytical Chemistry, 1989, 61, 819-823.	6.5	40
422	Immunoassay for Simazine and Atrazine with Low Cross-Reactivity for Propazine. Journal of Agricultural and Food Chemistry, 1996, 44, 2210-2219.	5.2	40
423	Development of a class-specific immunoassay for the type I pyrethroid insecticides. Analytica Chimica Acta, 2001, 444, 119-129.	5.4	40
424	Stereoselective Hydrolysis of Pyrethroid-like Fluorescent Substrates by Human and Other Mammalian Liver Carboxylesterases. Chemical Research in Toxicology, 2005, 18, 1371-1377.	3.3	40
425	Proteinuria increases oxylipid concentrations in VLDL and HDL but not LDL particles in the rat. Journal of Lipid Research, 2007, 48, 1792-1800.	4.2	40
426	Cardioprotection by Controlling Hyperamylinemia in a "Humanized―Diabetic Rat Model. Journal of the American Heart Association, 2014, 3, .	3.7	40
427	Increase of EPA-derived hydroxy, epoxy and dihydroxy fatty acid levels in human plasma after a single dose of long-chain omega-3 PUFA. Prostaglandins and Other Lipid Mediators, 2014, 109-111, 23-31.	1.9	40
428	Altered soluble epoxide hydrolase-derived oxylipins in patients with seasonal major depression: An exploratory study. Psychiatry Research, 2017, 252, 94-101.	3.3	40
429	Expression and characterization of the recombinant juvenile hormone epoxide hydrolase (JHEH) from Manduca sexta. Insect Biochemistry and Molecular Biology, 1998, 28, 409-419.	2.7	39
430	Hapten Synthesis and Antibody Development for Polychlorinated Dibenzo-p-dioxin Immunoassays. Journal of Agricultural and Food Chemistry, 1998, 46, 2407-2416.	5.2	39
431	Epoxyeicosatrienoic acid-dependent cerebral vasodilation evoked by metabotropic glutamate receptor activation in vivo. American Journal of Physiology - Heart and Circulatory Physiology, 2011, 301, H373-H381.	3.2	39
432	Increases in plasma <i>trans</i> -EETs and blood pressure reduction in spontaneously hypertensive rats. American Journal of Physiology - Heart and Circulatory Physiology, 2011, 300, H1990-H1996.	3.2	39

#	Article	IF	CITATIONS
433	Molecular Mechanisms and New Treatment Paradigm for Atrial Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2016, 9, .	4.8	39
434	COXâ€2/sEH dual inhibitor PTUPB alleviates bleomycinâ€induced pulmonary fibrosis in mice via inhibiting senescence. FEBS Journal, 2020, 287, 1666-1680.	4.7	39
435	Epoxide hydrolase activity in the mitochondrial fraction of mouse liver. Nature, 1981, 291, 167-168.	27.8	38
436	Epoxide hydrolysis in the cytosol of rat liver, kidney, and testis. Biochemical Pharmacology, 1986, 35, 2073-2080.	4.4	38
437	Hapten design and development of an ELISA (enzyme-linked immunosorbent assay) for the detection of the mercapturic acid conjugates of naphthalene. Journal of Organic Chemistry, 1993, 58, 7548-7556.	3.2	38
438	An Enzyme-Linked Immunosorbent Assay for the Detection of Esfenvalerate Metabolites in Human Urine. Chemical Research in Toxicology, 1999, 12, 1033-1041.	3.3	38
439	Affinity Purification and Characterization of a Cutinase from the Fungal Plant Pathogen Monilinia fructicola (Wint.) Honey. Archives of Biochemistry and Biophysics, 2000, 382, 31-38.	3.0	38
440	Highly sensitive dioxin immunoassay and its application to soil and biota samples. Analytica Chimica Acta, 2001, 444, 169-178.	5.4	38
441	Development of a Microtiter Plate ELISA and a Dipstick ELISA for the Determination of the Organophosphorus Insecticide Fenthion. Journal of Agricultural and Food Chemistry, 2003, 51, 7854-7860.	5.2	38
442	Hapten and Antibody Production for a Sensitive Immunoassay Determining a Human Urinary Metabolite of the Pyrethroid Insecticide Permethrin. Journal of Agricultural and Food Chemistry, 2004, 52, 4583-4594.	5.2	38
443	Analysis of Mammalian Carboxylesterase Inhibition by Trifluoromethylketone-Containing Compounds. Molecular Pharmacology, 2007, 71, 713-723.	2.3	38
444	Crystal Structure of the Cystic Fibrosis Transmembrane Conductance Regulator Inhibitory Factor Cif Reveals Novel Active-Site Features of an Epoxide Hydrolase Virulence Factor. Journal of Bacteriology, 2010, 192, 1785-1795.	2.2	38
445	Behavioral assessment of NIH Swiss mice acutely intoxicated with tetramethylenedisulfotetramine. Neurotoxicology and Teratology, 2015, 47, 36-45.	2.4	38
446	Anti-Ulcer Efficacy of Soluble Epoxide Hydrolase Inhibitor TPPU on Diclofenac-Induced Intestinal Ulcers. Journal of Pharmacology and Experimental Therapeutics, 2016, 357, 529-536.	2.5	38
447	Cytochrome P450 Oxidase 2C Inhibition Adds to ω-3 Long-Chain Polyunsaturated Fatty Acids Protection Against Retinal and Choroidal Neovascularization. Arteriosclerosis, Thrombosis, and Vascular Biology, 2016, 36, 1919-1927.	2.4	38
448	Soluble epoxide hydrolase inhibition decreases reperfusion injury after focal cerebral ischemia. Scientific Reports, 2018, 8, 5279.	3.3	38
449	Quantitative Detection of Fipronil and Fipronil-Sulfone in Sera of Black-Tailed Prairie Dogs and Rats after Oral Exposure to Fipronil by Camel Single-Domain Antibody-Based Immunoassays. Analytical Chemistry, 2019, 91, 1532-1540.	6.5	38
450	Epoxy Fatty Acids Are Promising Targets for Treatment of Pain, Cardiovascular Disease and Other Indications Characterized by Mitochondrial Dysfunction, Endoplasmic Stress and Inflammation. Advances in Experimental Medicine and Biology, 2020, 1274, 71-99.	1.6	38

#	Article	IF	CITATIONS
451	Effects of parasitization of Trichoplusia ni by Chelonus sp Physiological Entomology, 1985, 10, 383-394.	1.5	37
452	USE OF CARBOXYLESTERASE ACTIVITY TO REMOVE PYRETHROID-ASSOCIATED TOXICITY TO CERIODAPHNIA DUBIA AND HYALELLA AZTECA IN TOXICITY IDENTIFICATION EVALUATIONS. Environmental Toxicology and Chemistry, 2006, 25, 973.	4.3	37
453	Identification of two epoxide hydrolases in Caenorhabditis elegans that metabolize mammalian lipid signaling molecules. Archives of Biochemistry and Biophysics, 2008, 472, 139-149.	3.0	37
454	Inhibition of soluble epoxide hydrolase improves the impaired pressure–natriuresis relationship and attenuates the development of hypertension and hypertension-associated end-organ damage in Cyp1a1-Ren-2 transgenic rats. Journal of Hypertension, 2011, 29, 1590-1601.	0.5	37
455	Epoxyeicosatrienoic acids enhance axonal growth in primary sensory and cortical neuronal cell cultures. Journal of Neurochemistry, 2011, 117, no-no.	3.9	37
456	Inhibition of soluble epoxide hydrolase is renoprotective in 5/6 nephrectomized Renâ€⊋ transgenic hypertensive rats. Clinical and Experimental Pharmacology and Physiology, 2014, 41, 227-237.	1.9	37
457	Concentrations of the urinary pyrethroid metabolite 3-phenoxybenzoic acid in farm worker families in the MICASA study. Environmental Research, 2014, 131, 153-159.	7.5	37
458	Soluble Epoxide Hydrolase Inhibition Is Antinociceptive in a Mouse Model of Diabetic Neuropathy. Journal of Pain, 2014, 15, 907-914.	1.4	37
459	A dual COX-2/sEH inhibitor improves the metabolic profile and reduces kidney injury in Zucker diabetic fatty rat. Prostaglandins and Other Lipid Mediators, 2016, 125, 40-47.	1.9	37
460	A label-free optical whole-cell Escherichia coli biosensor for the detection of pyrethroid insecticide exposure. Scientific Reports, 2019, 9, 12466.	3.3	37
461	Drug-Target Residence Time Affects <i>in Vivo</i> Target Occupancy through Multiple Pathways. ACS Central Science, 2019, 5, 1614-1624.	11.3	37
462	Key role of soluble epoxide hydrolase in the neurodevelopmental disorders of offspring after maternal immune activation. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 7083-7088.	7.1	37
463	Monitoring of the Organophosphate Pesticide Chlorpyrifos in Vegetable Samples from Local Markets in Northern Thailand by Developed Immunoassay. International Journal of Environmental Research and Public Health, 2020, 17, 4723.	2.6	37
464	Kurarinone alleviated Parkinson's disease via stabilization of epoxyeicosatrienoic acids in animal model. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	7.1	37
465	Mechanisms of resistance to the juvenoid methoprene in the house fly Musca domestica L. Pesticide Biochemistry and Physiology, 1977, 7, 261-272.	3.6	36
466	Catabolism of epoxy fatty esters by the purified epoxide hydrolase from mouse and human liver. Archives of Biochemistry and Biophysics, 1989, 272, 226-236.	3.0	36
467	Extension of the four-parameter logistic model for ELISA to multianalyte analysis. Journal of Immunological Methods, 1994, 177, 1-7.	1.4	36
468	Reduction of inflammatory bowel diseaseâ€induced tumor development in ILâ€10 knockout mice with soluble epoxide hydrolase gene deficiency. Molecular Carcinogenesis, 2013, 52, 726-738.	2.7	36

#	Article	IF	CITATIONS
469	A <i>Photorhabdus</i> Natural Product Inhibits Insect Juvenile Hormone Epoxide Hydrolase. ChemBioChem, 2015, 16, 766-771.	2.6	36
470	Linoleic acid participates in the response to ischemic brain injury through oxidized metabolites that regulate neurotransmission. Scientific Reports, 2017, 7, 4342.	3.3	36
471	Development of a Highly Sensitive Direct Competitive Fluorescence Enzyme Immunoassay Based on a Nanobody–Alkaline Phosphatase Fusion Protein for Detection of 3-Phenoxybenzoic Acid in Urine. Journal of Agricultural and Food Chemistry, 2018, 66, 11284-11290.	5.2	36
472	Spectrophotometric assay for mammalian cytosolic epoxide hydrolase using trans-stilbene oxide as the substrate. Biochemical Pharmacology, 1982, 31, 1979-1984.	4.4	35
473	Effect of dietary clofibrate on epoxide hydrolase activity in tissues of mice. Biochemical Pharmacology, 1985, 34, 1827-1833.	4.4	35
474	Strategies for Immunoassay Hapten Design. ACS Symposium Series, 1995, , 119-139.	0.5	35
475	Validation of two immunoassay methods for environmental monitoring of carbaryl and 1-naphthol in ground water samples. Analytica Chimica Acta, 1995, 311, 319-329.	5.4	35
476	Transcriptional regulation of the human soluble epoxide hydrolase gene EPHX2. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2008, 1779, 17-27.	1.9	35
477	Modulation of arachidonic and linoleic acid metabolites in myeloperoxidase-deficient mice during acute inflammation. Free Radical Biology and Medicine, 2010, 48, 1311-1320.	2.9	35
478	Immunoassays and Biosensors for Monitoring Environmental and Human Exposure to Pyrethroid Insecticides. Journal of Agricultural and Food Chemistry, 2011, 59, 2792-2802.	5.2	35
479	Noncompetitive Phage Anti-Immunocomplex Real-Time Polymerase Chain Reaction for Sensitive Detection of Small Molecules. Analytical Chemistry, 2011, 83, 246-253.	6.5	35
480	Renal mechanisms contributing to the antihypertensive action of soluble epoxide hydrolase inhibition in Renâ€2 transgenic rats with inducible hypertension. Journal of Physiology, 2011, 589, 207-219.	2.9	35
481	Nanopeptamers for the Development of Small-Analyte Lateral Flow Tests with a Positive Readout. Analytical Chemistry, 2013, 85, 1177-1182.	6.5	35
482	Reduced carboxylesterase 1 is associated with endothelial injury in methamphetamine-induced pulmonary arterial hypertension. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2017, 313, L252-L266.	2.9	35
483	A COX-2/sEH dual inhibitor PTUPB ameliorates cecal ligation and puncture-induced sepsis in mice via anti-inflammation and anti-oxidative stress. Biomedicine and Pharmacotherapy, 2020, 126, 109907.	5.6	35
484	Fluonanobody-based nanosensor via fluorescence resonance energy transfer for ultrasensitive detection of ochratoxin A. Journal of Hazardous Materials, 2022, 422, 126838.	12.4	35
485	Microsomal and cytosolic epoxide hydrolase and glutathione S-transferase activities in the gill, liver, and kidney of the rainbow trout, Salmo gairdneri. Biochemical Pharmacology, 1989, 38, 881-887.	4.4	34
486	Purification and reassessment of ligand binding by the recombinant, putative juvenile hormone receptor of the tobacco hornworm,Manduca sexta. Archives of Insect Biochemistry and Physiology, 1996, 31, 371-393.	1.5	34

#	Article	IF	CITATIONS
487	Title is missing!. Journal of Chemical Ecology, 1998, 24, 221-252.	1.8	34
488	3-D QSAR analysis of inhibition of murine soluble epoxide hydrolase (MsEH) by benzoylureas, arylureas, and their analogues. Bioorganic and Medicinal Chemistry, 2000, 8, 2663-2673.	3.0	34
489	Immunochemical determination of dioxins in sediment and serum samples. Talanta, 2004, 63, 1213-1223.	5.5	34
490	Role of cytochrome <i>P</i> -450 metabolites in the regulation of renal function and blood pressure in 2-kidney 1-clip hypertensive rats. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2011, 300, R1468-R1475.	1.8	34
491	Effect of soluble epoxide hydrolase polymorphism on substrate and inhibitor selectivity and dimer formation. Journal of Lipid Research, 2014, 55, 1131-1138.	4.2	34
492	Determination of the pyrethroid insecticide metabolite 3-PBA in plasma and urine samples from farmer and consumer groups in northern Thailand. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2014, 49, 15-22.	1.5	34
493	Lipidomic profiling of highâ€fat dietâ€induced obesity in mice: Importance of cytochrome P450â€derived fatty acid epoxides. Obesity, 2017, 25, 132-140.	3.0	34
494	Estrogen-dependent epigenetic regulation of soluble epoxide hydrolase via DNA methylation. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 613-618.	7.1	34
495	Separation of three biologically distinct activities from the parasporal crystal ofBacillus thuringiensis var.israelensis. Current Microbiology, 1985, 12, 121-126.	2.2	33
496	Use of ab Initio Calculations To Predict the Biological Potency of Carboxylesterase Inhibitors. Journal of Medicinal Chemistry, 2002, 45, 5576-5593.	6.4	33
497	Synthesis of Haptens and Protein Conjugates for the Development of Immunoassays for the Insect Growth Regulator Fenoxycarb. Journal of Agricultural and Food Chemistry, 2002, 50, 29-40.	5.2	33
498	Occupational paraquat exposure of agricultural workers in large Costa Rican farms. International Archives of Occupational and Environmental Health, 2009, 82, 455-462.	2.3	33
499	DNA methylation of the promoter of soluble epoxide hydrolase silences its expression by an SP-1-dependent mechanism. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2010, 1799, 659-667.	1.9	33
500	Soluble epoxide hydrolase-dependent regulation of myogenic response and blood pressure. American Journal of Physiology - Heart and Circulatory Physiology, 2014, 306, H1146-H1153.	3.2	33
501	Phage-Mediated Competitive Chemiluminescent Immunoassay for Detecting Cry1Ab Toxin by Using an Anti-Idiotypic Camel Nanobody. Journal of Agricultural and Food Chemistry, 2018, 66, 950-956.	5.2	33
502	Nanobody-based fluorescence resonance energy transfer immunoassay for noncompetitive and simultaneous detection of ochratoxin a and ochratoxin B. Environmental Pollution, 2019, 251, 238-245.	7.5	33
503	Inhibition of soluble epoxide hydrolase attenuates a high-fat diet-mediated renal injury by activating PAX2 and AMPK. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 5154-5159.	7.1	33
504	Generation of functional single-chain fragment variable from hybridoma and development of chemiluminescence enzyme immunoassay for determination of total malachite green in tilapia fish. Food Chemistry, 2021, 337, 127780.	8.2	33

#	Article	IF	CITATIONS
505	Use of dimethyldioxirane in the preparation of epoxy derivatives related to insect juvenile hormones. Tetrahedron, 1991, 47, 1291-1302.	1.9	32
506	Uptake of juvenile hormone esterase by pericardial cells of Manduca sexta. Insect Biochemistry and Molecular Biology, 1992, 22, 893-904.	2.7	32
507	Cloning, sequencing and expression of the Fab fragment of a monoclonal antibody to the herbicide atrazine. Protein Engineering, Design and Selection, 1993, 6, 981-988.	2.1	32
508	Larva lights: A decade of photoaffinity labeling with juvenile hormone analogues. Insect Biochemistry and Molecular Biology, 1994, 24, 747-761.	2.7	32
509	Effects of Recombinant Baculoviruses on a Nontarget Endoparasitoid ofHeliothis virescens. Biological Control, 1996, 6, 45-50.	3.0	32
510	The 5-substituted piperazine as a novel secondary pharmacophore greatly improving the physical properties of urea-based inhibitors of soluble epoxide hydrolase. Bioorganic and Medicinal Chemistry, 2006, 14, 6586-6592.	3.0	32
511	Development of Metabolically Stable Inhibitors of Mammalian Microsomal Epoxide Hydrolase. Chemical Research in Toxicology, 2008, 21, 951-957.	3.3	32
512	Altered Soluble Epoxide Hydrolase Gene Expression and Function and Vascular Disease Risk in the Stroke-Prone Spontaneously Hypertensive Rat. Hypertension, 2008, 51, 567-573.	2.7	32
513	Immunochemical analysis of 3-phenoxybenzoic acid, a biomarker of forestry worker exposure to pyrethroid insecticides. Analytical and Bioanalytical Chemistry, 2011, 401, 1285-1293.	3.7	32
514	Development of Phage Immuno-Loop-Mediated Isothermal Amplification Assays for Organophosphorus Pesticides in Agro-products. Analytical Chemistry, 2014, 86, 8441-8447.	6.5	32
515	Cytochrome P450 monooxygenase lipid metabolites are significant second messengers in the resolution of choroidal neovascularization. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E7545-E7553.	7.1	32
516	COX-2/sEH Dual Inhibitor PTUPB Potentiates the Antitumor Efficacy of Cisplatin. Molecular Cancer Therapeutics, 2018, 17, 474-483.	4.1	32
517	Pharmaceutical Effects of Inhibiting the Soluble Epoxide Hydrolase in Canine Osteoarthritis. Frontiers in Pharmacology, 2019, 10, 533.	3.5	32
518	Impact of diabetes on male sexual function in streptozotocin-induced diabetic rats: Protective role of soluble epoxide hydrolase inhibitor. Biomedicine and Pharmacotherapy, 2019, 115, 108897.	5.6	32
519	Cytochrome P450 derived epoxidized fatty acids as a therapeutic tool against neuroinflammatory diseases. Prostaglandins and Other Lipid Mediators, 2020, 147, 106385.	1.9	32
520	Soluble epoxide hydrolase is an endogenous regulator of obesity-induced intestinal barrier dysfunction and bacterial translocation. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 8431-8436.	7.1	32
521	PTUPB ameliorates high-fat diet-induced non-alcoholic fatty liver disease via inhibiting NLRP3 inflammasome activation in mice. Biochemical and Biophysical Research Communications, 2020, 523, 1020-1026.	2.1	32
522	Characterization of juvenile hormone hydrolysis in early larval development ofTrichoplusia ni. Archives of Insect Biochemistry and Physiology, 1988, 9, 135-156.	1.5	31

#	Article	IF	CITATIONS
523	Development of antibodies against hydroxyatrazine and hydroxysimazine: Application to environmental samples. Journal of Agricultural and Food Chemistry, 1993, 41, 1523-1529.	5.2	31
524	Determination of Pyrethroid Residues in Agricultural Products by an Enzyme-Linked Immunosorbent Assay. Journal of Agricultural and Food Chemistry, 2004, 52, 5572-5576.	5.2	31
525	Rapid screening of dioxin-contaminated soil by accelerated solvent extraction/purification followed by immunochemical detection. Analytical and Bioanalytical Chemistry, 2006, 385, 357-366.	3.7	31
526	Effect of ionic liquids on epoxide hydrolase-catalyzed synthesis of chiral 1,2-diols. Green Chemistry, 2007, 9, 162-168.	9.0	31
527	Bioassays of compounds with potential juvenoid activity on Drosophila melanogaster: Juvenile hormone III, bisepoxide juvenile hormone III and methyl farnesoates. Journal of Insect Physiology, 2010, 56, 1465-1470.	2.0	31
528	Beneficial effects of inhibition of soluble epoxide hydrolase on glucose homeostasis and islet damage in a streptozotocin-induced diabetic mouse model. Prostaglandins and Other Lipid Mediators, 2013, 104-105, 42-48.	1.9	31
529	Synergistic tumor suppression by combined inhibition of telomerase and CDKN1A. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E3062-71.	7.1	31
530	Inhibition of soluble epoxide hydrolase in mice promotes reverse cholesterol transport and regression of atherosclerosis. Atherosclerosis, 2015, 239, 557-565.	0.8	31
531	Development of an Indirect Competitive Enzyme-Linked Immunosorbent Assay for Glycocholic Acid Based on Chicken Single-Chain Variable Fragment Antibodies. Analytical Chemistry, 2017, 89, 11091-11097.	6.5	31
532	A permethrin metabolite is associated with adaptive immune responses in Gulf War Illness. Brain, Behavior, and Immunity, 2019, 81, 545-559.	4.1	31
533	Construction of Immunomagnetic Particles with High Stability in Stringent Conditions by Site-Directed Immobilization of Multivalent Nanobodies onto Bacterial Magnetic Particles for the Environmental Detection of Tetrabromobisphenol-A. Analytical Chemistry, 2020, 92, 1114-1121.	6.5	31
534	Mutagenicity of psoralen epoxides. Mutation Research - Genetic Toxicology Testing and Biomonitoring of Environmental Or Occupational Exposure, 1980, 79, 73-77.	1.2	30
535	A depressant insect-selective toxin analog from the venom of the scorpion Leiurus quinquestriatus hebraeus . Purification and structure/function characterization. FEBS Journal, 1998, 254, 44-49.	0.2	30
536	Development of Phase II Xenobiotic Metabolizing Enzymes in Differentiating Murine Clara Cells. Toxicology and Applied Pharmacology, 2000, 168, 253-267.	2.8	30
537	Characterization and Affinity Purification of Juvenile Hormone Esterase fromBombyx mori. Bioscience, Biotechnology and Biochemistry, 2000, 64, 1681-1687.	1.3	30
538	Phage-borne Peptidomimetics Accelerate the Development of Polyclonal Antibody-based Heterologous Immunoassays for the Detection of Pesticide Metabolites. Environmental Science & Technology, 2008, 42, 2047-2053.	10.0	30
539	Endogenous Levels of Five Fatty Acid Metabolites in Exhaled Breath Condensate to Monitor Asthma by High-Performance Liquid Chromatography: Electrospray Tandem Mass Spectrometry. IEEE Sensors Journal, 2010, 10, 123-130.	4.7	30
540	Development and Utilization of Camelid VHH Antibodies from Alpaca for 2,2′,4,4′-Tetrabrominated Diphenyl Ether Detection. Analytical Chemistry, 2014, 86, 7875-7882.	6.5	30

#	Article	IF	CITATIONS
541	Anti-inflammatory treatment with a soluble epoxide hydrolase inhibitor attenuates seizures and epilepsy-associated depression in the LiCl-pilocarpine post-status epilepticus rat model. Brain, Behavior, and Immunity, 2019, 81, 535-544.	4.1	30
542	Single-chain variable fragment antibody-based immunochromatographic strip for rapid detection of fumonisin B1 in maize samples. Food Chemistry, 2020, 319, 126546.	8.2	30
543	Development of Improved Double-Nanobody Sandwich ELISAs for Human Soluble Epoxide Hydrolase Detection in Peripheral Blood Mononuclear Cells of Diabetic Patients and the Prefrontal Cortex of Multiple Sclerosis Patients. Analytical Chemistry, 2020, 92, 7334-7342.	6.5	30
544	Development of a sensitive non-competitive immunoassay via immunocomplex binding peptide for the determination of ethyl carbamate in wine samples. Journal of Hazardous Materials, 2021, 406, 124288.	12.4	30
545	Synthesis of haptens and potential radioligands and development of antibodies to insect growth regulators diflubenzuron and BAY SIR 8514. Journal of Agricultural and Food Chemistry, 1982, 30, 943-948.	5.2	29
546	Comparison of crude and affinity purified cytosolic epoxide hydrolases from hepatic tissue of control and clofibrate-fed mice. Archives of Biochemistry and Biophysics, 1986, 244, 292-309.	3.0	29
547	Characterization of neuropathy target esterase using trifluoromethyl ketones. Biochemical Pharmacology, 1990, 40, 2587-2596.	4.4	29
548	Enzyme-linked immunosorbent assay for the specific detection of the mercapturic acid metabolites of naphthalene. Chemical Research in Toxicology, 1993, 6, 284-293.	3.3	29
549	Structure-activity relationships for substrates and inhibitors of mammalian liver microsomal carboxylesterases. Pharmaceutical Research, 1996, 13, 1495-1500.	3.5	29
550	Solid-phase combinatorial approach for the optimization of soluble epoxide hydrolase inhibitors. Bioorganic and Medicinal Chemistry Letters, 2006, 16, 5773-5777.	2.2	29
551	Attenuation of Vascular Smooth Muscle Cell Proliferation by 1-Cyclohexyl-3-dodecyl Urea Is Independent of Soluble Epoxide Hydrolase Inhibition. Journal of Pharmacology and Experimental Therapeutics, 2006, 316, 815-821.	2.5	29
552	Inhibition of Soluble Epoxide Hydrolase Does Not Protect against Endotoxin-Mediated Hepatic Inflammation. Journal of Pharmacology and Experimental Therapeutics, 2008, 327, 707-715.	2.5	29
553	Monitoring of Total Type II Pyrethroid Pesticides in Citrus Oils and Water by Converting to a Common Product 3-Phenoxybenzoic Acid. Journal of Agricultural and Food Chemistry, 2012, 60, 5065-5070.	5.2	29
554	Whole blood is the sample matrix of choice for monitoring systemic triclocarban levels. Chemosphere, 2012, 87, 825-827.	8.2	29
555	Post-exposure administration of diazepam combined with soluble epoxide hydrolase inhibition stops seizures and modulates neuroinflammation in a murine model of acute TETS intoxication. Toxicology and Applied Pharmacology, 2014, 281, 185-194.	2.8	29
556	Method for Sorting and Pairwise Selection of Nanobodies for the Development of Highly Sensitive Sandwich Immunoassays. Analytical Chemistry, 2015, 87, 11907-11914.	6.5	29
557	Endothelial Nox4-based NADPH oxidase regulates atherosclerosis via soluble epoxide hydrolase. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2017, 1863, 1382-1391.	3.8	29
558	Identification and optimization of soluble epoxide hydrolase inhibitors with dual potency towards fatty acid amide hydrolase. Bioorganic and Medicinal Chemistry Letters, 2018, 28, 762-768.	2.2	29

#	Article	IF	CITATIONS
559	An Ultrasensitive Bioluminescent Enzyme Immunoassay Based on Nanobody/Nanoluciferase Heptamer Fusion for the Detection of Tetrabromobisphenol A in Sediment. Analytical Chemistry, 2020, 92, 10083-10090.	6.5	29
560	Pharmacokinetic studies of the recombinant juvenile hormone esterase in Manduca sexta. Pesticide Biochemistry and Physiology, 1992, 42, 13-23.	3.6	28
561	Synthesis of haptens and conjugates for an enzyme immunoassay for analysis of the herbicide bromacil. Journal of Agricultural and Food Chemistry, 1992, 40, 1459-1465.	5.2	28
562	Integration of Immunochemical Methods with Other Analytical Techniques for Pesticide Residue Determination. Journal of AOAC INTERNATIONAL, 1995, 78, 585-591.	1.5	28
563	Action of juvenile hormone (JH) esterase on the JH-JH binding protein complex. an in vitro model of JH metabolism in a caterpillar. Insect Biochemistry and Molecular Biology, 1995, 25, 727-734.	2.7	28
564	Development of an ultra fast online-solid phase extraction (SPE) liquid chromatography electrospray tandem mass spectrometry (LC-ESI-MS/MS) based approach for the determination of drugs in pharmacokinetic studies. Analytical Methods, 2011, 3, 420-428.	2.7	28
565	Inhibition of Soluble Epoxide Hydrolase Confers Cardioprotection and Prevents Cardiac Cytochrome P450 Induction by Benzo(a)pyrene. Journal of Cardiovascular Pharmacology, 2011, 57, 273-281.	1.9	28
566	Synthesis and structure–activity relationship of piperidine-derived non-urea soluble epoxide hydrolase inhibitors. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 417-421.	2.2	28
567	Effects of Soluble Epoxide Hydrolase Deficiency on Acute Pancreatitis in Mice. PLoS ONE, 2014, 9, e113019.	2.5	28
568	Competitive and noncompetitive phage immunoassays for the determination of benzothiostrobin. Analytica Chimica Acta, 2015, 890, 150-156.	5.4	28
569	Development of multitarget agents possessing soluble epoxide hydrolase inhibitory activity. Prostaglandins and Other Lipid Mediators, 2019, 140, 31-39.	1.9	28
570	Microsomal and cytosolic epoxide hydrolases in rhesus monkey liver, and in normal and neoplastic human liver. Life Sciences, 1983, 32, 2693-2700.	4.3	27
571	Continuous spectrophotometric assays for cytosolic epoxide hydrolase. Analytical Biochemistry, 1988, 174, 291-299.	2.4	27
572	Anti-Insect Toxin 5 (Aalts) from Androctonus Australis. FEBS Journal, 1997, 246, 496-501.	0.2	27
573	Peptidyl-urea based inhibitors of soluble epoxide hydrolases. Bioorganic and Medicinal Chemistry Letters, 2006, 16, 5439-5444.	2.2	27
574	An immunoassay for a urinary metabolite as a biomarker of human exposure to the pyrethroid insecticide permethrin. Analytical and Bioanalytical Chemistry, 2006, 384, 713-722.	3.7	27
575	Development of highly sensitive fluorescent assays for fatty acid amide hydrolase. Analytical Biochemistry, 2007, 363, 12-21.	2.4	27
576	Hydrolysis of <i>cis</i> - and <i>trans-</i> Epoxyeicosatrienoic Acids by Rat Red Blood Cells. Journal of Pharmacology and Experimental Therapeutics, 2008, 326, 330-337.	2.5	27

#	Article	IF	CITATIONS
577	Inhibition of the Soluble Epoxide Hydrolase by Tyrosine Nitration. Journal of Biological Chemistry, 2009, 284, 28156-28163.	3.4	27
578	Discovery of potent non-urea inhibitors of soluble epoxide hydrolase. Bioorganic and Medicinal Chemistry Letters, 2009, 19, 2354-2359.	2.2	27
579	Development of a noncompetitive phage anti-immunocomplex assay for brominated diphenyl ether 47. Analytical Biochemistry, 2010, 401, 38-46.	2.4	27
580	Incorporation of Piperazino Functionality into 1,3-Disubstituted Urea as the Tertiary Pharmacophore Affording Potent Inhibitors of Soluble Epoxide Hydrolase with Improved Pharmacokinetic Properties. Journal of Medicinal Chemistry, 2010, 53, 8376-8386.	6.4	27
581	Soluble epoxide hydrolase expression in a porcine model of arteriovenous graft stenosis and anti-inflammatory effects of a soluble epoxide hydrolase inhibitor. American Journal of Physiology - Cell Physiology, 2012, 303, C278-C290.	4.6	27
582	Explorations of Substituted Urea Functionality for the Discovery of New Activators of the Heme-Regulated Inhibitor Kinase. Journal of Medicinal Chemistry, 2013, 56, 9457-9470.	6.4	27
583	Novel Omega-3 Fatty Acid Epoxygenase Metabolite Reduces Kidney Fibrosis. International Journal of Molecular Sciences, 2016, 17, 751.	4.1	27
584	Inhibition of Soluble Epoxide Hydrolase Limits Mitochondrial Damage and Preserves Function Following Ischemic Injury. Frontiers in Pharmacology, 2016, 7, 133.	3.5	27
585	Effects of juvenile hormone (JH) analog insecticides on larval development and JH esterase activity in two spodopterans. Pesticide Biochemistry and Physiology, 2016, 128, 30-36.	3.6	27
586	Catalytic activities of mammalian epoxide hydrolases with cis and trans fatty acid epoxides relevant to skin barrier function. Journal of Lipid Research, 2018, 59, 684-695.	4.2	27
587	Adamantyl thioureas as soluble epoxide hydrolase inhibitors. Bioorganic and Medicinal Chemistry Letters, 2018, 28, 2302-2313.	2.2	27
588	Soluble epoxide hydrolase deficiency inhibits dextran sulfate sodium-induced colitis and carcinogenesis in mice. Anticancer Research, 2013, 33, 5261-5271.	1.1	27
589	The apparent in vivo neuromuscular effects of the δ-endotoxin of Bacillus thuringiensis var. israelensis in mice and insects of four orders. Pesticide Biochemistry and Physiology, 1985, 23, 85-94.	3.6	26
590	Construction and Characterization of Immediate Early Baculovirus Pesticides. Biological Control, 1996, 7, 228-235.	3.0	26
591	Performance of two immunoassays for the determination of atrazine in sea water samples as compared with on-line solid phase extraction-liquid chromatography-diode array detection. Analytica Chimica Acta, 1996, 330, 41-51.	5.4	26
592	Structural and Functional Consequences of Haloenol Lactone Inactivation of Murine and Human Glutathione S-Transferase. Biochemistry, 1998, 37, 6752-6759.	2.5	26
593	Urea and amide-based inhibitors of the juvenile hormone epoxide hydrolase of the tobacco hornworm (Manduca sexta: Sphingidae). Insect Biochemistry and Molecular Biology, 2002, 32, 1741-1756.	2.7	26
594	Analyte Peptidomimetics Selected from Phage Display Peptide Libraries:Â A Systematic Strategy for the Development of Environmental Immunoassays. Environmental Science & Technology, 2005, 39, 4234-4241.	10.0	26

#	Article	IF	CITATIONS
595	Functional expression of lepidopteran-selective neurotoxin in baculovirus: Potential for effective pest management. Biochimica Et Biophysica Acta - General Subjects, 2006, 1760, 158-163.	2.4	26
596	Juvenile Hormone (JH) Esterase of the Mosquito Culex quinquefasciatus Is Not a Target of the JH Analog Insecticide Methoprene. PLoS ONE, 2011, 6, e28392.	2.5	26
597	Cardiac-generated prostanoids mediate cardiac myocyte apoptosis after myocardial ischaemia. Cardiovascular Research, 2012, 95, 336-345.	3.8	26
598	Vitamin D in Tear Fluid. , 2015, 56, 5880.		26
599	Soluble epoxide hydrolase is involved in the development of atherosclerosis and arterial neointima formation by regulating smooth muscle cell migration. American Journal of Physiology - Heart and Circulatory Physiology, 2015, 309, H1894-H1903.	3.2	26
600	Sensitive Immunoassay for Detection and Quantification of the Neurotoxin, Tetramethylenedisulfotetramine. Analytical Chemistry, 2017, 89, 5612-5619.	6.5	26
601	Two pharmacological epoxyeicosatrienoic acid-enhancing therapies are effectively antihypertensive and reduce the severity of ischemic arrhythmias in rats with angiotensin II-dependent hypertension. Journal of Hypertension, 2018, 36, 1326-1341.	0.5	26
602	Strong and oriented conjugation of nanobodies onto magnetosomes for the development of a rapid immunomagnetic assay for the environmental detection of tetrabromobisphenol-A. Analytical and Bioanalytical Chemistry, 2018, 410, 6633-6642.	3.7	26
603	Epoxyeicosatrienoic acid (EET)-stimulated angiogenesis is mediated by epoxy hydroxyeicosatrienoic acids (EHETs) formed from COX-2. Journal of Lipid Research, 2019, 60, 1996-2005.	4.2	26
604	One-step immunoassay for the insecticide carbaryl using a chicken single-chain variable fragment (scFv) fused to alkaline phosphatase. Analytical Biochemistry, 2019, 572, 9-15.	2.4	26
605	Highly specific nanobody against herbicide 2,4-dichlorophenoxyacetic acid for monitoring of its contamination in environmental water. Science of the Total Environment, 2021, 753, 141950.	8.0	26
606	Insect metabolism of a phenyl epoxygeranyl ether juvenoid and related compounds. Pesticide Biochemistry and Physiology, 1974, 4, 393-406.	3.6	25
607	Kinetic properties of the inhibition of juvenile hormone esterase by two trifluoromethylketones and O-ethyl,S-phenyl phosphoramidothioate. Pesticide Biochemistry and Physiology, 1984, 21, 232-241.	3.6	25
608	The effect of tridiphane (2-(3,5-dichlorophenyl)-2-(2,2,2-trichloroethyl)oxirane) on hepatic epoxide-metabolizing enzymes: Indications of peroxisome proliferation. Toxicology and Applied Pharmacology, 1987, 89, 37-48.	2.8	25
609	Development of Polyclonal Antibodies for Detection of Protein Modification by 1,2-Naphthoquinone. Chemical Research in Toxicology, 1996, 9, 904-909.	3.3	25
610	Application of the Bootstrap to Calibration Experiments. Analytical Chemistry, 1996, 68, 763-770.	6.5	25
611	Mechanistic studies of the degradation of juvenile hormone esterase inManduca sexta. Archives of Insect Biochemistry and Physiology, 1997, 34, 275-286.	1.5	25
612	Competitive Quenching Fluorescence Immunoassay for Chlorophenols Based on Laser-Induced Fluorescence Detection in Microdroplets. Analytical Chemistry, 2003, 75, 83-90.	6.5	25

#	Article	IF	CITATIONS
613	Inhibition of Smooth Muscle Proliferation by Urea-Based Alkanoic Acids via Peroxisome Proliferator-Activated Receptor α–Dependent Repression of Cyclin D1. Arteriosclerosis, Thrombosis, and Vascular Biology, 2006, 26, 2462-2468.	2.4	25
614	Profiling the regulatory lipids: another systemic way to unveil the biological mystery. Current Opinion in Lipidology, 2011, 22, 197-203.	2.7	25
615	Development of an online SPE–LC–MS-based assay using endogenous substrate for investigation of soluble epoxide hydrolase (sEH) inhibitors. Analytical and Bioanalytical Chemistry, 2011, 400, 1359-1366.	3.7	25
616	Soluble Epoxide Hydrolase Inhibition Exhibits Antihypertensive Actions Independently of Nitric Oxide in Mice with Renovascular Hypertension. Kidney and Blood Pressure Research, 2012, 35, 595-607.	2.0	25
617	An Immunoassay To Evaluate Human/Environmental Exposure to the Antimicrobial Triclocarban. Environmental Science & Technology, 2012, 46, 374-381.	10.0	25
618	Design, synthesis and evaluation of non-urea inhibitors of soluble epoxide hydrolase. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 601-605.	2.2	25
619	Soluble Epoxide Hydrolase Pharmacological Inhibition Ameliorates Experimental Acute Pancreatitis in Mice. Molecular Pharmacology, 2015, 88, 281-290.	2.3	25
620	Ingestion of the epoxide hydrolase inhibitor AUDA modulates immune responses of the mosquito, Culex quinquefasciatus during blood feeding. Insect Biochemistry and Molecular Biology, 2016, 76, 62-69.	2.7	25
621	A new sensitive LC/MS/MS analysis of vitamin D metabolites using a click derivatization reagent, 2-nitrosopyridine. Journal of Lipid Research, 2017, 58, 798-808.	4.2	25
622	Shexiang Baoxin pills promotes angiogenesis in myocardial infarction rats via up-regulation of 20-HETE-mediated endothelial progenitor cells mobilization. Atherosclerosis, 2017, 263, 184-191.	0.8	25
623	A dual signal immunochromatographic strip for the detection of imidaclothiz using a recombinant fluorescent-peptide tracer and gold nanoparticles. Sensors and Actuators B: Chemical, 2019, 297, 126714.	7.8	25
624	Phytochemical constituents from Scutellaria baicalensis in soluble epoxide hydrolase inhibition: Kinetics and interaction mechanism merged with simulations. International Journal of Biological Macromolecules, 2019, 133, 1187-1193.	7.5	25
625	Protostane-type triterpenoids as natural soluble epoxide hydrolase inhibitors: Inhibition potentials and molecular dynamics. Bioorganic Chemistry, 2020, 96, 103637.	4.1	25
626	Effects of the anti hormone-hormone mimic ETB on the induction of insect juvenile hormone esterase in. Life Sciences, 1979, 25, 445-450.	4.3	24
627	A methodology for the analysis of the preneoplastic antigen. Carcinogenesis, 1984, 5, 1467-1473.	2.8	24
628	Inhibition of epoxide hydrolases and glutathione S-transferases by 2-, 3-, and 4-substituted derivatives of 4′-phenylchalcone and its oxide. Archives of Biochemistry and Biophysics, 1987, 254, 203-213.	3.0	24
629	Development of an in situ toxicity assay system using recombinant baculoviruses. Biochemical Pharmacology, 1996, 51, 503-515.	4.4	24
630	Development of an Enzyme-Linked Immunosorbent Assay for the Detection of Hydroxytriazines. Journal of Agricultural and Food Chemistry, 1997, 45, 414-424.	5.2	24

#	Article	IF	CITATIONS
631	Insecticidal Efficacy of a Recombinant Baculovirus Expressing JHE-KK, a Modified Juvenile Hormone Esterase. Journal of Invertebrate Pathology, 1999, 73, 234-236.	3.2	24
632	Identification of 15-hydroxy-11,12-epoxyeicosatrienoic acid as a vasoactive 15-lipoxygenase metabolite in rabbit aorta. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 294, H1348-H1356.	3.2	24
633	The anti-inflammatory effects of soluble epoxide hydrolase inhibitors are independent of leukocyte recruitment. Biochemical and Biophysical Research Communications, 2011, 410, 494-500.	2.1	24
634	Development of an HTS assay for EPHX2 phosphatase activity and screening of nontargeted libraries. Analytical Biochemistry, 2013, 434, 105-111.	2.4	24
635	Models to identify treatments for the acute and persistent effects of seizureâ€inducing chemical threat agents. Annals of the New York Academy of Sciences, 2016, 1378, 124-136.	3.8	24
636	Brain oxylipin concentrations following hypercapnia/ischemia: effects of brain dissection and dissection time. Journal of Lipid Research, 2019, 60, 671-682.	4.2	24
637	Generation of dual functional nanobody-nanoluciferase fusion and its potential in bioluminescence enzyme immunoassay for trace glypican-3 in serum. Sensors and Actuators B: Chemical, 2021, 336, 129717.	7.8	24
638	COX-2/sEH dual inhibitor PTUPB suppresses glioblastoma growth by targeting epidermal growth factor receptor and hyaluronan mediated motility receptor. Oncotarget, 2017, 8, 87353-87363.	1.8	24
639	Soluble mammalian epoxide hydratase: Action on juvenile hormone and other terpenoid epoxides. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1976, 53, 263-265.	0.2	23
640	Apparent induction of microsomal carboxylesterase activities in tissues of clofibrate-fed mice and rats. Toxicology and Applied Pharmacology, 1987, 89, 361-369.	2.8	23
641	Juvenile hormone esterase is a biochemical anti-juvenile hormone agent. Insect Biochemistry, 1990, 20, 451-459.	1.8	23
642	Comparison of a Time-Resolved Fluorescence Immunoassay and an Enzyme-Linked Immunosorbent Assay for the Analysis of Atrazine in Water. Journal of Agricultural and Food Chemistry, 1998, 46, 3353-3358.	5.2	23
643	Optimized thiol derivatizing reagent for the mass spectral analysis of disubstituted epoxy fatty acids. Journal of Chromatography A, 2001, 925, 223-240.	3.7	23
644	Development of an Enzyme-Linked Immunosorbent Assay for the Organophosphorus Insecticide Bromophos-ethyl. Journal of Agricultural and Food Chemistry, 2002, 50, 6675-6682.	5.2	23
645	A single charged surface residue modifies the activity of ikitoxin, a beta-type Na+ channel toxin from Parabuthus transvaalicus. FEBS Journal, 2002, 269, 5369-5376.	0.2	23
646	IN VITRO METABOLISM OF THE MAMMALIAN SOLUBLE EPOXIDE HYDROLASE INHIBITOR, 1-CYCLOHEXYL-3-DODECYL-UREA. Drug Metabolism and Disposition, 2003, 31, 846-853.	3.3	23
647	The Potential of Soluble Epoxide Hydrolase Inhibition in the Treatment of Cardiac Hypertrophy. Congestive Heart Failure, 2008, 14, 219-224.	2.0	23
648	Salicylate–urea-based soluble epoxide hydrolase inhibitors with high metabolic and chemical stabilities. Bioorganic and Medicinal Chemistry Letters, 2009, 19, 1784-1789.	2.2	23

#	Article	IF	CITATIONS
649	Pharmacological inhibition of soluble epoxide hydrolase provides cardioprotection in hyperglycemic rats. American Journal of Physiology - Heart and Circulatory Physiology, 2012, 303, H853-H862.	3.2	23
650	Treatment of mice with 2,3,7,8-Tetrachlorodibenzo-p-dioxin markedly increases the levels of a number of cytochrome P450 metabolites of omega-3 polyunsaturated fatty acids in the liver and lung. Journal of Toxicological Sciences, 2013, 38, 833-836.	1.5	23
651	Combined treatment with diazepam and allopregnanolone reverses tetramethylenedisulfotetramine (TETS)-induced calcium dysregulation in cultured neurons and protects TETS-intoxicated mice against lethal seizures. Neuropharmacology, 2015, 95, 332-342.	4.1	23
652	Inhibition of soluble epoxide hydrolase alleviated atherosclerosis by reducing monocyte infiltration in Ldlrâ^'/â^' mice. Journal of Molecular and Cellular Cardiology, 2016, 98, 128-137.	1.9	23
653	Podocyteâ€specific soluble epoxide hydrolase deficiency in mice attenuates acute kidney injury. FEBS Journal, 2017, 284, 1970-1986.	4.7	23
654	Soluble Epoxide Hydrolase Pharmacological Inhibition Decreases Alveolar Bone Loss by Modulating Host Inflammatory Response, RANK-Related Signaling, Endoplasmic Reticulum Stress, and Apoptosis. Journal of Pharmacology and Experimental Therapeutics, 2017, 361, 408-416.	2.5	23
655	Inhibition of soluble epoxide hydrolase augments astrocyte release of vascular endothelial growth factor and neuronal recovery after oxygenâ€glucose deprivation. Journal of Neurochemistry, 2017, 140, 814-825.	3.9	23
656	Induction of Amyloid-β42 Production by Fipronil and Other Pyrazole Insecticides. Journal of Alzheimer's Disease, 2018, 62, 1663-1681.	2.6	23
657	Noncompetitive Homogeneous Detection of Small Molecules Using Synthetic Nanopeptamer-Based Luminescent Oxygen Channeling. Analytical Chemistry, 2018, 90, 6187-6192.	6.5	23
658	1-Trifluoromethoxyphenyl-3-(1-propionylpiperidin-4-yl) Urea, a Selective and Potent Dual Inhibitor of Soluble Epoxide Hydrolase and p38 Kinase Intervenes in Alzheimer's Signaling in Human Nerve Cells. ACS Chemical Neuroscience, 2019, 10, 4018-4030.	3.5	23
659	Inhibition of soluble epoxide hydrolase ameliorates hyperhomocysteinemia-induced hepatic steatosis by enhancing β-oxidation of fatty acid in mice. American Journal of Physiology - Renal Physiology, 2019, 316, G527-G538.	3.4	23
660	Soluble epoxide hydrolase inhibitor, APAU, protects dopaminergic neurons against rotenone induced neurotoxicity: Implications for Parkinson's disease. NeuroToxicology, 2019, 70, 135-145.	3.0	23
661	Inhibition of sEH via stabilizing the level of EETs alleviated Alzheimer's disease through GSK3Î ² signaling pathway. Food and Chemical Toxicology, 2021, 156, 112516.	3.6	23
662	sEH-derived metabolites of linoleic acid drive pathologic inflammation while impairing key innate immune cell function in burn injury. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2120691119.	7.1	23
663	Approaches to the purification of the juvenile hormone esterase from the cabbage looper, Trichoplusia ni. Insect Biochemistry, 1981, 11, 437-444.	1.8	22
664	Critical roles for juvenile hormone and its esterase+ in the prepupa ofTrichoplusia ni. Archives of Insect Biochemistry and Physiology, 1985, 2, 397-404.	1.5	22
665	Formation of cyclic products from the diepoxide of long-chain fatty esters by cytosolic epoxide hydrolase. Archives of Biochemistry and Biophysics, 1992, 294, 586-593.	3.0	22
666	ELISA for the detection of the triazole fungicide myclobutanil Journal of Agricultural and Food Chemistry, 1995, 43, 2083-2091.	5.2	22

BRUCE D НАММОСК

#	Article	IF	CITATIONS
667	Epoxide Hydrolases in the Rat Epididymis: Possible Roles in Xenobiotic and Endogenous Fatty Acid Metabolism. Toxicological Sciences, 2004, 78, 187-195.	3.1	22
668	Clofibrate-induced changes in the liver, heart, brain and white adipose lipid metabolome of Swiss-Webster mice. Metabolomics, 2007, 3, 137-145.	3.0	22
669	Upregulation of soluble epoxide hydrolase in proximal tubular cells mediated proteinuria-induced renal damage. American Journal of Physiology - Renal Physiology, 2013, 304, F168-F176.	2.7	22
670	Developmental effects of fipronil on Japanese Medaka (Oryzias latipes) embryos. Chemosphere, 2017, 166, 511-520.	8.2	22
671	Design and Potency of Dual Soluble Epoxide Hydrolase/Fatty Acid Amide Hydrolase Inhibitors. ACS Omega, 2018, 3, 14076-14086.	3.5	22
672	Celecoxib Does Not Protect against Fibrosis and Inflammation in a Carbon Tetrachloride–Induced Model of Liver Injury. Molecular Pharmacology, 2018, 94, 834-841.	2.3	22
673	EpOMEs act as immune suppressors in a lepidopteran insect, Spodoptera exigua. Scientific Reports, 2020, 10, 20183.	3.3	22
674	Soluble epoxide hydrolase inhibitor, TPPU, increases regulatory T cells pathway in an arthritis model. FASEB Journal, 2020, 34, 9074-9086.	0.5	22
675	Inhibition of the Soluble Epoxide Hydrolase as an Analgesic Strategy: A Review of Preclinical Evidence. Journal of Pain Research, 2021, Volume 14, 61-72.	2.0	22
676	Immunoassay Techniques for Pesticide Analysis. , 1989, , 217-263.		22
677	Discovery and In Vivo Proof of Concept of a Highly Potent Dual Inhibitor of Soluble Epoxide Hydrolase and Acetylcholinesterase for the Treatment of Alzheimer's Disease. Journal of Medicinal Chemistry, 2022, 65, 4909-4925.	6.4	22
678	Hydration of an 18O epoxide by a cytosolic epoxide hydrolase from mouse liver. Life Sciences, 1980, 27, 1635-1641.	4.3	21
679	Characterization of the cytosolic epoxide hydrolase-catalyzed hydration products from 9,10:12,13-diepoxy stearic esters. Archives of Biochemistry and Biophysics, 1992, 294, 675-685.	3.0	21
680	Biochemical and histochemical properties of hepatic tumors of rainbow trout, Oncorhynchus mykiss. Carcinogenesis, 1993, 14, 211-217.	2.8	21
681	Sources of experimental variation in calibration curves for enzyme-linked immunosorbent assay. Analytica Chimica Acta, 1995, 313, 197-207.	5.4	21
682	Development of dioxin toxicity evaluation method in human milk by enzyme-linked immunosorbent assay––assay validation for human milk. Chemosphere, 2002, 46, 1471-1476.	8.2	21
683	Development of Optically Pure Pyrethroid-Like Fluorescent Substrates for Carboxylesterases. Chemical Research in Toxicology, 2005, 18, 516-527.	3.3	21
684	An enzyme-linked immunosorbent assay for the determination of dioxins in contaminated sediment and soil samples. Chemosphere, 2008, 72, 95-103.	8.2	21

#	Article	IF	CITATIONS
685	Differential subcellular distribution and colocalization of the microsomal and soluble epoxide hydrolases in cultured neonatal rat brain cortical astrocytes. Journal of Neuroscience Research, 2009, 87, 218-227.	2.9	21
686	Immunochemical Screening of Pesticides (Simazine and Cypermethrin) in Orange Oil. Journal of Agricultural and Food Chemistry, 2009, 57, 5673-5679.	5.2	21
687	Inhibition of soluble epoxide hydrolase contributes to the anti-inflammatory effect of antimicrobial triclocarban in a murine model. Toxicology and Applied Pharmacology, 2011, 255, 200-206.	2.8	21
688	Development of fluorescent substrates for microsomal epoxide hydrolase and application to inhibition studies. Analytical Biochemistry, 2011, 414, 154-162.	2.4	21
689	Multi-Targeted Mechanisms Underlying the Endothelial Protective Effects of the Diabetic-Safe Sweetener Erythritol. PLoS ONE, 2013, 8, e65741.	2.5	21
690	Computer-aided drug design guided by hydrogen/deuterium exchange mass spectrometry: A powerful combination for the development of potent and selective inhibitors of Group VIA calcium-independent phospholipase A2. Bioorganic and Medicinal Chemistry, 2016, 24, 4801-4811.	3.0	21
691	Parabens inhibit fatty acid amide hydrolase: A potential role in paraben-enhanced 3T3-L1 adipocyte differentiation. Toxicology Letters, 2016, 262, 92-99.	0.8	21
692	Detection of the Antimicrobial Triclosan in Environmental Samples by Immunoassay. Environmental Science & Technology, 2016, 50, 3754-3761.	10.0	21
693	Inhibitors of soluble epoxide hydrolase minimize ischemiaâ€reperfusionâ€induced cardiac damage in normal, hypertensive, and diabetic rats. Cardiovascular Therapeutics, 2017, 35, e12259.	2.5	21
694	Soluble epoxide hydrolase in podocytes is a significant contributor to renal function under hyperglycemia. Biochimica Et Biophysica Acta - General Subjects, 2017, 1861, 2758-2765.	2.4	21
695	In vitro and in vivo Metabolism of a Potent Inhibitor of Soluble Epoxide Hydrolase, 1-(1-Propionylpiperidin-4-yl)-3-(4-(trifluoromethoxy)phenyl)urea. Frontiers in Pharmacology, 2019, 10, 464.	3.5	21
696	Fluoroaromatic fragments on 1,3-disubstituted ureas enhance soluble epoxide hydrolase inhibition. Journal of Fluorine Chemistry, 2019, 220, 48-53.	1.7	21
697	Integration of Liquid Chromatography with Immunoassay: An Approach Combining the Strengths of Both Methods. Journal of AOAC INTERNATIONAL, 1994, 77, 1275-1287.	1.5	20
698	Hepatic and pulmonary enzyme activities in horses. American Journal of Veterinary Research, 2000, 61, 152-157.	0.6	20
699	Regio- and enantioselective hydrolysis of phenyloxiranes catalyzed by soluble epoxide hydrolase. Tetrahedron: Asymmetry, 2000, 11, 4451-4462.	1.8	20
700	Isolation of a strain of Agrobacterium tumefaciens (Rhizobium radiobacter) utilizing methylene urea (ureaformaldehyde) as nitrogen source. Canadian Journal of Microbiology, 2004, 50, 167-174.	1.7	20
701	Improved methods for urinary atrazine mercapturate analysis—Assessment of an enzyme-linked immunosorbent assay (ELISA) and a novel liquid chromatography–mass spectrometry (LC–MS) method utilizing online solid phase extraction (SPE). Analytica Chimica Acta, 2006, 572, 180-189.	5.4	20
702	Improved insecticidal efficacy of a recombinant baculovirus expressing mutated JH esterase from Manduca sexta. Biological Control, 2011, 58, 354-361.	3.0	20

#	Article	IF	CITATIONS
703	Importance of membrane selection in the development of immunochromatographic assays for low-molecular weight compounds. Analytica Chimica Acta, 2012, 757, 69-74.	5.4	20
704	Förster resonance energy transfer competitive displacement assay for human soluble epoxide hydrolase. Analytical Biochemistry, 2013, 434, 259-268.	2.4	20
705	Different mechanisms of acute versus long-term antihypertensive effects of soluble epoxide hydrolase inhibition: Studies in Cyp1a1-Ren-2 transgenic rats. Clinical and Experimental Pharmacology and Physiology, 2014, 41, 1003-1013.	1.9	20
706	Development of a heterologous enzyme-linked immunosorbent assay for organophosphorus pesticides with phage-borne peptide. RSC Advances, 2014, 4, 42445-42453.	3.6	20
707	Epoxide hydrolase activities and epoxy fatty acids in the mosquito Culex quinquefasciatus. Insect Biochemistry and Molecular Biology, 2015, 59, 41-49.	2.7	20
708	EETs promote hypoxic pulmonary vasoconstriction via constrictor prostanoids. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2017, 313, L350-L359.	2.9	20
709	An inhibitor of soluble epoxide hydrolase ameliorates diabetes-induced learning and memory impairment in rats. Prostaglandins and Other Lipid Mediators, 2018, 136, 84-89.	1.9	20
710	Inhibition of Pancreatic Carcinoma Growth Through Enhancing ω-3 Epoxy Polyunsaturated Fatty Acid Profile by Inhibition of Soluble Epoxide Hydrolase. Anticancer Research, 2019, 39, 3651-3660.	1.1	20
711	Investigation of the Small Size of Nanobodies for a Sensitive Fluorescence Polarization Immunoassay for Small Molecules: 3-Phenoxybenzoic Acid, an Exposure Biomarker of Pyrethroid Insecticides as a Model. Journal of Agricultural and Food Chemistry, 2019, 67, 11536-11541.	5.2	20
712	Docosahexaenoic Acid Increases the Potency of Soluble Epoxide Hydrolase Inhibitor in Alleviating Streptozotocin-Induced Alzheimer's Disease-Like Complications of Diabetes. Frontiers in Pharmacology, 2019, 10, 288.	3.5	20
713	Soluble Epoxide Hydrolase Regulation of Lipid Mediators Limits Pain. Neurotherapeutics, 2020, 17, 900-916.	4.4	20
714	Cyclopropyl oxiranes: Reversible inhibitors of cytosolic and microsomal epoxide hydrolases. Archives of Biochemistry and Biophysics, 1985, 237, 361-372.	3.0	19
715	1,2-Epoxycycloalkanes: Substrates and inhibitors of microsomal and cytosolic epoxide hydrolases in mouse liver. Biochemical Pharmacology, 1988, 37, 2717-2722.	4.4	19
716	New trifluoropropanone sulfides as highly active and selective inhibitors of insect juvenile hormone esterase. Pesticide Biochemistry and Physiology, 1989, 33, 112-124.	3.6	19
717	Immunochemical approach to the detection of aminotriazoles using selective amino group protection by chromophores. Journal of Agricultural and Food Chemistry, 1991, 39, 129-136.	5.2	19
718	Investigation of the role of a second conserved serine in carboxylesterases via site-directed mutagenesis. Archives of Biochemistry and Biophysics, 2004, 430, 247-255.	3.0	19
719	The neutralizing effect of a polyclonal antibody raised against the N-terminal eighteen-aminoacid residues of birtoxin towards the whole venom of Parabuthus transvaalicus. Toxicon, 2006, 47, 144-149.	1.6	19
720	Ultrasensitive On-Chip Immunoassays with a Nanoparticle-Assembled Photonic Crystal. ACS Nano, 2012, 6, 8570-8582.	14.6	19

#	Article	IF	CITATIONS
721	Antihypertensive action of soluble epoxide hydrolase inhibition in <scp>R</scp> enâ€⊋ transgenic rats is mediated by suppression of the intrarenal renin–angiotensin system. Clinical and Experimental Pharmacology and Physiology, 2013, 40, 273-281.	1.9	19
722	Antihypertensive and renoprotective actions of soluble epoxide hydrolase inhibition in ANG II-dependent malignant hypertension are abolished by pretreatment with L-NAME. Journal of Hypertension, 2013, 31, 321-332.	0.5	19
723	Possible role of Epoxyeicosatrienoic acid in prevention of oxidative stress mediated neuroinflammation in Parkinson disorders. Medical Hypotheses, 2016, 93, 161-165.	1.5	19
724	In Vitro Metabolism of Oprozomib, an Oral Proteasome Inhibitor: Role of Epoxide Hydrolases and Cytochrome P450s. Drug Metabolism and Disposition, 2017, 45, 712-720.	3.3	19
725	Novel piperidine-derived amide sEH inhibitors as mediators of lipid metabolism with improved stability. Prostaglandins and Other Lipid Mediators, 2018, 136, 90-95.	1.9	19
726	Discovery of the First in Vivo Active Inhibitors of the Soluble Epoxide Hydrolase Phosphatase Domain. Journal of Medicinal Chemistry, 2019, 62, 8443-8460.	6.4	19
727	Development of a one-step immunoassay for triazophos using camel single-domain antibody–alkaline phosphatase fusion protein. Analytical and Bioanalytical Chemistry, 2019, 411, 1287-1295.	3.7	19
728	Inactivation of Cys ⁶⁷⁴ in SERCA2 increases BP by inducing endoplasmic reticulum stress and soluble epoxide hydrolase. British Journal of Pharmacology, 2020, 177, 1793-1805.	5.4	19
729	Tryptophan Fluorescence Quenching by Enzyme Inhibitors As a Tool for Enzyme Active Site Structure Investigation: Epoxide Hydrolase. Current Pharmaceutical Biotechnology, 2009, 10, 589-599.	1.6	19
730	Malathion toxicity and carboxylesterase activity in Drosophila melanogaster. Pesticide Biochemistry and Physiology, 1987, 29, 97-111.	3.6	18
731	Human and murine cytosolic epoxide hydrolase: Physical and structural properties. International Journal of Biochemistry & Cell Biology, 1990, 22, 461-470.	0.5	18
732	Stereochemical aspects of cytosolic epoxide hydrolase hydration of methyl diepoxystearates. Tetrahedron, 1993, 49, 2601-2612.	1.9	18
733	Haloenol Lactone Is a New Isozyme-selective and Active Site-directed Inactivator of Glutathione S-Transferase. Journal of Biological Chemistry, 1996, 271, 20421-20425.	3.4	18
734	Optimization and validation of an enzyme immunoassay for the insect growth regulator fenoxycarb. Analytica Chimica Acta, 2003, 487, 15-29.	5.4	18
735	Graded Effects of Proteinuria on HDL Structure in Nephrotic Rats. Journal of the American Society of Nephrology: JASN, 2005, 16, 1309-1319.	6.1	18
736	Three structurally related, highly potent, peptides from the venom of Parabuthus transvaalicus possess divergent biological activity. Toxicon, 2005, 45, 727-733.	1.6	18
737	Autoantibody response to microsomal epoxide hydrolase in hepatitis C and A. Journal of Autoimmunity, 2007, 28, 7-18.	6.5	18
738	Identification of 13-Hydroxy-14,15-epoxyeicosatrienoic Acid as an Acid-stable Endothelium-derived Hyperpolarizing Factor in Rabbit Arteries. Journal of Biological Chemistry, 2009, 284, 31280-31290.	3.4	18

Bruce D Hammock

#	Article	IF	CITATIONS
739	Mutation of bacterium <i>Vibrio gazogenes</i> for selective preparation of colorants. Biotechnology Progress, 2010, 26, 352-360.	2.6	18
740	Potent Natural Soluble Epoxide Hydrolase Inhibitors from Pentadiplandra brazzeana Baillon: Synthesis, Quantification, and Measurement of Biological Activities In Vitro and In Vivo. PLoS ONE, 2015, 10, e0117438.	2.5	18
741	Effects of high-fat diet on plasma profiles of eicosanoid metabolites in mice. Prostaglandins and Other Lipid Mediators, 2016, 127, 9-13.	1.9	18
742	Pharmacological inhibition of soluble epoxide hydrolase or genetic deletion reduces diclofenac-induced gastric ulcers. Life Sciences, 2017, 180, 114-122.	4.3	18
743	Hydroxy-fipronil is a new urinary biomarker of exposure to fipronil. Environment International, 2017, 103, 91-98.	10.0	18
744	Fluorescent "Turn off-on―Small-Molecule-Monitoring Nanoplatform Based on Dendrimer-like Peptides as Competitors. ACS Applied Materials & Interfaces, 2019, 11, 33380-33389.	8.0	18
745	Hapten Synthesis, Antibody Development, and a Highly Sensitive Indirect Competitive Chemiluminescent Enzyme Immunoassay for Detection of Dicamba. Journal of Agricultural and Food Chemistry, 2019, 67, 5711-5719.	5.2	18
746	Development of an immunoassay for the detection of carbaryl in cereals based on a camelid variable heavyâ€chain antibody domain. Journal of the Science of Food and Agriculture, 2019, 99, 4383-4390.	3.5	18
747	A rapid and simple fluorescence enzyme-linked immunosorbent assay for tetrabromobisphenol A in soil samples based on a bifunctional fusion protein. Ecotoxicology and Environmental Safety, 2020, 188, 109904.	6.0	18
748	Vitamin D deficiency serves as a precursor to stunted growth and central adiposity in zebrafish. Scientific Reports, 2020, 10, 16032.	3.3	18
749	Preparation and evaluation of soluble epoxide hydrolase inhibitors with improved physical properties and potencies for treating diabetic neuropathic pain. Bioorganic and Medicinal Chemistry, 2020, 28, 115735.	3.0	18
750	Postprandial effect to decrease soluble epoxide hydrolase activity: roles of insulin and gut microbiota. Journal of Nutritional Biochemistry, 2017, 49, 8-14.	4.2	18
751	An Efficient Preparation of 18O-Labeled Epoxides. Journal of Organic Chemistry, 1994, 59, 4316-4318.	3.2	17
752	Characterization of a spectrophotometric assay for juvenile hormone esterase. Insect Biochemistry and Molecular Biology, 1995, 25, 119-126.	2.7	17
753	Synthesis of Protein Conjugates and Development of Immunoassays for AAL Toxins. Journal of Agricultural and Food Chemistry, 1996, 44, 1796-1803.	5.2	17
754	Isolation of juvenile hormone esterase and its partial cDNA clone from the beetle, Tenebrio molitor. Insect Biochemistry and Molecular Biology, 2000, 30, 529-540.	2.7	17
755	Homogeneous fluoroimmunoassay of a pyrethroid metabolite in urine. Analytica Chimica Acta, 2001, 444, 103-117.	5.4	17
756	Identification and Characterization of an Ovary-Selective Isoform of Epoxide Hydrolase1. Biology of Reproduction, 2005, 72, 968-975.	2.7	17

Bruce D Hammock

#	Article	IF	CITATIONS
757	Development of Sensitive Immunoassays for the Detection of the Glucuronide Conjugate of 3-Phenoxybenzyl Alcohol, a Putative Human Urinary Biomarker for Pyrethroid Exposure. Journal of Agricultural and Food Chemistry, 2007, 55, 3750-3757.	5.2	17
758	Biosafety of Recombinant and Wild Type Nucleopolyhedroviruses as Bioinsecticides. International Journal of Environmental Research and Public Health, 2007, 4, 111-125.	2.6	17
759	Monoclonal Antibody-Based Enzyme-Linked Immunosorbent Assays for the Organophosphorus Insecticide <i>O</i> -Ethyl <i>O</i> -4-Nitrophenyl Phenylphosphonothioate (EPN). Journal of Agricultural and Food Chemistry, 2010, 58, 5241-5247.	5.2	17
760	The soluble epoxide hydrolase as a pharmaceutical target for pain management. Pain Management, 2011, 1, 383-386.	1.5	17
761	Changes in PTGS1 and ALOX12 Gene Expression in Peripheral Blood Mononuclear Cells Are Associated with Changes in Arachidonic Acid, Oxylipins, and Oxylipin/Fatty Acid Ratios in Response to Omega-3 Fatty Acid Supplementation. PLoS ONE, 2015, 10, e0144996.	2.5	17
762	Omeprazole increases the efficacy of a soluble epoxide hydrolase inhibitor in a PGE2 induced pain model. Toxicology and Applied Pharmacology, 2015, 289, 419-427.	2.8	17
763	PPARδ signaling mediates the cytotoxicity of DHA in H9c2 cells. Toxicology Letters, 2015, 232, 10-20.	0.8	17
764	Development of Tetramethylenedisulfotetramine (TETS) Hapten Library: Synthesis, Electrophysiological Studies, and Immune Response in Rabbits Chemistry - A European Journal, 2017, 23, 8466-8472.	3.3	17
765	Development of 1-((1,4- <i>trans</i>)-4-Aryloxycyclohexyl)-3-arylurea Activators of Heme-Regulated Inhibitor as Selective Activators of the Eukaryotic Initiation Factor 2 Alpha (eIF2α) Phosphorylation Arm of the Integrated Endoplasmic Reticulum Stress Response. Journal of Medicinal Chemistry, 2017, 60, 5392-5406.	6.4	17
766	Development of amide-based fluorescent probes for selective measurement of carboxylesterase 1 activity in tissue extracts. Analytical Biochemistry, 2017, 539, 81-89.	2.4	17
767	Evaluation of antiparkinson activity of PTUPB by measuring dopamine and its metabolites in Drosophila melanogaster: LC–MS/MS method development. Journal of Pharmaceutical and Biomedical Analysis, 2018, 149, 457-464.	2.8	17
768	Exploring the size of the lipophilic unit of the soluble epoxide hydrolase inhibitors. Bioorganic and Medicinal Chemistry, 2019, 27, 115078.	3.0	17
769	Development of nanobody-based flow-through dot ELISA and lateral-flow immunoassay for rapid detection of 3-phenoxybenzoic acid. Analytical Methods, 2021, 13, 1757-1765.	2.7	17
770	Enhanced Non-Toxic Immunodetection of <i>Alternaria</i> Mycotoxin Tenuazonic Acid Based on Ferritin-Displayed Anti-Idiotypic Nanobody-Nanoluciferase Multimers. Journal of Agricultural and Food Chemistry, 2021, 69, 4911-4917.	5.2	17
771	Immune response dynamics in COVID-19 patients to SARS-CoV-2 and other human coronaviruses. PLoS ONE, 2021, 16, e0254367.	2.5	17
772	Smartphone-Based Dual-Channel Immunochromatographic Test Strip with Polymer Quantum Dot Labels for Simultaneous Detection of Cypermethrin and 3-Phenoxybenzoic Acid. Analytical Chemistry, 2021, 93, 13658-13666.	6.5	17
773	PRELIMINARY CHROMATOGRAPHIC STUDIES ON THE METABOLITES AND PHOTODECOMPOSITION PRODUCTS OF THE JUVENOID 1-(4′ -ETHILPHENOXY)-6,7-EPOXY-3,7-DIMETHYL-2-OCTENE. , 1972, , 177-189.		17
774	Rapid and sensitive enzyme-linked immunosorbent assay for the microsomal epoxide hydrolase. Carcinogenesis, 1982, 3, 1307-1310.	2.8	16

#	Article	IF	CITATIONS
775	The use of enzyme-linked immunosorbent assays (ELISA) for the determination of Triton X nonionic detergents. Analytical Biochemistry, 1982, 125, 168-176.	2.4	16
776	Kinetics of binding and hydrolysis of juvenile hormone II in the hemolymph of Trichoplusia ni (Hübner). Insect Biochemistry, 1988, 18, 743-750.	1.8	16
777	A procedure for the immunoanalysis of samples containing one or more members of a group of cross-reacting analytes. Analytica Chimica Acta, 1996, 336, 175-183.	5.4	16
778	Differential subcellular localization of endogenous and transfected soluble epoxide hydrolase in mammalian cells: evidence for isozyme variants. FEBS Letters, 1999, 445, 301-305.	2.8	16
779	Robust and Sensitive Monoclonal Enzyme-Linked Immunosorbent Assay for the Herbicide Molinate. Journal of Agricultural and Food Chemistry, 2004, 52, 182-187.	5.2	16
780	Structureâ^'Activity Relationships of Cycloalkylamide Derivatives as Inhibitors of the Soluble Epoxide Hydrolase. Journal of Medicinal Chemistry, 2011, 54, 1752-1761.	6.4	16
781	1,3-Disubstituted and 1,3,3-trisubstituted adamantyl-ureas with isoxazole as soluble epoxide hydrolase inhibitors. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 5514-5519.	2.2	16
782	Lipoxygenase Activity Accelerates Programmed Spore Germination in Aspergillus fumigatus. Frontiers in Microbiology, 2017, 8, 831.	3.5	16
783	Development of a noncompetitive idiometric nanobodies phage immumoassay for the determination of fumonisin B ₁ . Food and Agricultural Immunology, 2019, 30, 510-521.	1.4	16
784	Effect Of Dual sEH/COX-2 Inhibition on Allergen-Induced Airway Inflammation. Frontiers in Pharmacology, 2019, 10, 1118.	3.5	16
785	Modulating Linker Composition of Haptens Resulted in Improved Immunoassay for Histamine. Biomolecules, 2019, 9, 597.	4.0	16
786	Improving the sensitivity of traditional Western blotting via Streptavidin containing Polyâ€horseradish peroxidase (PolyHRP). Electrophoresis, 2019, 40, 1731-1739.	2.4	16
787	Peripheral soluble epoxide hydrolase inhibition reduces hypernociception and inflammation in albumin-induced arthritis in temporomandibular joint of rats. International Immunopharmacology, 2020, 87, 106841.	3.8	16
788	Aryl Hydrocarbon Receptor-Dependent inductions of omega-3 and omega-6 polyunsaturated fatty acid metabolism act inversely on tumor progression. Scientific Reports, 2020, 10, 7843.	3.3	16
789	Soluble epoxide hydrolase inhibition improves cognitive function and parenchymal artery dilation in a hypertensive model of chronic cerebral hypoperfusion. Microcirculation, 2021, 28, e12653.	1.8	16
790	EPHX1 mutations cause a lipoatrophic diabetes syndrome due to impaired epoxide hydrolysis and increased cellular senescence. ELife, 2021, 10, .	6.0	16
791	Production and Characterization of Biotinylated Anti-fenitrothion Nanobodies and Development of Sensitive Fluoroimmunoassay. Journal of Agricultural and Food Chemistry, 2022, 70, 4102-4111.	5.2	16
792	Metabolic O-dealkylation of 1-(4′-ethylphenoxy)-3,7-dimethyl-7-methoxy or ethoxy-trans-2-octene, potent juvenoids. Pesticide Biochemistry and Physiology, 1975, 5, 12-18.	3.6	15

BRUCE D НАММОСК

#	Article	IF	CITATIONS
793	Stability of epoxide-containing juvenoids to dilute aqueous acid. Journal of Agricultural and Food Chemistry, 1979, 27, 1223-1228.	5.2	15
794	[16] Epoxide hydrolases in the catabolism of sterols and isoprenoids. Methods in Enzymology, 1985, 111, 303-311.	1.0	15
795	Immunochemical Technology in Environmental Analysis. ACS Symposium Series, 1989, , 112-139.	0.5	15
796	Development of Rapid Mercury Assays. Synthesis of Sulfur- and Mercury-Containing Conjugates. Bioconjugate Chemistry, 1995, 6, 145-149.	3.6	15
797	Influence of the braconidGlyptapanteles liparidis on the juvenile hormone titer of its larval host, the gypsy moth,Lymantria dispar. Archives of Insect Biochemistry and Physiology, 1996, 31, 337-351.	1.5	15
798	Microplate immunoassay technique using polyelectrolyte carriers: kinetic studies and application to detection of the herbicide atrazine. Analytica Chimica Acta, 1999, 399, 151-160.	5.4	15
799	Use of classical and 3-D QSAR to examine the hydration state of juvenile hormone esterase inhibitors. Bioorganic and Medicinal Chemistry, 2003, 11, 5101-5116.	3.0	15
800	Characterization and cDNA cloning of a clofibrate-inducible microsomal epoxide hydrolase in Drosophila melanogaster. FEBS Journal, 2003, 270, 4696-4705.	0.2	15
801	Soluble epoxide hydrolase inhibitor, <i>t</i> -TUCB, protects against myocardial ischaemic injury in rats. Journal of Pharmacy and Pharmacology, 2014, 66, 1251-1258.	2.4	15
802	Structure–activity relationships of amide–phosphonate derivatives as inhibitors of the human soluble epoxide hydrolase. Bioorganic and Medicinal Chemistry, 2015, 23, 7199-7210.	3.0	15
803	Soluble epoxide hydrolase inhibition alleviates neuropathy in Akita (Ins2 Akita) mice. Behavioural Brain Research, 2017, 326, 69-76.	2.2	15
804	Active-Site Flexibility and Substrate Specificity in a Bacterial Virulence Factor: Crystallographic Snapshots of an Epoxide Hydrolase. Structure, 2017, 25, 697-707.e4.	3.3	15
805	Inhibition of soluble epoxide hydrolase attenuates eosinophil recruitment and food allergen-induced gastrointestinal inflammation. Journal of Leukocyte Biology, 2018, 104, 109-122.	3.3	15
806	ω-3 Polyunsaturated Fatty Acids on Colonic Inflammation and Colon Cancer: Roles of Lipid-Metabolizing Enzymes Involved. Nutrients, 2020, 12, 3301.	4.1	15
807	Increased expression of soluble epoxide hydrolase in the brain and liver from patients with major psychiatric disorders: A role of brain – liver axis. Journal of Affective Disorders, 2020, 270, 131-134.	4.1	15
808	Development of a nanobody-based ELISA for the detection of the insecticides cyantraniliprole and chlorantraniliprole in soil and the vegetable bok choy. Analytical and Bioanalytical Chemistry, 2021, 413, 2503-2511.	3.7	15
809	Soluble epoxide hydrolase deficiency attenuates lipotoxic cardiomyopathy via upregulation of AMPK-mTORC mediated autophagy. Journal of Molecular and Cellular Cardiology, 2021, 154, 80-91.	1.9	15
810	Multiple Epoxide Hydrolases in <i>Alternaria alternata</i> f. sp. <i>lycopersici</i> and Their Relationship to Medium Composition and Host-Specific Toxin Production. Applied and Environmental Microbiology, 1999, 65, 2388-2395.	3.1	15

#	Article	IF	CITATIONS
811	Sequencing and De Novo Assembly of the Transcriptome of the Glassy-Winged Sharpshooter (Homalodisca vitripennis). PLoS ONE, 2013, 8, e81681.	2.5	15
812	Short communication: Cytosolic epoxide hydrolase in human placenta. Placenta, 1988, 9, 559-563.	1.5	14
813	Heterocyclic derivatives of 3-substituted-1,1,1-trifluoro-2-propanones as inhibitors of esterolytic enzymes. Chemical Research in Toxicology, 1990, 3, 325-332.	3.3	14
814	Salt Loading Increases Urinary Excretion of Linoleic Acid Diols and Triols in Healthy Human Subjects. Hypertension, 2008, 51, 755-761.	2.7	14
815	Structure-based optimization of the piperazino-containing 1,3-disubstituted ureas affording sub-nanomolar inhibitors of soluble epoxide hydrolase. MedChemComm, 2012, 3, 379.	3.4	14
816	Inhibition of soluble epoxide hydrolase increases coronary perfusion in mice. Physiological Reports, 2015, 3, e12427.	1.7	14
817	Development of an enzyme-linked immunosorbent assay for thiacloprid in soil and agro-products with phage-displayed peptide. Analytical Biochemistry, 2015, 481, 27-32.	2.4	14
818	In vitro and in vivo metabolism of N-adamantyl substituted urea-based soluble epoxide hydrolase inhibitors. Biochemical Pharmacology, 2015, 98, 718-731.	4.4	14
819	Biological evaluation of a novel sorafenib analogue, t-CUPM. Cancer Chemotherapy and Pharmacology, 2015, 75, 161-171.	2.3	14
820	Inhibition of Soluble Epoxide Hydrolase as a Novel Approach to High Dose Diazepam Induced Hypotension. , 2016, 6, .		14
821	Addition of DHA Synergistically Enhances the Efficacy of Regorafenib for Kidney Cancer Therapy. Molecular Cancer Therapeutics, 2016, 15, 890-898.	4.1	14
822	Rational Design of Potent and Selective Inhibitors of an Epoxide Hydrolase Virulence Factor from <i>Pseudomonas aeruginosa</i> . Journal of Medicinal Chemistry, 2016, 59, 4790-4799.	6.4	14
823	Orally Available Soluble Epoxide Hydrolase/Phosphodiesterase 4 Dual Inhibitor Treats Inflammatory Pain. Journal of Medicinal Chemistry, 2018, 61, 3541-3550.	6.4	14
824	Biotinylated single-chain variable fragment-based enzyme-linked immunosorbent assay for glycocholic acid. Analyst, The, 2018, 143, 2057-2065.	3.5	14
825	2-Oxaadamant-1-yl Ureas as Soluble Epoxide Hydrolase Inhibitors: <i>In Vivo</i> Evaluation in a Murine Model of Acute Pancreatitis. Journal of Medicinal Chemistry, 2020, 63, 9237-9257.	6.4	14
826	Bioisosteric substitution of adamantane with bicyclic lipophilic groups improves water solubility of human soluble epoxide hydrolase inhibitors. Bioorganic and Medicinal Chemistry Letters, 2020, 30, 127430.	2.2	14
827	Relative Importance of Soluble and Microsomal Epoxide Hydrolases for the Hydrolysis of Epoxy-Fatty Acids in Human Tissues. International Journal of Molecular Sciences, 2021, 22, 4993.	4.1	14
828	Toxicity of Linoleic Acid Metabolites. Advances in Experimental Medicine and Biology, 1999, 469, 471-477.	1.6	14

#	Article	IF	CITATIONS
829	Inhibition of Chronic Pancreatitis and Murine Pancreatic Intraepithelial Neoplasia by a Dual Inhibitor of c-RAF and Soluble Epoxide Hydrolase in LSL-KrasG¹²D/Pdx-1-Cre Mice. Anticancer Research, 2016, 36, 27-37.	1.1	14
830	Inhibition of epoxide metabolism by α,β-epoxyketones and isosteric analogs. Archives of Biochemistry and Biophysics, 1985, 242, 11-15.	3.0	13
831	Metabolism of tridiphane (2-(3,5-dichlorophenyl)-2(2,2,2-trichloroethyl)oxirane) by hepatic epoxide hydrolases and glutathione S-transferases in mouse. Toxicology and Applied Pharmacology, 1987, 91, 439-449.	2.8	13
832	Activation of crude and homogeneous juvenile hormone esterases by organic solvents. Insect Biochemistry, 1987, 17, 1017-1021.	1.8	13
833	Novel assay for determining the metabolic fate of juvenile hormone III: A study withDrosophila melanogaster. Archives of Insect Biochemistry and Physiology, 1988, 8, 25-37.	1.5	13
834	Hapten Synthesis for Pesticide Immunoassay Development. ACS Symposium Series, 1990, , 14-27.	0.5	13
835	The effect of structurally divergent herbicides on mouse liver xenobiotic-metabolizing enzymes (P-450-dependent mono-oxygenases, epoxide hydrolases and glutathione S-transferases) and carnitine acetyltransferase. Toxicology Letters, 1991, 59, 175-185.	0.8	13
836	Development of an ELISA for theNâ€dealkylated sâ€triazines: Application to environmental and biological samples. Food and Agricultural Immunology, 1995, 7, 227-241.	1.4	13
837	Rapid Determination of Soluble Epoxide Hydrolase Inhibitors in Rat Hepatic Microsomes by High-Performance Liquid Chromatography with Electrospray Tandem Mass Spectrometry. Analytical Biochemistry, 2001, 299, 227-234.	2.4	13
838	Multiphoton spectral analysis of benzo[a]pyrene uptake and metabolism in a rat liver cell line. Toxicology and Applied Pharmacology, 2011, 253, 45-56.	2.8	13
839	Effect of Hepatotoxic Doses of Paracetamol and Carbon Tetrachloride on the Serum and Hepatic Carboxylesterase Activity in Mice*. Journal of Pharmacy and Pharmacology, 2011, 45, 458-465.	2.4	13
840	Omics approaches in cystic fibrosis research: a focus on oxylipin profiling in airway secretions. Annals of the New York Academy of Sciences, 2012, 1259, 1-9.	3.8	13
841	Therapeutic activity of inhibition of the soluble epoxide hydrolase in a mouse model of scrapie. Life Sciences, 2013, 92, 1145-1150.	4.3	13
842	Inhibition of soluble epoxide hydrolase by fulvestrant and sulfoxides. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 3818-3821.	2.2	13
843	Chemical synthesis and biological evaluation of ω-hydroxy polyunsaturated fatty acids. Bioorganic and Medicinal Chemistry Letters, 2017, 27, 620-625.	2.2	13
844	Epoxyeicosatrienoic Acid-Based Therapy Attenuates the Progression of Postischemic Heart Failure in Normotensive Sprague-Dawley but Not in Hypertensive Ren-2 Transgenic Rats. Frontiers in Pharmacology, 2019, 10, 159.	3.5	13
845	Adrenic Acid-Derived Epoxy Fatty Acids Are Naturally Occurring Lipids and Their Methyl Ester Prodrug Reduces Endoplasmic Reticulum Stress and Inflammatory Pain. ACS Omega, 2021, 6, 7165-7174.	3.5	13
			_

846 Insect Growth Regulators: Resistance and The Future. , 1983, , 615-668.

13

#	Article	IF	CITATIONS
847	Joint acute toxicity of esfenvalerate and diazinon to larval fathead minnows (Pimephales promelas). Environmental Toxicology and Chemistry, 2003, 22, 336-41.	4.3	13
848	New Approach to Generate Ratiometric Signals on Immunochromatographic Strips for Small Molecules. Analytical Chemistry, 2022, 94, 7358-7367.	6.5	13
849	Location Dependent Biases in Automatic 96-Well Microplate Readers. Journal of the Association of Official Analytical Chemists, 1988, 71, 981-987.	0.2	12
850	Chemical contamination and the annual summer die-off of striped bass (Morone saxatilis) in the Sacramento-San Joaquin Delta. Chemical Research in Toxicology, 1992, 5, 100-105.	3.3	12
851	Lethal Ratios: An Optimized Strategy for Presentation of Bioassay Data Generated from Genetically Engineered Baculoviruses. Journal of Invertebrate Pathology, 1993, 62, 196-197.	3.2	12
852	Haloenol Lactone: A New Synergist of Chemotherapyin Vitro. Biochemical and Biophysical Research Communications, 1997, 241, 13-17.	2.1	12
853	Characterization of the esterase isozymes oflps typographus (coleoptera, scolytidae). Archives of Insect Biochemistry and Physiology, 1997, 34, 203-221.	1.5	12
854	Recombinant, Catalytically Inactive Juvenile Hormone Esterase Enhances Efficacy of Baculovirus Insecticides. Biological Control, 2000, 19, 191-199.	3.0	12
855	Preparation of 20-HETE using multifunctional enzyme type 2-negative Starmerella bombicola. Journal of Lipid Research, 2013, 54, 3215-3219.	4.2	12
856	Metabolic Activation of the Antibacterial Agent Triclocarban by Cytochrome P450 1A1 Yielding Glutathione Adducts. Drug Metabolism and Disposition, 2014, 42, 1098-1102.	3.3	12
857	Structure–activity relationships of substituted oxyoxalamides as inhibitors of the human soluble epoxide hydrolase. Bioorganic and Medicinal Chemistry, 2014, 22, 1163-1175.	3.0	12
858	Expression and characterization of an epoxide hydrolase from Anopheles gambiae with high activity on epoxy fatty acids. Insect Biochemistry and Molecular Biology, 2014, 54, 42-52.	2.7	12
859	Inhibiting an Epoxide Hydrolase Virulence Factor from <i>Pseudomonas aeruginosa</i> Protects CFTR. Angewandte Chemie - International Edition, 2015, 54, 9881-9885.	13.8	12
860	An immunoassay for the detection of triclosan-O-glucuronide, a primary human urinary metabolite of triclosan. Analytical and Bioanalytical Chemistry, 2015, 407, 7263-7273.	3.7	12
861	Inhibition of mutant KrasG12D -initiated murine pancreatic carcinoma growth by a dual c-Raf and soluble epoxide hydrolase inhibitor t -CUPM. Cancer Letters, 2016, 371, 187-193.	7.2	12
862	Occurrence of urea-based soluble epoxide hydrolase inhibitors from the plants in the order Brassicales. PLoS ONE, 2017, 12, e0176571.	2.5	12
863	Indomethacin Enhances Brown Fat Activity. Journal of Pharmacology and Experimental Therapeutics, 2018, 365, 467-475.	2.5	12
864	Phage-displayed nanobody based double antibody sandwich chemiluminescent immunoassay for the detection of Cry2A toxin in cereals. Food and Agricultural Immunology, 2019, 30, 924-936.	1.4	12

#	Article	IF	CITATIONS
865	Suppression of inflammation and fibrosis using soluble epoxide hydrolase inhibitors enhances cardiac stem cellâ€based therapy. Stem Cells Translational Medicine, 2020, 9, 1570-1584.	3.3	12
866	Soluble Epoxide Hydrolase in Aged Female Mice and Human Explanted Hearts Following Ischemic Injury. International Journal of Molecular Sciences, 2021, 22, 1691.	4.1	12
867	From the Design to the <i>In Vivo</i> Evaluation of Benzohomoadamantane-Derived Soluble Epoxide Hydrolase Inhibitors for the Treatment of Acute Pancreatitis. Journal of Medicinal Chemistry, 2021, 64, 5429-5446.	6.4	12
868	Eicosanoid regulation of debris-stimulated metastasis. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	12
869	Omega-6 Polyunsaturated Fatty Acids Enhance Tumor Aggressiveness in Experimental Lung Cancer Model: Important Role of Oxylipins. International Journal of Molecular Sciences, 2022, 23, 6179.	4.1	12
870	Potent juvenile hormone mimic, 1-(4'-ethylphenoxy)-6,7-epoxy-3,7-dimethyl-2-octene, labeled with tritium in either the ethylphenyl- or geranyl-derived moiety. Journal of Agricultural and Food Chemistry, 1972, 20, 439-442.	5.2	11
871	Characterization of the Juvenile Hormone Esterases During Embryogenesis of the House Cricket,Acheta domesticus. International Journal of Invertebrate Reproduction and Development, 1987, 12, 57-71.	0.7	11
872	Purification of microsomal epoxide hydrolase from liver of rhesus monkey: Partial separation of cis- and trans-stibene oxide hydrolase. Archives of Biochemistry and Biophysics, 1987, 258, 156-166.	3.0	11
873	Role of juvenile hormone metabolism during embryogenesis of the house cricket, Acheta domesticus. Insect Biochemistry, 1987, 17, 1023-1026.	1.8	11
874	Effects of environmentally encountered epoxides on mouse liver epoxide-metabolizing enzymes. Biochemical Pharmacology, 1991, 41, 1625-1637.	4.4	11
875	Regulation of mouse liver microsomal esterases by clofibrate and sexual hormones. Biochemical Pharmacology, 1996, 51, 677-685.	4.4	11
876	Isolation and characterization of juvenile hormone esterase from hemolymph of Lymantria dispar by affinity- and by anion-exchange chromatography. Insect Biochemistry and Molecular Biology, 2000, 30, 307-314.	2.7	11
877	Development of a class-selective enzyme immunoassay for urinary phenolic glucuronides. Analytica Chimica Acta, 2001, 444, 27-36.	5.4	11
878	The Role of Inflammatory Mediators in the Synergistic Toxicity of Ozone and 1-Nitronaphthalene in Rat Airways. Environmental Health Perspectives, 2006, 114, 1354-1360.	6.0	11
879	Development of Enantioselective Polyclonal Antibodies to Detect Styrene Oxide Protein Adducts. Analytical Chemistry, 2009, 81, 2668-2677.	6.5	11
880	Metabolism of the antibacterial triclocarban by human epidermal keratinocytes to yield protein adducts. Journal of Biochemical and Molecular Toxicology, 2012, 26, 230-234.	3.0	11
881	Competitive immunochromatographic assay for the detection of the organophosphorus pesticide EPN. Food and Agricultural Immunology, 2013, 24, 129-138.	1.4	11
882	Juvenile hormone (JH) esterase activity but not JH epoxide hydrolase activity is downregulated in larval Adoxophyes honmai following nucleopolyhedroviruses infection. Journal of Insect Physiology, 2015, 80, 71-80.	2.0	11

#	Article	IF	CITATIONS
883	Catalytic Activities of Tumor-Specific Human Cytochrome P450 CYP2W1 Toward Endogenous Substrates. Drug Metabolism and Disposition, 2016, 44, 771-780.	3.3	11
884	Acute Hypercapnia/Ischemia Alters the Esterification of Arachidonic Acid and Docosahexaenoic Acid Epoxide Metabolites in Rat Brain Neutral Lipids. Lipids, 2020, 55, 7-22.	1.7	11
885	Soluble Epoxide Hydrolase Inhibition by t-TUCB Promotes Brown Adipogenesis and Reduces Serum Triglycerides in Diet-Induced Obesity. International Journal of Molecular Sciences, 2020, 21, 7039.	4.1	11
886	Early antihypertensive treatment and ischemia-induced acute kidney injury. American Journal of Physiology - Renal Physiology, 2020, 319, F563-F570.	2.7	11
887	Soluble Epoxide Hydrolase Hepatic Deficiency Ameliorates Alcohol-Associated Liver Disease. Cellular and Molecular Gastroenterology and Hepatology, 2021, 11, 815-830.	4.5	11
888	Autism-like Behaviors in Male Juvenile Offspring after Maternal Glyphosate Exposure. Clinical Psychopharmacology and Neuroscience, 2021, 19, 554-558.	2.0	11
889	"Ready-to-use―immunosensor for the detection of small molecules with fast readout. Biosensors and Bioelectronics, 2022, 201, 113968.	10.1	11
890	Acute toxicity and developmental effects of analogs of ethyl .alpha(4-chlorophenoxy)alphamethylpropionate on two insects, Oncopeltus fasciatus and Tenebrio molitor. Journal of Agricultural and Food Chemistry, 1978, 26, 166-170.	5.2	10
891	Optimization of assay conditions for epoxide metabolizing enzymes in Trichoplusia ni. Insect Biochemistry, 1986, 16, 319-325.	1.8	10
892	Increased cholesterol epoxide hydrolase activity in clofibrate-fed animals. Biochemical Pharmacology, 1988, 37, 3169-3175.	4.4	10
893	Inhibition of epoxide hydrolase from human, monkey, bovine, rabbit and murine liver by trans-3-phenylglycidols. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1993, 104, 309-314.	0.2	10
894	Affinity chromatography of neuropathy target esterase. Chemico-Biological Interactions, 1993, 87, 347-360.	4.0	10
895	Chromosomal mapping and expression levels of a mouse soluble epoxide hydrolase gene. Pharmacogenetics and Genomics, 1994, 4, 64-72.	5.7	10
896	Development of a Class-Selective Enzyme-Linked Immunosorbent Assay for Mercapturic Acids in Human Urine. Journal of Agricultural and Food Chemistry, 2000, 48, 5913-5923.	5.2	10
897	Fluorescence quenching competitive immunoassay in micro droplets. Biosensors and Bioelectronics, 2003, 18, 1055-1063.	10.1	10
898	Development of Polyclonal Antibodies for the Detection of Styrene Oxide Modified Proteins. Chemical Research in Toxicology, 2007, 20, 316-321.	3.3	10
899	An enzyme-linked immunosorbent assay for detecting 3-phenoxybenzoic acid in plasma and its application to farmers and consumers. Analytical Methods, 2012, 4, 3772.	2.7	10
900	Biologically active ester derivatives as potent inhibitors of the soluble epoxide hydrolase. Bioorganic and Medicinal Chemistry Letters, 2012, 22, 5889-5892.	2.2	10

#	Article	IF	CITATIONS
901	Intimal smooth muscle cells are a source but not a sensor of anti-inflammatory CYP450 derived oxylipins. Biochemical and Biophysical Research Communications, 2015, 463, 774-780.	2.1	10
902	Heavy chain single-domain antibodies to detect native human soluble epoxide hydrolase. Analytical and Bioanalytical Chemistry, 2015, 407, 7275-7283.	3.7	10
903	Combined Inhibition of Soluble Epoxide Hydrolase and Renin-Angiotensin System Exhibits Superior Renoprotection to Renin-Angiotensin System Blockade in 5/6 Nephrectomized Ren-2 Transgenic Hypertensive Rats with Established Chronic Kidney Disease. Kidney and Blood Pressure Research, 2018, 43. 329-349.	2.0	10
904	Production and characterization of a single-chain variable fragment-alkaline phosphatase fusion protein for glycocholic acid detection in a one-step enzyme-linked immunosorbent assay. Analytical Methods, 2018, 10, 2629-2635.	2.7	10
905	Soluble epoxide hydrolase inhibitor mediated analgesia lacks tolerance in rat models. Brain Research, 2020, 1728, 146573.	2.2	10
906	Vascular Lipidomic Profiling of Potential Endogenous Fatty Acid PPAR Ligands Reveals the Coronary Artery as Major Producer of CYP450-Derived Epoxy Fatty Acids. Cells, 2020, 9, 1096.	4.1	10
907	Comparison of the toxicokinetics of the convulsants picrotoxinin and tetramethylenedisulfotetramine (TETS) in mice. Archives of Toxicology, 2020, 94, 1995-2007.	4.2	10
908	Fusion expression of nanobodies specific for the insecticide fipronil on magnetosomes in Magnetospirillum gryphiswaldense MSR-1. Journal of Nanobiotechnology, 2021, 19, 27.	9.1	10
909	A Soluble Epoxide Hydrolase Inhibitor, 1-trifluoromethoxyphenyl-3-(1-propionylpiperidin-4-yl) Urea, Ameliorates Experimental Autoimmune Encephalomyelitis. International Journal of Molecular Sciences, 2021, 22, 4650.	4.1	10
910	Clinical and Preclinical Evidence for Roles of Soluble Epoxide Hydrolase in Osteoarthritis Knee Pain. Arthritis and Rheumatology, 2022, 74, 623-633.	5.6	10
911	Detection of Acrylamide in Foodstuffs by Nanobody-Based Immunoassays. Journal of Agricultural and Food Chemistry, 2022, 70, 9179-9186.	5.2	10
912	Chromatographic fractionation of aggregation and sex pheromones ofNippostrongylus brasiliensis (Nematoda). The Journal of Experimental Zoology, 1979, 208, 311-318.	1.4	9
913	Immunochemical Methods of Pesticide Residue Analysis. ACS Symposium Series, 1988, , 316-330.	0.5	9
914	Impact of Emerging Technologies on Immunochemical Methods for Environmental Analysis. ACS Symposium Series, 1995, , 1-19.	0.5	9
915	Development of an Enzyme-Linked Immunosorbent Assay for Azadirachtinsâ€. Journal of Agricultural and Food Chemistry, 1997, 45, 2363-2368.	5.2	9
916	Design, synthesis and evaluation of novel P450 fluorescent probes bearing α-cyanoether. Tetrahedron Letters, 2003, 44, 4331-4334.	1.4	9
917	Development of a HPLC/Tandem-MS Method for the Analysis of the Larvicides Methoprene, Hydroprene, and Kinoprene at Trace Levels Using Dielsâ^'Alder Derivatization. Journal of Agricultural and Food Chemistry, 2005, 53, 3306-3312.	5.2	9
918	Reactivity versus steric effects in fluorinated ketones as esterase inhibitors: a quantum mechanical and molecular dynamics study. Journal of Molecular Modeling, 2010, 16, 1753-1764.	1.8	9

#	Article	IF	CITATIONS
919	Inhibition of Soluble Epoxide Hydrolase Limits Niacin-induced Vasodilation in Mice. Journal of Cardiovascular Pharmacology, 2012, 60, 70-75.	1.9	9
920	Aging, Estrogen Loss and Epoxyeicosatrienoic Acids (EETs). PLoS ONE, 2013, 8, e70719.	2.5	9
921	Soluble Epoxide Hydrolase Inhibition and Epoxyeicosatrienoic Acid Treatment Improve Vascularization of Engineered Skin Substitutes. Plastic and Reconstructive Surgery - Global Open, 2016, 4, e1151.	0.6	9
922	11,12-Epoxyecosatrienoic acids mitigate endothelial dysfunction associated with estrogen loss and aging: Role of membrane depolarization. Journal of Molecular and Cellular Cardiology, 2016, 94, 180-188.	1.9	9
923	A high-throughput screen for mitochondrial function reveals known and novel mitochondrial toxicants in a library of environmental agents. Mitochondrion, 2016, 31, 79-83.	3.4	9
924	Probing the orientation of inhibitor and epoxy-eicosatrienoic acid binding in the active site of soluble epoxide hydrolase. Archives of Biochemistry and Biophysics, 2017, 613, 1-11.	3.0	9
925	Pharmacological Blockade of Soluble Epoxide Hydrolase Attenuates the Progression of Congestive Heart Failure Combined With Chronic Kidney Disease: Insights From Studies With Fawn-Hooded Hypertensive Rats. Frontiers in Pharmacology, 2019, 10, 18.	3.5	9
926	Cyclic peptide: a safe and effective alternative to synthetic aflatoxin B1-competitive antigens. Analytical and Bioanalytical Chemistry, 2019, 411, 3881-3890.	3.7	9
927	Computer-Aided Selective Optimization of Side Activities of Talinolol. ACS Medicinal Chemistry Letters, 2019, 10, 899-903.	2.8	9
928	Development of multitarget inhibitors for the treatment of pain: Design, synthesis, biological evaluation and molecular modeling studies. Bioorganic Chemistry, 2020, 103, 104165.	4.1	9
929	On-spot quantitative analysis of dicamba in field waters using a lateral flow immunochromatographic strip with smartphone imaging. Analytical and Bioanalytical Chemistry, 2020, 412, 6995-7006.	3.7	9
930	Development of a nanobody tagged with streptavidin-binding peptide and its application in a Luminex fluoroimmunoassay for alpha fetal protein in serum. RSC Advances, 2020, 10, 23767-23774.	3.6	9
931	<i>N</i> Benzyl-linoleamide, a Constituent of <i>Lepidium meyenii</i> (Maca), Is an Orally Bioavailable Soluble Epoxide Hydrolase Inhibitor That Alleviates Inflammatory Pain. Journal of Natural Products, 2020, 83, 3689-3697.	3.0	9
932	Simultaneous Target-Mediated Drug Disposition Model for Two Small-Molecule Compounds Competing for Their Pharmacological Target: Soluble Epoxide Hydrolase. Journal of Pharmacology and Experimental Therapeutics, 2020, 374, 223-232.	2.5	9
933	Differential Effects of 17,18-EEQ and 19,20-EDP Combined with Soluble Epoxide Hydrolase Inhibitor t-TUCB on Diet-Induced Obesity in Mice. International Journal of Molecular Sciences, 2021, 22, 8267.	4.1	9
934	Role of Epoxide Hydrolases and Cytochrome P450s on Metabolism of KZR-616, a First-in-Class Selective Inhibitor of the Immunoproteasome. Drug Metabolism and Disposition, 2021, 49, 810-821.	3.3	9
935	Chronic Diclofenac Exposure Increases Mitochondrial Oxidative Stress, Inflammatory Mediators, and Cardiac Dysfunction. Cardiovascular Drugs and Therapy, 2023, 37, 25-37.	2.6	9
936	Discovery of memantyl urea derivatives as potent soluble epoxide hydrolase inhibitors against lipopolysaccharide-induced sepsis. European Journal of Medicinal Chemistry, 2021, 223, 113678.	5.5	9

#	Article	IF	CITATIONS
937	Further exploration of the structure-activity relationship of dual soluble epoxide hydrolase/fatty acid amide hydrolase inhibitors. Bioorganic and Medicinal Chemistry, 2021, 51, 116507.	3.0	9
938	Synthesis and bioassay of carbamate inhibitors of the juvenile hormone hydrolyzing esterases from the housefly, Musca domestica. Journal of Agricultural and Food Chemistry, 1979, 27, 763-765.	5.2	8
939	Partial purification of the aggregation pheromone nippolure from femaleNippostrongylus brasiliensis (Nematoda). Journal of Chemical Ecology, 1980, 6, 297-308.	1.8	8
940	The effects of dicofol on induction of hepatic microsomal metabolism in rats. Pesticide Biochemistry and Physiology, 1987, 28, 362-370.	3.6	8
941	Affinity purification of cytosolic epoxide hydrolase from human, rhesus monkey, baboon, rabbit, rat and mouse liver. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1987, 87, 95-102.	0.2	8
942	Development of an enzyme-linked immunosorbent assay for the .betaexotoxin of Bacillus thuringiensis. Journal of Agricultural and Food Chemistry, 1993, 41, 1530-1536.	5.2	8
943	Fenoxycarb levels and their effects on general and juvenile hormone esterase activity in the hemolymph of the silkworm, Bombyx mori. Pesticide Biochemistry and Physiology, 2002, 73, 174-187.	3.6	8
944	Evaluation of α-cyano ethers as fluorescent substrates for assay of cytochrome P450 enzyme activity. Analytical Biochemistry, 2005, 344, 183-192.	2.4	8
945	Soluble Epoxide Hydrolase Homologs in <i>Strongylocentrotus purpuratus</i> Suggest a Gene Duplication Event and Subsequent Divergence. DNA and Cell Biology, 2008, 27, 467-477.	1.9	8
946	Determination of cytotoxicity of nephrotoxins on murine and human kidney cell lines. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2008, 43, 71-74.	1.5	8
947	A Clomazone Immunoassay To Study the Environmental Fate of the Herbicide in Rice (<i>Oryza) Tj ETQq1 1 0.78</i>	34314 rgB	T /Qverlock 1
948	Development of pyrethroid-like fluorescent substrates for glutathione S-transferase. Analytical Biochemistry, 2012, 431, 77-83.	2.4	8
949	Screening of soluble epoxide hydrolase inhibitory ingredients from traditional Chinese medicines for anti-inflammatory use. Journal of Ethnopharmacology, 2016, 194, 475-482.	4.1	8
950	An ω-3-enriched diet alone does not attenuate CCl 4 -induced hepatic fibrosis. Journal of Nutritional Biochemistry, 2016, 38, 93-101.	4.2	8
951	New Facile Synthesis of Adamantyl Isothiocyanates. SynOpen, 2017, 01, 0121-0124.	1.7	8
952	Celecoxib use and circulating oxylipins in a colon polyp prevention trial. PLoS ONE, 2018, 13, e0196398.	2.5	8
953	Lipidomes of brain from rats acutely intoxicated with diisopropylfluorophosphate identifies potential therapeutic targets. Toxicology and Applied Pharmacology, 2019, 382, 114749.	2.8	8
954	Competitive and noncompetitive immunoassays for the detection of benzothiostrobin using magnetic nanoparticles and fluorescein isothiocyanate-labeled peptides. Analytical and Bioanalytical Chemistry, 2019, 411, 527-535.	3.7	8

#	Article	IF	CITATIONS
955	Development of a Highly Sensitive Enzyme-Linked Immunosorbent Assay for Mouse Soluble Epoxide Hydrolase Detection by Combining a Polyclonal Capture Antibody with a Nanobody Tracer. Analytical Chemistry, 2020, 92, 11654-11663.	6.5	8
956	Sortase-Mediated Phage Decoration for Analytical Applications. Analytical Chemistry, 2021, 93, 11800-11808.	6.5	8
957	TPPU treatment of burned mice dampens inflammation and generation of bioactive DHET which impairs neutrophil function. Scientific Reports, 2021, 11, 16555.	3.3	8
958	LC-MS/MS Analysis of the Epoxides and Diols Derived from the Endocannabinoid Arachidonoyl Ethanolamide. Methods in Molecular Biology, 2018, 1730, 123-133.	0.9	8
959	Biochemical and genetic analysis of epoxide-metabolizing enzymes in susceptible and resistant house flies, Musca domestica L. Pesticide Biochemistry and Physiology, 1987, 29, 138-145.	3.6	7
960	Bacillus thuringiensis var. israelensis δ-endotoxin: Evidence of neurotoxic action. Pesticide Biochemistry and Physiology, 1987, 27, 42-49.	3.6	7
961	Inhibition of human and murine cytosolic epoxide hydrolase by group-selective reagents. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1993, 104, 299-308.	0.2	7
962	Expression efficiency of a scorpion neurotoxin, AaHIT, using baculovirus in insect cells Applied Entomology and Zoology, 2002, 37, 225-232.	1.2	7
963	Evaluation of Cytotoxicity Attributed to Thimerosal on Murine and Human Kidney Cells. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2007, 70, 2092-2095.	2.3	7
964	Influence of sulfur oxidation state and steric bulk upon trifluoromethyl ketone (TFK) binding kinetics to carboxylesterases and fatty acid amide hydrolase (FAAH). Bioorganic and Medicinal Chemistry, 2008, 16, 2114-2130.	3.0	7
965	Effects of Pyridine Exposure upon Structural Lipid Metabolism in Swiss Webster Mice. Chemical Research in Toxicology, 2008, 21, 583-590.	3.3	7
966	Cloning and characterization of a microsomal epoxide hydrolase from Heliothis virescens. Insect Biochemistry and Molecular Biology, 2013, 43, 219-228.	2.7	7
967	Omega-3 PUFA attenuate mice myocardial infarction injury by emerging a protective eicosanoid pattern. Prostaglandins and Other Lipid Mediators, 2018, 139, 1-9.	1.9	7
968	Prophylactic inhibition of soluble epoxide hydrolase delays onset of nephritis and ameliorates kidney damage in NZB/W F1 mice. Scientific Reports, 2019, 9, 8993.	3.3	7
969	Nanobody-based binding assay for the discovery of potent inhibitors of CFTR inhibitory factor (Cif). Analytica Chimica Acta, 2019, 1057, 106-113.	5.4	7
970	Lack of rewarding effects of a soluble epoxide hydrolase inhibitor TPPU in mice: Comparison with morphine. Neuropsychopharmacology Reports, 2020, 40, 412-416.	2.3	7
971	Assessment of soluble epoxide hydrolase activity in vivo: A metabolomic approach. Prostaglandins and Other Lipid Mediators, 2020, 148, 106410.	1.9	7
972	Targetâ€Mediated Drug Disposition—A Class Effect of Soluble Epoxide Hydrolase Inhibitors. Journal of Clinical Pharmacology, 2021, 61, 531-537.	2.0	7

#	Article	IF	CITATIONS
973	ldentification of the Functional Binding Site for the Convulsant Tetramethylenedisulfotetramine in the Pore of the <i>α</i> ₂ <i>β</i> ₃ <i>γ</i> ₂ GABA _A Receptor. Molecular Pharmacology, 2021, 99, 78-91.	2.3	7
974	Pharmacokinetics, Metabolite Measurement, and Biomarker Identification of Dermal Exposure to Permethrin Using Accelerator Mass Spectrometry. Toxicological Sciences, 2021, 183, 49-59.	3.1	7
975	A Polydopamine-Coated Gold Nanoparticles Quenching Quantum Dots-Based Dual-Readout Lateral Flow Immunoassay for Sensitive Detection of Carbendazim in Agriproducts. Biosensors, 2022, 12, 83.	4.7	7
976	Development of a Rapid Gold Nanoparticle Immunochromatographic Strip Based on the Nanobody for Detecting 2,4-DichloRophenoxyacetic Acid. Biosensors, 2022, 12, 84.	4.7	7
977	CRISPR/Cas9-mediated inactivation of the phosphatase activity of soluble epoxide hydrolase prevents obesity and cardiac ischemic injury. Journal of Advanced Research, 2023, 43, 163-174.	9.5	7
978	A highly sensitive bio-barcode immunoassay for multi-residue detection of organophosphate pesticides based on fluorescence anti-quenching. Journal of Pharmaceutical Analysis, 2022, 12, 637-644.	5.3	7
979	Lack of mosquitocidal activity by the cytolytic protein of theBacillus thuringiensis subsp.israelensis parasporal crystal. Current Microbiology, 1987, 15, 21-23.	2.2	6
980	Inhibition of Juvenile Hormone Esterase by Transition-State Analogs. ACS Symposium Series, 1988, , 215-227.	0.5	6
981	Monitoring <i>Bacillus thuringiensis</i> in the Environment with Enzyme-Linked Immunosorbent Assay. ACS Symposium Series, 1988, , 359-372.	0.5	6
982	Use of juvenile hormone esterase as a novel reporter enzyme in the baculovirus expression system. Journal of Virological Methods, 1995, 51, 103-113.	2.1	6
983	Characterization of epoxide hydrolase activity in Alternaria alternata f. sp. lycopersici. Possible involvement in toxin production. Mycopathologia, 1997, 140, 51-58.	3.1	6
984	DEVELOPMENT OF A HOMOGENEOUS PHOSPHORESCENT IMMUNOASSAY FOR THE DETECTION OF POLYCHLORINATED DIBENZO-p-DIOXINS. Analytical Letters, 2001, 34, 2311-2320.	1.8	6
985	Comparison of immunoaffinity column recovery patterns of polychlorinated dibenzo-p-dioxins/polychlorinated dibenzofurans on columns generated with different monoclonal antibody clones and polyclonal antibodies. Analytica Chimica Acta, 2002, 457, 199-209.	5.4	6
986	Application of fluorescent Eu:Gd 2 O 3 nanoparticles to the visualization of protein micropatterns. , 2005, , .		6
987	Function of Phenylalanine 259 and Threonine 314 within the Substrate Binding Pocket of the Juvenile Hormone Esterase of <i>Manduca sexta</i> . Biochemistry, 2010, 49, 3733-3742.	2.5	6
988	Electrophoretic build-up of multi nanoparticle array for a highly sensitive immunoassay. Biosensors and Bioelectronics, 2013, 41, 302-308.	10.1	6
989	Identification of potent inhibitors of the chicken soluble epoxide hydrolase. Bioorganic and Medicinal Chemistry Letters, 2015, 25, 276-279.	2.2	6
990	N-Substituted amino acid inhibitors of the phosphatase domain of the soluble epoxide hydrolase. Biochemical and Biophysical Research Communications, 2019, 515, 248-253.	2.1	6

#	Article	IF	CITATIONS
991	Exposure of consumers and farmers to organophosphate and synthetic pyrethroid insecticides in Northern Thailand. Journal Fur Verbraucherschutz Und Lebensmittelsicherheit, 2019, 14, 17-23.	1.4	6
992	Effects of Linoleic Acid-Rich Diet on Plasma Profiles of Eicosanoids and Development of Colitis in <i>II</i> 10 ^{–/–} Mice. Journal of Agricultural and Food Chemistry, 2020, 68, 7641-7647.	5.2	6
993	Development of a chemiluminescence immunoassay for detection of tenuazonic acid mycotoxin in fruit juices with a specific camel polyclonal antibody. Analytical Methods, 2021, 13, 1795-1802.	2.7	6
994	Multitarget molecule, PTUPB, to treat diabetic nephropathy in rats. British Journal of Pharmacology, 2021, 178, 4468-4484.	5.4	6
995	Development of the Au@Pt-Labeled Nanobody Lateral-Flow Nanozyme Immunoassay for Visual Detection of 3-Phenoxybenzoic Acid in Milk and Lake Water. ACS Agricultural Science and Technology, 2022, 2, 573-579.	2.3	6
996	The evaluation of anti juvenile hormones using last stadium larvae of the cabbage looper, Trichoplusia ni (Hübner). Insect Biochemistry, 1987, 17, 1011-1016.	1.8	5
997	Juvenile hormone esterases in two heliothines: Kinetic, biochemical and immunogenic characterization. Comparative Biochemistry and Physiology Part B: Comparative Biochemistry, 1988, 90, 117-124.	0.2	5
998	Insect Control by Use of Recombinant Baculoviruses Expressing Juvenile Hormone Esterase. ACS Symposium Series, 1993, , 368-383.	0.5	5
999	Generation of an expression library in the baculovirus expression vector system. Journal of Virological Methods, 1995, 53, 263-272.	2.1	5
1000	Rapid purification and molecular modeling of AaIT peptides from venom ofAndroctonus australis. , 1998, 38, 53-65.		5
1001	Development of an enzyme immunoassay for linoleic acid diols in urine. Analytica Chimica Acta, 2002, 466, 247-256.	5.4	5
1002	Evaluation of Chiral α-Cyanoesters as General Fluorescent Substrates for Screening Enantioselective Esterases. Journal of Agricultural and Food Chemistry, 2006, 54, 694-699.	5.2	5
1003	Vitamin C activation of the biosynthesis of epoxyeicosatrienoic acids. Advances in Bioscience and Biotechnology (Print), 2012, 03, 204-218.	0.7	5
1004	Monoclonal antibodies reveal multiple forms of expression of human microsomal epoxide hydrolase. Toxicology and Applied Pharmacology, 2012, 260, 27-34.	2.8	5
1005	CHARACTERIZATION OF HOVI-MEH1, A MICROSOMAL EPOXIDE HYDROLASE FROM THE GLASSY-WINGED SHARPSHOOTERHomalodisca vitripennis. Archives of Insect Biochemistry and Physiology, 2013, 83, 171-179.	1.5	5
1006	Quantification of GST and esterase activities in pyrethrin-resistant mosquitoes using pyrethroid-like fluorescent substrates. International Journal of Pest Management, 2016, 62, 276-283.	1.8	5
1007	Synthesis of cyclooxygenase metabolites of 8,9-epoxyeicosatrienoic acid (EET): 11- and 15-hydroxy 8,9-EETs. Organic and Biomolecular Chemistry, 2017, 15, 4308-4313.	2.8	5
1008	Selection of Potent Inhibitors of Soluble Epoxide Hydrolase for Usage in Veterinary Medicine. Frontiers in Veterinary Science, 2020, 7, 580.	2.2	5

Bruce D Hammock

#	Article	IF	CITATIONS
1009	Ibuprofen alters epoxide hydrolase activity and epoxy-oxylipin metabolites associated with different metabolic pathways in murine livers. Scientific Reports, 2021, 11, 7042.	3.3	5
1010	Activity of sEH and Oxidant Status during Systemic Bovine Coliform Mastitis. Antioxidants, 2021, 10, 812.	5.1	5
1011	Genetic deficiency or pharmacological inhibition of soluble epoxide hydrolase ameliorates high fat diet-induced pancreatic β-cell dysfunction and loss. Free Radical Biology and Medicine, 2021, 172, 48-57.	2.9	5
1012	Structure-guided discovery of potent and oral soluble epoxide hydrolase inhibitors for the treatment of neuropathic pain. Acta Pharmaceutica Sinica B, 2022, 12, 1377-1389.	12.0	5
1013	Effect of a Soluble Epoxide Hydrolase Inhibitor, UC1728, on LPS-Induced Uveitis in the Rabbit. Journal of Ocular Biology, 2016, 4, .	0.4	5
1014	Affinity Purification of Mouse Liver Carboxylesterases with Trifluoromethyl Ketones as Ligands. Journal of Pesticide Sciences, 1994, 19, 321-324.	1.4	5
1015	New Alkoxy- Analogues of Epoxyeicosatrienoic Acids Attenuate Cisplatin Nephrotoxicity In Vitro via Reduction of Mitochondrial Dysfunction, Oxidative Stress, Mitogen-Activated Protein Kinase Signaling, and Caspase Activation. Chemical Research in Toxicology, 2021, , .	3.3	5
1016	Nanobodies for accurate recognition of iso-tenuazonic acid and development of sensitive immunoassay for contaminant detection in foods. Food Control, 2022, 136, 108835.	5.5	5
1017	COX-2/sEH Dual Inhibitor PTUPB Alleviates CCl4-Induced Liver Fibrosis and Portal Hypertension. Frontiers in Medicine, 2021, 8, 761517.	2.6	5
1018	Design and Characterization of a Novel Hapten and Preparation of Monoclonal Antibody for Detecting Atrazine. Foods, 2022, 11, 1726.	4.3	5
1019	Biochemical characterization of a variant form of cytosolic epoxide hydrolase induced by parental exposure to N-ethyl-N-nitrosourea. Comparative Biochemistry and Physiology Part C: Comparative Pharmacology, 1992, 103, 207-214.	0.2	4
1020	Properties of enzymes hydrating epoxides in human epidermis and liver. International Journal of Biochemistry & Cell Biology, 1993, 25, 1291-1301.	0.5	4
1021	The interaction of cytosolic epoxide hydrolase with chiral epoxides. International Journal of Biochemistry & Cell Biology, 1993, 25, 43-52.	0.5	4
1022	Recombinant Baculovirus Expressing an Insect-Selective Neurotoxin. ACS Symposium Series, 1993, , 348-367.	0.5	4
1023	Development of surrogate substrates for neuropathy target esterase. BBA - Proteins and Proteomics, 1995, 1250, 171-182.	2.1	4
1024	Nucleotide sequence of the variable region of the heavy and light chains of a monoclonal IgG antibody reactive to herbicides, terbutryn and prometryn. DNA Sequence, 1995, 6, 51-54.	0.7	4
1025	A homology-based model of Juvenile Hormone Esterase from the crop pest, Heliothis virescens. Techniques in Protein Chemistry, 1997, , 655-665.	0.3	4
1026	Recombinant juvenile hormone esterase as a biochemical anti-juvenile hormone agent: Effects on ovarian development inAcheta domesticus. Archives of Insect Biochemistry and Physiology, 1997, 34, 359-368.	1.5	4

BRUCE D НАММОСК

#	Article	IF	CITATIONS
1027	Purification and characterization of a methylene urea-hydrolyzing enzyme from Rhizobium radiobacter (Agrobacterium tumefaciens). Soil Biology and Biochemistry, 2003, 35, 1433-1442.	8.8	4
1028	Development of monoclonal antibodies to human microsomal epoxide hydrolase and analysis of "preneoplastic antigen―like molecules. Toxicology and Applied Pharmacology, 2012, 260, 17-26.	2.8	4
1029	Indirect Homologous Competitive Enzyme-Linked Immunosorbent Assay for the Detection of a Class of Glycosylated Dihydrochalcones. Journal of Agricultural and Food Chemistry, 2013, 61, 6964-6970.	5.2	4
1030	Dimethyl Sulfoxide Decreases Levels of Oxylipin Diols in Mouse Liver. Frontiers in Pharmacology, 2019, 10, 580.	3.5	4
1031	Imidazolidine-2,4,5- and pirimidine-2,4,6-triones – New primary pharmacophore for soluble epoxide hydrolase inhibitors with enhanced water solubility. Bioorganic and Medicinal Chemistry Letters, 2020, 30, 126908.	2.2	4
1032	Natural Products in the Prevention of Metabolic Diseases: Lessons Learned from the 20th KAST Frontier Scientists Workshop. Nutrients, 2021, 13, 1881.	4.1	4
1033	Camelization of a murine single-domain antibody against aflatoxin B1 and its antigen-binding analysis. Mycotoxin Research, 2022, 38, 51-60.	2.3	4
1034	Dual sEH/COX-2 Inhibition Using PTUPB—A Promising Approach to Antiangiogenesis-Induced Nephrotoxicity. Frontiers in Pharmacology, 2021, 12, 744776.	3.5	4
1035	Development of Assay for Analysis of Hg ²⁺ Based on Sulfur-Containing Ligands. ACS Symposium Series, 1995, , 248-264.	0.5	3
1036	Near-Infrared Fluorescent Immunoassays: A Novel Approach to Environmental Analysis. ACS Symposium Series, 1997, , 146-161.	0.5	3
1037	Development of On-line Liquid Chromatography-Biochemical Detection for Soluble Epoxide Hydrolase Inhibitors in Mixtures. Chromatographia, 2013, 76, 13-21.	1.3	3
1038	Niemann-Pick Type C2 Deficiency in Human Fibroblasts Confers Robust and Selective Activation of Prostaglandin E2 Biosynthesis. Journal of Biological Chemistry, 2013, 288, 23696-23703.	3.4	3
1039	Novel sorafenib-based structural analogues. Anti-Cancer Drugs, 2014, 25, 433-446.	1.4	3
1040	Sensitive Immunochromatographic Assay Using Highly Luminescent Quantum Dot Nanobeads as Tracer for the Detection of Cyproheptadine Hydrochloride in Animal-Derived Food. Frontiers in Chemistry, 2020, 8, 575.	3.6	3
1041	Development of potent inhibitors of the human microsomal epoxide hydrolase. European Journal of Medicinal Chemistry, 2020, 193, 112206.	5.5	3
1042	Species Differences in Metabolism of Soluble Epoxide Hydrolase Inhibitor, EC1728, Highlight the Importance of Clinically Relevant Screening Mechanisms in Drug Development. Molecules, 2021, 26, 5034.	3.8	3
1043	Bioactive lipid profiling reveals drug target engagement of a soluble epoxide hydrolase inhibitor in a murine model of tobacco smoke exposure. Journal of Metabolomics, 2015, 1, 1.	0.7	3
1044	A Fast and Selective Approach for Profiling Vicinal Diols Using Liquid Chromatography-Post Column Derivatization-Double Precursor Ion Scanning Mass Spectrometry. Molecules, 2022, 27, 283.	3.8	3

#	Article	IF	CITATIONS
1045	Soluble Epoxide Hydrolase Deletion Limits High-Fat Diet-Induced Inflammation. Frontiers in Pharmacology, 2021, 12, 778470.	3.5	3
1046	Soluble epoxide hydrolase inhibition avoid formalin-induced inflammatory hyperalgesia in the temporomandibular joint. Inflammopharmacology, 2022, 30, 981-990.	3.9	3
1047	Improved ELISA for linoleate-derived diols in human plasma utilizing a polyHRP-based secondary tracer. Analytical Methods, 2022, , .	2.7	3
1048	Î-Endotoxin of Bacillus thuringiensis var. israelensis. ACS Symposium Series, 1985, , 279-292.	0.5	2
1049	Bioassay of Anti Juvenile Hormone Compounds: An Alternative Approach. ACS Symposium Series, 1985, , 293-306.	0.5	2
1050	Effect of medroxyprogesterone acetate on hepatic and placental drug metabolism in rats. Biochemical Pharmacology, 1986, 35, 3655-3658.	4.4	2
1051	Immunochemical determination of microsomal epoxide hydrolase (preneoplastic antigen) in extrahepatic tissue. Biochemical Pharmacology, 1987, 36, 570-572.	4.4	2
1052	Sodium cholate extraction of rat liver nuclear xenobiotic-metabolizing enzymes. Biochemical Pharmacology, 1988, 37, 1331-1341.	4.4	2
1053	Immunochemical comparison of human and rhesus monkey liver microsomal and the hepatocellular carcinoma-induced human serum epoxide hydrolases (preneoplastic antigens): basis for an enzyme-linked immunoabsorbent assay. Carcinogenesis, 1989, 10, 343-349.	2.8	2
1054	Quantitative Structure—Activity Relationship Study of Aromatic Trifluoromethyl Ketones. ACS Symposium Series, 1989, , 169-182.	0.5	2
1055	Development of Immunoassays for Thiocarbamate Herbicides. ACS Symposium Series, 1990, , 100-107.	0.5	2
1056	An affinity-amplified immunoassay for juvenile hormone esterase. Analytical Biochemistry, 1992, 207, 291-297.	2.4	2
1057	Sequence Analysis of Individual Chains of Antibodies to Triazine Herbicides. ACS Symposium Series, 1995, , 31-49.	0.5	2
1058	Recent Developments in Immunoassays and Related Methods for the Detection of Xenobiotics. ACS Symposium Series, 1996, , 110-126.	0.5	2
1059	Immunoassay of Cross-Reacting Analytes. ACS Symposium Series, 1997, , 331-342.	0.5	2
1060	Nanoscale fluoro-immunoassays with lanthanide oxide nanoparticles. , 2004, , .		2
1061	Noncompetitive Fluorescent Immunoassay for the Detection of the Human Urinary Biomarker 3-Phenoxybenzoic Acid with Bench Top Immunosensor KinExAâ"¢ 3000. ACS Symposium Series, 2007, , 171-185.	0.5	2
1062	Progress in the Development of Biosensors for Environmental and Human Monitoring of Agrochemicals. ACS Symposium Series, 2007, , 138-154.	0.5	2

BRUCE D НАММОСК

#	Article	IF	CITATIONS
1063	Monitoring Human Exposure to Pesticides Using Immunoassay. ACS Symposium Series, 2007, , 141-156.	0.5	2
1064	High performance electrophoresis system for site-specific entrapment of nanoparticles in a nanoarray. , 2010, , .		2
1065	Effects of cadmium chloride on mouse inner medullary collecting duct cells. Interdisciplinary Toxicology, 2013, 6, 157-158.	1.0	2
1066	Aerobic exercise-based rehabilitation affects the activities of progenitor endothelial cells through EETs pathway. Medical Hypotheses, 2015, 85, 1037-1038.	1.5	2
1067	Impedance Detection of 3â€Phenoxybenzoic Acid with a Noncompetitive Twoâ€site Phage Antiâ€immunocomplex Assay. Electroanalysis, 2018, 30, 2653-2659.	2.9	2
1068	The molecular structure of an epoxide hydrolase from Trichoderma reesei in complex with urea or amide-based inhibitors. International Journal of Biological Macromolecules, 2019, 129, 653-658.	7.5	2
1069	Enhanced Bio-Barcode Immunoassay Using Droplet Digital PCR for Multiplex Detection of Organophosphate Pesticides. Journal of Agricultural and Food Chemistry, 2021, 69, 11131-11141.	5.2	2
1070	Chelate Sensor Method for Mercury. , 1999, , 101-116.		2
1071	Using Immunochemical Methods to Analyze for Biomarkers of Exposure. , 1995, , 143-155.		2
1072	Soluble epoxide hydrolase inhibitor can protect the femoral head against tobacco smoke exposure-induced osteonecrosis in spontaneously hypertensive rats. Toxicology, 2022, 465, 153045.	4.2	2
1073	Sex-Specific Differences in Resolution of Airway Inflammation in Fat-1 Transgenic Mice Following Repetitive Agricultural Dust Exposure. Frontiers in Pharmacology, 2021, 12, 785193.	3.5	2
1074	2-(Piperidin-4-yl)acetamides as Potent Inhibitors of Soluble Epoxide Hydrolase with Anti-Inflammatory Activity. Pharmaceuticals, 2021, 14, 1323.	3.8	2
1075	Recombinant Baculoviruses Expressing Foreign Genes for Insect Pest Control. ACS Symposium Series, 1993, , 281-297.	0.5	1
1076	Development of an Enzyme Immunoassay for <i>Alternaria alternata</i> f.sp. <i>lycopersici</i> Toxins. ACS Symposium Series, 1996, , 330-340.	0.5	1
1077	Rapid Mercury Assays. ACS Symposium Series, 1997, , 38-48.	0.5	1
1078	Are leukotoxins toxic?. Nature Medicine, 1997, 3, 592-592.	30.7	1
1079	C 60 nanoparticle quenching used as a biological label. , 2003, 4967, 156.		1
1080	Aberrant Soluble Epoxide Hydrolase and Oxylipin Levels in a Porcine Arteriovenous Graft Stenosis Model. Journal of Vascular Research, 2014, 51, 269-282.	1.4	1

#	Article	IF	CITATIONS
1081	Substrate and inhibitor selectivity, and biological activity of an epoxide hydrolase from Trichoderma reesei. Molecular Biology Reports, 2019, 46, 371-379.	2.3	1
1082	Reply to Reeves and Dunn: Risk for autism in offspring after maternal glyphosate exposure. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, e2016496118.	7.1	1
1083	Development of a direct competitive enzymeâ€linked immunosorbent assay for quantitation of sodium saccharin residue in food. Journal of Food Science, 2021, 86, 3720-3729.	3.1	1
1084	Utilization of scorpion insecticidal neurotoxins and baculoviruses for the design of novel selective biopesticides. , 1997, , 81-96.		1
1085	Laboratory Considerations. , 1996, , 9-13.		1
1086	Ureaâ€based soluble epoxide hydrolase inhibitors dilate mesenteric resistance vessels. FASEB Journal, 2006, 20, A669.	0.5	1
1087	Novel aerosol treatment of airway hyper-reactivity and inflammation in a murine model of asthma with a soluble epoxide hydrolase inhibitor. PLoS ONE, 2022, 17, e0266608.	2.5	1
1088	Role of the soluble epoxide hydrolase in the hair follicle stem cell homeostasis and hair growth. Pflugers Archiv European Journal of Physiology, 2022, 474, 1021-1035.	2.8	1
1089	The epoxy fatty acid pathway enhances cAMP in mammalian cells through multiple mechanisms. Prostaglandins and Other Lipid Mediators, 2022, 162, 106662.	1.9	1
1090	Comparative Toxicology of Tetrachlorobiphenyls in Mink and Rats. Toxicological Sciences, 1987, 8, 5-14.	3.1	0
1091	Effects of Hepatic Inducers on Testicular Epoxide-Metabolizing Enzymes in the Rat and Mouse. Toxicological Sciences, 1989, 12, 449-459.	3.1	0
1092	<title>Immunoassays for pesticide monitoring</title> ., 1995, , .		0
1093	Tutorials for Support Techniques. , 1996, , 54-85.		0
1094	Identification and Isolation of a 155-kDa Protein with Neuropathy Target Esterase Activity. Toxicological Sciences, 1996, 30, 23-30.	3.1	0
1095	Long-wavelength-emitting nanocrystals for bioassay applications. , 2002, , .		0
1096	Fluorescence quenching competitive fluoroimmunoassay in microdroplets. , 2002, , .		0
1097	Microarray immunoassay for phenoxybenzoic acid using polymer-functionalized lanthanide oxide nanoparticles as fluorescent labels. , 2005, , .		0
1098	Epoxide Hydrolases: Mechanisms, Inhibitor Designs, and Biological Roles. ChemInform, 2005, 36, no.	0.0	0

BRUCE D НАММОСК

#	Article	IF	CITATIONS
1099	Multiplexed immunoassays for biomonitoring of exposure to agrochemicals using quantum dots as fluorescent reporters. , 2007, , .		0
1100	Magnetic luminescent nanoparticles as internal calibration for an immunoassay for ricin. Proceedings of SPIE, 2008, , .	0.8	0
1101	Response to "Occurrence of five classes of chemicals in indoor dust: An evaluation of the human health risk― Science of the Total Environment, 2009, 407, 5197-5198.	8.0	0
1102	Soluble epoxide hydrolase (Ephx2) is a susceptibility gene for heart failure in a rat model of human disease 3044. FASEB Journal, 2008, 22, 479.10.	0.5	0
1103	Immunoassay Tutorials for Selected Environmental Analytes. , 1996, , 14-53.		0
1104	Soluble Epoxide Hydrolase/Phosphodiesterase Dual Inhibitor is Efficacious Against Inflammatory Pain. FASEB Journal, 2018, 32, 559.6.	0.5	0
1105	Soluble Epoxide Hydrolase. , 2021, , 1450-1456.		0
1106	Using a quantum dot bead-based lateral flow immunoassay to broadly detect the adulteration of PDE-5 inhibitors in functional foods. Analytical Methods, 0, , .	2.7	0