

Bruce D Hammock

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7855223/publications.pdf>

Version: 2024-02-01

1,106
papers

53,323
citations

1704

104
h-index

6300

158
g-index

1118
all docs

1118
docs citations

1118
times ranked

30818
citing authors

#	ARTICLE	IF	CITATIONS
1	Chronic Diclofenac Exposure Increases Mitochondrial Oxidative Stress, Inflammatory Mediators, and Cardiac Dysfunction. <i>Cardiovascular Drugs and Therapy</i> , 2023, 37, 25-37.	2.6	9
2	CRISPR/Cas9-mediated inactivation of the phosphatase activity of soluble epoxide hydrolase prevents obesity and cardiac ischemic injury. <i>Journal of Advanced Research</i> , 2023, 43, 163-174.	9.5	7
3	Structure-guided discovery of potent and oral soluble epoxide hydrolase inhibitors for the treatment of neuropathic pain. <i>Acta Pharmaceutica Sinica B</i> , 2022, 12, 1377-1389.	12.0	5
4	Fluonanobody-based nanosensor via fluorescence resonance energy transfer for ultrasensitive detection of ochratoxin A. <i>Journal of Hazardous Materials</i> , 2022, 422, 126838.	12.4	35
5	Clinical and Preclinical Evidence for Roles of Soluble Epoxide Hydrolase in Osteoarthritis Knee Pain. <i>Arthritis and Rheumatology</i> , 2022, 74, 623-633.	5.6	10
6	Soluble epoxide hydrolase inhibitor can protect the femoral head against tobacco smoke exposure-induced osteonecrosis in spontaneously hypertensive rats. <i>Toxicology</i> , 2022, 465, 153045.	4.2	2
7	“Ready-to-use” immunosensor for the detection of small molecules with fast readout. <i>Biosensors and Bioelectronics</i> , 2022, 201, 113968.	10.1	11
8	A Fast and Selective Approach for Profiling Vicinal Diols Using Liquid Chromatography-Post Column Derivatization-Double Precursor Ion Scanning Mass Spectrometry. <i>Molecules</i> , 2022, 27, 283.	3.8	3
9	A Polydopamine-Coated Gold Nanoparticles Quenching Quantum Dots-Based Dual-Readout Lateral Flow Immunoassay for Sensitive Detection of Carbendazim in Agriproducts. <i>Biosensors</i> , 2022, 12, 83.	4.7	7
10	Camelization of a murine single-domain antibody against aflatoxin B1 and its antigen-binding analysis. <i>Mycotoxin Research</i> , 2022, 38, 51-60.	2.3	4
11	Development of a Rapid Gold Nanoparticle Immunochromatographic Strip Based on the Nanobody for Detecting 2,4-Dichlorophenoxyacetic Acid. <i>Biosensors</i> , 2022, 12, 84.	4.7	7
12	Nanobodies for accurate recognition of iso-tenuazonic acid and development of sensitive immunoassay for contaminant detection in foods. <i>Food Control</i> , 2022, 136, 108835.	5.5	5
13	Kurarione alleviated Parkinson's disease via stabilization of epoxyeicosatrienoic acids in animal model. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	37
14	Discovery and In Vivo Proof of Concept of a Highly Potent Dual Inhibitor of Soluble Epoxide Hydrolase and Acetylcholinesterase for the Treatment of Alzheimer’s Disease. <i>Journal of Medicinal Chemistry</i> , 2022, 65, 4909-4925.	6.4	22
15	Production and Characterization of Biotinylated Anti-fenitrothion Nanobodies and Development of Sensitive Fluoroimmunoassay. <i>Journal of Agricultural and Food Chemistry</i> , 2022, 70, 4102-4111.	5.2	16
16	Soluble epoxide hydrolase inhibition avoid formalin-induced inflammatory hyperalgesia in the temporomandibular joint. <i>Inflammopharmacology</i> , 2022, 30, 981-990.	3.9	3
17	sEH-derived metabolites of linoleic acid drive pathologic inflammation while impairing key innate immune cell function in burn injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2120691119.	7.1	23
18	Improved ELISA for linoleate-derived diols in human plasma utilizing a polyHRP-based secondary tracer. <i>Analytical Methods</i> , 2022, , .	2.7	3

#	ARTICLE	IF	CITATIONS
19	Novel aerosol treatment of airway hyper-reactivity and inflammation in a murine model of asthma with a soluble epoxide hydrolase inhibitor. PLoS ONE, 2022, 17, e0266608.	2.5	1
20	New Approach to Generate Ratiometric Signals on Immunochromatographic Strips for Small Molecules. Analytical Chemistry, 2022, 94, 7358-7367.	6.5	13
21	A highly sensitive bio-barcode immunoassay for multi-residue detection of organophosphate pesticides based on fluorescence anti-quenching. Journal of Pharmaceutical Analysis, 2022, 12, 637-644.	5.3	7
22	Development of the Au@Pt-Labeled Nanobody Lateral-Flow Nanozyme Immunoassay for Visual Detection of 3-Phenoxybenzoic Acid in Milk and Lake Water. ACS Agricultural Science and Technology, 2022, 2, 573-579.	2.3	6
23	Omega-6 Polyunsaturated Fatty Acids Enhance Tumor Aggressiveness in Experimental Lung Cancer Model: Important Role of Oxylipins. International Journal of Molecular Sciences, 2022, 23, 6179.	4.1	12
24	Role of the soluble epoxide hydrolase in the hair follicle stem cell homeostasis and hair growth. Pflugers Archiv European Journal of Physiology, 2022, 474, 1021-1035.	2.8	1
25	Design and Characterization of a Novel Hapten and Preparation of Monoclonal Antibody for Detecting Atrazine. Foods, 2022, 11, 1726.	4.3	5
26	Detection of Acrylamide in Foodstuffs by Nanobody-Based Immunoassays. Journal of Agricultural and Food Chemistry, 2022, 70, 9179-9186.	5.2	10
27	The epoxy fatty acid pathway enhances cAMP in mammalian cells through multiple mechanisms. Prostaglandins and Other Lipid Mediators, 2022, 162, 106662.	1.9	1
28	Development of a sensitive non-competitive immunoassay via immunocomplex binding peptide for the determination of ethyl carbamate in wine samples. Journal of Hazardous Materials, 2021, 406, 124288.	12.4	30
29	Soluble Epoxide Hydrolase Hepatic Deficiency Ameliorates Alcohol-Associated Liver Disease. Cellular and Molecular Gastroenterology and Hepatology, 2021, 11, 815-830.	4.5	11
30	Generation of functional single-chain fragment variable from hybridoma and development of chemiluminescence enzyme immunoassay for determination of total malachite green in tilapia fish. Food Chemistry, 2021, 337, 127780.	8.2	33
31	Highly specific nanobody against herbicide 2,4-dichlorophenoxyacetic acid for monitoring of its contamination in environmental water. Science of the Total Environment, 2021, 753, 141950.	8.0	26
32	Targetâ€Mediated Drug Dispositionâ€A Class Effect of Soluble Epoxide Hydrolase Inhibitors. Journal of Clinical Pharmacology, 2021, 61, 531-537.	2.0	7
33	Identification of the Functional Binding Site for the Convulsant Tetramethylenedisulfotetramine in the Pore of the $\alpha 2\beta 3$ GABA _A Receptor. Molecular Pharmacology, 2021, 99, 78-91.	2.3	7
34	Reply to Reeves and Dunn: Risk for autism in offspring after maternal glyphosate exposure. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, e2016496118.	7.1	1
35	Soluble epoxide hydrolase inhibition improves cognitive function and parenchymal artery dilation in a hypertensive model of chronic cerebral hypoperfusion. Microcirculation, 2021, 28, e12653.	1.8	16
36	Carcinogenesis: Failure of resolution of inflammation?. , 2021, 218, 107670.		101

#	ARTICLE	IF	CITATIONS
37	Fusion expression of nanobodies specific for the insecticide fipronil on magnetosomes in <i>Magnetospirillum gryphiswaldense</i> MSR-1. <i>Journal of Nanobiotechnology</i> , 2021, 19, 27.	9.1	10
38	Development of a chemiluminescence immunoassay for detection of tenuazonic acid mycotoxin in fruit juices with a specific camel polyclonal antibody. <i>Analytical Methods</i> , 2021, 13, 1795-1802.	2.7	6
39	Inhibition of the Soluble Epoxide Hydrolase as an Analgesic Strategy: A Review of Preclinical Evidence. <i>Journal of Pain Research</i> , 2021, Volume 14, 61-72.	2.0	22
40	Development of nanobody-based flow-through dot ELISA and lateral-flow immunoassay for rapid detection of 3-phenoxybenzoic acid. <i>Analytical Methods</i> , 2021, 13, 1757-1765.	2.7	17
41	Soluble Epoxide Hydrolase in Aged Female Mice and Human Explanted Hearts Following Ischemic Injury. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1691.	4.1	12
42	Movement to the Clinic of Soluble Epoxide Hydrolase Inhibitor EC5026 as an Analgesic for Neuropathic Pain and for Use as a Nonaddictive Opioid Alternative. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 1856-1872.	6.4	76
43	Development of a nanobody-based ELISA for the detection of the insecticides cyantraniliprole and chlorantraniliprole in soil and the vegetable bok choy. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 2503-2511.	3.7	15
44	Ibuprofen alters epoxide hydrolase activity and epoxy-oxylin metabolites associated with different metabolic pathways in murine livers. <i>Scientific Reports</i> , 2021, 11, 7042.	3.3	5
45	Adrenic Acid-Derived Epoxy Fatty Acids Are Naturally Occurring Lipids and Their Methyl Ester Prodrug Reduces Endoplasmic Reticulum Stress and Inflammatory Pain. <i>ACS Omega</i> , 2021, 6, 7165-7174.	3.5	13
46	Plasma Linoleate Diols Are Potential Biomarkers for Severe COVID-19 Infections. <i>Frontiers in Physiology</i> , 2021, 12, 663869.	2.8	43
47	A Soluble Epoxide Hydrolase Inhibitor, 1-trifluoromethoxyphenyl-3-(1-propionylpiperidin-4-yl) Urea, Ameliorates Experimental Autoimmune Encephalomyelitis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4650.	4.1	10
48	Enhanced Non-Toxic Immunodetection of <i>Alternaria</i> Mycotoxin Tenuazonic Acid Based on Ferritin-Displayed Anti-Idiotypic Nanobody-Nanoluciferase Multimers. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 4911-4917.	5.2	17
49	Soluble epoxide hydrolase deficiency attenuates lipotoxic cardiomyopathy via upregulation of AMPK-mTORC mediated autophagy. <i>Journal of Molecular and Cellular Cardiology</i> , 2021, 154, 80-91.	1.9	15
50	Relative Importance of Soluble and Microsomal Epoxide Hydrolases for the Hydrolysis of Epoxy-Fatty Acids in Human Tissues. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4993.	4.1	14
51	From the Design to the <i>In Vivo</i> Evaluation of Benzohomoadamantane-Derived Soluble Epoxide Hydrolase Inhibitors for the Treatment of Acute Pancreatitis. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 5429-5446.	6.4	12
52	Natural Products in the Prevention of Metabolic Diseases: Lessons Learned from the 20th KAST Frontier Scientists Workshop. <i>Nutrients</i> , 2021, 13, 1881.	4.1	4
53	Activity of sEH and Oxidant Status during Systemic Bovine Coliform Mastitis. <i>Antioxidants</i> , 2021, 10, 812.	5.1	5
54	Generation of dual functional nanobody-nanoluciferase fusion and its potential in bioluminescence enzyme immunoassay for trace glypican-3 in serum. <i>Sensors and Actuators B: Chemical</i> , 2021, 336, 129717.	7.8	24

#	ARTICLE	IF	CITATIONS
55	Pharmacokinetics, Metabolite Measurement, and Biomarker Identification of Dermal Exposure to Permethrin Using Accelerator Mass Spectrometry. <i>Toxicological Sciences</i> , 2021, 183, 49-59.	3.1	7
56	Differential Effects of 17,18-EEQ and 19,20-EDP Combined with Soluble Epoxide Hydrolase Inhibitor t-TUCB on Diet-Induced Obesity in Mice. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8267.	4.1	9
57	Immune response dynamics in COVID-19 patients to SARS-CoV-2 and other human coronaviruses. <i>PLoS ONE</i> , 2021, 16, e0254367.	2.5	17
58	Role of Epoxide Hydrolases and Cytochrome P450s on Metabolism of KZR-616, a First-in-Class Selective Inhibitor of the Immunoproteasome. <i>Drug Metabolism and Disposition</i> , 2021, 49, 810-821.	3.3	9
59	Development of a direct competitive enzyme-linked immunosorbent assay for quantitation of sodium saccharin residue in food. <i>Journal of Food Science</i> , 2021, 86, 3720-3729.	3.1	1
60	Autism-like Behaviors in Male Juvenile Offspring after Maternal Glyphosate Exposure. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 554-558.	2.0	11
61	EPHX1 mutations cause a lipotrophic diabetes syndrome due to impaired epoxide hydrolysis and increased cellular senescence. <i>ELife</i> , 2021, 10, .	6.0	16
62	Sortase-Mediated Phage Decoration for Analytical Applications. <i>Analytical Chemistry</i> , 2021, 93, 11800-11808.	6.5	8
63	TPPU treatment of burned mice dampens inflammation and generation of bioactive DHET which impairs neutrophil function. <i>Scientific Reports</i> , 2021, 11, 16555.	3.3	8
64	Genetic deficiency or pharmacological inhibition of soluble epoxide hydrolase ameliorates high fat diet-induced pancreatic β -cell dysfunction and loss. <i>Free Radical Biology and Medicine</i> , 2021, 172, 48-57.	2.9	5
65	Multitarget molecule, PTUPB, to treat diabetic nephropathy in rats. <i>British Journal of Pharmacology</i> , 2021, 178, 4468-4484.	5.4	6
66	Species Differences in Metabolism of Soluble Epoxide Hydrolase Inhibitor, EC1728, Highlight the Importance of Clinically Relevant Screening Mechanisms in Drug Development. <i>Molecules</i> , 2021, 26, 5034.	3.8	3
67	Ingestion of <i>Faecalibaculum rodentium</i> causes depression-like phenotypes in resilient <i>Ephx2</i> knock-out mice: A role of brain-gut-microbiota axis via the subdiaphragmatic vagus nerve. <i>Journal of Affective Disorders</i> , 2021, 292, 565-573.	4.1	63
68	Smartphone-Based Dual-Channel Immunochromatographic Test Strip with Polymer Quantum Dot Labels for Simultaneous Detection of Cypermethrin and 3-Phenoxybenzoic Acid. <i>Analytical Chemistry</i> , 2021, 93, 13658-13666.	6.5	17
69	Enhanced Bio-Barcode Immunoassay Using Droplet Digital PCR for Multiplex Detection of Organophosphate Pesticides. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 11131-11141.	5.2	2
70	Inhibition of sEH via stabilizing the level of EETs alleviated Alzheimer's disease through GSK3 β signaling pathway. <i>Food and Chemical Toxicology</i> , 2021, 156, 112516.	3.6	23
71	Discovery of memantyl urea derivatives as potent soluble epoxide hydrolase inhibitors against lipopolysaccharide-induced sepsis. <i>European Journal of Medicinal Chemistry</i> , 2021, 223, 113678.	5.5	9
72	Discovery of Soluble Epoxide Hydrolase Inhibitors from Chemical Synthesis and Natural Products. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 184-215.	6.4	50

#	ARTICLE	IF	CITATIONS
73	Eicosanoid regulation of debris-stimulated metastasis. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	12
74	New Alkoxy- Analogues of Epoxyeicosatrienoic Acids Attenuate Cisplatin Nephrotoxicity In Vitro via Reduction of Mitochondrial Dysfunction, Oxidative Stress, Mitogen-Activated Protein Kinase Signaling, and Caspase Activation. Chemical Research in Toxicology, 2021, , .	3.3	5
75	Further exploration of the structure-activity relationship of dual soluble epoxide hydrolase/fatty acid amide hydrolase inhibitors. Bioorganic and Medicinal Chemistry, 2021, 51, 116507.	3.0	9
76	Soluble Epoxide Hydrolase. , 2021, , 1450-1456.		0
77	Sex-Specific Differences in Resolution of Airway Inflammation in Fat-1 Transgenic Mice Following Repetitive Agricultural Dust Exposure. Frontiers in Pharmacology, 2021, 12, 785193.	3.5	2
78	Soluble Epoxide Hydrolase Deletion Limits High-Fat Diet-Induced Inflammation. Frontiers in Pharmacology, 2021, 12, 778470.	3.5	3
79	COX-2/sEH Dual Inhibitor PTUPB Alleviates CCl4-Induced Liver Fibrosis and Portal Hypertension. Frontiers in Medicine, 2021, 8, 761517.	2.6	5
80	2-(Piperidin-4-yl)acetamides as Potent Inhibitors of Soluble Epoxide Hydrolase with Anti-Inflammatory Activity. Pharmaceuticals, 2021, 14, 1323.	3.8	2
81	Dual sEH/COX-2 Inhibition Using PTUPBâ€”A Promising Approach to Antiangiogenesis-Induced Nephrotoxicity. Frontiers in Pharmacology, 2021, 12, 744776.	3.5	4
82	Acute Hypercapnia/Ischemia Alters the Esterification of Arachidonic Acid and Docosahexaenoic Acid Epoxide Metabolites in Rat Brain Neutral Lipids. Lipids, 2020, 55, 7-22.	1.7	11
83	Cytochrome P450 derived epoxidized fatty acids as a therapeutic tool against neuroinflammatory diseases. Prostaglandins and Other Lipid Mediators, 2020, 147, 106385.	1.9	32
84	A rapid and simple fluorescence enzyme-linked immunosorbent assay for tetrabromobisphenol A in soil samples based on a bifunctional fusion protein. Ecotoxicology and Environmental Safety, 2020, 188, 109904.	6.0	18
85	COXâ€”2/sEH dual inhibitor PTUPB alleviates bleomycinâ€”induced pulmonary fibrosis in mice via inhibiting senescence. FEBS Journal, 2020, 287, 1666-1680.	4.7	39
86	Ultrasensitive and rapid detection of ochratoxin A in agro-products by a nanobody-mediated FRET-based immunosensor. Journal of Hazardous Materials, 2020, 387, 121678.	12.4	49
87	Imidazolidine-2,4,5- and pyrimidine-2,4,6-triones â€” New primary pharmacophore for soluble epoxide hydrolase inhibitors with enhanced water solubility. Bioorganic and Medicinal Chemistry Letters, 2020, 30, 126908.	2.2	4
88	Soluble epoxide hydrolase inhibitor mediated analgesia lacks tolerance in rat models. Brain Research, 2020, 1728, 146573.	2.2	10
89	Construction of Immunomagnetic Particles with High Stability in Stringent Conditions by Site-Directed Immobilization of Multivalent Nanobodies onto Bacterial Magnetic Particles for the Environmental Detection of Tetrabromobisphenol-A. Analytical Chemistry, 2020, 92, 1114-1121.	6.5	31
90	Inactivation of Cys ⁶⁷⁴ in SERCA2 increases BP by inducing endoplasmic reticulum stress and soluble epoxide hydrolase. British Journal of Pharmacology, 2020, 177, 1793-1805.	5.4	19

#	ARTICLE	IF	CITATIONS
91	Soluble Epoxide Hydrolase Inhibition by t-TUCB Promotes Brown Adipogenesis and Reduces Serum Triglycerides in Diet-Induced Obesity. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7039.	4.1	11
92	Cytochrome P450-derived linoleic acid metabolites EpOMEs and DiHOMEs: a review of recent studies. <i>Journal of Nutritional Biochemistry</i> , 2020, 86, 108484.	4.2	99
93	Lack of rewarding effects of a soluble epoxide hydrolase inhibitor TPPU in mice: Comparison with morphine. <i>Neuropsychopharmacology Reports</i> , 2020, 40, 412-416.	2.3	7
94	Vitamin D deficiency serves as a precursor to stunted growth and central adiposity in zebrafish. <i>Scientific Reports</i> , 2020, 10, 16032.	3.3	18
95	Development of multitarget inhibitors for the treatment of pain: Design, synthesis, biological evaluation and molecular modeling studies. <i>Bioorganic Chemistry</i> , 2020, 103, 104165.	4.1	9
96	EpOMEs act as immune suppressors in a lepidopteran insect, <i>Spodoptera exigua</i> . <i>Scientific Reports</i> , 2020, 10, 20183.	3.3	22
97	On-spot quantitative analysis of dicamba in field waters using a lateral flow immunochromatographic strip with smartphone imaging. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 6995-7006.	3.7	9
98	2-Oxaadamant-1-yl Ureas as Soluble Epoxide Hydrolase Inhibitors: <i>In Vivo</i> Evaluation in a Murine Model of Acute Pancreatitis. <i>Journal of Medicinal Chemistry</i> , 2020, 63, 9237-9257.	6.4	14
99	Bioisosteric substitution of adamantane with bicyclic lipophilic groups improves water solubility of human soluble epoxide hydrolase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020, 30, 127430.	2.2	14
100	Development of a nanobody tagged with streptavidin-binding peptide and its application in a Luminex fluoroimmunoassay for alpha fetal protein in serum. <i>RSC Advances</i> , 2020, 10, 23767-23774.	3.6	9
101	Sensitive Immunochromatographic Assay Using Highly Luminescent Quantum Dot Nanobeads as Tracer for the Detection of Cyproheptadine Hydrochloride in Animal-Derived Food. <i>Frontiers in Chemistry</i> , 2020, 8, 575.	3.6	3
102	Peripheral soluble epoxide hydrolase inhibition reduces hypernociception and inflammation in albumin-induced arthritis in temporomandibular joint of rats. <i>International Immunopharmacology</i> , 2020, 87, 106841.	3.8	16
103	Development of a Highly Sensitive Enzyme-Linked Immunosorbent Assay for Mouse Soluble Epoxide Hydrolase Detection by Combining a Polyclonal Capture Antibody with a Nanobody Tracer. <i>Analytical Chemistry</i> , 2020, 92, 11654-11663.	6.5	8
104	Chemiluminescent Enzyme Immunoassay and Bioluminescent Enzyme Immunoassay for Tenuazonic Acid Mycotoxin by Exploitation of Nanobody and Nanobody-Nanoluciferase Fusion. <i>Analytical Chemistry</i> , 2020, 92, 11935-11942.	6.5	43
105	Suppression of inflammation and fibrosis using soluble epoxide hydrolase inhibitors enhances cardiac stem cell-based therapy. <i>Stem Cells Translational Medicine</i> , 2020, 9, 1570-1584.	3.3	12
106	Resolution of eicosanoid/cytokine storm prevents carcinogen and inflammation-initiated hepatocellular cancer progression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 21576-21587.	7.1	48
107	γ -3 Polyunsaturated Fatty Acids on Colonic Inflammation and Colon Cancer: Roles of Lipid-Metabolizing Enzymes Involved. <i>Nutrients</i> , 2020, 12, 3301.	4.1	15
108	Soluble Epoxide Hydrolase Regulation of Lipid Mediators Limits Pain. <i>Neurotherapeutics</i> , 2020, 17, 900-916.	4.4	20

#	ARTICLE	IF	CITATIONS
109	Selection of Potent Inhibitors of Soluble Epoxide Hydrolase for Usage in Veterinary Medicine. <i>Frontiers in Veterinary Science</i> , 2020, 7, 580.	2.2	5
110	Using sulfuramidimidoyl fluorides that undergo sulfur(vi) fluoride exchange for inverse drug discovery. <i>Nature Chemistry</i> , 2020, 12, 906-913.	13.6	85
111	Epoxy Fatty Acids Are Promising Targets for Treatment of Pain, Cardiovascular Disease and Other Indications Characterized by Mitochondrial Dysfunction, Endoplasmic Stress and Inflammation. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1274, 71-99.	1.6	38
112	Early antihypertensive treatment and ischemia-induced acute kidney injury. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, F563-F570.	2.7	11
113	<i>N</i> -Benzyl-linoleamide, a Constituent of <i>Lepidium meyenii</i> (Maca), Is an Orally Bioavailable Soluble Epoxide Hydrolase Inhibitor That Alleviates Inflammatory Pain. <i>Journal of Natural Products</i> , 2020, 83, 3689-3697.	3.0	9
114	An epoxide hydrolase inhibitor reduces neuroinflammation in a mouse model of Alzheimer's disease. <i>Science Translational Medicine</i> , 2020, 12, .	12.4	77
115	Inflammation resolution: a dual-pronged approach to averting cytokine storms in COVID-19?. <i>Cancer and Metastasis Reviews</i> , 2020, 39, 337-340.	5.9	169
116	Maternal glyphosate exposure causes autism-like behaviors in offspring through increased expression of soluble epoxide hydrolase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 11753-11759.	7.1	95
117	Soluble epoxide hydrolase inhibitor, TPPU, increases regulatory T cells pathway in an arthritis model. <i>FASEB Journal</i> , 2020, 34, 9074-9086.	0.5	22
118	Pharmacological Inhibition of Soluble Epoxide Hydrolase as a New Therapy for Alzheimer's Disease. <i>Neurotherapeutics</i> , 2020, 17, 1825-1835.	4.4	45
119	Vascular Lipidomic Profiling of Potential Endogenous Fatty Acid PPAR Ligands Reveals the Coronary Artery as Major Producer of CYP450-Derived Epoxy Fatty Acids. <i>Cells</i> , 2020, 9, 1096.	4.1	10
120	Aryl Hydrocarbon Receptor-Dependent inductions of omega-3 and omega-6 polyunsaturated fatty acid metabolism act inversely on tumor progression. <i>Scientific Reports</i> , 2020, 10, 7843.	3.3	16
121	An Ultrasensitive Bioluminescent Enzyme Immunoassay Based on Nanobody/Nanoluciferase Heptamer Fusion for the Detection of Tetrabromobisphenol A in Sediment. <i>Analytical Chemistry</i> , 2020, 92, 10083-10090.	6.5	29
122	Soluble epoxide hydrolase is an endogenous regulator of obesity-induced intestinal barrier dysfunction and bacterial translocation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 8431-8436.	7.1	32
123	Effects of Linoleic Acid-Rich Diet on Plasma Profiles of Eicosanoids and Development of Colitis in <i>IL-10</i> ^{-/-} Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 7641-7647.	5.2	6
124	Eicosanoids. <i>American Journal of Pathology</i> , 2020, 190, 1782-1788.	3.8	115
125	Monitoring of the Organophosphate Pesticide Chlorpyrifos in Vegetable Samples from Local Markets in Northern Thailand by Developed Immunoassay. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4723.	2.6	37
126	Protostane-type triterpenoids as natural soluble epoxide hydrolase inhibitors: Inhibition potentials and molecular dynamics. <i>Bioorganic Chemistry</i> , 2020, 96, 103637.	4.1	25

#	ARTICLE	IF	CITATIONS
127	A COX-2/sEH dual inhibitor PTUPB ameliorates cecal ligation and puncture-induced sepsis in mice via anti-inflammation and anti-oxidative stress. <i>Biomedicine and Pharmacotherapy</i> , 2020, 126, 109907.	5.6	35
128	Single-chain variable fragment antibody-based immunochromatographic strip for rapid detection of fumonisin B1 in maize samples. <i>Food Chemistry</i> , 2020, 319, 126546.	8.2	30
129	Assessment of soluble epoxide hydrolase activity in vivo: A metabolomic approach. <i>Prostaglandins and Other Lipid Mediators</i> , 2020, 148, 106410.	1.9	7
130	An Innovative Nanobody-Based Electrochemical Immunosensor Using Decorated Nylon Nanofibers for Point-of-Care Monitoring of Human Exposure to Pyrethroid Insecticides. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 6159-6168.	8.0	50
131	PTUPB ameliorates high-fat diet-induced non-alcoholic fatty liver disease via inhibiting NLRP3 inflammasome activation in mice. <i>Biochemical and Biophysical Research Communications</i> , 2020, 523, 1020-1026.	2.1	32
132	Comparison of the toxicokinetics of the convulsants picrotoxinin and tetramethylenedisulfotetramine (TETS) in mice. <i>Archives of Toxicology</i> , 2020, 94, 1995-2007.	4.2	10
133	Development of Improved Double-Nanobody Sandwich ELISAs for Human Soluble Epoxide Hydrolase Detection in Peripheral Blood Mononuclear Cells of Diabetic Patients and the Prefrontal Cortex of Multiple Sclerosis Patients. <i>Analytical Chemistry</i> , 2020, 92, 7334-7342.	6.5	30
134	Simultaneous Target-Mediated Drug Disposition Model for Two Small-Molecule Compounds Competing for Their Pharmacological Target: Soluble Epoxide Hydrolase. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2020, 374, 223-232.	2.5	9
135	A COX-2/sEH dual inhibitor PTUPB alleviates lipopolysaccharide-induced acute lung injury in mice by inhibiting NLRP3 inflammasome activation. <i>Theranostics</i> , 2020, 10, 4749-4761.	10.0	116
136	Increased expression of soluble epoxide hydrolase in the brain and liver from patients with major psychiatric disorders: A role of brain " liver axis. <i>Journal of Affective Disorders</i> , 2020, 270, 131-134.	4.1	15
137	Development of potent inhibitors of the human microsomal epoxide hydrolase. <i>European Journal of Medicinal Chemistry</i> , 2020, 193, 112206.	5.5	3
138	Preparation and evaluation of soluble epoxide hydrolase inhibitors with improved physical properties and potencies for treating diabetic neuropathic pain. <i>Bioorganic and Medicinal Chemistry</i> , 2020, 28, 115735.	3.0	18
139	Development of a noncompetitive idiometric nanobodies phage immunoassay for the determination of fumonisin B ₁ . <i>Food and Agricultural Immunology</i> , 2019, 30, 510-521.	1.4	16
140	1-Trifluoromethoxyphenyl-3-(1-propionylpiperidin-4-yl) Urea, a Selective and Potent Dual Inhibitor of Soluble Epoxide Hydrolase and p38 Kinase Intervenes in Alzheimer's Signaling in Human Nerve Cells. <i>ACS Chemical Neuroscience</i> , 2019, 10, 4018-4030.	3.5	23
141	Fluorescent "Turn off-on" Small-Molecule-Monitoring Nanoplatfrom Based on Dendrimer-like Peptides as Competitors. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 33380-33389.	8.0	18
142	Anti-inflammatory treatment with a soluble epoxide hydrolase inhibitor attenuates seizures and epilepsy-associated depression in the LiCl-pilocarpine post-status epilepticus rat model. <i>Brain, Behavior, and Immunity</i> , 2019, 81, 535-544.	4.1	30
143	A permethrin metabolite is associated with adaptive immune responses in Gulf War Illness. <i>Brain, Behavior, and Immunity</i> , 2019, 81, 545-559.	4.1	31
144	Highly Specific Monoclonal Antibody and Sensitive Quantum Dot Beads-Based Fluorescence Immunochromatographic Test Strip for Tebuconazole Assay in Agricultural Products. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 9096-9103.	5.2	44

#	ARTICLE	IF	CITATIONS
145	A dual signal immunochromatographic strip for the detection of imidaclothiz using a recombinant fluorescent-peptide tracer and gold nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2019, 297, 126714.	7.8	25
146	Inhibition of Pancreatic Carcinoma Growth Through Enhancing γ -3 Epoxy Polyunsaturated Fatty Acid Profile by Inhibition of Soluble Epoxide Hydrolase. <i>Anticancer Research</i> , 2019, 39, 3651-3660.	1.1	20
147	Pharmaceutical Effects of Inhibiting the Soluble Epoxide Hydrolase in Canine Osteoarthritis. <i>Frontiers in Pharmacology</i> , 2019, 10, 533.	3.5	32
148	Effect Of Dual sEH/COX-2 Inhibition on Allergen-Induced Airway Inflammation. <i>Frontiers in Pharmacology</i> , 2019, 10, 1118.	3.5	16
149	Modulating Linker Composition of Haptens Resulted in Improved Immunoassay for Histamine. <i>Biomolecules</i> , 2019, 9, 597.	4.0	16
150	Investigation of the Small Size of Nanobodies for a Sensitive Fluorescence Polarization Immunoassay for Small Molecules: 3-Phenoxybenzoic Acid, an Exposure Biomarker of Pyrethroid Insecticides as a Model. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 11536-11541.	5.2	20
151	Epoxyeicosatrienoic acid (EET)-stimulated angiogenesis is mediated by epoxy hydroxyeicosatrienoic acids (EHETs) formed from COX-2. <i>Journal of Lipid Research</i> , 2019, 60, 1996-2005.	4.2	26
152	Discovery of the First in Vivo Active Inhibitors of the Soluble Epoxide Hydrolase Phosphatase Domain. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 8443-8460.	6.4	19
153	A label-free optical whole-cell <i>Escherichia coli</i> biosensor for the detection of pyrethroid insecticide exposure. <i>Scientific Reports</i> , 2019, 9, 12466.	3.3	37
154	Drug-Target Residence Time Affects <i>in Vivo</i> Target Occupancy through Multiple Pathways. <i>ACS Central Science</i> , 2019, 5, 1614-1624.	11.3	37
155	Phage-displayed nanobody based double antibody sandwich chemiluminescent immunoassay for the detection of Cry2A toxin in cereals. <i>Food and Agricultural Immunology</i> , 2019, 30, 924-936.	1.4	12
156	Lipidomes of brain from rats acutely intoxicated with diisopropylfluorophosphate identifies potential therapeutic targets. <i>Toxicology and Applied Pharmacology</i> , 2019, 382, 114749.	2.8	8
157	Exploring the size of the lipophilic unit of the soluble epoxide hydrolase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2019, 27, 115078.	3.0	17
158	Pharmacological Blockade of Soluble Epoxide Hydrolase Attenuates the Progression of Congestive Heart Failure Combined With Chronic Kidney Disease: Insights From Studies With Fawn-Hooded Hypertensive Rats. <i>Frontiers in Pharmacology</i> , 2019, 10, 18.	3.5	9
159	A novel and simple imidazo[1,2-a]pyridin fluorescent probe for the sensitive and selective imaging of cysteine in living cells and zebrafish. <i>Analytica Chimica Acta</i> , 2019, 1058, 155-165.	5.4	44
160	Development of a one-step immunoassay for triazophos using camel single-domain antibody-alkaline phosphatase fusion protein. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 1287-1295.	3.7	19
161	Prophylactic inhibition of soluble epoxide hydrolase delays onset of nephritis and ameliorates kidney damage in NZB/W F1 mice. <i>Scientific Reports</i> , 2019, 9, 8993.	3.3	7
162	In vitro and in vivo Metabolism of a Potent Inhibitor of Soluble Epoxide Hydrolase, 1-(1-Propionylpiperidin-4-yl)-3-(4-(trifluoromethoxy)phenyl)urea. <i>Frontiers in Pharmacology</i> , 2019, 10, 464.	3.5	21

#	ARTICLE	IF	CITATIONS
163	Cyclic peptide: a safe and effective alternative to synthetic aflatoxin B1-competitive antigens. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 3881-3890.	3.7	9
164	Dimethyl Sulfoxide Decreases Levels of Oxylipin Diols in Mouse Liver. <i>Frontiers in Pharmacology</i> , 2019, 10, 580.	3.5	4
165	N-Substituted amino acid inhibitors of the phosphatase domain of the soluble epoxide hydrolase. <i>Biochemical and Biophysical Research Communications</i> , 2019, 515, 248-253.	2.1	6
166	Computer-Aided Selective Optimization of Side Activities of Talinolol. <i>ACS Medicinal Chemistry Letters</i> , 2019, 10, 899-903.	2.8	9
167	Impact of diabetes on male sexual function in streptozotocin-induced diabetic rats: Protective role of soluble epoxide hydrolase inhibitor. <i>Biomedicine and Pharmacotherapy</i> , 2019, 115, 108897.	5.6	32
168	Nanobody-based fluorescence resonance energy transfer immunoassay for noncompetitive and simultaneous detection of ochratoxin a and ochratoxin B. <i>Environmental Pollution</i> , 2019, 251, 238-245.	7.5	33
169	Hapten Synthesis, Antibody Development, and a Highly Sensitive Indirect Competitive Chemiluminescent Enzyme Immunoassay for Detection of Dicamba. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 5711-5719.	5.2	18
170	Improving the sensitivity of traditional Western blotting via Streptavidin containing Polyâ€chorseradish peroxidase (PolyHRP). <i>Electrophoresis</i> , 2019, 40, 1731-1739.	2.4	16
171	One-Step Ultrasensitive Bioluminescent Enzyme Immunoassay Based on Nanobody/Nanoluciferase Fusion for Detection of Aflatoxin B₁ in Cereal. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 5221-5229.	5.2	55
172	Key role of soluble epoxide hydrolase in the neurodevelopmental disorders of offspring after maternal immune activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 7083-7088.	7.1	37
173	Exposure of consumers and farmers to organophosphate and synthetic pyrethroid insecticides in Northern Thailand. <i>Journal Fur Verbraucherschutz Und Lebensmittelsicherheit</i> , 2019, 14, 17-23.	1.4	6
174	One-step immunoassay for the insecticide carbaryl using a chicken single-chain variable fragment (scFv) fused to alkaline phosphatase. <i>Analytical Biochemistry</i> , 2019, 572, 9-15.	2.4	26
175	Epoxyeicosatrienoic Acid-Based Therapy Attenuates the Progression of Postischemic Heart Failure in Normotensive Sprague-Dawley but Not in Hypertensive Ren-2 Transgenic Rats. <i>Frontiers in Pharmacology</i> , 2019, 10, 159.	3.5	13
176	Development of an immunoassay for the detection of carbaryl in cereals based on a camelid variable heavyâ€chain antibody domain. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 4383-4390.	3.5	18
177	Docosahexaenoic Acid Increases the Potency of Soluble Epoxide Hydrolase Inhibitor in Alleviating Streptozotocin-Induced Alzheimerâ€™s Disease-Like Complications of Diabetes. <i>Frontiers in Pharmacology</i> , 2019, 10, 288.	3.5	20
178	Phytochemical constituents from <i>Scutellaria baicalensis</i> in soluble epoxide hydrolase inhibition: Kinetics and interaction mechanism merged with simulations. <i>International Journal of Biological Macromolecules</i> , 2019, 133, 1187-1193.	7.5	25
179	Inhibition of soluble epoxide hydrolase ameliorates hyperhomocysteinemia-induced hepatic steatosis by enhancing β -oxidation of fatty acid in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 316, G527-G538.	3.4	23
180	Inhibition of soluble epoxide hydrolase attenuates a high-fat diet-mediated renal injury by activating PAX2 and AMPK. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 5154-5159.	7.1	33

#	ARTICLE	IF	CITATIONS
181	Targeted Metabolomics Identifies the Cytochrome P450 Monooxygenase Eicosanoid Pathway as a Novel Therapeutic Target of Colon Tumorigenesis. <i>Cancer Research</i> , 2019, 79, 1822-1830.	0.9	45
182	Fluoroaromatic fragments on 1,3-disubstituted ureas enhance soluble epoxide hydrolase inhibition. <i>Journal of Fluorine Chemistry</i> , 2019, 220, 48-53.	1.7	21
183	The molecular structure of an epoxide hydrolase from <i>Trichoderma reesei</i> in complex with urea or amide-based inhibitors. <i>International Journal of Biological Macromolecules</i> , 2019, 129, 653-658.	7.5	2
184	Development of multitarget agents possessing soluble epoxide hydrolase inhibitory activity. <i>Prostaglandins and Other Lipid Mediators</i> , 2019, 140, 31-39.	1.9	28
185	Competitive and noncompetitive immunoassays for the detection of benzothiostrubin using magnetic nanoparticles and fluorescein isothiocyanate-labeled peptides. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 527-535.	3.7	8
186	Humble beginnings with big goals: Small molecule soluble epoxide hydrolase inhibitors for treating CNS disorders. <i>Progress in Neurobiology</i> , 2019, 172, 23-39.	5.7	59
187	Substrate and inhibitor selectivity, and biological activity of an epoxide hydrolase from <i>Trichoderma reesei</i> . <i>Molecular Biology Reports</i> , 2019, 46, 371-379.	2.3	1
188	Brain oxylipin concentrations following hypercapnia/ischemia: effects of brain dissection and dissection time. <i>Journal of Lipid Research</i> , 2019, 60, 671-682.	4.2	24
189	Soluble epoxide hydrolase inhibitor, APAU, protects dopaminergic neurons against rotenone induced neurotoxicity: Implications for Parkinson's disease. <i>NeuroToxicology</i> , 2019, 70, 135-145.	3.0	23
190	Nanobody-based binding assay for the discovery of potent inhibitors of CFTR inhibitory factor (Cif). <i>Analytica Chimica Acta</i> , 2019, 1057, 106-113.	5.4	7
191	Suppression of chemotherapy-induced cytokine/lipid mediator surge and ovarian cancer by a dual COX-2/sEH inhibitor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 1698-1703.	7.1	89
192	Quantitative Detection of Fipronil and Fipronil-Sulfone in Sera of Black-Tailed Prairie Dogs and Rats after Oral Exposure to Fipronil by Camel Single-Domain Antibody-Based Immunoassays. <i>Analytical Chemistry</i> , 2019, 91, 1532-1540.	6.5	38
193	Preoperative stimulation of resolution and inflammation blockade eradicates micrometastases. <i>Journal of Clinical Investigation</i> , 2019, 129, 2964-2979.	8.2	94
194	Induction of Amyloid- β 242 Production by Fipronil and Other Pyrazole Insecticides. <i>Journal of Alzheimer's Disease</i> , 2018, 62, 1663-1681.	2.6	23
195	Catalytic activities of mammalian epoxide hydrolases with cis and trans fatty acid epoxides relevant to skin barrier function. <i>Journal of Lipid Research</i> , 2018, 59, 684-695.	4.2	27
196	Noncompetitive Homogeneous Detection of Small Molecules Using Synthetic Nanopeptamer-Based Luminescent Oxygen Channeling. <i>Analytical Chemistry</i> , 2018, 90, 6187-6192.	6.5	23
197	Orally Available Soluble Epoxide Hydrolase/Phosphodiesterase 4 Dual Inhibitor Treats Inflammatory Pain. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 3541-3550.	6.4	14
198	Inhibition of soluble epoxide hydrolase attenuates eosinophil recruitment and food allergen-induced gastrointestinal inflammation. <i>Journal of Leukocyte Biology</i> , 2018, 104, 109-122.	3.3	15

#	ARTICLE	IF	CITATIONS
199	COX-2/sEH Dual Inhibitor PTUPB Potentiates the Antitumor Efficacy of Cisplatin. <i>Molecular Cancer Therapeutics</i> , 2018, 17, 474-483.	4.1	32
200	Effects of adamantane alterations on soluble epoxide hydrolase inhibition potency, physical properties and metabolic stability. <i>Bioorganic Chemistry</i> , 2018, 76, 510-527.	4.1	53
201	Identification and optimization of soluble epoxide hydrolase inhibitors with dual potency towards fatty acid amide hydrolase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018, 28, 762-768.	2.2	29
202	Phage-Mediated Competitive Chemiluminescent Immunoassay for Detecting Cry1Ab Toxin by Using an Anti-Idiotypic Camel Nanobody. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 950-956.	5.2	33
203	Estrogen-dependent epigenetic regulation of soluble epoxide hydrolase via DNA methylation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 613-618.	7.1	34
204	Lipidomic profiling reveals soluble epoxide hydrolase as a therapeutic target of obesity-induced colonic inflammation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 5283-5288.	7.1	59
205	Soluble epoxide hydrolase inhibition decreases reperfusion injury after focal cerebral ischemia. <i>Scientific Reports</i> , 2018, 8, 5279.	3.3	38
206	Combined Inhibition of Soluble Epoxide Hydrolase and Renin-Angiotensin System Exhibits Superior Renoprotection to Renin-Angiotensin System Blockade in 5/6 Nephrectomized Ren-2 Transgenic Hypertensive Rats with Established Chronic Kidney Disease. <i>Kidney and Blood Pressure Research</i> , 2018, 43, 329-349.	2.0	10
207	Biotinylated single-chain variable fragment-based enzyme-linked immunosorbent assay for glycocholic acid. <i>Analyst</i> , The, 2018, 143, 2057-2065.	3.5	14
208	Novel piperidine-derived amide sEH inhibitors as mediators of lipid metabolism with improved stability. <i>Prostaglandins and Other Lipid Mediators</i> , 2018, 136, 90-95.	1.9	19
209	Two pharmacological epoxyeicosatrienoic acid-enhancing therapies are effectively antihypertensive and reduce the severity of ischemic arrhythmias in rats with angiotensin II-dependent hypertension. <i>Journal of Hypertension</i> , 2018, 36, 1326-1341.	0.5	26
210	Indomethacin Enhances Brown Fat Activity. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018, 365, 467-475.	2.5	12
211	Regulation of rat plasma and cerebral cortex oxylipin concentrations with increasing levels of dietary linoleic acid. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2018, 138, 71-80.	2.2	46
212	Evaluation of antiparkinson activity of PTUPB by measuring dopamine and its metabolites in <i>Drosophila melanogaster</i> : LC-MS/MS method development. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 149, 457-464.	2.8	17
213	Development of a Highly Sensitive Direct Competitive Fluorescence Enzyme Immunoassay Based on a Nanobody-alkaline Phosphatase Fusion Protein for Detection of 3-Phenoxybenzoic Acid in Urine. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 11284-11290.	5.2	36
214	Design and Potency of Dual Soluble Epoxide Hydrolase/Fatty Acid Amide Hydrolase Inhibitors. <i>ACS Omega</i> , 2018, 3, 14076-14086.	3.5	22
215	Impedance Detection of 3-Phenoxybenzoic Acid with a Noncompetitive Two-site Phage Anti-immunocomplex Assay. <i>Electroanalysis</i> , 2018, 30, 2653-2659.	2.9	2
216	Omega-3 PUFA attenuate mice myocardial infarction injury by emerging a protective eicosanoid pattern. <i>Prostaglandins and Other Lipid Mediators</i> , 2018, 139, 1-9.	1.9	7

#	ARTICLE	IF	CITATIONS
217	Production and characterization of a single-chain variable fragment-alkaline phosphatase fusion protein for glycocholic acid detection in a one-step enzyme-linked immunosorbent assay. <i>Analytical Methods</i> , 2018, 10, 2629-2635.	2.7	10
218	Adamantyl thioureas as soluble epoxide hydrolase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018, 28, 2302-2313.	2.2	27
219	Celecoxib Does Not Protect against Fibrosis and Inflammation in a Carbon Tetrachloride-Induced Model of Liver Injury. <i>Molecular Pharmacology</i> , 2018, 94, 834-841.	2.3	22
220	Strong and oriented conjugation of nanobodies onto magnetosomes for the development of a rapid immunomagnetic assay for the environmental detection of tetrabromobisphenol-A. <i>Analytical and Bioanalytical Chemistry</i> , 2018, 410, 6633-6642.	3.7	26
221	An inhibitor of soluble epoxide hydrolase ameliorates diabetes-induced learning and memory impairment in rats. <i>Prostaglandins and Other Lipid Mediators</i> , 2018, 136, 84-89.	1.9	20
222	Soluble epoxide hydrolase plays a key role in the pathogenesis of Parkinson's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5815-E5823.	7.1	104
223	Development of a Nanobody-AviTag Fusion Protein and Its Application in a Streptavidin-Biotin-Amplified Enzyme-Linked Immunosorbent Assay for Ochratoxin A in Cereal. <i>Analytical Chemistry</i> , 2018, 90, 10628-10634.	6.5	74
224	Celecoxib use and circulating oxylipins in a colon polyp prevention trial. <i>PLoS ONE</i> , 2018, 13, e0196398.	2.5	8
225	LC-MS/MS Analysis of the Epoxides and Diols Derived from the Endocannabinoid Arachidonoyl Ethanolamide. <i>Methods in Molecular Biology</i> , 2018, 1730, 123-133.	0.9	8
226	Soluble Epoxide Hydrolase/Phosphodiesterase Dual Inhibitor is Efficacious Against Inflammatory Pain. <i>FASEB Journal</i> , 2018, 32, 559.6.	0.5	0
227	Chemical synthesis and biological evaluation of 10-hydroxy polyunsaturated fatty acids. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 620-625.	2.2	13
228	A new sensitive LC/MS/MS analysis of vitamin D metabolites using a click derivatization reagent, 2-nitrosopyridine. <i>Journal of Lipid Research</i> , 2017, 58, 798-808.	4.2	25
229	Soluble epoxide hydrolase inhibition alleviates neuropathy in Akita (Ins2 Akita) mice. <i>Behavioural Brain Research</i> , 2017, 326, 69-76.	2.2	15
230	Altered soluble epoxide hydrolase-derived oxylipins in patients with seasonal major depression: An exploratory study. <i>Psychiatry Research</i> , 2017, 252, 94-101.	3.3	40
231	Endothelial Nox4-based NADPH oxidase regulates atherosclerosis via soluble epoxide hydrolase. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017, 1863, 1382-1391.	3.8	29
232	Lipidomic Analysis of Oxidized Fatty Acids in Plant and Algae Oils. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 1941-1951.	5.2	46
233	Active-Site Flexibility and Substrate Specificity in a Bacterial Virulence Factor: Crystallographic Snapshots of an Epoxide Hydrolase. <i>Structure</i> , 2017, 25, 697-707.e4.	3.3	15
234	Cyclooxygenase-derived proangiogenic metabolites of epoxyeicosatrienoic acids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 4370-4375.	7.1	57

#	ARTICLE	IF	CITATIONS
235	Sensitive Immunoassay for Detection and Quantification of the Neurotoxin, Tetramethylenedisulfotetramine. <i>Analytical Chemistry</i> , 2017, 89, 5612-5619.	6.5	26
236	Development of Tetramethylenedisulfotetramine (TETS) Hapten Library: Synthesis, Electrophysiological Studies, and Immune Response in Rabbits.. <i>Chemistry - A European Journal</i> , 2017, 23, 8466-8472.	3.3	17
237	In Vitro Metabolism of Oprozomib, an Oral Proteasome Inhibitor: Role of Epoxide Hydrolases and Cytochrome P450s. <i>Drug Metabolism and Disposition</i> , 2017, 45, 712-720.	3.3	19
238	Podocyte-specific soluble epoxide hydrolase deficiency in mice attenuates acute kidney injury. <i>FEBS Journal</i> , 2017, 284, 1970-1986.	4.7	23
239	Reduced carboxylesterase 1 is associated with endothelial injury in methamphetamine-induced pulmonary arterial hypertension. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2017, 313, L252-L266.	2.9	35
240	Synthesis of cyclooxygenase metabolites of 8,9-epoxyeicosatrienoic acid (EET): 11- and 15-hydroxy 8,9-EETs. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 4308-4313.	2.8	5
241	Nanobody Based Immunoassay for Human Soluble Epoxide Hydrolase Detection Using Polymeric Horseradish Peroxidase (PolyHRP) for Signal Enhancement: The Rediscovery of PolyHRP?. <i>Analytical Chemistry</i> , 2017, 89, 6248-6256.	6.5	55
242	EETs promote hypoxic pulmonary vasoconstriction via constrictor prostanoids. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2017, 313, L350-L359.	2.9	20
243	Developmental effects of fipronil on Japanese Medaka (<i>Oryzias latipes</i>) embryos. <i>Chemosphere</i> , 2017, 166, 511-520.	8.2	22
244	Lipidomic profiling of high-fat diet-induced obesity in mice: Importance of cytochrome P450-derived fatty acid epoxides. <i>Obesity</i> , 2017, 25, 132-140.	3.0	34
245	Pharmacological inhibition of soluble epoxide hydrolase or genetic deletion reduces diclofenac-induced gastric ulcers. <i>Life Sciences</i> , 2017, 180, 114-122.	4.3	18
246	Development of 1-((1,4- <i>trans</i> -4-Aryloxycyclohexyl)-3-arylurea Activators of Heme-Regulated Inhibitor as Selective Activators of the Eukaryotic Initiation Factor 2 Alpha (eIF2 α) Phosphorylation Arm of the Integrated Endoplasmic Reticulum Stress Response. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 5392-5406.	6.4	17
247	Soluble Epoxide Hydrolase Inhibitor Attenuates Lipopolysaccharide-Induced Acute Lung Injury and Improves Survival in Mice. <i>Shock</i> , 2017, 47, 638-645.	2.1	73
248	Shexiang Baoxin pills promotes angiogenesis in myocardial infarction rats via up-regulation of 20-HETE-mediated endothelial progenitor cells mobilization. <i>Atherosclerosis</i> , 2017, 263, 184-191.	0.8	25
249	Hydroxy-fipronil is a new urinary biomarker of exposure to fipronil. <i>Environment International</i> , 2017, 103, 91-98.	10.0	18
250	Soluble Epoxide Hydrolase Pharmacological Inhibition Decreases Alveolar Bone Loss by Modulating Host Inflammatory Response, RANK-Related Signaling, Endoplasmic Reticulum Stress, and Apoptosis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2017, 361, 408-416.	2.5	23
251	Inhibitors of soluble epoxide hydrolase minimize ischemia-reperfusion-induced cardiac damage in normal, hypertensive, and diabetic rats. <i>Cardiovascular Therapeutics</i> , 2017, 35, e12259.	2.5	21
252	Inhibition of soluble epoxide hydrolase augments astrocyte release of vascular endothelial growth factor and neuronal recovery after oxygen-glucose deprivation. <i>Journal of Neurochemistry</i> , 2017, 140, 814-825.	3.9	23

#	ARTICLE	IF	CITATIONS
253	Immunochemical techniques for multianalyte analysis of chemical residues in food and the environment: A review. <i>TrAC - Trends in Analytical Chemistry</i> , 2017, 88, 25-40.	11.4	124
254	<i>Pseudomonas aeruginosa</i> sabotages the generation of host proresolving lipid mediators. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 136-141.	7.1	73
255	Omega-6 and omega-3 oxylipins are implicated in soybean oil-induced obesity in mice. <i>Scientific Reports</i> , 2017, 7, 12488.	3.3	46
256	Development of an Indirect Competitive Enzyme-Linked Immunosorbent Assay for Glycocholic Acid Based on Chicken Single-Chain Variable Fragment Antibodies. <i>Analytical Chemistry</i> , 2017, 89, 11091-11097.	6.5	31
257	Development of amide-based fluorescent probes for selective measurement of carboxylesterase 1 activity in tissue extracts. <i>Analytical Biochemistry</i> , 2017, 539, 81-89.	2.4	17
258	Cytochrome P450 monooxygenase lipid metabolites are significant second messengers in the resolution of choroidal neovascularization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E7545-E7553.	7.1	32
259	Modulation of mitochondrial dysfunction and endoplasmic reticulum stress are key mechanisms for the wide-ranging actions of epoxy fatty acids and soluble epoxide hydrolase inhibitors. <i>Prostaglandins and Other Lipid Mediators</i> , 2017, 133, 68-78.	1.9	60
260	Linoleic acid participates in the response to ischemic brain injury through oxidized metabolites that regulate neurotransmission. <i>Scientific Reports</i> , 2017, 7, 4342.	3.3	36
261	Soluble epoxide hydrolase in podocytes is a significant contributor to renal function under hyperglycemia. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 2758-2765.	2.4	21
262	Epoxide metabolites of arachidonate and docosahexaenoate function conversely in acute kidney injury involved in GSK3 β signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 12608-12613.	7.1	45
263	Soluble epoxide hydrolase as a therapeutic target for pain, inflammatory and neurodegenerative diseases. , 2017, 180, 62-76.		197
264	Nanobody-based enzyme immunoassay for ochratoxin A in cereal with high resistance to matrix interference. <i>Talanta</i> , 2017, 164, 154-158.	5.5	70
265	Probing the orientation of inhibitor and epoxy-eicosatrienoic acid binding in the active site of soluble epoxide hydrolase. <i>Archives of Biochemistry and Biophysics</i> , 2017, 613, 1-11.	3.0	9
266	New Facile Synthesis of Adamantyl Isothiocyanates. <i>SynOpen</i> , 2017, 01, 0121-0124.	1.7	8
267	Lipoxygenase Activity Accelerates Programmed Spore Germination in <i>Aspergillus fumigatus</i> . <i>Frontiers in Microbiology</i> , 2017, 8, 831.	3.5	16
268	Occurrence of urea-based soluble epoxide hydrolase inhibitors from the plants in the order Brassicales. <i>PLoS ONE</i> , 2017, 12, e0176571.	2.5	12
269	Postprandial effect to decrease soluble epoxide hydrolase activity: roles of insulin and gut microbiota. <i>Journal of Nutritional Biochemistry</i> , 2017, 49, 8-14.	4.2	18
270	Inhibition of soluble epoxide hydrolase prevents diabetic retinopathy. <i>Nature</i> , 2017, 552, 248-252.	27.8	113

#	ARTICLE	IF	CITATIONS
271	COX-2/sEH dual inhibitor PTUPB suppresses glioblastoma growth by targeting epidermal growth factor receptor and hyaluronan mediated motility receptor. <i>Oncotarget</i> , 2017, 8, 87353-87363.	1.8	24
272	Inhibition of Soluble Epoxide Hydrolase as a Novel Approach to High Dose Diazepam Induced Hypotension. , 2016, 6, .		14
273	Novel Omega-3 Fatty Acid Epoxygenase Metabolite Reduces Kidney Fibrosis. <i>International Journal of Molecular Sciences</i> , 2016, 17, 751.	4.1	27
274	Inhibition of Soluble Epoxide Hydrolase Limits Mitochondrial Damage and Preserves Function Following Ischemic Injury. <i>Frontiers in Pharmacology</i> , 2016, 7, 133.	3.5	27
275	Effects of high-fat diet on plasma profiles of eicosanoid metabolites in mice. <i>Prostaglandins and Other Lipid Mediators</i> , 2016, 127, 9-13.	1.9	18
276	Soluble Epoxide Hydrolase Inhibition and Epoxyeicosatrienoic Acid Treatment Improve Vascularization of Engineered Skin Substitutes. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2016, 4, e1151.	0.6	9
277	Addition of DHA Synergistically Enhances the Efficacy of Regorafenib for Kidney Cancer Therapy. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 890-898.	4.1	14
278	Anti-idiotypic nanobody-alkaline phosphatase fusion proteins: Development of a one-step competitive enzyme immunoassay for fumonisin B 1 detection in cereal. <i>Analytica Chimica Acta</i> , 2016, 924, 53-59.	5.4	57
279	VHH antibodies: emerging reagents for the analysis of environmental chemicals. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 5985-6002.	3.7	103
280	Catalytic Activities of Tumor-Specific Human Cytochrome P450 CYP2W1 Toward Endogenous Substrates. <i>Drug Metabolism and Disposition</i> , 2016, 44, 771-780.	3.3	11
281	Rational Design of Potent and Selective Inhibitors of an Epoxide Hydrolase Virulence Factor from <i>Pseudomonas aeruginosa</i> . <i>Journal of Medicinal Chemistry</i> , 2016, 59, 4790-4799.	6.4	14
282	Quantification of GST and esterase activities in pyrethrin-resistant mosquitoes using pyrethroid-like fluorescent substrates. <i>International Journal of Pest Management</i> , 2016, 62, 276-283.	1.8	5
283	11,12-Epoxyeicosatrienoic acids mitigate endothelial dysfunction associated with estrogen loss and aging: Role of membrane depolarization. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 94, 180-188.	1.9	9
284	Inhibition of mutant KrasG12D -initiated murine pancreatic carcinoma growth by a dual c-Raf and soluble epoxide hydrolase inhibitor t-CUPM. <i>Cancer Letters</i> , 2016, 371, 187-193.	7.2	12
285	Anti-Ulcer Efficacy of Soluble Epoxide Hydrolase Inhibitor TPPU on Diclofenac-Induced Intestinal Ulcers. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 357, 529-536.	2.5	38
286	Molecular Mechanisms and New Treatment Paradigm for Atrial Fibrillation. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2016, 9, .	4.8	39
287	Computer-aided drug design guided by hydrogen/deuterium exchange mass spectrometry: A powerful combination for the development of potent and selective inhibitors of Group VIA calcium-independent phospholipase A2. <i>Bioorganic and Medicinal Chemistry</i> , 2016, 24, 4801-4811.	3.0	21
288	Cytochrome P450 Oxidase 2C Inhibition Adds to ω -3 Long-Chain Polyunsaturated Fatty Acids Protection Against Retinal and Choroidal Neovascularization. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016, 36, 1919-1927.	2.4	38

#	ARTICLE	IF	CITATIONS
289	A high-throughput screen for mitochondrial function reveals known and novel mitochondrial toxicants in a library of environmental agents. <i>Mitochondrion</i> , 2016, 31, 79-83.	3.4	9
290	Parabens inhibit fatty acid amide hydrolase: A potential role in paraben-enhanced 3T3-L1 adipocyte differentiation. <i>Toxicology Letters</i> , 2016, 262, 92-99.	0.8	21
291	Diclofenac induces proteasome and mitochondrial dysfunction in murine cardiomyocytes and hearts. <i>International Journal of Cardiology</i> , 2016, 223, 923-935.	1.7	43
292	Screening of soluble epoxide hydrolase inhibitory ingredients from traditional Chinese medicines for anti-inflammatory use. <i>Journal of Ethnopharmacology</i> , 2016, 194, 475-482.	4.1	8
293	Inhibition of soluble epoxide hydrolase alleviated atherosclerosis by reducing monocyte infiltration in <i>Ldlr</i> ^{-/-} mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 98, 128-137.	1.9	23
294	A dual COX-2/sEH inhibitor improves the metabolic profile and reduces kidney injury in Zucker diabetic fatty rat. <i>Prostaglandins and Other Lipid Mediators</i> , 2016, 125, 40-47.	1.9	37
295	Ingestion of the epoxide hydrolase inhibitor AUDA modulates immune responses of the mosquito, <i>Culex quinquefasciatus</i> during blood feeding. <i>Insect Biochemistry and Molecular Biology</i> , 2016, 76, 62-69.	2.7	25
296	An ω -3-enriched diet alone does not attenuate CCl ₄ -induced hepatic fibrosis. <i>Journal of Nutritional Biochemistry</i> , 2016, 38, 93-101.	4.2	8
297	Models to identify treatments for the acute and persistent effects of seizure-inducing chemical threat agents. <i>Annals of the New York Academy of Sciences</i> , 2016, 1378, 124-136.	3.8	24
298	Possible role of Epoxyeicosatrienoic acid in prevention of oxidative stress mediated neuroinflammation in Parkinson disorders. <i>Medical Hypotheses</i> , 2016, 93, 161-165.	1.5	19
299	Dietary linoleic acid-induced alterations in pro- and anti-nociceptive lipid autacoids. <i>Molecular Pain</i> , 2016, 12, 174480691663638.	2.1	44
300	Gene deficiency and pharmacological inhibition of soluble epoxide hydrolase confers resilience to repeated social defeat stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E1944-52.	7.1	123
301	Pro-atherogenic role of smooth muscle Nox4-based NADPH oxidase. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 92, 30-40.	1.9	41
302	Detection of the Antimicrobial Triclosan in Environmental Samples by Immunoassay. <i>Environmental Science & Technology</i> , 2016, 50, 3754-3761.	10.0	21
303	Effects of juvenile hormone (JH) analog insecticides on larval development and JH esterase activity in two spodopterans. <i>Pesticide Biochemistry and Physiology</i> , 2016, 128, 30-36.	3.6	27
304	Soluble epoxide hydrolase inhibitor 1-trifluoromethoxyphenyl-3- (1-propionylpiperidin-4-yl) urea attenuates bleomycin-induced pulmonary fibrosis in mice. <i>Cell and Tissue Research</i> , 2016, 363, 399-409.	2.9	53
305	Effect of a Soluble Epoxide Hydrolase Inhibitor, UC1728, on LPS-Induced Uveitis in the Rabbit. <i>Journal of Ocular Biology</i> , 2016, 4, .	0.4	5
306	Inhibition of Chronic Pancreatitis and Murine Pancreatic Intraepithelial Neoplasia by a Dual Inhibitor of c-RAF and Soluble Epoxide Hydrolase in LSL-KrasG12D/Pdx-1-Cre Mice. <i>Anticancer Research</i> , 2016, 36, 27-37.	1.1	14

#	ARTICLE	IF	CITATIONS
307	A <i>Photorhabdus</i> Natural Product Inhibits Insect Juvenile Hormone Epoxide Hydrolase. <i>ChemBioChem</i> , 2015, 16, 766-771.	2.6	36
308	Inhibiting an Epoxide Hydrolase Virulence Factor from <i>Pseudomonas aeruginosa</i> Protects CFTR. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 9881-9885.	13.8	12
309	Potent Natural Soluble Epoxide Hydrolase Inhibitors from <i>Pentadiplandra brazzeana</i> Baillon: Synthesis, Quantification, and Measurement of Biological Activities In Vitro and In Vivo. <i>PLoS ONE</i> , 2015, 10, e0117438.	2.5	18
310	Changes in PTGS1 and ALOX12 Gene Expression in Peripheral Blood Mononuclear Cells Are Associated with Changes in Arachidonic Acid, Oxylipins, and Oxylipin/Fatty Acid Ratios in Response to Omega-3 Fatty Acid Supplementation. <i>PLoS ONE</i> , 2015, 10, e0144996.	2.5	17
311	Vitamin D in Tear Fluid. , 2015, 56, 5880.		26
312	Inhibition of soluble epoxide hydrolase in mice promotes reverse cholesterol transport and regression of atherosclerosis. <i>Atherosclerosis</i> , 2015, 239, 557-565.	0.8	31
313	Inhibition of soluble epoxide hydrolase increases coronary perfusion in mice. <i>Physiological Reports</i> , 2015, 3, e12427.	1.7	14
314	Soluble Epoxide Hydrolase Pharmacological Inhibition Ameliorates Experimental Acute Pancreatitis in Mice. <i>Molecular Pharmacology</i> , 2015, 88, 281-290.	2.3	25
315	Method for Sorting and Pairwise Selection of Nanobodies for the Development of Highly Sensitive Sandwich Immunoassays. <i>Analytical Chemistry</i> , 2015, 87, 11907-11914.	6.5	29
316	Soluble epoxide hydrolase is involved in the development of atherosclerosis and arterial neointima formation by regulating smooth muscle cell migration. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 309, H1894-H1903.	3.2	26
317	Structure-activity relationships of amide-phosphonate derivatives as inhibitors of the human soluble epoxide hydrolase. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 7199-7210.	3.0	15
318	Inhibition of soluble epoxide hydrolase modulates inflammation and autophagy in obese adipose tissue and liver: Role for omega-3 epoxides. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 536-541.	7.1	185
319	Pharmacological inhibition of soluble epoxide hydrolase prevents renal interstitial fibrogenesis in obstructive nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, F131-F139.	2.7	64
320	Development of a Nanobody-Alkaline Phosphatase Fusion Protein and Its Application in a Highly Sensitive Direct Competitive Fluorescence Enzyme Immunoassay for Detection of Ochratoxin A in Cereal. <i>Analytical Chemistry</i> , 2015, 87, 1387-1394.	6.5	91
321	Juvenile hormone (JH) esterase activity but not JH epoxide hydrolase activity is downregulated in larval <i>Adoxophyes honmai</i> following nucleopolyhedroviruses infection. <i>Journal of Insect Physiology</i> , 2015, 80, 71-80.	2.0	11
322	Intimal smooth muscle cells are a source but not a sensor of anti-inflammatory CYP450 derived oxylipins. <i>Biochemical and Biophysical Research Communications</i> , 2015, 463, 774-780.	2.1	10
323	Development of an Immunoassay for the Detection of the Phenylpyrazole Insecticide Fipronil. <i>Environmental Science & Technology</i> , 2015, 49, 10038-10047.	10.0	57
324	Heavy chain single-domain antibodies to detect native human soluble epoxide hydrolase. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 7275-7283.	3.7	10

#	ARTICLE	IF	CITATIONS
325	Endoplasmic reticulum stress in the peripheral nervous system is a significant driver of neuropathic pain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 9082-9087.	7.1	141
326	Development of an enzyme-linked immunosorbent assay for thiacloprid in soil and agro-products with phage-displayed peptide. <i>Analytical Biochemistry</i> , 2015, 481, 27-32.	2.4	14
327	Combined treatment with diazepam and allopregnanolone reverses tetramethylenedisulfotetramine (TETS)-induced calcium dysregulation in cultured neurons and protects TETS-intoxicated mice against lethal seizures. <i>Neuropharmacology</i> , 2015, 95, 332-342.	4.1	23
328	Epoxide hydrolase activities and epoxy fatty acids in the mosquito <i>Culex quinquefasciatus</i> . <i>Insect Biochemistry and Molecular Biology</i> , 2015, 59, 41-49.	2.7	20
329	Systemic alterations in the metabolome of diabetic NOD mice delineate increased oxidative stress accompanied by reduced inflammation and hypertriglyceremia. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015, 308, E978-E989.	3.5	46
330	Inhibition of soluble epoxide hydrolase attenuates hepatic fibrosis and endoplasmic reticulum stress induced by carbon tetrachloride in mice. <i>Toxicology and Applied Pharmacology</i> , 2015, 286, 102-111.	2.8	70
331	One-Step Immunoassay for Tetrabromobisphenol A Using a Camelid Single Domain Antibody-alkaline Phosphatase Fusion Protein. <i>Analytical Chemistry</i> , 2015, 87, 4741-4748.	6.5	41
332	Peripheral FAAH and soluble epoxide hydrolase inhibitors are synergistically antinociceptive. <i>Pharmacological Research</i> , 2015, 97, 7-15.	7.1	51
333	The 2014 Bernard B. Brodie Award Lecture-“Epoxide Hydrolases: Drug Metabolism to Therapeutics for Chronic Pain. <i>Drug Metabolism and Disposition</i> , 2015, 43, 788-802.	3.3	63
334	An immunoassay for the detection of triclosan-O-glucuronide, a primary human urinary metabolite of triclosan. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 7263-7273.	3.7	12
335	In vitro and in vivo metabolism of N-adamantyl substituted urea-based soluble epoxide hydrolase inhibitors. <i>Biochemical Pharmacology</i> , 2015, 98, 718-731.	4.4	14
336	1,3-Disubstituted and 1,3,3-trisubstituted adamantyl-ureas with isoxazole as soluble epoxide hydrolase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 5514-5519.	2.2	16
337	Aerobic exercise-based rehabilitation affects the activities of progenitor endothelial cells through EETs pathway. <i>Medical Hypotheses</i> , 2015, 85, 1037-1038.	1.5	2
338	Competitive and noncompetitive phage immunoassays for the determination of benzothiostrubin. <i>Analytica Chimica Acta</i> , 2015, 890, 150-156.	5.4	28
339	Oral treatment of rodents with soluble epoxide hydrolase inhibitor 1-(1-propanoylpiperidin-4-yl)-3-[4-(trifluoromethoxy)phenyl]urea (TPPU): Resulting drug levels and modulation of oxylipin pattern. <i>Prostaglandins and Other Lipid Mediators</i> , 2015, 121, 131-137.	1.9	43
340	Omeprazole increases the efficacy of a soluble epoxide hydrolase inhibitor in a PGE2 induced pain model. <i>Toxicology and Applied Pharmacology</i> , 2015, 289, 419-427.	2.8	17
341	Identification of potent inhibitors of the chicken soluble epoxide hydrolase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015, 25, 276-279.	2.2	6
342	Behavioral assessment of NIH Swiss mice acutely intoxicated with tetramethylenedisulfotetramine. <i>Neurotoxicology and Teratology</i> , 2015, 47, 36-45.	2.4	38

#	ARTICLE	IF	CITATIONS
343	Biological evaluation of a novel sorafenib analogue, t-CUPM. <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 75, 161-171.	2.3	14
344	PPAR γ signaling mediates the cytotoxicity of DHA in H9c2 cells. <i>Toxicology Letters</i> , 2015, 232, 10-20.	0.8	17
345	Soluble Epoxide Hydrolase Inhibitor Attenuates Inflammation and Airway Hyperresponsiveness in Mice. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2015, 52, 46-55.	2.9	45
346	Bioactive lipid profiling reveals drug target engagement of a soluble epoxide hydrolase inhibitor in a murine model of tobacco smoke exposure. <i>Journal of Metabolomics</i> , 2015, 1, 1.	0.7	3
347	Effects of Soluble Epoxide Hydrolase Deficiency on Acute Pancreatitis in Mice. <i>PLoS ONE</i> , 2014, 9, e113019.	2.5	28
348	GABA α receptor target of tetramethylenedisulfotetramine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 8607-8612.	7.1	51
349	Lipoxin Generation Is Related to Soluble Epoxide Hydrolase Activity in Severe Asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014, 190, 886-897.	5.6	73
350	Inhibition of soluble epoxide hydrolase is renoprotective in 5/6 nephrectomized Ren-2 transgenic hypertensive rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2014, 41, 227-237.	1.9	37
351	Smartphone-interfaced lab-on-a-chip devices for field-deployable enzyme-linked immunosorbent assay. <i>Biomicrofluidics</i> , 2014, 8, 064101.	2.4	57
352	Post-exposure administration of diazepam combined with soluble epoxide hydrolase inhibition stops seizures and modulates neuroinflammation in a murine model of acute TETS intoxication. <i>Toxicology and Applied Pharmacology</i> , 2014, 281, 185-194.	2.8	29
353	Dual inhibition of cyclooxygenase-2 and soluble epoxide hydrolase synergistically suppresses primary tumor growth and metastasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 11127-11132.	7.1	84
354	Inhibition of soluble epoxide hydrolase prevents renal interstitial fibrosis and inflammation. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F971-F980.	2.7	81
355	Cardioprotection by Controlling Hyperamylinemia in a "Humanized" Diabetic Rat Model. <i>Journal of the American Heart Association</i> , 2014, 3, .	3.7	40
356	An Omega-3 Epoxide of Docosahexaenoic Acid Lowers Blood Pressure in Angiotensin-II-Dependent Hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 2014, 64, 87-99.	1.9	76
357	Novel sorafenib-based structural analogues. <i>Anti-Cancer Drugs</i> , 2014, 25, 433-446.	1.4	3
358	Effect of soluble epoxide hydrolase polymorphism on substrate and inhibitor selectivity and dimer formation. <i>Journal of Lipid Research</i> , 2014, 55, 1131-1138.	4.2	34
359	Aberrant Soluble Epoxide Hydrolase and Oxylipin Levels in a Porcine Arteriovenous Graft Stenosis Model. <i>Journal of Vascular Research</i> , 2014, 51, 269-282.	1.4	1
360	Different mechanisms of acute versus long-term antihypertensive effects of soluble epoxide hydrolase inhibition: Studies in Cyp11a1-Ren-2 transgenic rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2014, 41, 1003-1013.	1.9	20

#	ARTICLE	IF	CITATIONS
361	Concentrations of the urinary pyrethroid metabolite 3-phenoxybenzoic acid in farm worker families in the MICASA study. <i>Environmental Research</i> , 2014, 131, 153-159.	7.5	37
362	Symmetric adamantyl-diureas as soluble epoxide hydrolase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014, 24, 2193-2197.	2.2	47
363	Increase of EPA-derived hydroxy, epoxy and dihydroxy fatty acid levels in human plasma after a single dose of long-chain omega-3 PUFA. <i>Prostaglandins and Other Lipid Mediators</i> , 2014, 109-111, 23-31.	1.9	40
364	Metabolic Activation of the Antibacterial Agent Triclocarban by Cytochrome P450 1A1 Yielding Glutathione Adducts. <i>Drug Metabolism and Disposition</i> , 2014, 42, 1098-1102.	3.3	12
365	Protection from hypertension in mice by the Mediterranean diet is mediated by nitro fatty acid inhibition of soluble epoxide hydrolase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 8167-8172.	7.1	79
366	Structure-activity relationships of substituted oxyoxalamides as inhibitors of the human soluble epoxide hydrolase. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 1163-1175.	3.0	12
367	Soluble epoxide hydrolase inhibitor, <i>α</i> -TUCB, protects against myocardial ischaemic injury in rats. <i>Journal of Pharmacy and Pharmacology</i> , 2014, 66, 1251-1258.	2.4	15
368	ω-3 Polyunsaturated fatty acids-derived lipid metabolites on angiogenesis, inflammation and cancer. <i>Prostaglandins and Other Lipid Mediators</i> , 2014, 113-115, 13-20.	1.9	112
369	The role of long chain fatty acids and their epoxide metabolites in nociceptive signaling. <i>Prostaglandins and Other Lipid Mediators</i> , 2014, 113-115, 2-12.	1.9	68
370	The commonly used antimicrobial additive triclosan is a liver tumor promoter. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 17200-17205.	7.1	188
371	Determination of the pyrethroid insecticide metabolite 3-PBA in plasma and urine samples from farmer and consumer groups in northern Thailand. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2014, 49, 15-22.	1.5	34
372	A Lipid Gate for the Peripheral Control of Pain. <i>Journal of Neuroscience</i> , 2014, 34, 15184-15191.	3.6	56
373	Optimized Inhibitors of Soluble Epoxide Hydrolase Improve in Vitro Target Residence Time and in Vivo Efficacy. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 7016-7030.	6.4	81
374	Development of a heterologous enzyme-linked immunosorbent assay for organophosphorus pesticides with phage-borne peptide. <i>RSC Advances</i> , 2014, 4, 42445-42453.	3.6	20
375	Enhanced Sensitive Immunoassay: Noncompetitive Phage Anti-Immune Complex Assay for the Determination of Malachite Green and Leucomalachite Green. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 8752-8758.	5.2	51
376	Soluble epoxide hydrolase-dependent regulation of myogenic response and blood pressure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014, 306, H1146-H1153.	3.2	33
377	Heterologous Antigen Selection of Camelid Heavy Chain Single Domain Antibodies against Tetrabromobisphenol A. <i>Analytical Chemistry</i> , 2014, 86, 8296-8302.	6.5	61
378	Expression and characterization of an epoxide hydrolase from <i>Anopheles gambiae</i> with high activity on epoxy fatty acids. <i>Insect Biochemistry and Molecular Biology</i> , 2014, 54, 42-52.	2.7	12

#	ARTICLE	IF	CITATIONS
379	Impedance Biosensors: Applications to Sustainability and Remaining Technical Challenges. ACS Sustainable Chemistry and Engineering, 2014, 2, 1649-1655.	6.7	79
380	Development of Phage Immuno-Loop-Mediated Isothermal Amplification Assays for Organophosphorus Pesticides in Agro-products. Analytical Chemistry, 2014, 86, 8441-8447.	6.5	32
381	Development and Utilization of Camelid VHH Antibodies from Alpaca for 2,2,4,4-Tetrabrominated Diphenyl Ether Detection. Analytical Chemistry, 2014, 86, 7875-7882.	6.5	30
382	VHH Phage-Based Competitive Real-Time Immuno-Polymerase Chain Reaction for Ultrasensitive Detection of Ochratoxin A in Cereal. Analytical Chemistry, 2014, 86, 7471-7477.	6.5	75
383	Synergistic tumor suppression by combined inhibition of telomerase and CDKN1A. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E3062-71.	7.1	31
384	Modulation of blood oxylipin levels by long-chain omega-3 fatty acid supplementation in hyper- and normolipidemic men. Prostaglandins Leukotrienes and Essential Fatty Acids, 2014, 90, 27-37.	2.2	59
385	Soluble Epoxide Hydrolase Inhibition Is Antinociceptive in a Mouse Model of Diabetic Neuropathy. Journal of Pain, 2014, 15, 907-914.	1.4	37
386	Comparison of the effects of long-chain omega-3 fatty acid supplementation on plasma levels of free and esterified oxylipins. Prostaglandins and Other Lipid Mediators, 2014, 113-115, 21-29.	1.9	68
387	Stabilized epoxygenated fatty acids regulate inflammation, pain, angiogenesis and cancer. Progress in Lipid Research, 2014, 53, 108-123.	11.6	133
388	Opposite Effects of Gene Deficiency and Pharmacological Inhibition of Soluble Epoxide Hydrolase on Cardiac Fibrosis. PLoS ONE, 2014, 9, e94092.	2.5	49
389	Reduction of inflammatory bowel disease-induced tumor development in IL10 knockout mice with soluble epoxide hydrolase gene deficiency. Molecular Carcinogenesis, 2013, 52, 726-738.	2.7	36
390	Nutritional lipidomics: Molecular metabolism, analytics, and diagnostics. Molecular Nutrition and Food Research, 2013, 57, 1319-1335.	3.3	49
391	Nanopeptamers for the Development of Small-Analyte Lateral Flow Tests with a Positive Readout. Analytical Chemistry, 2013, 85, 1177-1182.	6.5	35
392	CHARACTERIZATION OF HOVI-MEH1, A MICROSOMAL EPOXIDE HYDROLASE FROM THE GLASSY-WINGED SHARPSHOOTER Homalodisca vitripennis. Archives of Insect Biochemistry and Physiology, 2013, 83, 171-179.	1.5	5
393	Isolation of Alpaca Anti-Idiotypic Heavy-Chain Single-Domain Antibody for the Aflatoxin Immunoassay. Analytical Chemistry, 2013, 85, 8298-8303.	6.5	88
394	Lipid mediator serum profiles in asthmatics significantly shift following dietary supplementation with omega-3 fatty acids. Molecular Nutrition and Food Research, 2013, 57, 1378-1389.	3.3	43
395	Development of an HTS assay for EPHX2 phosphatase activity and screening of nontargeted libraries. Analytical Biochemistry, 2013, 434, 105-111.	2.4	24
396	Therapeutic activity of inhibition of the soluble epoxide hydrolase in a mouse model of scrapie. Life Sciences, 2013, 92, 1145-1150.	4.3	13

#	ARTICLE	IF	CITATIONS
397	Cloning and characterization of a microsomal epoxide hydrolase from <i>Heliothis virescens</i> . <i>Insect Biochemistry and Molecular Biology</i> , 2013, 43, 219-228.	2.7	7
398	Phage-Displayed Peptide That Mimics Aflatoxins and Its Application in Immunoassay. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 2426-2433.	5.2	61
399	Pyrethroids in house dust from the homes of farm worker families in the MICASA study. <i>Environment International</i> , 2013, 61, 57-63.	10.0	46
400	Explorations of Substituted Urea Functionality for the Discovery of New Activators of the Heme-Regulated Inhibitor Kinase. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 9457-9470.	6.4	27
401	Use of a soluble epoxide hydrolase inhibitor as an adjunctive analgesic in a horse with laminitis. <i>Veterinary Anaesthesia and Analgesia</i> , 2013, 40, 440-448.	0.6	72
402	Development of On-line Liquid Chromatography-Biochemical Detection for Soluble Epoxide Hydrolase Inhibitors in Mixtures. <i>Chromatographia</i> , 2013, 76, 13-21.	1.3	3
403	Soluble epoxide hydrolase: Gene structure, expression and deletion. <i>Gene</i> , 2013, 526, 61-74.	2.2	174
404	Substituted phenyl groups improve the pharmacokinetic profile and anti-inflammatory effect of urea-based soluble epoxide hydrolase inhibitors in murine models. <i>European Journal of Pharmaceutical Sciences</i> , 2013, 48, 619-627.	4.0	62
405	Comparison of free serum oxylipin concentrations in hyper- vs. normolipidemic men. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2013, 89, 19-29.	2.2	90
406	A potent soluble epoxide hydrolase inhibitor, t-AUCB, acts through PPAR β to modulate the function of endothelial progenitor cells from patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 167, 1298-1304.	1.7	59
407	Fluorescence resonance energy transfer competitive displacement assay for human soluble epoxide hydrolase. <i>Analytical Biochemistry</i> , 2013, 434, 259-268.	2.4	20
408	Synthesis and structure-activity relationship of piperidine-derived non-urea soluble epoxide hydrolase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 417-421.	2.2	28
409	Comparative efficacy of 3 soluble epoxide hydrolase inhibitors in rat neuropathic and inflammatory pain models. <i>European Journal of Pharmacology</i> , 2013, 700, 93-101.	3.5	53
410	Impact of Soluble Epoxide Hydrolase and Epoxyeicosanoids on Human Health. <i>Annual Review of Pharmacology and Toxicology</i> , 2013, 53, 37-58.	9.4	438
411	Photonic Crystal Lab-On-a-Chip for Detecting Staphylococcal Enterotoxin B at Low Attomolar Concentration. <i>Analytical Chemistry</i> , 2013, 85, 3104-3109.	6.5	41
412	Inhibition of soluble epoxide hydrolase by fulvestrant and sulfoxides. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 3818-3821.	2.2	13
413	Synthesis and biological evaluation of sorafenib- and regorafenib-like sEH inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013, 23, 3732-3737.	2.2	87
414	Electrophoretic build-up of multi nanoparticle array for a highly sensitive immunoassay. <i>Biosensors and Bioelectronics</i> , 2013, 41, 302-308.	10.1	6

#	ARTICLE	IF	CITATIONS
415	Competitive immunochromatographic assay for the detection of the organophosphorus pesticide EPN. <i>Food and Agricultural Immunology</i> , 2013, 24, 129-138.	1.4	11
416	Anti-inflammatory properties of prostaglandin E2: Deletion of microsomal prostaglandin E synthase-1 exacerbates non-immune inflammatory arthritis in mice. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2013, 89, 351-358.	2.2	43
417	Beneficial effects of inhibition of soluble epoxide hydrolase on glucose homeostasis and islet damage in a streptozotocin-induced diabetic mouse model. <i>Prostaglandins and Other Lipid Mediators</i> , 2013, 104-105, 42-48.	1.9	31
418	Indirect Homologous Competitive Enzyme-Linked Immunosorbent Assay for the Detection of a Class of Glycosylated Dihydrochalcones. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 6964-6970.	5.2	4
419	Metabolic products of soluble epoxide hydrolase are essential for monocyte chemotaxis to MCP-1 in vitro and in vivo. <i>Journal of Lipid Research</i> , 2013, 54, 436-447.	4.2	53
420	Dendrogenin A arises from cholesterol and histamine metabolism and shows cell differentiation and anti-tumour properties. <i>Nature Communications</i> , 2013, 4, 1840.	12.8	101
421	Unique mechanistic insights into the beneficial effects of soluble epoxide hydrolase inhibitors in the prevention of cardiac fibrosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 5618-5623.	7.1	85
422	Upregulation of soluble epoxide hydrolase in proximal tubular cells mediated proteinuria-induced renal damage. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, F168-F176.	2.7	22
423	Soluble epoxide hydrolase inhibitor <i>trans</i> -4-[4-(3-adamantan-1-yl-ureido)-cyclohexyloxy]-benzoic acid is neuroprotective in rat model of ischemic stroke. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2013, 305, H1605-H1613.	3.2	43
424	Anti-inflammatory Effects of ω -3 Polyunsaturated Fatty Acids and Soluble Epoxide Hydrolase Inhibitors in Angiotensin-II-Dependent Hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 2013, 62, 285-297.	1.9	92
425	Preparation of 20-HETE using multifunctional enzyme type 2-negative <i>Starmerella bombicola</i> . <i>Journal of Lipid Research</i> , 2013, 54, 3215-3219.	4.2	12
426	Antihypertensive action of soluble epoxide hydrolase inhibition in α 2 transgenic rats is mediated by suppression of the intrarenal renin-angiotensin system. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2013, 40, 273-281.	1.9	19
427	Effects of cadmium chloride on mouse inner medullary collecting duct cells. <i>Interdisciplinary Toxicology</i> , 2013, 6, 157-158.	1.0	2
428	Soluble epoxide hydrolase inhibitor, <i>TUPS</i> , protects against isoprenaline-induced cardiac hypertrophy. <i>British Journal of Pharmacology</i> , 2013, 168, 1794-1807.	5.4	44
429	A novel p21 attenuator which is structurally related to sorafenib. <i>Cancer Biology and Therapy</i> , 2013, 14, 278-285.	3.4	44
430	Niemann-Pick Type C2 Deficiency in Human Fibroblasts Confers Robust and Selective Activation of Prostaglandin E2 Biosynthesis. <i>Journal of Biological Chemistry</i> , 2013, 288, 23696-23703.	3.4	3
431	Epoxy metabolites of docosahexaenoic acid (DHA) inhibit angiogenesis, tumor growth, and metastasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 6530-6535.	7.1	251
432	Soluble Epoxide Hydrolase Deficiency or Inhibition Attenuates Diet-induced Endoplasmic Reticulum Stress in Liver and Adipose Tissue. <i>Journal of Biological Chemistry</i> , 2013, 288, 14189-14199.	3.4	109

#	ARTICLE	IF	CITATIONS
433	Epoxyeicosanoids promote organ and tissue regeneration. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 13528-13533.	7.1	124
434	Antihypertensive and renoprotective actions of soluble epoxide hydrolase inhibition in ANG II-dependent malignant hypertension are abolished by pretreatment with L-NAME. Journal of Hypertension, 2013, 31, 321-332.	0.5	19
435	Treatment of mice with 2,3,7,8-Tetrachlorodibenzo-p-dioxin markedly increases the levels of a number of cytochrome P450 metabolites of omega-3 polyunsaturated fatty acids in the liver and lung. Journal of Toxicological Sciences, 2013, 38, 833-836.	1.5	23
436	Multi-Targeted Mechanisms Underlying the Endothelial Protective Effects of the Diabetic-Safe Sweetener Erythritol. PLoS ONE, 2013, 8, e65741.	2.5	21
437	Aging, Estrogen Loss and Epoxyeicosatrienoic Acids (EETs). PLoS ONE, 2013, 8, e70719.	2.5	9
438	Epoxy Fatty Acids and Inhibition of the Soluble Epoxide Hydrolase Selectively Modulate GABA Mediated Neurotransmission to Delay Onset of Seizures. PLoS ONE, 2013, 8, e80922.	2.5	54
439	Individual Variation in Lipidomic Profiles of Healthy Subjects in Response to Omega-3 Fatty Acids. PLoS ONE, 2013, 8, e76575.	2.5	80
440	Sequencing and De Novo Assembly of the Transcriptome of the Glassy-Winged Sharpshooter (Homalodisca vitripennis). PLoS ONE, 2013, 8, e81681.	2.5	15
441	Soluble epoxide hydrolase deficiency inhibits dextran sulfate sodium-induced colitis and carcinogenesis in mice. Anticancer Research, 2013, 33, 5261-5271.	1.1	27
442	Pharmacological inhibition of soluble epoxide hydrolase provides cardioprotection in hyperglycemic rats. American Journal of Physiology - Heart and Circulatory Physiology, 2012, 303, H853-H862.	3.2	23
443	EH3 (ABHD9): the first member of a new epoxide hydrolase family with high activity for fatty acid epoxides. Journal of Lipid Research, 2012, 53, 2038-2045.	4.2	64
444	Pharmacological Inhibition of Soluble Epoxide Hydrolase Ameliorates Diet-Induced Metabolic Syndrome in Rats. Experimental Diabetes Research, 2012, 2012, 1-11.	3.8	58
445	Cardiac-generated prostanoids mediate cardiac myocyte apoptosis after myocardial ischaemia. Cardiovascular Research, 2012, 95, 336-345.	3.8	26
446	Soluble epoxide hydrolase inhibition and peroxisome proliferator activated receptor δ agonist improve vascular function and decrease renal injury in hypertensive obese rats. Experimental Biology and Medicine, 2012, 237, 1402-1412.	2.4	54
447	Acute augmentation of epoxygenated fatty acid levels rapidly reduces pain-related behavior in a rat model of type I diabetes. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 11390-11395.	7.1	68
448	N-terminal domain of soluble epoxide hydrolase negatively regulates the VEGF-mediated activation of endothelial nitric oxide synthase. Cardiovascular Research, 2012, 93, 120-129.	3.8	49
449	Ergocalciferol from Mushrooms or Supplements Consumed with a Standard Meal Increases 25-Hydroxyergocalciferol but Decreases 25-Hydroxycholecalciferol in the Serum of Healthy Adults. Journal of Nutrition, 2012, 142, 1246-1252.	2.9	48
450	Soluble epoxide hydrolase expression in a porcine model of arteriovenous graft stenosis and anti-inflammatory effects of a soluble epoxide hydrolase inhibitor. American Journal of Physiology - Cell Physiology, 2012, 303, C278-C290.	4.6	27

#	ARTICLE	IF	CITATIONS
451	Soluble epoxide hydrolase regulates hematopoietic progenitor cell function via generation of fatty acid diols. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 9995-10000.	7.1	60
452	Homocysteine Upregulates Soluble Epoxide Hydrolase in Vascular Endothelium In Vitro and In Vivo. <i>Circulation Research</i> , 2012, 110, 808-817.	4.5	80
453	Hepoxilin A3 Facilitates Neutrophilic Breach of Lipoxygenase-Expressing Airway Epithelial Barriers. <i>Journal of Immunology</i> , 2012, 189, 4960-4969.	0.8	45
454	Soluble Epoxide Hydrolase Inhibition Exhibits Antihypertensive Actions Independently of Nitric Oxide in Mice with Renovascular Hypertension. <i>Kidney and Blood Pressure Research</i> , 2012, 35, 595-607.	2.0	25
455	Inhibition of Soluble Epoxide Hydrolase Limits Niacin-induced Vasodilation in Mice. <i>Journal of Cardiovascular Pharmacology</i> , 2012, 60, 70-75.	1.9	9
456	Allergic Asthmatics Show Divergent Lipid Mediator Profiles from Healthy Controls Both at Baseline and following Birch Pollen Provocation. <i>PLoS ONE</i> , 2012, 7, e33780.	2.5	54
457	Inhibition of soluble epoxide hydrolase by <i>cis</i> -4-[4-(3-adamantan-1-ylureido)cyclohexyl-oxy]benzoic acid exhibits antihypertensive and cardioprotective actions in transgenic rats with angiotensin II-dependent hypertension. <i>Clinical Science</i> , 2012, 122, 513-527.	4.3	63
458	Importance of membrane selection in the development of immunochromatographic assays for low-molecular weight compounds. <i>Analytica Chimica Acta</i> , 2012, 757, 69-74.	5.4	20
459	Tetramethylenedisulfotetramine Alters Ca ²⁺ Dynamics in Cultured Hippocampal Neurons: Mitigation by NMDA Receptor Blockade and GABA _A Receptor-Positive Modulation. <i>Toxicological Sciences</i> , 2012, 130, 362-372.	3.1	42
460	Characterization of Seizures Induced by Acute and Repeated Exposure to Tetramethylenedisulfotetramine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012, 341, 435-446.	2.5	41
461	Soluble Epoxide Hydrolase Gene Deficiency or Inhibition Attenuates Chronic Active Inflammatory Bowel Disease in IL-10(−/−) Mice. <i>Digestive Diseases and Sciences</i> , 2012, 57, 2580-2591.	2.3	46
462	Serum oxylipin profiles in IgA nephropathy patients reflect kidney functional alterations. <i>Metabolomics</i> , 2012, 8, 1102-1113.	3.0	80
463	Use of a Soluble Epoxide Hydrolase Inhibitor in Smoke-Induced Chronic Obstructive Pulmonary Disease. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2012, 46, 614-622.	2.9	45
464	An enzyme-linked immunosorbent assay for detecting 3-phenoxybenzoic acid in plasma and its application to farmers and consumers. <i>Analytical Methods</i> , 2012, 4, 3772.	2.7	10
465	Ultrasensitive On-Chip Immunoassays with a Nanoparticle-Assembled Photonic Crystal. <i>ACS Nano</i> , 2012, 6, 8570-8582.	14.6	19
466	An Immunoassay To Evaluate Human/Environmental Exposure to the Antimicrobial Triclocarban. <i>Environmental Science & Technology</i> , 2012, 46, 374-381.	10.0	25
467	Triclosan impairs excitation–contraction coupling and Ca ²⁺ dynamics in striated muscle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 14158-14163.	7.1	139
468	Corncob Bedding Alters the Effects of Estrogens on Aggressive Behavior and Reduces Estrogen Receptor- β Expression in the Brain. <i>Endocrinology</i> , 2012, 153, 949-953.	2.8	68

#	ARTICLE	IF	CITATIONS
469	Role of soluble epoxide hydrolase phosphatase activity in the metabolism of lysophosphatidic acids. <i>Biochemical and Biophysical Research Communications</i> , 2012, 419, 796-800.	2.1	50
470	Enhancement of Vitamin D Metabolites in the Eye Following Vitamin D3 Supplementation and UV-B Irradiation. <i>Current Eye Research</i> , 2012, 37, 871-878.	1.5	62
471	Isolation of Alpaca Anti-Hapten Heavy Chain Single Domain Antibodies for Development of Sensitive Immunoassay. <i>Analytical Chemistry</i> , 2012, 84, 1165-1171.	6.5	82
472	Structure-based optimization of the piperazino-containing 1,3-disubstituted ureas affording sub-nanomolar inhibitors of soluble epoxide hydrolase. <i>MedChemComm</i> , 2012, 3, 379.	3.4	14
473	Biologically active ester derivatives as potent inhibitors of the soluble epoxide hydrolase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 5889-5892.	2.2	10
474	Development of pyrethroid-like fluorescent substrates for glutathione S-transferase. <i>Analytical Biochemistry</i> , 2012, 431, 77-83.	2.4	8
475	Discovery of Inhibitors of Soluble Epoxide Hydrolase: A Target with Multiple Potential Therapeutic Indications. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 1789-1808.	6.4	199
476	Inhibition of Soluble Epoxide Hydrolase Attenuates High-Fat-Diet-Induced Hepatic Steatosis by Reduced Systemic Inflammatory Status in Mice. <i>PLoS ONE</i> , 2012, 7, e39165.	2.5	95
477	Vitamin C activation of the biosynthesis of epoxyeicosatrienoic acids. <i>Advances in Bioscience and Biotechnology (Print)</i> , 2012, 03, 204-218.	0.7	5
478	Cloning and characterization of two glutathione S-transferases from pyrethroid-resistant <i>Culex pipiens</i> . <i>Pest Management Science</i> , 2012, 68, 764-772.	3.4	47
479	Metabolism of the antibacterial triclocarban by human epidermal keratinocytes to yield protein adducts. <i>Journal of Biochemical and Molecular Toxicology</i> , 2012, 26, 230-234.	3.0	11
480	Monitoring of Total Type II Pyrethroid Pesticides in Citrus Oils and Water by Converting to a Common Product 3-Phenoxybenzoic Acid. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 5065-5070.	5.2	29
481	Whole blood is the sample matrix of choice for monitoring systemic triclocarban levels. <i>Chemosphere</i> , 2012, 87, 825-827.	8.2	29
482	Metabolomic profiling of regulatory lipid mediators in sputum from adult cystic fibrosis patients. <i>Free Radical Biology and Medicine</i> , 2012, 53, 160-171.	2.9	120
483	Design, synthesis and evaluation of non-urea inhibitors of soluble epoxide hydrolase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 601-605.	2.2	25
484	Omics approaches in cystic fibrosis research: a focus on oxylipin profiling in airway secretions. <i>Annals of the New York Academy of Sciences</i> , 2012, 1259, 1-9.	3.8	13
485	Monoclonal antibodies reveal multiple forms of expression of human microsomal epoxide hydrolase. <i>Toxicology and Applied Pharmacology</i> , 2012, 260, 27-34.	2.8	5
486	Development of monoclonal antibodies to human microsomal epoxide hydrolase and analysis of α -prenoplastic antigen-like molecules. <i>Toxicology and Applied Pharmacology</i> , 2012, 260, 17-26.	2.8	4

#	ARTICLE	IF	CITATIONS
487	Epoxyeicosanoids stimulate multiorgan metastasis and tumor dormancy escape in mice. <i>Journal of Clinical Investigation</i> , 2012, 122, 178-191.	8.2	242
488	Development of an ultra fast online-solid phase extraction (SPE) liquid chromatography electrospray tandem mass spectrometry (LC-ESI-MS/MS) based approach for the determination of drugs in pharmacokinetic studies. <i>Analytical Methods</i> , 2011, 3, 420-428.	2.7	28
489	Investigation of Human Exposure to Triclocarban after Showering and Preliminary Evaluation of Its Biological Effects. <i>Environmental Science & Technology</i> , 2011, 45, 3109-3115.	10.0	96
490	Immunoassays and Biosensors for Monitoring Environmental and Human Exposure to Pyrethroid Insecticides. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 2792-2802.	5.2	35
491	Competitive Selection from Single Domain Antibody Libraries Allows Isolation of High-Affinity Antihapten Antibodies That Are Not Favored in the llama Immune Response. <i>Analytical Chemistry</i> , 2011, 83, 7213-7220.	6.5	69
492	Noncompetitive Phage Anti-Immunoconplex Real-Time Polymerase Chain Reaction for Sensitive Detection of Small Molecules. <i>Analytical Chemistry</i> , 2011, 83, 246-253.	6.5	35
493	Bioconcentration, metabolism and excretion of triclocarban in larval Qurt medaka (<i>Oryzias latipes</i>). <i>Aquatic Toxicology</i> , 2011, 105, 448-454.	4.0	43
494	The anti-inflammatory effects of soluble epoxide hydrolase inhibitors are independent of leukocyte recruitment. <i>Biochemical and Biophysical Research Communications</i> , 2011, 410, 494-500.	2.1	24
495	Soluble Epoxide Hydrolase Inhibitors and Heart Failure. <i>Cardiovascular Therapeutics</i> , 2011, 29, 99-111.	2.5	63
496	Dietary omega-3 fatty acids aid in the modulation of inflammation and metabolic health. <i>California Agriculture</i> , 2011, 65, 106-111.	0.8	62
497	Asthmatics Exhibit Altered Oxylin Profiles Compared to Healthy Individuals after Subway Air Exposure. <i>PLoS ONE</i> , 2011, 6, e23864.	2.5	57
498	Juvenile Hormone (JH) Esterase of the Mosquito <i>Culex quinquefasciatus</i> Is Not a Target of the JH Analog Insecticide Methoprene. <i>PLoS ONE</i> , 2011, 6, e28392.	2.5	26
499	Inhibition of soluble epoxide hydrolase improves the impaired pressure–natriuresis relationship and attenuates the development of hypertension and hypertension-associated end-organ damage in Cyp1a1-Ren-2 transgenic rats. <i>Journal of Hypertension</i> , 2011, 29, 1590-1601.	0.5	37
500	Inhibition of Soluble Epoxide Hydrolase Confers Cardioprotection and Prevents Cardiac Cytochrome P450 Induction by Benzo(a)pyrene. <i>Journal of Cardiovascular Pharmacology</i> , 2011, 57, 273-281.	1.9	28
501	Profiling the regulatory lipids: another systemic way to unveil the biological mystery. <i>Current Opinion in Lipidology</i> , 2011, 22, 197-203.	2.7	25
502	Epoxyeicosatrienoic acids enhance axonal growth in primary sensory and cortical neuronal cell cultures. <i>Journal of Neurochemistry</i> , 2011, 117, no-no.	3.9	37
503	Renal mechanisms contributing to the antihypertensive action of soluble epoxide hydrolase inhibition in Ren-2 transgenic rats with inducible hypertension. <i>Journal of Physiology</i> , 2011, 589, 207-219.	2.9	35
504	Use of Metabolomic Profiling in the Study of Arachidonic Acid Metabolism in Cardiovascular Disease. <i>Congestive Heart Failure</i> , 2011, 17, 42-46.	2.0	48

#	ARTICLE	IF	CITATIONS
505	Multiphoton spectral analysis of benzo[a]pyrene uptake and metabolism in a rat liver cell line. <i>Toxicology and Applied Pharmacology</i> , 2011, 253, 45-56.	2.8	13
506	Inhibition of soluble epoxide hydrolase contributes to the anti-inflammatory effect of antimicrobial triclocarban in a murine model. <i>Toxicology and Applied Pharmacology</i> , 2011, 255, 200-206.	2.8	21
507	Soluble epoxide hydrolase inhibition, epoxygenated fatty acids and nociception. <i>Prostaglandins and Other Lipid Mediators</i> , 2011, 96, 76-83.	1.9	58
508	Improved insecticidal efficacy of a recombinant baculovirus expressing mutated JH esterase from <i>Manduca sexta</i> . <i>Biological Control</i> , 2011, 58, 354-361.	3.0	20
509	Structure-Activity Relationships of Cycloalkylamide Derivatives as Inhibitors of the Soluble Epoxide Hydrolase. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 1752-1761.	6.4	16
510	Synthesis and Structure-Activity Relationship Studies of Urea-Containing Pyrazoles as Dual Inhibitors of Cyclooxygenase-2 and Soluble Epoxide Hydrolase. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 3037-3050.	6.4	148
511	Epoxygenated Fatty Acids and Soluble Epoxide Hydrolase Inhibition: Novel Mediators of Pain Reduction. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 2816-2824.	5.2	48
512	Development of an online SPE-LC-MS-based assay using endogenous substrate for investigation of soluble epoxide hydrolase (sEH) inhibitors. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 1359-1366.	3.7	25
513	Immunochemical analysis of 3-phenoxybenzoic acid, a biomarker of forestry worker exposure to pyrethroid insecticides. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 401, 1285-1293.	3.7	32
514	1-(1-Acetyl-piperidin-4-yl)-3-adamantan-1-yl-urea (AR9281) as a potent, selective, and orally available soluble epoxide hydrolase inhibitor with efficacy in rodent models of hypertension and dysglycemia. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 983-988.	2.2	65
515	Development of fluorescent substrates for microsomal epoxide hydrolase and application to inhibition studies. <i>Analytical Biochemistry</i> , 2011, 414, 154-162.	2.4	21
516	Competitive immunochromatographic assay for the detection of the organophosphorus pesticide chlorpyrifos. <i>Analytica Chimica Acta</i> , 2011, 693, 106-113.	5.4	64
517	Biomarkers of exposure to triclocarban in urine and serum. <i>Toxicology</i> , 2011, 286, 69-74.	4.2	49
518	Vitamin D Enhances Corneal Epithelial Barrier Function. , 2011, 52, 7359.		116
519	Soluble epoxide hydrolase deficiency alters pancreatic islet size and improves glucose homeostasis in a model of insulin resistance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 9038-9043.	7.1	130
520	The soluble epoxide hydrolase as a pharmaceutical target for pain management. <i>Pain Management</i> , 2011, 1, 383-386.	1.5	17
521	Redox Regulation of Soluble Epoxide Hydrolase by 15-Deoxy- Δ^2 -Prostaglandin J ₂ Controls Coronary Hypoxic Vasodilation. <i>Circulation Research</i> , 2011, 108, 324-334.	4.5	50
522	Sorafenib attenuates p21 in kidney cancer cells and augments cell death in combination with DNA-damaging chemotherapy. <i>Cancer Biology and Therapy</i> , 2011, 12, 827-836.	3.4	57

#	ARTICLE	IF	CITATIONS
523	Analgesia mediated by soluble epoxide hydrolase inhibitors is dependent on cAMP. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 5093-5097.	7.1	92
524	Effect of Hepatotoxic Doses of Paracetamol and Carbon Tetrachloride on the Serum and Hepatic Carboxylesterase Activity in Mice*. Journal of Pharmacy and Pharmacology, 2011, 45, 458-465.	2.4	13
525	Soluble epoxide hydrolase in the generation and maintenance of high blood pressure in spontaneously hypertensive rats. American Journal of Physiology - Endocrinology and Metabolism, 2011, 300, E691-E698.	3.5	51
526	Epoxyeicosatrienoic acid-dependent cerebral vasodilation evoked by metabotropic glutamate receptor activation in vivo. American Journal of Physiology - Heart and Circulatory Physiology, 2011, 301, H373-H381.	3.2	39
527	Increases in plasma<i>trans</i>-EETs and blood pressure reduction in spontaneously hypertensive rats. American Journal of Physiology - Heart and Circulatory Physiology, 2011, 300, H1990-H1996.	3.2	39
528	Role of cytochrome<i>P</i>-450 metabolites in the regulation of renal function and blood pressure in 2-kidney 1-clip hypertensive rats. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2011, 300, R1468-R1475.	1.8	34
529	Mutation of bacterium <i>Vibrio gazogenes</i> for selective preparation of colorants. Biotechnology Progress, 2010, 26, 352-360.	2.6	18
530	High performance electrophoresis system for site-specific entrapment of nanoparticles in a nanoarray. , 2010, , .		2
531	Inhibition of Soluble Epoxide Hydrolase by trans-4- [4-(3-adamantan-1-yl-ureido)-cyclohexyloxy]-benzoic acid Is Protective Against Ischemiaâ€œReperfusion Injury. Journal of Cardiovascular Pharmacology, 2010, 55, 67-73.	1.9	50
532	Combined inhibition of 20-hydroxyeicosatetraenoic acid formation and of epoxyeicosatrienoic acids degradation attenuates hypertension and hypertensioninduced end-organ damage in Ren-2 transgenic rats. Clinical Science, 2010, 118, 617-632.	4.3	43
533	Reactivity versus steric effects in fluorinated ketones as esterase inhibitors: a quantum mechanical and molecular dynamics study. Journal of Molecular Modeling, 2010, 16, 1753-1764.	1.8	9
534	Bioassays of compounds with potential juvenoid activity on Drosophila melanogaster: Juvenile hormone III, bisepoxide juvenile hormone III and methyl farnesoates. Journal of Insect Physiology, 2010, 56, 1465-1470.	2.0	31
535	Pharmacokinetic screening of soluble epoxide hydrolase inhibitors in dogs. European Journal of Pharmaceutical Sciences, 2010, 40, 222-238.	4.0	76
536	Inhibition of soluble epoxide hydrolase enhances the anti-inflammatory effects of aspirin and 5-lipoxygenase activation protein inhibitor in a murine model. Biochemical Pharmacology, 2010, 79, 880-887.	4.4	115
537	Modulation of arachidonic and linoleic acid metabolites in myeloperoxidase-deficient mice during acute inflammation. Free Radical Biology and Medicine, 2010, 48, 1311-1320.	2.9	35
538	Development of a noncompetitive phage anti-immunocomplex assay for brominated diphenyl ether 47. Analytical Biochemistry, 2010, 401, 38-46.	2.4	27
539	Crystal Structure of the Cystic Fibrosis Transmembrane Conductance Regulator Inhibitory Factor Cif Reveals Novel Active-Site Features of an Epoxide Hydrolase Virulence Factor. Journal of Bacteriology, 2010, 192, 1785-1795.	2.2	38
540	Naturally occurring monoepoxides of eicosapentaenoic acid and docosahexaenoic acid are bioactive antihyperalgesic lipids. Journal of Lipid Research, 2010, 51, 3481-3490.	4.2	213

#	ARTICLE	IF	CITATIONS
541	Juvenile hormone esterase: biochemistry and structure. Journal of Pesticide Sciences, 2010, 35, 265-274.	1.4	77
542	Soluble Epoxide Hydrolase Deficiency Attenuates Neointima Formation in the Femoral Cuff Model of Hyperlipidemic Mice. Arteriosclerosis, Thrombosis, and Vascular Biology, 2010, 30, 909-914.	2.4	52
543	Inhibition or Deletion of Soluble Epoxide Hydrolase Prevents Hyperglycemia, Promotes Insulin Secretion, and Reduces Islet Apoptosis. Journal of Pharmacology and Experimental Therapeutics, 2010, 334, 430-438.	2.5	105
544	Metabolic profiling of murine plasma reveals an unexpected biomarker in rofecoxib-mediated cardiovascular events. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 17017-17022.	7.1	116
545	Hypoxia-induced pulmonary hypertension: comparison of soluble epoxide hydrolase deletion vs. inhibition. Cardiovascular Research, 2010, 85, 232-240.	3.8	66
546	Inflammatory lipid mediators in adipocyte function and obesity. Nature Reviews Endocrinology, 2010, 6, 71-82.	9.6	240
547	1-Aryl-3-(1-acylpiperidin-4-yl)urea Inhibitors of Human and Murine Soluble Epoxide Hydrolase: Structure-Activity Relationships, Pharmacokinetics, and Reduction of Inflammatory Pain. Journal of Medicinal Chemistry, 2010, 53, 7067-7075.	6.4	148
548	Incorporation of Piperazino Functionality into 1,3-Disubstituted Urea as the Tertiary Pharmacophore Affording Potent Inhibitors of Soluble Epoxide Hydrolase with Improved Pharmacokinetic Properties. Journal of Medicinal Chemistry, 2010, 53, 8376-8386.	6.4	27
549	Function of Phenylalanine 259 and Threonine 314 within the Substrate Binding Pocket of the Juvenile Hormone Esterase of <i>Manduca sexta</i> . Biochemistry, 2010, 49, 3733-3742.	2.5	6
550	Vitamin D Intake Needed to Maintain Target Serum 25-Hydroxyvitamin D Concentrations in Participants with Low Sun Exposure and Dark Skin Pigmentation Is Substantially Higher Than Current Recommendations. Journal of Nutrition, 2010, 140, 542-550.	2.9	96
551	A Clomazone Immunoassay To Study the Environmental Fate of the Herbicide in Rice (<i>Oryza</i>). Journal of Agricultural and Food Chemistry, 2010, 58, 5241-5247.	5.2	17
552	Monoclonal Antibody-Based Enzyme-Linked Immunosorbent Assays for the Organophosphorus Insecticide <i>O</i> -Ethyl <i>O</i> -4-Nitrophenyl Phenylphosphonothioate (EPN). Journal of Agricultural and Food Chemistry, 2010, 58, 5241-5247.	5.2	17
553	DNA methylation of the promoter of soluble epoxide hydrolase silences its expression by an SP-1-dependent mechanism. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2010, 1799, 659-667.	1.9	33
554	Endogenous Levels of Five Fatty Acid Metabolites in Exhaled Breath Condensate to Monitor Asthma by High-Performance Liquid Chromatography: Electrospray Tandem Mass Spectrometry. IEEE Sensors Journal, 2010, 10, 123-130.	4.7	30
555	Inhibition of the Soluble Epoxide Hydrolase Promotes Albuminuria in Mice with Progressive Renal Disease. PLoS ONE, 2010, 5, e11979.	2.5	54
556	Epoxyeicosatrienoic acids and soluble epoxide hydrolase: potential therapeutic targets for inflammation and its induced carcinogenesis. American Journal of Translational Research (discontinued), 2010, 2, 447-57.	0.0	52
557	Inhibition of the Soluble Epoxide Hydrolase by Tyrosine Nitration. Journal of Biological Chemistry, 2009, 284, 28156-28163.	3.4	27
558	Soluble epoxide hydrolase plays an essential role in angiotensin II-induced cardiac hypertrophy. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 564-569.	7.1	150

#	ARTICLE	IF	CITATIONS
559	Identification of 13-Hydroxy-14,15-epoxyeicosatrienoic Acid as an Acid-stable Endothelium-derived Hyperpolarizing Factor in Rabbit Arteries. <i>Journal of Biological Chemistry</i> , 2009, 284, 31280-31290.	3.4	18
560	Alteration in plasma testosterone levels in male mice lacking soluble epoxide hydrolase. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 297, E375-E383.	3.5	43
561	Soluble epoxide hydrolase gene deletion attenuates renal injury and inflammation with DOCA-salt hypertension. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, F740-F748.	2.7	121
562	Sorafenib has soluble epoxide hydrolase inhibitory activity, which contributes to its effect profile <i>in vivo</i> . <i>Molecular Cancer Therapeutics</i> , 2009, 8, 2193-2203.	4.1	72
563	Response to "Occurrence of five classes of chemicals in indoor dust: An evaluation of the human health risk". <i>Science of the Total Environment</i> , 2009, 407, 5197-5198.	8.0	0
564	Differential subcellular distribution and colocalization of the microsomal and soluble epoxide hydrolases in cultured neonatal rat brain cortical astrocytes. <i>Journal of Neuroscience Research</i> , 2009, 87, 218-227.	2.9	21
565	Occupational paraquat exposure of agricultural workers in large Costa Rican farms. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 455-462.	2.3	33
566	Attenuation of cisplatin nephrotoxicity by inhibition of soluble epoxide hydrolase. <i>Cell Biology and Toxicology</i> , 2009, 25, 217-225.	5.3	43
567	Soluble epoxide hydrolase as a therapeutic target for cardiovascular diseases. <i>Nature Reviews Drug Discovery</i> , 2009, 8, 794-805.	46.4	527
568	Pharmacokinetic optimization of four soluble epoxide hydrolase inhibitors for use in a murine model of inflammation. <i>British Journal of Pharmacology</i> , 2009, 156, 284-296.	5.4	87
569	Discovery of potent non-urea inhibitors of soluble epoxide hydrolase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 2354-2359.	2.2	27
570	Synthesis and characterization of multifunctional silica core-shell nanocomposites with magnetic and fluorescent functionalities. <i>Journal of Magnetism and Magnetic Materials</i> , 2009, 321, 1368-1371.	2.3	49
571	Salicylate-urea-based soluble epoxide hydrolase inhibitors with high metabolic and chemical stabilities. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 1784-1789.	2.2	23
572	Magnetic bead-based phage anti-immunocomplex assay (PHAIA) for the detection of the urinary biomarker 3-phenoxybenzoic acid to assess human exposure to pyrethroid insecticides. <i>Analytical Biochemistry</i> , 2009, 386, 45-52.	2.4	41
573	Novel and highly sensitive fluorescent assay for leucine aminopeptidases. <i>Analytical Biochemistry</i> , 2009, 391, 11-16.	2.4	43
574	Immunoassay for Monitoring Environmental and Human Exposure to the Polybrominated Diphenyl Ether BDE-47. <i>Environmental Science & Technology</i> , 2009, 43, 7784-7790.	10.0	46
575	Immunochemical Screening of Pesticides (Simazine and Cypermethrin) in Orange Oil. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 5673-5679.	5.2	21
576	Development of Enantioselective Polyclonal Antibodies to Detect Styrene Oxide Protein Adducts. <i>Analytical Chemistry</i> , 2009, 81, 2668-2677.	6.5	11

#	ARTICLE	IF	CITATIONS
577	14,15-Epoxyeicosa-5,8,11-trienoic Acid (14,15-EET) Surrogates Containing Epoxide Bioisosteres: Influence upon Vascular Relaxation and Soluble Epoxide Hydrolase Inhibition. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 5069-5075.	6.4	71
578	Beneficial effects of soluble epoxide hydrolase inhibitors in myocardial infarction model: Insight gained using metabolomic approaches. <i>Journal of Molecular and Cellular Cardiology</i> , 2009, 47, 835-845.	1.9	81
579	Quantitative Profiling Method for Oxylipin Metabolome by Liquid Chromatography Electrospray Ionization Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2009, 81, 8085-8093.	6.5	292
580	Toxicology in the Fast Lane: Application of High-Throughput Bioassays to Detect Modulation of Key Enzymes and Receptors. <i>Environmental Health Perspectives</i> , 2009, 117, 1867-1872.	6.0	54
581	Synthesis and bio-functionalization of multifunctional magnetic Fe ₃ O ₄ @Y ₂ O ₃ :Eu nanocomposites. <i>Journal of Materials Chemistry</i> , 2009, 19, 4695.	6.7	108
582	Development of ELISAs for the Class-Specific Determination of Organophosphorus Pesticides. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 10004-10013.	5.2	49
583	Soluble Epoxide Inhibition Is Protective Against Cerebral Ischemia via Vascular and Neural Protection. <i>American Journal of Pathology</i> , 2009, 174, 2086-2095.	3.8	102
584	Inhibition of the soluble epoxide hydrolase attenuates monocrotaline-induced pulmonary hypertension in rats. <i>Journal of Hypertension</i> , 2009, 27, 322-331.	0.5	52
585	Administration of a substituted adamantyl urea inhibitor of soluble epoxide hydrolase protects the kidney from damage in hypertensive Goto-Kakizaki rats. <i>Clinical Science</i> , 2009, 116, 61-70.	4.3	75
586	Tryptophan Fluorescence Quenching by Enzyme Inhibitors As a Tool for Enzyme Active Site Structure Investigation: Epoxide Hydrolase. <i>Current Pharmaceutical Biotechnology</i> , 2009, 10, 589-599.	1.6	19
587	Metabolic profiling of major vitamin D metabolites using Diels-Alder derivatization and ultra-performance liquid chromatography-tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2008, 391, 1917-1930.	3.7	175
588	Gerry Brooks and epoxide hydrolases: four decades to a pharmaceutical. <i>Pest Management Science</i> , 2008, 64, 594-609.	3.4	44
589	Influence of sulfur oxidation state and steric bulk upon trifluoromethyl ketone (TFK) binding kinetics to carboxylesterases and fatty acid amide hydrolase (FAAH). <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 2114-2130.	3.0	7
590	Soluble epoxide hydrolase is a susceptibility factor for heart failure in a rat model of human disease. <i>Nature Genetics</i> , 2008, 40, 529-537.	21.4	163
591	Antibacterial Colorants: Characterization of Prodiginines and Their Applications on Textile Materials. <i>Biotechnology Progress</i> , 2008, 24, 742-747.	2.6	141
592	The Potential of Soluble Epoxide Hydrolase Inhibition in the Treatment of Cardiac Hypertrophy. Congestive Heart Failure, 2008, 14, 219-224.	2.0	23
593	Occurrence of endocrine-disrupting chemicals in indoor dust. <i>Science of the Total Environment</i> , 2008, 404, 26-35.	8.0	222
594	Creatinine Measurements in 24 h Urine by Liquid Chromatography-Tandem Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 333-336.	5.2	47

#	ARTICLE	IF	CITATIONS
595	Applications of Carboxylesterase Activity in Environmental Monitoring and Toxicity Identification Evaluations (TIEs). Reviews of Environmental Contamination and Toxicology, 2008, 195, 117-178.	1.3	126
596	The Molecular Structure of Epoxide Hydrolase B from Mycobacterium tuberculosis and Its Complex with a Urea-Based Inhibitor. Journal of Molecular Biology, 2008, 381, 897-912.	4.2	45
597	Identification of two epoxide hydrolases in Caenorhabditis elegans that metabolize mammalian lipid signaling molecules. Archives of Biochemistry and Biophysics, 2008, 472, 139-149.	3.0	37
598	Transcriptional regulation of the human soluble epoxide hydrolase gene EPHX2. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2008, 1779, 17-27.	1.9	35
599	An enzyme-linked immunosorbent assay for the determination of dioxins in contaminated sediment and soil samples. Chemosphere, 2008, 72, 95-103.	8.2	21
600	Phage-borne Peptidomimetics Accelerate the Development of Polyclonal Antibody-based Heterologous Immunoassays for the Detection of Pesticide Metabolites. Environmental Science & Technology, 2008, 42, 2047-2053.	10.0	30
601	Development of Metabolically Stable Inhibitors of Mammalian Microsomal Epoxide Hydrolase. Chemical Research in Toxicology, 2008, 21, 951-957.	3.3	32
602	Effects of Pyridine Exposure upon Structural Lipid Metabolism in Swiss Webster Mice. Chemical Research in Toxicology, 2008, 21, 583-590.	3.3	7
603	Inhibition of Soluble Epoxide Hydrolase Does Not Protect against Endotoxin-Mediated Hepatic Inflammation. Journal of Pharmacology and Experimental Therapeutics, 2008, 327, 707-715.	2.5	29
604	Salt Loading Increases Urinary Excretion of Linoleic Acid Diols and Triols in Healthy Human Subjects. Hypertension, 2008, 51, 755-761.	2.7	14
605	Altered Soluble Epoxide Hydrolase Gene Expression and Function and Vascular Disease Risk in the Stroke-Prone Spontaneously Hypertensive Rat. Hypertension, 2008, 51, 567-573.	2.7	32
606	Soluble Epoxide Hydrolase Inhibitors Reduce the Development of Atherosclerosis in Apolipoprotein E-Knockout Mouse Model. Journal of Cardiovascular Pharmacology, 2008, 52, 314-323.	1.9	111
607	Soluble Epoxide Hydrolase Homologs in <i>Strongylocentrotus purpuratus</i> Suggest a Gene Duplication Event and Subsequent Divergence. DNA and Cell Biology, 2008, 27, 467-477.	1.9	8
608	Increased blood pressure in mice lacking cytochrome P450 2J5. FASEB Journal, 2008, 22, 4096-4108.	0.5	53
609	Epoxyeicosatrienoic acids and the soluble epoxide hydrolase are determinants of pulmonary artery pressure and the acute hypoxic pulmonary vasoconstrictor response. FASEB Journal, 2008, 22, 4306-4315.	0.5	100
610	Opposite Regulation of Cholesterol Levels by the Phosphatase and Hydrolase Domains of Soluble Epoxide Hydrolase. Journal of Biological Chemistry, 2008, 283, 36592-36598.	3.4	51
611	Hydrolysis of <i>cis</i> - and <i>trans</i> -Epoxyeicosatrienoic Acids by Rat Red Blood Cells. Journal of Pharmacology and Experimental Therapeutics, 2008, 326, 330-337.	2.5	27
612	Magnetic luminescent nanoparticles as internal calibration for an immunoassay for ricin. Proceedings of SPIE, 2008, , .	0.8	0

#	ARTICLE	IF	CITATIONS
613	Identification of 15-hydroxy-11,12-epoxyeicosatrienoic acid as a vasoactive 15-lipoxygenase metabolite in rabbit aorta. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 294, H1348-H1356.	3.2	24
614	Effects of the selective EET antagonist, 14,15-EEZE, on cardioprotection produced by exogenous or endogenous EETs in the canine heart. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 294, H2838-H2844.	3.2	77
615	One Pathway Can Incorporate either Adenine or Dimethylbenzimidazole as an I^{\pm} -Axial Ligand of B ₁₂ Cofactors in <i>Salmonella enterica</i> . Journal of Bacteriology, 2008, 190, 1160-1171.	2.2	59
616	Soluble epoxide hydrolase and epoxyeicosatrienoic acids modulate two distinct analgesic pathways. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 18901-18906.	7.1	163
617	Triclocarban Enhances Testosterone Action: A New Type of Endocrine Disruptor?. Endocrinology, 2008, 149, 1173-1179.	2.8	196
618	Determination of cytotoxicity of nephrotoxins on murine and human kidney cell lines. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2008, 43, 71-74.	1.5	8
619	<i>In Vitro</i> Biologic Activities of the Antimicrobials Triclocarban, Its Analogs, and Triclosan in Bioassay Screens: Receptor-Based Bioassay Screens. Environmental Health Perspectives, 2008, 116, 1203-1210.	6.0	312
620	Soluble epoxide hydrolase (Ephx2) is a susceptibility gene for heart failure in a rat model of human disease 3044. FASEB Journal, 2008, 22, 479.10.	0.5	0
621	Compensatory Mechanism for Homeostatic Blood Pressure Regulation in Ephx2 Gene-disrupted Mice. Journal of Biological Chemistry, 2007, 282, 2891-2898.	3.4	127
622	Increasing or stabilizing renal epoxyeicosatrienoic acid production attenuates abnormal renal function and hypertension in obese rats. American Journal of Physiology - Renal Physiology, 2007, 293, F342-F349.	2.7	77
623	Multiplexed immunoassays for biomonitoring of exposure to agrochemicals using quantum dots as fluorescent reporters. , 2007, , .		0
624	The Soluble Epoxide Hydrolase as a Pharmaceutical Target for Hypertension. Journal of Cardiovascular Pharmacology, 2007, 50, 225-237.	1.9	159
625	Evaluation of Cytotoxicity Attributed to Thimerosal on Murine and Human Kidney Cells. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2007, 70, 2092-2095.	2.3	7
626	Analysis of Mammalian Carboxylesterase Inhibition by Trifluoromethylketone-Containing Compounds. Molecular Pharmacology, 2007, 71, 713-723.	2.3	38
627	Epoxyeicosatrienoic Acids Regulate Trp Channel-Dependent Ca^{2+} Signaling and Hyperpolarization in Endothelial Cells. Arteriosclerosis, Thrombosis, and Vascular Biology, 2007, 27, 2612-2618.	2.4	158
628	Angiotensin II up-regulates soluble epoxide hydrolase in vascular endothelium in vitro and in vivo. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 9018-9023.	7.1	149
629	Proteinuria increases oxylipid concentrations in VLDL and HDL but not LDL particles in the rat. Journal of Lipid Research, 2007, 48, 1792-1800.	4.2	40
630	Noncompetitive Fluorescent Immunoassay for the Detection of the Human Urinary Biomarker 3-Phenoxybenzoic Acid with Bench Top Immunosensor KinExA, c 3000. ACS Symposium Series, 2007, , 171-185.	0.5	2

#	ARTICLE	IF	CITATIONS
631	Delivery methods for peptide and protein toxins in insect control. <i>Toxicon</i> , 2007, 49, 576-596.	1.6	45
632	Autoantibody response to microsomal epoxide hydrolase in hepatitis C and A. <i>Journal of Autoimmunity</i> , 2007, 28, 7-18.	6.5	18
633	Progress in the Development of Biosensors for Environmental and Human Monitoring of Agrochemicals. <i>ACS Symposium Series</i> , 2007, , 138-154.	0.5	2
634	Magnetic/luminescent core/shell particles synthesized by spray pyrolysis and their application in immunoassays with internal standard. <i>Nanotechnology</i> , 2007, 18, 055102.	2.6	97
635	Development of Polyclonal Antibodies for the Detection of Styrene Oxide Modified Proteins. <i>Chemical Research in Toxicology</i> , 2007, 20, 316-321.	3.3	10
636	Effect of ionic liquids on epoxide hydrolase-catalyzed synthesis of chiral 1,2-diols. <i>Green Chemistry</i> , 2007, 9, 162-168.	9.0	31
637	Development of Sensitive Immunoassays for the Detection of the Glucuronide Conjugate of 3-Phenoxybenzyl Alcohol, a Putative Human Urinary Biomarker for Pyrethroid Exposure. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 3750-3757.	5.2	17
638	Measurement of Soluble Epoxide Hydrolase (sEH) Activity. <i>Current Protocols in Toxicology</i> / Editorial Board, Mahin D Maines (editor-in-chief) [et Al], 2007, 33, Unit 4.23.	1.1	61
639	Orally Bioavailable Potent Soluble Epoxide Hydrolase Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 3825-3840.	6.4	221
640	1,3-Disubstituted Ureas Functionalized with Ether Groups are Potent Inhibitors of the Soluble Epoxide Hydrolase with Improved Pharmacokinetic Properties. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 5217-5226.	6.4	69
641	High-Throughput Automated Luminescent Magnetic Particle-Based Immunoassay to Monitor Human Exposure to Pyrethroid Insecticides. <i>Analytical Chemistry</i> , 2007, 79, 8883-8890.	6.5	52
642	Biosafety of Recombinant and Wild Type Nucleopolyhedroviruses as Bioinsecticides. <i>International Journal of Environmental Research and Public Health</i> , 2007, 4, 111-125.	2.6	17
643	Diverse roles of 2-arachidonoylglycerol in invasion of prostate carcinoma cells: Location, hydrolysis and 12-lipoxygenase metabolism. <i>International Journal of Cancer</i> , 2007, 121, 984-991.	5.1	49
644	Mass spectrometry-based metabolomics. <i>Mass Spectrometry Reviews</i> , 2007, 26, 51-78.	5.4	1,754
645	Development of highly sensitive fluorescent assays for fatty acid amide hydrolase. <i>Analytical Biochemistry</i> , 2007, 363, 12-21.	2.4	27
646	Multiplexed immunoassays for proteins using magnetic luminescent nanoparticles for internal calibration. <i>Analytical Biochemistry</i> , 2007, 369, 34-40.	2.4	51
647	Design of bioavailable derivatives of 12-(3-adamantan-1-yl-ureido)dodecanoic acid, a potent inhibitor of the soluble epoxide hydrolase. <i>Bioorganic and Medicinal Chemistry</i> , 2007, 15, 312-323.	3.0	49
648	Soluble Epoxide Hydrolase: A Novel Therapeutic Target in Stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 1931-1940.	4.3	179

#	ARTICLE	IF	CITATIONS
649	Soluble epoxide hydrolase inhibition reveals novel biological functions of epoxyeicosatrienoic acids (EETs). Prostaglandins and Other Lipid Mediators, 2007, 82, 42-49.	1.9	185
650	Antiandrogenic properties of parabens and other phenolic containing small molecules in personal care products. Toxicology and Applied Pharmacology, 2007, 221, 278-284.	2.8	205
651	Monitoring Human Exposure to Pesticides Using Immunoassay. ACS Symposium Series, 2007, , 141-156.	0.5	2
652	Clofibrate-induced changes in the liver, heart, brain and white adipose lipid metabolome of Swiss-Webster mice. Metabolomics, 2007, 3, 137-145.	3.0	22
653	Dihydroxyoctadecamonoenoate esters inhibit the neutrophil respiratory burst. Journal of Biosciences, 2007, 32, 279-291.	1.1	87
654	Genetically Modified Baculoviruses: A Historical Overview and Future Outlook. Advances in Virus Research, 2006, 68, 323-360.	2.1	100
655	Evaluation of Chiral \pm -Cynoesters as General Fluorescent Substrates for Screening Enantioselective Esterases. Journal of Agricultural and Food Chemistry, 2006, 54, 694-699.	5.2	5
656	Structural Studies of a Potent Insect Maturation Inhibitor Bound to the Juvenile Hormone Esterase of <i>Manduca sexta</i> . Biochemistry, 2006, 45, 4045-4057.	2.5	57
657	Characterization of pyrethroid hydrolysis by the human liver carboxylesterases hCE-1 and hCE-2. Archives of Biochemistry and Biophysics, 2006, 445, 115-123.	3.0	103
658	Functional expression of lepidopteran-selective neurotoxin in baculovirus: Potential for effective pest management. Biochimica Et Biophysica Acta - General Subjects, 2006, 1760, 158-163.	2.4	26
659	Inhibition of soluble epoxide hydrolase reduces LPS-induced thermal hyperalgesia and mechanical allodynia in a rat model of inflammatory pain. Life Sciences, 2006, 79, 2311-2319.	4.3	140
660	The neutralizing effect of a polyclonal antibody raised against the N-terminal eighteen-aminoacid residues of birtoxin towards the whole venom of <i>Parabuthus transvaalicus</i> . Toxicon, 2006, 47, 144-149.	1.6	19
661	The 5-substituted piperazine as a novel secondary pharmacophore greatly improving the physical properties of urea-based inhibitors of soluble epoxide hydrolase. Bioorganic and Medicinal Chemistry, 2006, 14, 6586-6592.	3.0	32
662	Peptidyl-urea based inhibitors of soluble epoxide hydrolases. Bioorganic and Medicinal Chemistry Letters, 2006, 16, 5439-5444.	2.2	27
663	Development of a high-throughput screen for soluble epoxide hydrolase inhibition. Analytical Biochemistry, 2006, 355, 71-80.	2.4	76
664	High-throughput pharmacokinetic method: Cassette dosing in mice associated with minuscule serial bleedings and LC/MS/MS analysis. Analytica Chimica Acta, 2006, 559, 37-44.	5.4	50
665	Improved methods for urinary atrazine mercapturate analysisâ€”Assessment of an enzyme-linked immunosorbent assay (ELISA) and a novel liquid chromatographyâ€”mass spectrometry (LCâ€”MS) method utilizing online solid phase extraction (SPE). Analytica Chimica Acta, 2006, 572, 180-189.	5.4	20
666	Solid-phase combinatorial approach for the optimization of soluble epoxide hydrolase inhibitors. Bioorganic and Medicinal Chemistry Letters, 2006, 16, 5773-5777.	2.2	29

#	ARTICLE	IF	CITATIONS
667	USE OF CARBOXYLESTERASE ACTIVITY TO REMOVE PYRETHROID-ASSOCIATED TOXICITY TO CERIODAPHNIA DUBIA AND HYALELLA AZTECA IN TOXICITY IDENTIFICATION EVALUATIONS. Environmental Toxicology and Chemistry, 2006, 25, 973.	4.3	37
668	Human soluble epoxide hydrolase: Structural basis of inhibition by 4-(3-cyclohexylureido)-carboxylic acids. Protein Science, 2006, 15, 58-64.	7.6	93
669	An immunoassay for a urinary metabolite as a biomarker of human exposure to the pyrethroid insecticide permethrin. Analytical and Bioanalytical Chemistry, 2006, 384, 713-722.	3.7	27
670	Eu3+-doped Gd2O3 nanoparticles as reporters for optical detection and visualization of antibodies patterned by microcontact printing. Analytical and Bioanalytical Chemistry, 2006, 384, 631-637.	3.7	91
671	Rapid screening of dioxin-contaminated soil by accelerated solvent extraction/purification followed by immunochemical detection. Analytical and Bioanalytical Chemistry, 2006, 385, 357-366.	3.7	31
672	Synthesis and SAR of conformationally restricted inhibitors of soluble epoxide hydrolase. Bioorganic and Medicinal Chemistry Letters, 2006, 16, 5212-5216.	2.2	79
673	Inhibition of Smooth Muscle Proliferation by Urea-Based Alkanoic Acids via Peroxisome Proliferator-Activated Receptor α -Dependent Repression of Cyclin D1. Arteriosclerosis, Thrombosis, and Vascular Biology, 2006, 26, 2462-2468.	2.4	25
674	The Role of Inflammatory Mediators in the Synergistic Toxicity of Ozone and 1-Nitronaphthalene in Rat Airways. Environmental Health Perspectives, 2006, 114, 1354-1360.	6.0	11
675	Epoxyeicosatrienoic and dihydroxyeicosatrienoic acids dilate human coronary arterioles via BK _{Ca} channels: implications for soluble epoxide hydrolase inhibition. American Journal of Physiology - Heart and Circulatory Physiology, 2006, 290, H491-H499.	3.2	159
676	Human vitamin B12 absorption measurement by accelerator mass spectrometry using specifically labeled 14C-cobalamin. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 5694-5699.	7.1	56
677	Cytochrome P450 Epoxygenase Gene Function in Hypoxic Pulmonary Vasoconstriction and Pulmonary Vascular Remodeling. Hypertension, 2006, 47, 762-770.	2.7	105
678	Role of Soluble Epoxide Hydrolase in Postischemic Recovery of Heart Contractile Function. Circulation Research, 2006, 99, 442-450.	4.5	173
679	Attenuation of Vascular Smooth Muscle Cell Proliferation by 1-Cyclohexyl-3-dodecyl Urea Is Independent of Soluble Epoxide Hydrolase Inhibition. Journal of Pharmacology and Experimental Therapeutics, 2006, 316, 815-821.	2.5	29
680	Genetic variation in soluble epoxide hydrolase (EPHX2) and risk of coronary heart disease: The Atherosclerosis Risk in Communities (ARIC) study. Human Molecular Genetics, 2006, 15, 1640-1649.	2.9	171
681	Prevention and reversal of cardiac hypertrophy by soluble epoxide hydrolase inhibitors. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 18733-18738.	7.1	215
682	Enhancement of antinociception by coadministration of nonsteroidal anti-inflammatory drugs and soluble epoxide hydrolase inhibitors. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 13646-13651.	7.1	173
683	Substituted Adamantyl-Urea Inhibitors of the Soluble Epoxide Hydrolase Dilate Mesenteric Resistance Vessels. Journal of Pharmacology and Experimental Therapeutics, 2006, 318, 1307-1314.	2.5	43
684	Urea-based soluble epoxide hydrolase inhibitors dilate mesenteric resistance vessels. FASEB Journal, 2006, 20, A669.	0.5	1

#	ARTICLE	IF	CITATIONS
685	Microarray immunoassay for phenoxybenzoic acid using polymer-functionalized lanthanide oxide nanoparticles as fluorescent labels. , 2005, , .		0
686	An Epoxide Hydrolase Inhibitor, 12-(3-Adamantan-1-yl-ureido)dodecanoic Acid (AUDA), Reduces Ischemic Cerebral Infarct Size in Stroke-Prone Spontaneously Hypertensive Rats. Journal of Cardiovascular Pharmacology, 2005, 46, 842-848.	1.9	117
687	The Photorhabdus Pir toxins are similar to a developmentally regulated insect protein but show no juvenile hormone esterase activity. FEMS Microbiology Letters, 2005, 245, 47-52.	1.8	112
688	Fluorescent substrates for soluble epoxide hydrolase and application to inhibition studies. Analytical Biochemistry, 2005, 343, 66-75.	2.4	145
689	Evaluation of β -cyano ethers as fluorescent substrates for assay of cytochrome P450 enzyme activity. Analytical Biochemistry, 2005, 344, 183-192.	2.4	8
690	Development of a class selective immunoassay for the type II pyrethroid insecticides. Analytica Chimica Acta, 2005, 534, 109-120.	5.4	72
691	EPOXIDE HYDROLASES: Mechanisms, Inhibitor Designs, and Biological Roles. Annual Review of Pharmacology and Toxicology, 2005, 45, 311-333.	9.4	432
692	Epoxide Hydrolases: Mechanisms, Inhibitor Designs, and Biological Roles. ChemInform, 2005, 36, no.	0.0	0
693	Metabolomics: building on a century of biochemistry to guide human health. Metabolomics, 2005, 1, 3-9.	3.0	281
694	An Orally Active Epoxide Hydrolase Inhibitor Lowers Blood Pressure and Provides Renal Protection in Salt-Sensitive Hypertension. Hypertension, 2005, 46, 975-981.	2.7	223
695	Soluble Epoxide Hydrolase Is a Main Effector of Angiotensin II-Induced Hypertension. Hypertension, 2005, 45, 759-765.	2.7	168
696	Identification and Characterization of an Ovary-Selective Isoform of Epoxide Hydrolase 1. Biology of Reproduction, 2005, 72, 968-975.	2.7	17
697	Application of luminescent Eu:Gd[₂ O] ₃ nanoparticles to the visualization of protein micropatterns. Journal of Biomedical Optics, 2005, 10, 064006.	2.6	73
698	Graded Effects of Proteinuria on HDL Structure in Nephrotic Rats. Journal of the American Society of Nephrology: JASN, 2005, 16, 1309-1319.	6.1	18
699	Attenuation of tobacco smoke-induced lung inflammation by treatment with a soluble epoxide hydrolase inhibitor. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 2186-2191.	7.1	161
700	Novel mechanism of brain soluble epoxide hydrolase-mediated blood pressure regulation in the spontaneously hypertensive rat. FASEB Journal, 2005, 19, 1-17.	0.5	55
701	Soluble epoxide hydrolase is a therapeutic target for acute inflammation. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 9772-9777.	7.1	420
702	The antiinflammatory effect of laminar flow: The role of PPAR α , epoxyeicosatrienoic acids, and soluble epoxide hydrolase. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 16747-16752.	7.1	276

#	ARTICLE	IF	CITATIONS
703	A baculovirus-encoded protein tyrosine phosphatase gene induces enhanced locomotory activity in a lepidopteran host. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 2584-2589.	7.1	142
704	Microarray Immunoassay for Phenoxybenzoic Acid Using Polymer Encapsulated Eu:Gd ₂ O ₃ Nanoparticles as Fluorescent Labels. Analytical Chemistry, 2005, 77, 6864-6873.	6.5	209
705	Development of Optically Pure Pyrethroid-Like Fluorescent Substrates for Carboxylesterases. Chemical Research in Toxicology, 2005, 18, 516-527.	3.3	21
706	Lipid Sulfates and Sulfonates Are Allosteric Competitive Inhibitors of the N-Terminal Phosphatase Activity of the Mammalian Soluble Epoxide Hydrolase. Biochemistry, 2005, 44, 12179-12187.	2.5	64
707	Activation of Peroxisome Proliferator-Activated Receptor δ by Substituted Urea-Derived Soluble Epoxide Hydrolase Inhibitors. Journal of Pharmacology and Experimental Therapeutics, 2005, 314, 260-270.	2.5	64
708	Analyte Peptidomimetics Selected from Phage Display Peptide Libraries: A Systematic Strategy for the Development of Environmental Immunoassays. Environmental Science & Technology, 2005, 39, 4234-4241.	10.0	26
709	Development of a HPLC/Tandem-MS Method for the Analysis of the Larvicides Methoprene, Hydroprene, and Kinoprene at Trace Levels Using Diels-Alder Derivatization. Journal of Agricultural and Food Chemistry, 2005, 53, 3306-3312.	5.2	9
710	A new class of inhibitors of 2-arachidonoylglycerol hydrolysis and invasion of prostate cancer cells. Biochemical and Biophysical Research Communications, 2005, 332, 1028-1033.	2.1	46
711	Epoxide hydrolases: their roles and interactions with lipid metabolism. Progress in Lipid Research, 2005, 44, 1-51.	11.6	400
712	Three structurally related, highly potent, peptides from the venom of Parabuthus transvaalicus possess divergent biological activity. Toxicon, 2005, 45, 727-733.	1.6	18
713	Influence of container adsorption upon observed pyrethroid toxicity to Ceriodaphnia dubia and Hyalella azteca. Aquatic Toxicology, 2005, 74, 47-52.	4.0	71
714	Individual variability in esterase activity and CYP1A levels in Chinook salmon (Oncorhynchus tshawytscha). Environmental Toxicology and Chemistry, 2005, 24, 1307-1315.	4.0	130
715	Application of fluorescent Eu:Gd ₂ O ₃ nanoparticles to the visualization of protein micropatterns. , 2005, , .		6
716	Optimization of Amide-Based Inhibitors of Soluble Epoxide Hydrolase with Improved Water Solubility. Journal of Medicinal Chemistry, 2005, 48, 3621-3629.	6.4	99
717	Stereoselective Hydrolysis of Pyrethroid-like Fluorescent Substrates by Human and Other Mammalian Liver Carboxylesterases. Chemical Research in Toxicology, 2005, 18, 1371-1377.	3.3	40
718	Metabolomics--a new exciting field within the "omics" sciences.. Environmental Health Perspectives, 2004, 112, A396-7.	6.0	140
719	Isolation of a strain of Agrobacterium tumefaciens (Rhizobium radiobacter) utilizing methylene urea (ureaformaldehyde) as nitrogen source. Canadian Journal of Microbiology, 2004, 50, 167-174.	1.7	20
720	Epoxide Hydrolases in the Rat Epididymis: Possible Roles in Xenobiotic and Endogenous Fatty Acid Metabolism. Toxicological Sciences, 2004, 78, 187-195.	3.1	22

#	ARTICLE	IF	CITATIONS
721	Identification, Expression, and Purification of a Pyrethroidhydrolyzing Carboxylesterase from Mouse Liver Microsomes. <i>Journal of Biological Chemistry</i> , 2004, 279, 29863-29869.	3.4	56
722	Development of an Enzyme-Linked Immunosorbent Assay for the Pyrethroid Cypermethrin. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 1039-1043.	5.2	41
723	Enhanced Postischemic Functional Recovery in CYP2J2 Transgenic Hearts Involves Mitochondrial ATP-Sensitive K ⁺ Channels and p42/p44 MAPK Pathway. <i>Circulation Research</i> , 2004, 95, 506-514.	4.5	247
724	Effect of soluble epoxide hydrolase inhibition on epoxyeicosatrienoic acid metabolism in human blood vessels. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 287, H2412-H2420.	3.2	76
725	Vascular localization of soluble epoxide hydrolase in the human kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F720-F726.	2.7	64
726	Altered Kidney CYP2C and Cyclooxygenase-2 Levels Are Associated with Obesity-Related Albuminuria. <i>Obesity</i> , 2004, 12, 1278-1289.	4.0	45
727	Biocatalysis in ionic liquids: the stereoconvergent hydrolysis of trans- β -methylstyrene oxide catalyzed by soluble epoxide hydrolase. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2004, 27, 243-248.	1.8	60
728	DEVELOPMENT OF TOXICITY IDENTIFICATION EVALUATION PROCEDURES FOR PYRETHROID DETECTION USING ESTERASE ACTIVITY. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 2699.	4.3	52
729	Design, Synthesis, and Biological Activity of 1,3-Disubstituted Ureas as Potent Inhibitors of the Soluble Epoxide Hydrolase of Increased Water Solubility. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 2110-2122.	6.4	147
730	Pyrethroid tolerance in <i>Culex pipiens pipiens</i> var <i>molestus</i> from Marin County, California. <i>Pest Management Science</i> , 2004, 60, 359-368.	3.4	88
731	A Sensitive Class Specific Immunoassay for the Detection of Pyrethroid Metabolites in Human Urine. <i>Chemical Research in Toxicology</i> , 2004, 17, 218-225.	3.3	87
732	Robust and Sensitive Monoclonal Enzyme-Linked Immunosorbent Assay for the Herbicide Molinate. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 182-187.	5.2	16
733	Hapten and Antibody Production for a Sensitive Immunoassay Determining a Human Urinary Metabolite of the Pyrethroid Insecticide Permethrin. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 4583-4594.	5.2	38
734	Structure of Human Epoxide Hydrolase Reveals Mechanistic Inferences on Bifunctional Catalysis in Epoxide and Phosphate Ester Hydrolysis. <i>Biochemistry</i> , 2004, 43, 4716-4723.	2.5	170
735	Immunochemical determination of dioxins in sediment and serum samples. <i>Talanta</i> , 2004, 63, 1213-1223.	5.5	34
736	Investigation of the role of a second conserved serine in carboxylesterases via site-directed mutagenesis. <i>Archives of Biochemistry and Biophysics</i> , 2004, 430, 247-255.	3.0	19
737	Determination of Pyrethroid Residues in Agricultural Products by an Enzyme-Linked Immunosorbent Assay. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 5572-5576.	5.2	31
738	Nanoscale fluoro-immunoassays with lanthanide oxide nanoparticles. , 2004, , .		2

#	ARTICLE	IF	CITATIONS
739	Soluble epoxide hydrolase inhibition protects the kidney from hypertension-induced damage. <i>Journal of the American Society of Nephrology</i> : JASN, 2004, 15, 1244-53.	6.1	153
740	Purification and characterization of a methylene urea-hydrolyzing enzyme from <i>Rhizobium radiobacter</i> (<i>Agrobacterium tumefaciens</i>). <i>Soil Biology and Biochemistry</i> , 2003, 35, 1433-1442.	8.8	4
741	Joint acute toxicity of esfenvalerate and diazinon to larval fathead minnows (<i>Pimephales</i>). <i>Environmental Toxicology and Chemistry</i> , 2003, 22, 1073-1080.	4.3	78
742	Evaluation of β -cyanoesters as fluorescent substrates for examining interindividual variation in general and pyrethroid-selective esterases in human liver microsomes. <i>Analytical Biochemistry</i> , 2003, 315, 208-222.	2.4	48
743	Synthesis of haptens for immunoassay of organophosphorus pesticides and effect of heterology in hapten spacer arm length on immunoassay sensitivity. <i>Analytica Chimica Acta</i> , 2003, 475, 85-96.	5.4	123
744	Optimization and validation of an enzyme immunoassay for the insect growth regulator fenoxycarb. <i>Analytica Chimica Acta</i> , 2003, 487, 15-29.	5.4	18
745	Use of classical and 3-D QSAR to examine the hydration state of juvenile hormone esterase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2003, 11, 5101-5116.	3.0	15
746	Design, synthesis and evaluation of novel P450 fluorescent probes bearing β -cyanoether. <i>Tetrahedron Letters</i> , 2003, 44, 4331-4334.	1.4	9
747	Characterization and cDNA cloning of a clofibrate-inducible microsomal epoxide hydrolase in <i>Drosophila melanogaster</i> . <i>FEBS Journal</i> , 2003, 270, 4696-4705.	0.2	15
748	Fluorescence quenching competitive immunoassay in micro droplets. <i>Biosensors and Bioelectronics</i> , 2003, 18, 1055-1063.	10.1	10
749	Functionalized Europium Oxide Nanoparticles Used as a Fluorescent Label in an Immunoassay for Atrazine. <i>Analytical Chemistry</i> , 2003, 75, 5282-5286.	6.5	152
750	Development of an Enzyme-Linked Immunosorbent Assay for the Detection of the Organophosphorus Insecticide Acephate. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 3695-3703.	5.2	50
751	Competitive Quenching Fluorescence Immunoassay for Chlorophenols Based on Laser-Induced Fluorescence Detection in Microdroplets. <i>Analytical Chemistry</i> , 2003, 75, 83-90.	6.5	25
752	QSAR and Classification of Murine and Human Soluble Epoxide Hydrolase Inhibition by Urea-Like Compounds. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 1066-1080.	6.4	76
753	Juvenile hormone (JH) esterase: why are you so JH specific?. <i>Insect Biochemistry and Molecular Biology</i> , 2003, 33, 1261-1273.	2.7	67
754	One scorpion, two venoms: Prevenom of <i>Parabuthus transvaalicus</i> acts as an alternative type of venom with distinct mechanism of action. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 922-927.	7.1	146
755	Further enhancement of baculovirus insecticidal efficacy with scorpion toxins that interact cooperatively. <i>FEBS Letters</i> , 2003, 537, 106-110.	2.8	54
756	Development of a Microtiter Plate ELISA and a Dipstick ELISA for the Determination of the Organophosphorus Insecticide Fenthion. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 7854-7860.	5.2	38

#	ARTICLE	IF	CITATIONS
757	The soluble epoxide hydrolase encoded by EPXH2 is a bifunctional enzyme with novel lipid phosphate phosphatase activity. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 1558-1563.	7.1	191
758	High-Frequency Homologous Recombination between Baculoviruses Involves DNA Replication. Journal of Virology, 2003, 77, 13053-13061.	3.4	41
759	IN VITRO METABOLISM OF THE MAMMALIAN SOLUBLE EPOXIDE HYDROLASE INHIBITOR, 1-CYCLOHEXYL-3-DODECYL-UREA. Drug Metabolism and Disposition, 2003, 31, 846-853.	3.3	23
760	Involvement of CYP 2C9 in Mediating the Proinflammatory Effects of Linoleic Acid in Vascular Endothelial Cells. Journal of the American College of Nutrition, 2003, 22, 502-510.	1.8	98
761	Polymorphisms in Human Soluble Epoxide Hydrolase. Molecular Pharmacology, 2003, 64, 482-490.	2.3	142
762	C 60 nanoparticle quenching used as a biological label. , 2003, 4967, 156.		1
763	Joint acute toxicity of esfenvalerate and diazinon to larval fathead minnows (Pimephales promelas). Environmental Toxicology and Chemistry, 2003, 22, 336-41.	4.3	13
764	Inhibitors of soluble epoxide hydrolase attenuate vascular smooth muscle cell proliferation. Proceedings of the National Academy of Sciences of the United States of America, 2002, 99, 2222-2227.	7.1	114
765	Development of a Green Fluorescent Protein-Based Cell Bioassay for the Rapid and Inexpensive Detection and Characterization of Ah Receptor Agonists. Toxicological Sciences, 2002, 65, 200-210.	3.1	99
766	Long-wavelength-emitting nanocrystals for bioassay applications. , 2002, , .		0
767	Soluble Epoxide Hydrolase Inhibition Lowers Arterial Blood Pressure in Angiotensin II Hypertension. Hypertension, 2002, 39, 690-694.	2.7	373
768	Polymorphism in Soluble Epoxide Hydrolase and Blood Pressure in Spontaneously Hypertensive Rats. Hypertension, 2002, 40, 485-490.	2.7	60
769	Fluorescence quenching competitive fluoroimmunoassay in microdroplets. , 2002, , .		0
770	Expression efficiency of a scorpion neurotoxin, AaHIT, using baculovirus in insect cells.. Applied Entomology and Zoology, 2002, 37, 225-232.	1.2	7
771	Development of an Enzyme-Linked Immunosorbent Assay for the Organophosphorus Insecticide Bromophos-ethyl. Journal of Agricultural and Food Chemistry, 2002, 50, 6675-6682.	5.2	23
772	Enzyme-Linked Immunosorbent Assay for the Pyrethroid Deltamethrin. Journal of Agricultural and Food Chemistry, 2002, 50, 5526-5532.	5.2	52
773	Molecular Cloning, Characterization, and Expression of a Redox-Responsive Cutinase from Monilinia fructicola (Wint.) Honey. Fungal Genetics and Biology, 2002, 35, 261-276.	2.1	45
774	Use of ab Initio Calculations To Predict the Biological Potency of Carboxylesterase Inhibitors. Journal of Medicinal Chemistry, 2002, 45, 5576-5593.	6.4	33

#	ARTICLE	IF	CITATIONS
775	Development of dioxin toxicity evaluation method in human milk by enzyme-linked immunosorbent assay—assay validation for human milk. <i>Chemosphere</i> , 2002, 46, 1471-1476.	8.2	21
776	The simultaneous quantification of cytochrome P450 dependent linoleate and arachidonate metabolites in urine by HPLC-MS/MS. <i>Journal of Lipid Research</i> , 2002, 43, 1563-1578.	4.2	131
777	Urea and amide-based inhibitors of the juvenile hormone epoxide hydrolase of the tobacco hornworm (<i>Manduca sexta</i> : Sphingidae). <i>Insect Biochemistry and Molecular Biology</i> , 2002, 32, 1741-1756.	2.7	26
778	Human coronary endothelial cells convert 14,15-EET to a biologically active chain-shortened epoxide. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 283, H2306-H2314.	3.2	42
779	PCB-induced oxidative stress in endothelial cells: modulation by nutrients. <i>International Journal of Hygiene and Environmental Health</i> , 2002, 205, 95-102.	4.3	94
780	Fenoxycarb levels and their effects on general and juvenile hormone esterase activity in the hemolymph of the silkworm, <i>Bombyx mori</i> . <i>Pesticide Biochemistry and Physiology</i> , 2002, 73, 174-187.	3.6	8
781	Structural refinement of inhibitors of urea-based soluble epoxide hydrolases. <i>Biochemical Pharmacology</i> , 2002, 63, 1599-1608.	4.4	173
782	A single charged surface residue modifies the activity of ikitoxin, a beta-type Na ⁺ channel toxin from <i>Parabuthus transvaalicus</i> . <i>FEBS Journal</i> , 2002, 269, 5369-5376.	0.2	23
783	Comparison of immunoaffinity column recovery patterns of polychlorinated dibenzo-p-dioxins/polychlorinated dibenzofurans on columns generated with different monoclonal antibody clones and polyclonal antibodies. <i>Analytica Chimica Acta</i> , 2002, 457, 199-209.	5.4	6
784	Development of an enzyme immunoassay for linoleic acid diols in urine. <i>Analytica Chimica Acta</i> , 2002, 466, 247-256.	5.4	5
785	Synthesis of Haptens and Protein Conjugates for the Development of Immunoassays for the Insect Growth Regulator Fenoxycarb. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 29-40.	5.2	33
786	Synthesis of New Carboxylesterase Inhibitors and Evaluation of Potency and Water Solubility. <i>Chemical Research in Toxicology</i> , 2001, 14, 1563-1572.	3.3	63
787	Cellular Characterization of Leukotoxin Diol-Induced Mitochondrial Dysfunction. <i>Archives of Biochemistry and Biophysics</i> , 2001, 392, 32-37.	3.0	56
788	Identification of a juvenile hormone esterase gene by matching its peptide mass fingerprint with a sequence from the <i>Drosophila</i> genome project. <i>Insect Biochemistry and Molecular Biology</i> , 2001, 31, 513-520.	2.7	53
789	DEVELOPMENT OF A HOMOGENEOUS PHOSPHORESCENT IMMUNOASSAY FOR THE DETECTION OF POLYCHLORINATED DIBENZO-p-DIOXINS. <i>Analytical Letters</i> , 2001, 34, 2311-2320.	1.8	6
790	Inhibition of Microsomal Epoxide Hydrolases by Ureas, Amides, and Amines. <i>Chemical Research in Toxicology</i> , 2001, 14, 409-415.	3.3	54
791	Development of an ELISA for the Detection of the Residues of the Insecticide Imidacloprid in Agricultural and Environmental Samples. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 2159-2167.	5.2	108
792	Individual metabolism should guide agriculture toward foods for improved health and nutrition. <i>American Journal of Clinical Nutrition</i> , 2001, 74, 283-286.	4.7	72

#	ARTICLE	IF	CITATIONS
793	Isolation and characterization of a novel lepidopteran-selective toxin from the venom of South Indian red scorpion, <i>Mesobuthus tamulus</i> . <i>BMC Biochemistry</i> , 2001, 2, 16.	4.4	46
794	Isolation and characterization of a novel type of neurotoxic peptide from the venom of the South African scorpion <i>Parabuthus transvaalicus</i> (Buthidae). <i>FEBS Journal</i> , 2001, 268, 5407-5413.	0.2	53
795	Recombinant baculoviruses for insect control. <i>Pest Management Science</i> , 2001, 57, 981-987.	3.4	130
796	Development of Sensitive Esterase Assays Based on β -Cyano-Containing Esters. <i>Analytical Biochemistry</i> , 2001, 299, 54-62.	2.4	47
797	Rapid Determination of Soluble Epoxide Hydrolase Inhibitors in Rat Hepatic Microsomes by High-Performance Liquid Chromatography with Electrospray Tandem Mass Spectrometry. <i>Analytical Biochemistry</i> , 2001, 299, 227-234.	2.4	13
798	Development of a class-selective enzyme immunoassay for urinary phenolic glucuronides. <i>Analytica Chimica Acta</i> , 2001, 444, 27-36.	5.4	11
799	Highly sensitive dioxin immunoassay and its application to soil and biota samples. <i>Analytica Chimica Acta</i> , 2001, 444, 169-178.	5.4	38
800	Homogeneous fluoroimmunoassay of a pyrethroid metabolite in urine. <i>Analytica Chimica Acta</i> , 2001, 444, 103-117.	5.4	17
801	Development of a class-specific immunoassay for the type I pyrethroid insecticides. <i>Analytica Chimica Acta</i> , 2001, 444, 119-129.	5.4	40
802	Optimized thiol derivatizing reagent for the mass spectral analysis of disubstituted epoxy fatty acids. <i>Journal of Chromatography A</i> , 2001, 925, 223-240.	3.7	23
803	The Role of Methyl-Linoleic Acid Epoxide and Diol Metabolites in the Amplified Toxicity of Linoleic Acid and Polychlorinated Biphenyls to Vascular Endothelial Cells. <i>Toxicology and Applied Pharmacology</i> , 2001, 171, 184-193.	2.8	56
804	Pathways of Epoxyeicosatrienoic Acid Metabolism in Endothelial Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 14867-14874.	3.4	179
805	Leukotoxin-Diol. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2001, 25, 434-438.	2.9	96
806	Hepatic and pulmonary enzyme activities in horses. <i>American Journal of Veterinary Research</i> , 2000, 61, 152-157.	0.6	20
807	Disc-based immunoassay microarrays. <i>Analytica Chimica Acta</i> , 2000, 411, 1-11.	5.4	92
808	Regio- and enantioselective hydrolysis of phenyloxiranes catalyzed by soluble epoxide hydrolase. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 4451-4462.	1.8	20
809	3-D QSAR analysis of inhibition of murine soluble epoxide hydrolase (MsEH) by benzoylureas, arylureas, and their analogues. <i>Bioorganic and Medicinal Chemistry</i> , 2000, 8, 2663-2673.	3.0	34
810	Development of Phase II Xenobiotic Metabolizing Enzymes in Differentiating Murine Clara Cells. <i>Toxicology and Applied Pharmacology</i> , 2000, 168, 253-267.	2.8	30

#	ARTICLE	IF	CITATIONS
811	Toxicity of Epoxy Fatty Acids and Related Compounds to Cells Expressing Human Soluble Epoxide Hydrolase. <i>Chemical Research in Toxicology</i> , 2000, 13, 217-226.	3.3	86
812	Binding of Alkylurea Inhibitors to Epoxide Hydrolase Implicates Active Site Tyrosines in Substrate Activation. <i>Journal of Biological Chemistry</i> , 2000, 275, 15265-15270.	3.4	104
813	Characterization and Affinity Purification of Juvenile Hormone Esterase from <i>Bombyx mori</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2000, 64, 1681-1687.	1.3	30
814	Soluble Epoxide Hydrolase Regulates Hydrolysis of Vasoactive Epoxyeicosatrienoic Acids. <i>Circulation Research</i> , 2000, 87, 992-998.	4.5	428
815	Biochemical Evidence for the Involvement of Tyrosine in Epoxide Activation during the Catalytic Cycle of Epoxide Hydrolase. <i>Journal of Biological Chemistry</i> , 2000, 275, 23082-23088.	3.4	93
816	Identification of CYP2C9 as a Human Liver Microsomal Linoleic Acid Epoxygenase. <i>Archives of Biochemistry and Biophysics</i> , 2000, 376, 199-205.	3.0	46
817	Metabolism of Monoepoxides of Methyl Linoleate: Bioactivation and Detoxification. <i>Archives of Biochemistry and Biophysics</i> , 2000, 376, 420-432.	3.0	46
818	Cress and Potato Soluble Epoxide Hydrolases: Purification, Biochemical Characterization, and Comparison to Mammalian Enzymes. <i>Archives of Biochemistry and Biophysics</i> , 2000, 378, 321-332.	3.0	67
819	Affinity Purification and Characterization of a Cutinase from the Fungal Plant Pathogen <i>Monilinia fructicola</i> (Wint.) Honey. <i>Archives of Biochemistry and Biophysics</i> , 2000, 382, 31-38.	3.0	38
820	Recombinant, Catalytically Inactive Juvenile Hormone Esterase Enhances Efficacy of Baculovirus Insecticides. <i>Biological Control</i> , 2000, 19, 191-199.	3.0	12
821	Isolation and characterization of juvenile hormone esterase from hemolymph of <i>Lymantria dispar</i> by affinity- and by anion-exchange chromatography. <i>Insect Biochemistry and Molecular Biology</i> , 2000, 30, 307-314.	2.7	11
822	Isolation of juvenile hormone esterase and its partial cDNA clone from the beetle, <i>Tenebrio molitor</i> . <i>Insect Biochemistry and Molecular Biology</i> , 2000, 30, 529-540.	2.7	17
823	Enzyme-Linked Immunosorbent Assay for the Pyrethroid Permethrin. <i>Journal of Agricultural and Food Chemistry</i> , 2000, 48, 4032-4040.	5.2	67
824	Development of a Class-Selective Enzyme-Linked Immunosorbent Assay for Mercapturic Acids in Human Urine. <i>Journal of Agricultural and Food Chemistry</i> , 2000, 48, 5913-5923.	5.2	10
825	Microplate immunoassay technique using polyelectrolyte carriers: kinetic studies and application to detection of the herbicide atrazine. <i>Analytica Chimica Acta</i> , 1999, 399, 151-160.	5.4	15
826	Homology model of Juvenile Hormone Esterase from the crop pest, <i>Heliothis virescens</i> . <i>Proteins: Structure, Function and Bioinformatics</i> , 1999, 34, 184-196.	2.6	42
827	Differential subcellular localization of endogenous and transfected soluble epoxide hydrolase in mammalian cells: evidence for isozyme variants. <i>FEBS Letters</i> , 1999, 445, 301-305.	2.8	16
828	Development of an Immunoassay for the Pyrethroid Insecticide Esfenvalerate. <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 2145-2155.	5.2	76

#	ARTICLE	IF	CITATIONS
829	An Enzyme-Linked Immunosorbent Assay for the Detection of Esfenvalerate Metabolites in Human Urine. <i>Chemical Research in Toxicology</i> , 1999, 12, 1033-1041.	3.3	38
830	HPLC-MS Measurement of Atrazine Metabolites in Human Urine after Dermal Exposure. <i>Analytical Chemistry</i> , 1999, 71, 3519-3525.	6.5	100
831	Insecticidal Efficacy of a Recombinant Baculovirus Expressing JHE-KK, a Modified Juvenile Hormone Esterase. <i>Journal of Invertebrate Pathology</i> , 1999, 73, 234-236.	3.2	24
832	Chelate Sensor Method for Mercury. , 1999, , 101-116.		2
833	Toxicity of Linoleic Acid Metabolites. <i>Advances in Experimental Medicine and Biology</i> , 1999, 469, 471-477.	1.6	14
834	Multiple Epoxide Hydrolases in <i>Alternaria alternata</i> f. sp. <i>lycopersici</i> and Their Relationship to Medium Composition and Host-Specific Toxin Production. <i>Applied and Environmental Microbiology</i> , 1999, 65, 2388-2395.	3.1	15
835	Hapten design for compound-selective antibodies: ELISAs for environmentally deleterious small molecules. <i>Analytica Chimica Acta</i> , 1998, 376, 83-91.	5.4	96
836	Title is missing!. <i>Journal of Chemical Ecology</i> , 1998, 24, 221-252.	1.8	34
837	A depressant insect-selective toxin analog from the venom of the scorpion <i>Leiurus quinquestriatus hebraeus</i> . Purification and structure/function characterization. <i>FEBS Journal</i> , 1998, 254, 44-49.	0.2	30
838	Rapid purification and molecular modeling of AaIT peptides from venom of <i>Androctonus australis</i> . , 1998, 38, 53-65.		5
839	Expression and characterization of the recombinant juvenile hormone epoxide hydrolase (JHEH) from <i>Manduca sexta</i> . <i>Insect Biochemistry and Molecular Biology</i> , 1998, 28, 409-419.	2.7	39
840	Structural and Functional Consequences of Haloenol Lactone Inactivation of Murine and Human Glutathione S-Transferase. <i>Biochemistry</i> , 1998, 37, 6752-6759.	2.5	26
841	Development of a Highly Sensitive Enzyme-Linked Immunosorbent Assay Based on Polyclonal Antibodies for the Detection of Polychlorinated Dibenzo-p-dioxins. <i>Analytical Chemistry</i> , 1998, 70, 1092-1099.	6.5	78
842	Hapten Synthesis and Antibody Development for Polychlorinated Dibenzo-p-dioxin Immunoassays. <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 2407-2416.	5.2	39
843	Development of an Enzyme-Linked Immunosorbent Assay for Atrazine Mercapturic Acid in Human Urine. <i>Chemical Research in Toxicology</i> , 1998, 11, 342-352.	3.3	44
844	Development of an Enzyme-Linked Immunosorbent Assay for the Detection of the Pyrethroid Insecticide Fenpropathrin. <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 2211-2221.	5.2	87
845	Mechanism of Mammalian Soluble Epoxide Hydrolase Inhibition by Chalcone Oxide Derivatives. <i>Archives of Biochemistry and Biophysics</i> , 1998, 356, 214-228.	3.0	71
846	Analytical Performance of Accelerator Mass Spectrometry and Liquid Scintillation Counting for Detection of ¹⁴ C-Labeled Atrazine Metabolites in Human Urine. <i>Analytical Chemistry</i> , 1998, 70, 3463-3469.	6.5	77

#	ARTICLE	IF	CITATIONS
847	Comparison of a Time-Resolved Fluorescence Immunoassay and an Enzyme-Linked Immunosorbent Assay for the Analysis of Atrazine in Water. <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 3353-3358.	5.2	23
848	A homology-based model of Juvenile Hormone Esterase from the crop pest, <i>Heliothis virescens</i> . <i>Techniques in Protein Chemistry</i> , 1997, , 655-665.	0.3	4
849	Development of an Enzyme-Linked Immunosorbent Assay for Azadirachtin. <i>Journal of Agricultural and Food Chemistry</i> , 1997, 45, 2363-2368.	5.2	9
850	Development of an Enzyme-Linked Immunosorbent Assay for the Detection of Hydroxytriazines. <i>Journal of Agricultural and Food Chemistry</i> , 1997, 45, 414-424.	5.2	24
851	Evidence of Quinone Metabolites of Naphthalene Covalently Bound to Sulfur Nucleophiles of Proteins of Murine Clara Cells after Exposure to Naphthalene. <i>Chemical Research in Toxicology</i> , 1997, 10, 1008-1014.	3.3	80
852	Haloenol Lactone: A New Synergist of Chemotherapy in Vitro. <i>Biochemical and Biophysical Research Communications</i> , 1997, 241, 13-17.	2.1	12
853	Near-Infrared Fluorescent Immunoassays: A Novel Approach to Environmental Analysis. <i>ACS Symposium Series</i> , 1997, , 146-161.	0.5	3
854	Immunoassay of Cross-Reacting Analytes. <i>ACS Symposium Series</i> , 1997, , 331-342.	0.5	2
855	Rapid Mercury Assays. <i>ACS Symposium Series</i> , 1997, , 38-48.	0.5	1
856	Bioactivation of leukotoxins to their toxic diols by epoxide hydrolase. <i>Nature Medicine</i> , 1997, 3, 562-566.	30.7	268
857	Are leukotoxins toxic?. <i>Nature Medicine</i> , 1997, 3, 592-592.	30.7	1
858	Visualization of a Covalent Intermediate between Microsomal Epoxide Hydrolase, but not Cholesterol Epoxide Hydrolase, and their Substrates. <i>FEBS Journal</i> , 1997, 245, 490-496.	0.2	58
859	Anti-Insect Toxin 5 (Aalts) from <i>Androctonus Australis</i> . <i>FEBS Journal</i> , 1997, 246, 496-501.	0.2	27
860	Characterization of epoxide hydrolase activity in <i>Alternaria alternata</i> f. sp. <i>lycopersici</i> . Possible involvement in toxin production. <i>Mycopathologia</i> , 1997, 140, 51-58.	3.1	6
861	Characterization of the esterase isozymes of <i>fls typographus</i> (coleoptera, scolytidae). <i>Archives of Insect Biochemistry and Physiology</i> , 1997, 34, 203-221.	1.5	12
862	Mechanistic studies of the degradation of juvenile hormone esterase in <i>Manduca sexta</i> . <i>Archives of Insect Biochemistry and Physiology</i> , 1997, 34, 275-286.	1.5	25
863	Recombinant juvenile hormone esterase as a biochemical anti-juvenile hormone agent: Effects on ovarian development in <i>Acheta domesticus</i> . <i>Archives of Insect Biochemistry and Physiology</i> , 1997, 34, 359-368.	1.5	4
864	Utilization of scorpion insecticidal neurotoxins and baculoviruses for the design of novel selective biopesticides. , 1997, , 81-96.		1

#	ARTICLE	IF	CITATIONS
865	Development of Polyclonal Antibodies for Detection of Protein Modification by 1,2-Naphthoquinone. Chemical Research in Toxicology, 1996, 9, 904-909.	3.3	25
866	Immunoassay for Simazine and Atrazine with Low Cross-Reactivity for Propazine. Journal of Agricultural and Food Chemistry, 1996, 44, 2210-2219.	5.2	40
867	Synthesis of Protein Conjugates and Development of Immunoassays for AAL Toxins. Journal of Agricultural and Food Chemistry, 1996, 44, 1796-1803.	5.2	17
868	Recent Developments in Immunoassays and Related Methods for the Detection of Xenobiotics. ACS Symposium Series, 1996, , 110-126.	0.5	2
869	Development of an in situ toxicity assay system using recombinant baculoviruses. Biochemical Pharmacology, 1996, 51, 503-515.	4.4	24
870	Biochemical Characterization of the Human Liver Cytochrome P450 Arachidonic Acid Epoxygenase Pathway. Archives of Biochemistry and Biophysics, 1996, 330, 87-96.	3.0	135
871	Effects of Recombinant Baculoviruses on a Nontarget Endoparasitoid of <i>Heliothis virescens</i> . Biological Control, 1996, 6, 45-50.	3.0	32
872	Construction and Characterization of Immediate Early Baculovirus Pesticides. Biological Control, 1996, 7, 228-235.	3.0	26
873	Regulation of mouse liver microsomal esterases by clofibrate and sexual hormones. Biochemical Pharmacology, 1996, 51, 677-685.	4.4	11
874	Application of the Bootstrap to Calibration Experiments. Analytical Chemistry, 1996, 68, 763-770.	6.5	25
875	Development of Recombinant Baculoviruses for Insect Control. Annual Review of Entomology, 1996, 41, 191-210.	11.8	192
876	Tutorials for Support Techniques. , 1996, , 54-85.		0
877	Development of an Enzyme Immunoassay for <i>Alternaria alternata</i> f.sp. <i>lycopersici</i> Toxins. ACS Symposium Series, 1996, , 330-340.	0.5	1
878	Structure-activity relationships for substrates and inhibitors of mammalian liver microsomal carboxylesterases. Pharmaceutical Research, 1996, 13, 1495-1500.	3.5	29
879	Performance of two immunoassays for the determination of atrazine in sea water samples as compared with on-line solid phase extraction-liquid chromatography-diode array detection. Analytica Chimica Acta, 1996, 330, 41-51.	5.4	26
880	Influence of the braconid <i>Glyptapanteles liparidis</i> on the juvenile hormone titer of its larval host, the gypsy moth, <i>Lymantria dispar</i> . Archives of Insect Biochemistry and Physiology, 1996, 31, 337-351.	1.5	15
881	Purification and reassessment of ligand binding by the recombinant, putative juvenile hormone receptor of the tobacco hornworm, <i>Manduca sexta</i> . Archives of Insect Biochemistry and Physiology, 1996, 31, 371-393.	1.5	34
882	A procedure for the immunoanalysis of samples containing one or more members of a group of cross-reacting analytes. Analytica Chimica Acta, 1996, 336, 175-183.	5.4	16

#	ARTICLE	IF	CITATIONS
883	Comparison of wild type and genetically engineered nuclear polyhedrosis viruses of <i>Autographa californica</i> for mortality, virus replication and polyhedra production in <i>Trichoplusia ni</i> larvae. <i>Entomologia Experimentalis Et Applicata</i> , 1996, 81, 251-257.	1.4	44
884	Haloenol Lactone Is a New Isozyme-selective and Active Site-directed Inactivator of Glutathione S-Transferase. <i>Journal of Biological Chemistry</i> , 1996, 271, 20421-20425.	3.4	18
885	Identification and Isolation of a 155-kDa Protein with Neuropathy Target Esterase Activity. <i>Toxicological Sciences</i> , 1996, 30, 23-30.	3.1	0
886	Laboratory Considerations. , 1996, , 9-13.		1
887	Immunoassay Tutorials for Selected Environmental Analytes. , 1996, , 14-53.		0
888	<title>Immunoassays for pesticide monitoring</title>. , 1995, , .		0
889	Development of Assay for Analysis of Hg²⁺ Based on Sulfur-Containing Ligands. <i>ACS Symposium Series</i> , 1995, , 248-264.	0.5	3
890	Strategies for Immunoassay Hapten Design. <i>ACS Symposium Series</i> , 1995, , 119-139.	0.5	35
891	Impact of Emerging Technologies on Immunochemical Methods for Environmental Analysis. <i>ACS Symposium Series</i> , 1995, , 1-19.	0.5	9
892	Validation of two immunoassay methods for environmental monitoring of carbaryl and 1-naphthol in ground water samples. <i>Analytica Chimica Acta</i> , 1995, 311, 319-329.	5.4	35
893	An immunoarray for the simultaneous determination of multiple triazine herbicides. <i>Analytica Chimica Acta</i> , 1995, 304, 339-352.	5.4	60
894	Sources of experimental variation in calibration curves for enzyme-linked immunosorbent assay. <i>Analytica Chimica Acta</i> , 1995, 313, 197-207.	5.4	21
895	Immunochemical techniques for environmental analysis I. Immunosensors. <i>TrAC - Trends in Analytical Chemistry</i> , 1995, 14, 341-350.	11.4	79
896	Use of juvenile hormone esterase as a novel reporter enzyme in the baculovirus expression system. <i>Journal of Virological Methods</i> , 1995, 51, 103-113.	2.1	6
897	Generation of an expression library in the baculovirus expression vector system. <i>Journal of Virological Methods</i> , 1995, 53, 263-272.	2.1	5
898	Development of surrogate substrates for neuropathy target esterase. <i>BBA - Proteins and Proteomics</i> , 1995, 1250, 171-182.	2.1	4
899	Integration of Immunochemical Methods with Other Analytical Techniques for Pesticide Residue Determination. <i>Journal of AOAC INTERNATIONAL</i> , 1995, 78, 585-591.	1.5	28
900	Sequence Analysis of Individual Chains of Antibodies to Triazine Herbicides. <i>ACS Symposium Series</i> , 1995, , 31-49.	0.5	2

#	ARTICLE	IF	CITATIONS
901	Nucleotide sequence of the variable region of the heavy and light chains of a monoclonal IgG antibody reactive to herbicides, terbutryn and prometryn. <i>DNA Sequence</i> , 1995, 6, 51-54.	0.7	4
902	Mechanism of Soluble Epoxide Hydrolase. <i>Journal of Biological Chemistry</i> , 1995, 270, 26923-26930.	3.4	92
903	Molecular and Biochemical Evidence for the Involvement of the Asp-333-His-523 Pair in the Catalytic Mechanism of Soluble Epoxide Hydrolase. <i>Journal of Biological Chemistry</i> , 1995, 270, 7968-7974.	3.4	87
904	Development of an ELISA for the N-dealkylated s-triazines: Application to environmental and biological samples. <i>Food and Agricultural Immunology</i> , 1995, 7, 227-241.	1.4	13
905	Development of Rapid Mercury Assays. Synthesis of Sulfur- and Mercury-Containing Conjugates. <i>Bioconjugate Chemistry</i> , 1995, 6, 145-149.	3.6	15
906	ELISA for the detection of the triazole fungicide myclobutanil.. <i>Journal of Agricultural and Food Chemistry</i> , 1995, 43, 2083-2091.	5.2	22
907	Characterization of a spectrophotometric assay for juvenile hormone esterase. <i>Insect Biochemistry and Molecular Biology</i> , 1995, 25, 119-126.	2.7	17
908	Action of juvenile hormone (JH) esterase on the JH-JH binding protein complex. an in vitro model of JH metabolism in a caterpillar. <i>Insect Biochemistry and Molecular Biology</i> , 1995, 25, 727-734.	2.7	28
909	Positive cooperativity among insecticidal scorpion neurotoxins. <i>Toxicon</i> , 1995, 33, 1099-1102.	1.6	48
910	Differential regulation of soluble epoxide hydrolase by clofibrate and sexual hormones in the liver and kidneys of mice. <i>Biochemical Pharmacology</i> , 1995, 50, 501-508.	4.4	59
911	Gene Evolution of Epoxide Hydrolases and Recommended Nomenclature. <i>DNA and Cell Biology</i> , 1995, 14, 61-71.	1.9	131
912	Using Immunochemical Methods to Analyze for Biomarkers of Exposure. , 1995, , 143-155.		2
913	Integration of Liquid Chromatography with Immunoassay: An Approach Combining the Strengths of Both Methods. <i>Journal of AOAC INTERNATIONAL</i> , 1994, 77, 1275-1287.	1.5	20
914	Cloning and expression of soluble epoxide hydrolase from potato. <i>Plant Journal</i> , 1994, 6, 251-258.	5.7	98
915	Characterization of an Arabidopsis cDNA for a soluble epoxide hydrolase gene that is inducible by auxin and water stress. <i>Plant Journal</i> , 1994, 6, 259-269.	5.7	74
916	Extension of the four-parameter logistic model for ELISA to multianalyte analysis. <i>Journal of Immunological Methods</i> , 1994, 177, 1-7.	1.4	36
917	Sequence similarity of mammalian epoxide hydrolases to the bacterial haloalkane dehalogenase and other related proteins. <i>FEBS Letters</i> , 1994, 338, 251-256.	2.8	144
918	A Highly Sensitive and Rapid ELISA for the Arylurea Herbicides Diuron, Monuron, and Linuron. <i>Journal of Agricultural and Food Chemistry</i> , 1994, 42, 413-422.	5.2	80

#	ARTICLE	IF	CITATIONS
919	Larva lights: A decade of photoaffinity labeling with juvenile hormone analogues. <i>Insect Biochemistry and Molecular Biology</i> , 1994, 24, 747-761.	2.7	32
920	Development of a Selective Enzyme-Linked Immunosorbent Assay for 1-Naphthol-the Major Metabolite of Carbaryl (1-Naphthyl N-Methylcarbamate). <i>Journal of Agricultural and Food Chemistry</i> , 1994, 42, 934-943.	5.2	55
921	An Efficient Preparation of ¹⁸ O-Labeled Epoxides. <i>Journal of Organic Chemistry</i> , 1994, 59, 4316-4318.	3.2	17
922	Synthesis of Haptens and Derivation of Monoclonal Antibodies for Immunoassay of the Phenylurea Herbicide Diuron. <i>Journal of Agricultural and Food Chemistry</i> , 1994, 42, 301-309.	5.2	78
923	Chromosomal mapping and expression levels of a mouse soluble epoxide hydrolase gene. <i>Pharmacogenetics and Genomics</i> , 1994, 4, 64-72.	5.7	10
924	Affinity Purification of Mouse Liver Carboxylesterases with Trifluoromethyl Ketones as Ligands. <i>Journal of Pesticide Sciences</i> , 1994, 19, 321-324.	1.4	5
925	Properties of enzymes hydrating epoxides in human epidermis and liver. <i>International Journal of Biochemistry & Cell Biology</i> , 1993, 25, 1291-1301.	0.5	4
926	The interaction of cytosolic epoxide hydrolase with chiral epoxides. <i>International Journal of Biochemistry & Cell Biology</i> , 1993, 25, 43-52.	0.5	4
927	Development of recombinant viral insecticides by expression of an insect-specific toxin and insect-specific enzyme in nuclear polyhedrosis viruses. <i>Archives of Insect Biochemistry and Physiology</i> , 1993, 22, 315-344.	1.5	47
928	Stereochemical aspects of cytosolic epoxide hydrolase hydration of methyl diepoxystearates. <i>Tetrahedron</i> , 1993, 49, 2601-2612.	1.9	18
929	Inhibition of human and murine cytosolic epoxide hydrolase by group-selective reagents. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1993, 104, 299-308.	0.2	7
930	Inhibition of epoxide hydrolase from human, monkey, bovine, rabbit and murine liver by trans-3-phenylglycidols. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1993, 104, 309-314.	0.2	10
931	Hydrolysis of carbonates, thiocarbonates, carbamates, and carboxylic esters of alpha-naphthol, beta-naphthol, and p-nitrophenol by human, rat, and mouse liver carboxylesterases. <i>Pharmaceutical Research</i> , 1993, 10, 639-648.	3.5	78
932	Affinity chromatography of neuropathy target esterase. <i>Chemico-Biological Interactions</i> , 1993, 87, 347-360.	4.0	10
933	Recombinant Baculoviruses Expressing Foreign Genes for Insect Pest Control. <i>ACS Symposium Series</i> , 1993, , 281-297.	0.5	1
934	Lethal Ratios: An Optimized Strategy for Presentation of Bioassay Data Generated from Genetically Engineered Baculoviruses. <i>Journal of Invertebrate Pathology</i> , 1993, 62, 196-197.	3.2	12
935	Cloning, sequencing and expression of the Fab fragment of a monoclonal antibody to the herbicide atrazine. <i>Protein Engineering, Design and Selection</i> , 1993, 6, 981-988.	2.1	32
936	Hapten design and development of an ELISA (enzyme-linked immunosorbent assay) for the detection of the mercapturic acid conjugates of naphthalene. <i>Journal of Organic Chemistry</i> , 1993, 58, 7548-7556.	3.2	38

#	ARTICLE	IF	CITATIONS
937	Biochemical and histochemical properties of hepatic tumors of rainbow trout, <i>Oncorhynchus mykiss</i> . <i>Carcinogenesis</i> , 1993, 14, 211-217.	2.8	21
938	Ligand binding by a recombinant insect juvenile hormone binding protein. <i>Biochemistry</i> , 1993, 32, 2068-2075.	2.5	75
939	Development of an enzyme-linked immunosorbent assay for the .beta.-exotoxin of <i>Bacillus thuringiensis</i> . <i>Journal of Agricultural and Food Chemistry</i> , 1993, 41, 1530-1536.	5.2	8
940	Development of an enzyme-linked immunosorbent assay for carbaryl. <i>Journal of Agricultural and Food Chemistry</i> , 1993, 41, 423-430.	5.2	69
941	Enzyme-linked immunosorbent assay for the specific detection of the mercapturic acid metabolites of naphthalene. <i>Chemical Research in Toxicology</i> , 1993, 6, 284-293.	3.3	29
942	An enzyme immunoassay for the environmental monitoring of the herbicide bromacil. <i>Journal of Agricultural and Food Chemistry</i> , 1993, 41, 2220-2227.	5.2	42
943	Development of antibodies against hydroxyatrazine and hydroxysimazine: Application to environmental samples. <i>Journal of Agricultural and Food Chemistry</i> , 1993, 41, 1523-1529.	5.2	31
944	Determination of atrazine metabolites in human urine: Development of a biomarker of exposure. <i>Chemical Research in Toxicology</i> , 1993, 6, 107-116.	3.3	88
945	Insect Control by Use of Recombinant Baculoviruses Expressing Juvenile Hormone Esterase. <i>ACS Symposium Series</i> , 1993, , 368-383.	0.5	5
946	Recombinant Baculovirus Expressing an Insect-Selective Neurotoxin. <i>ACS Symposium Series</i> , 1993, , 348-367.	0.5	4
947	Influence of the ELISA format and the hapten-enzyme conjugate on the sensitivity of an immunoassay for S-triazine herbicides using monoclonal antibodies. <i>Journal of Agricultural and Food Chemistry</i> , 1992, 40, 525-530.	5.2	146
948	Development and Potential of Genetically Engineered Viral Insecticides. <i>Biotechnology and Genetic Engineering Reviews</i> , 1992, 10, 455-490.	6.2	44
949	Uptake of juvenile hormone esterase by pericardial cells of <i>Manduca sexta</i> . <i>Insect Biochemistry and Molecular Biology</i> , 1992, 22, 893-904.	2.7	32
950	Pharmacokinetic studies of the recombinant juvenile hormone esterase in <i>Manduca sexta</i> . <i>Pesticide Biochemistry and Physiology</i> , 1992, 42, 13-23.	3.6	28
951	Chemical contamination and the annual summer die-off of striped bass (<i>Morone saxatilis</i>) in the Sacramento-San Joaquin Delta. <i>Chemical Research in Toxicology</i> , 1992, 5, 100-105.	3.3	12
952	Synthesis of haptens and conjugates for an enzyme immunoassay for analysis of the herbicide bromacil. <i>Journal of Agricultural and Food Chemistry</i> , 1992, 40, 1459-1465.	5.2	28
953	Formation of cyclic products from the diepoxide of long-chain fatty esters by cytosolic epoxide hydrolase. <i>Archives of Biochemistry and Biophysics</i> , 1992, 294, 586-593.	3.0	22
954	Characterization of the cytosolic epoxide hydrolase-catalyzed hydration products from 9,10:12,13-diepoxystearic esters. <i>Archives of Biochemistry and Biophysics</i> , 1992, 294, 675-685.	3.0	21

#	ARTICLE	IF	CITATIONS
955	Genetic and molecular evidence for a trans-acting regulatory locus controlling glutathione S-transferase-2 expression in <i>Aedes aegypti</i> . <i>Molecular Genetics and Genomics</i> , 1992, 234, 169-176.	2.4	76
956	Biochemical characterization of a variant form of cytosolic epoxide hydrolase induced by parental exposure to N-ethyl-N-nitrosourea. <i>Comparative Biochemistry and Physiology Part C: Comparative Pharmacology</i> , 1992, 103, 207-214.	0.2	4
957	Analysis of the catalytic mechanism of juvenile hormone esterase by site-directed mutagenesis. <i>International Journal of Biochemistry & Cell Biology</i> , 1992, 24, 1933-1941.	0.5	62
958	An affinity-amplified immunoassay for juvenile hormone esterase. <i>Analytical Biochemistry</i> , 1992, 207, 291-297.	2.4	2
959	Immunochemical approach to the detection of aminotriazoles using selective amino group protection by chromophores. <i>Journal of Agricultural and Food Chemistry</i> , 1991, 39, 129-136.	5.2	19
960	The effect of structurally divergent herbicides on mouse liver xenobiotic-metabolizing enzymes (P-450-dependent mono-oxygenases, epoxide hydrolases and glutathione S-transferases) and carnitine acetyltransferase. <i>Toxicology Letters</i> , 1991, 59, 175-185.	0.8	13
961	Development of enzyme-linked immunosorbent assays for 4-nitrophenol and substituted 4-nitrophenols. <i>Journal of Agricultural and Food Chemistry</i> , 1991, 39, 1685-1692.	5.2	62
962	Development of an enzyme-linked immunosorbent assay for the herbicide bentazon. <i>Journal of Agricultural and Food Chemistry</i> , 1991, 39, 1537-1544.	5.2	61
963	Competitive inhibition ELISA for the s-triazine herbicides: assay optimization and antibody characterization. <i>Journal of Agricultural and Food Chemistry</i> , 1991, 39, 122-128.	5.2	107
964	Method for the analysis of 4-nitrophenol and parathion in soil using supercritical fluid extraction and immunoassay. <i>Journal of Agricultural and Food Chemistry</i> , 1991, 39, 1802-1807.	5.2	57
965	Effects of environmentally encountered epoxides on mouse liver epoxide-metabolizing enzymes. <i>Biochemical Pharmacology</i> , 1991, 41, 1625-1637.	4.4	11
966	Inhibition of cytosolic epoxide hydrolase by trans-3-phenylglycidols. <i>Biochemical Pharmacology</i> , 1991, 42, 1163-1175.	4.4	42
967	Glutathione S-transferase isozymes in <i>Aedes aegypti</i> : Purification, characterization, and isozyme-specific regulation. <i>Insect Biochemistry</i> , 1991, 21, 421-433.	1.8	76
968	Insecticidal effects of an insect-specific neurotoxin expressed by a recombinant baculovirus. <i>Virology</i> , 1991, 184, 777-780.	2.4	141
969	Use of dimethyldioxirane in the preparation of epoxy derivatives related to insect juvenile hormones. <i>Tetrahedron</i> , 1991, 47, 1291-1302.	1.9	32
970	Determination of atrazine and simazine in water and soil using polyclonal and monoclonal antibodies in enzyme-linked immunosorbent assays. <i>Food and Agricultural Immunology</i> , 1991, 3, 155-167.	1.4	44
971	Expression and effects of the juvenile hormone esterase in a baculovirus vector. <i>Nature</i> , 1990, 344, 458-461.	27.8	209
972	Juvenile hormone esterase is a biochemical anti-juvenile hormone agent. <i>Insect Biochemistry</i> , 1990, 20, 451-459.	1.8	23

#	ARTICLE	IF	CITATIONS
973	Human and murine cytosolic epoxide hydrolase: Physical and structural properties. International Journal of Biochemistry & Cell Biology, 1990, 22, 461-470.	0.5	18
974	Development of Immunoassays for Thiocarbamate Herbicides. ACS Symposium Series, 1990, , 100-107.	0.5	2
975	Hapten Synthesis for Pesticide Immunoassay Development. ACS Symposium Series, 1990, , 14-27.	0.5	13
976	Heterocyclic derivatives of 3-substituted-1,1,1-trifluoro-2-propanones as inhibitors of esterolytic enzymes. Chemical Research in Toxicology, 1990, 3, 325-332.	3.3	14
977	Hapten synthesis, antibody development, and competitive inhibition enzyme immunoassay for s-triazine herbicides. Journal of Agricultural and Food Chemistry, 1990, 38, 990-996.	5.2	198
978	The juvenile hormone titre during the penultimate and ultimate larval stadia of Trichoplusia ni. Journal of Insect Physiology, 1990, 36, 77-83.	2.0	42
979	Characterization of neuropathy target esterase using trifluoromethyl ketones. Biochemical Pharmacology, 1990, 40, 2587-2596.	4.4	29
980	Regulation of juvenile hormone esterase gene expression in the tobacco budworm (Heliothis) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462	3.0	59
981	Evaluation of an enzyme-linked immunosorbent assay (ELISA) for the direct analysis of molinate (Ordram®) in rice field water. Food and Agricultural Immunology, 1989, 1, 37-51.	1.4	55
982	Immunochemical Technology in Environmental Analysis. ACS Symposium Series, 1989, , 112-139.	0.5	15
983	Effects of Hepatic Inducers on Testicular Epoxide-Metabolizing Enzymes in the Rat and Mouse. Toxicological Sciences, 1989, 12, 449-459.	3.1	0
984	Immunochemical comparison of human and rhesus monkey liver microsomal and the hepatocellular carcinoma-induced human serum epoxide hydrolases (preneoplastic antigens): basis for an enzyme-linked immunoabsorbent assay. Carcinogenesis, 1989, 10, 343-349.	2.8	2
985	Quantitative kinetic assays for glutathione S-transferase and general esterase in individual mosquitoes using an EIA reader. Insect Biochemistry, 1989, 19, 741-751.	1.8	91
986	Use of immunochemical techniques for the analysis of pesticides. Pest Management Science, 1989, 26, 303-317.	0.4	109
987	New trifluoropropanone sulfides as highly active and selective inhibitors of insect juvenile hormone esterase. Pesticide Biochemistry and Physiology, 1989, 33, 112-124.	3.6	19
988	Catabolism of epoxy fatty esters by the purified epoxide hydrolase from mouse and human liver. Archives of Biochemistry and Biophysics, 1989, 272, 226-236.	3.0	36
989	Characterization of distinct forms of cytochromes P-450, epoxide metabolizing enzymes and UDP-glucuronosyltransferases in rat skin. Biochemical Pharmacology, 1989, 38, 2187-2194.	4.4	42
990	Microsomal and cytosolic epoxide hydrolase and glutathione S-transferase activities in the gill, liver, and kidney of the rainbow trout, Salmo gairdneri. Biochemical Pharmacology, 1989, 38, 881-887.	4.4	34

#	ARTICLE	IF	CITATIONS
991	Comparison of an enzyme-linked immunosorbent assay and gas chromatographic procedures for the determination of molinate residues. <i>Analytical Chemistry</i> , 1989, 61, 819-823.	6.5	40
992	Quantitative Structure-Activity Relationship Study of Aromatic Trifluoromethyl Ketones. <i>ACS Symposium Series</i> , 1989, , 169-182.	0.5	2
993	Immunoassay Techniques for Pesticide Analysis. , 1989, , 217-263.		22
994	Novel assay for determining the metabolic fate of juvenile hormone III: A study with <i>Drosophila melanogaster</i> . <i>Archives of Insect Biochemistry and Physiology</i> , 1988, 8, 25-37.	1.5	13
995	Characterization of juvenile hormone hydrolysis in early larval development of <i>Trichoplusia ni</i> . <i>Archives of Insect Biochemistry and Physiology</i> , 1988, 9, 135-156.	1.5	31
996	Affinity purification of cytosolic epoxide hydrolase using derivatized epoxy-activated Sepharose gels. <i>Analytical Biochemistry</i> , 1988, 169, 71-80.	2.4	90
997	Continuous spectrophotometric assays for cytosolic epoxide hydrolase. <i>Analytical Biochemistry</i> , 1988, 174, 291-299.	2.4	27
998	Kinetics of binding and hydrolysis of juvenile hormone II in the hemolymph of <i>Trichoplusia ni</i> (H ₄ bner). <i>Insect Biochemistry</i> , 1988, 18, 743-750.	1.8	16
999	Development of an enzyme-linked immunosorbent assay for the analysis of the thiocarbamate herbicide molinate. <i>Journal of Agricultural and Food Chemistry</i> , 1988, 36, 863-870.	5.2	93
1000	1,2-Epoxyalkanes: Substrates and inhibitors of microsomal and cytosolic epoxide hydrolases in mouse liver. <i>Biochemical Pharmacology</i> , 1988, 37, 2717-2722.	4.4	19
1001	Increased cholesterol epoxide hydrolase activity in clofibrate-fed animals. <i>Biochemical Pharmacology</i> , 1988, 37, 3169-3175.	4.4	10
1002	Sodium cholate extraction of rat liver nuclear xenobiotic-metabolizing enzymes. <i>Biochemical Pharmacology</i> , 1988, 37, 1331-1341.	4.4	2
1003	Juvenile hormone esterases in two heliothines: Kinetic, biochemical and immunogenic characterization. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1988, 90, 117-124.	0.2	5
1004	Short communication: Cytosolic epoxide hydrolase in human placenta. <i>Placenta</i> , 1988, 9, 559-563.	1.5	14
1005	Immunochemical Methods of Pesticide Residue Analysis. <i>ACS Symposium Series</i> , 1988, , 316-330.	0.5	9
1006	Location Dependent Biases in Automatic 96-Well Microplate Readers. <i>Journal of the Association of Official Analytical Chemists</i> , 1988, 71, 981-987.	0.2	12
1007	Inhibition of Juvenile Hormone Esterase by Transition-State Analogs. <i>ACS Symposium Series</i> , 1988, , 215-227.	0.5	6
1008	Monitoring <i>Bacillus thuringiensis</i> in the Environment with Enzyme-Linked Immunosorbent Assay. <i>ACS Symposium Series</i> , 1988, , 359-372.	0.5	6

#	ARTICLE	IF	CITATIONS
1009	Comparative Toxicology of Tetrachlorobiphenyls in Mink and Rats. <i>Toxicological Sciences</i> , 1987, 8, 5-14.	3.1	0
1010	Characterization of the Juvenile Hormone Esterases During Embryogenesis of the House Cricket, <i>Acheta domesticus</i> . <i>International Journal of Invertebrate Reproduction and Development</i> , 1987, 12, 57-71.	0.7	11
1011	Malathion toxicity and carboxylesterase activity in <i>Drosophila melanogaster</i> . <i>Pesticide Biochemistry and Physiology</i> , 1987, 29, 97-111.	3.6	18
1012	Biochemical and genetic analysis of epoxide-metabolizing enzymes in susceptible and resistant house flies, <i>Musca domestica</i> L. <i>Pesticide Biochemistry and Physiology</i> , 1987, 29, 138-145.	3.6	7
1013	<i>Bacillus thuringiensis</i> var. <i>israelensis</i> δ -endotoxin: Evidence of neurotoxic action. <i>Pesticide Biochemistry and Physiology</i> , 1987, 27, 42-49.	3.6	7
1014	The effects of dicofol on induction of hepatic microsomal metabolism in rats. <i>Pesticide Biochemistry and Physiology</i> , 1987, 28, 362-370.	3.6	8
1015	Immunochemical determination of microsomal epoxide hydrolase (preneoplastic antigen) in extrahepatic tissue. <i>Biochemical Pharmacology</i> , 1987, 36, 570-572.	4.4	2
1016	Substituted trifluoroketones as potent, selective inhibitors of mammalian carboxylesterases. <i>Biochemical Pharmacology</i> , 1987, 36, 1869-1879.	4.4	62
1017	Inhibition of epoxide hydrolases and glutathione S-transferases by 2-, 3-, and 4-substituted derivatives of 4-phenylchalcone and its oxide. <i>Archives of Biochemistry and Biophysics</i> , 1987, 254, 203-213.	3.0	24
1018	Purification of microsomal epoxide hydrolase from liver of rhesus monkey: Partial separation of cis- and trans-stibene oxide hydrolase. <i>Archives of Biochemistry and Biophysics</i> , 1987, 258, 156-166.	3.0	11
1019	Affinity purification of cytosolic epoxide hydrolase from human, rhesus monkey, baboon, rabbit, rat and mouse liver. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1987, 87, 95-102.	0.2	8
1020	Use of a 96-well microplate reader for measuring routine enzyme activities. <i>Analytical Biochemistry</i> , 1987, 166, 353-360.	2.4	81
1021	Lack of mosquitocidal activity by the cytolytic protein of the <i>Bacillus thuringiensis</i> subsp. <i>israelensis</i> parasporal crystal. <i>Current Microbiology</i> , 1987, 15, 21-23.	2.2	6
1022	Metabolism of tridiphane (2-(3,5-dichlorophenyl)-2-(2,2,2-trichloroethyl)oxirane) by hepatic epoxide hydrolases and glutathione S-transferases in mouse. <i>Toxicology and Applied Pharmacology</i> , 1987, 91, 439-449.	2.8	13
1023	Apparent induction of microsomal carboxylesterase activities in tissues of clofibrate-fed mice and rats. <i>Toxicology and Applied Pharmacology</i> , 1987, 89, 361-369.	2.8	23
1024	The effect of tridiphane (2-(3,5-dichlorophenyl)-2-(2,2,2-trichloroethyl)oxirane) on hepatic epoxide-metabolizing enzymes: Indications of peroxisome proliferation. <i>Toxicology and Applied Pharmacology</i> , 1987, 89, 37-48.	2.8	25
1025	The evaluation of anti juvenile hormones using last stadium larvae of the cabbage looper, <i>Trichoplusia ni</i> (H \ddot{A} 4bner). <i>Insect Biochemistry</i> , 1987, 17, 1011-1016.	1.8	5
1026	Activation of crude and homogeneous juvenile hormone esterases by organic solvents. <i>Insect Biochemistry</i> , 1987, 17, 1017-1021.	1.8	13

#	ARTICLE	IF	CITATIONS
1027	Role of juvenile hormone metabolism during embryogenesis of the house cricket, <i>Acheta domesticus</i> . <i>Insect Biochemistry</i> , 1987, 17, 1023-1026.	1.8	11
1028	Comparison of crude and affinity purified cytosolic epoxide hydrolases from hepatic tissue of control and clofibrate-fed mice. <i>Archives of Biochemistry and Biophysics</i> , 1986, 244, 292-309.	3.0	29
1029	Epoxide hydrolysis in the cytosol of rat liver, kidney, and testis. <i>Biochemical Pharmacology</i> , 1986, 35, 2073-2080.	4.4	38
1030	Effect of medroxyprogesterone acetate on hepatic and placental drug metabolism in rats. <i>Biochemical Pharmacology</i> , 1986, 35, 3655-3658.	4.4	2
1031	Optimization of assay conditions for epoxide metabolizing enzymes in <i>Trichoplusia ni</i> . <i>Insect Biochemistry</i> , 1986, 16, 319-325.	1.8	10
1032	Effects of parasitization of <i>Trichoplusia ni</i> by <i>Chelonus</i> sp.. <i>Physiological Entomology</i> , 1985, 10, 383-394.	1.5	37
1033	3-octylthio-1,1,1-trifluoro-2-propanone, a high affinity and slow binding inhibitor of juvenile hormone esterase from <i>Trichoplusia ni</i> (hA1/4bner). <i>Insect Biochemistry</i> , 1985, 15, 111-122.	1.8	72
1034	Epoxide metabolism in the liver of mice treated with clofibrate (ethyl- $\hat{1}$ -(p-chlorophenoxyisobutyrate)), a peroxisome proliferator. <i>Toxicology and Applied Pharmacology</i> , 1985, 78, 351-362.	2.8	43
1035	Separation of three biologically distinct activities from the parasporal crystal of <i>Bacillus thuringiensis</i> var. israelensis. <i>Current Microbiology</i> , 1985, 12, 121-126.	2.2	33
1036	Critical roles for juvenile hormone and its esterase+ in the prepupa of <i>Trichoplusia ni</i> . <i>Archives of Insect Biochemistry and Physiology</i> , 1985, 2, 397-404.	1.5	22
1037	$\hat{1}$ -Endotoxin of <i>Bacillus thuringiensis</i> var. israelensis. <i>ACS Symposium Series</i> , 1985, , 279-292.	0.5	2
1038	Bioassay of Anti Juvenile Hormone Compounds: An Alternative Approach. <i>ACS Symposium Series</i> , 1985, , 293-306.	0.5	2
1039	[16] Epoxide hydrolases in the catabolism of sterols and isoprenoids. <i>Methods in Enzymology</i> , 1985, 111, 303-311.	1.0	15
1040	[32] Analysis of juvenile hormone esterase activity. <i>Methods in Enzymology</i> , 1985, 111, 487-494.	1.0	67
1041	The apparent in vivo neuromuscular effects of the $\hat{1}$ -endotoxin of <i>Bacillus thuringiensis</i> var. israelensis in mice and insects of four orders. <i>Pesticide Biochemistry and Physiology</i> , 1985, 23, 85-94.	3.6	26
1042	Cyclopropyl oxiranes: Reversible inhibitors of cytosolic and microsomal epoxide hydrolases. <i>Archives of Biochemistry and Biophysics</i> , 1985, 237, 361-372.	3.0	19
1043	Inhibition of epoxide metabolism by $\hat{1}$, $\hat{1}$, $\hat{2}$ -epoxyketones and isosteric analogs. <i>Archives of Biochemistry and Biophysics</i> , 1985, 242, 11-15.	3.0	13
1044	Apparent multiple catalytic sites involved in the ester hydrolysis of juvenile hormones by the hemolymph and by an affinity-purified esterase from <i>Manduca sexta</i> johannson (Lepidoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 If 50 57 T		

#	ARTICLE	IF	CITATIONS
1045	Effect of dietary clofibrate on epoxide hydrolase activity in tissues of mice. <i>Biochemical Pharmacology</i> , 1985, 34, 1827-1833.	4.4	35
1046	A methodology for the analysis of the preneoplastic antigen. <i>Carcinogenesis</i> , 1984, 5, 1467-1473.	2.8	24
1047	Juvenile hormone esterases of Lepidoptera II. Isoelectric points and binding affinities of hemolymph juvenile hormone esterase and binding protein activities. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 1984, 154, 213-223.	1.5	41
1048	Comparison of coating and immunizing antigen structure on the sensitivity and specificity of immunoassays for benzoylphenyl urea insecticides. <i>Journal of Agricultural and Food Chemistry</i> , 1984, 32, 1294-1301.	5.2	96
1049	Synthesis and bioassay of isoprenoid 3-alkylthio-1,1,1-trifluoro-2-propanones: Potent, selective inhibitors of juvenile hormone esterase. <i>Archives of Biochemistry and Biophysics</i> , 1984, 228, 639-645.	3.0	72
1050	Kinetic properties of the inhibition of juvenile hormone esterase by two trifluoromethylketones and O-ethyl,S-phenyl phosphoramidothioate. <i>Pesticide Biochemistry and Physiology</i> , 1984, 21, 232-241.	3.6	25
1051	Substituted thiotrifluoropropanones as potent selective inhibitors of juvenile hormone esterase. <i>Pesticide Biochemistry and Physiology</i> , 1984, 22, 209-223.	3.6	133
1052	The haemolymph juvenile hormone esterase of <i>Manduca sexta</i> (L.)—inhibition and regulation. <i>Insect Biochemistry</i> , 1983, 13, 529-541.	1.8	110
1053	Differential induction of cytosolic epoxide hydrolase, microsomal epoxide hydrolase, and glutathione S-transferase activities. <i>Toxicology and Applied Pharmacology</i> , 1983, 71, 254-265.	2.8	137
1054	Radiometric assays for mammalian epoxide hydrolases and glutathione S-transferase. <i>Analytical Biochemistry</i> , 1983, 131, 273-282.	2.4	177
1055	Microsomal and cytosolic epoxide hydrolases in rhesus monkey liver, and in normal and neoplastic human liver. <i>Life Sciences</i> , 1983, 32, 2693-2700.	4.3	27
1056	Differential substrate selectivity of murine hepatic cytosolic and microsomal epoxide hydrolases. <i>Biochemical Pharmacology</i> , 1983, 32, 1155-1164.	4.4	53
1057	Prepupal regulation of juvenile hormone esterase through direct induction by juvenile hormone. <i>Journal of Insect Physiology</i> , 1983, 29, 471-475.	2.0	57
1058	Insect Growth Regulators: Resistance and The Future. , 1983, , 615-668.		13
1059	Rapid and sensitive enzyme-linked immunosorbent assay for the microsomal epoxide hydrolase. <i>Carcinogenesis</i> , 1982, 3, 1307-1310.	2.8	16
1060	Trifluoromethylketones as possible transition state analog inhibitors of juvenile hormone esterase. <i>Pesticide Biochemistry and Physiology</i> , 1982, 17, 76-88.	3.6	97
1061	Synthesis of haptens and potential radioligands and development of antibodies to insect growth regulators diflubenzuron and BAY SIR 8514. <i>Journal of Agricultural and Food Chemistry</i> , 1982, 30, 943-948.	5.2	29
1062	Development of enzyme-linked immunosorbent assays for residue analysis of diflubenzuron and BAY SIR 8514. <i>Journal of Agricultural and Food Chemistry</i> , 1982, 30, 949-957.	5.2	60

#	ARTICLE	IF	CITATIONS
1063	Spectrophotometric assay for mammalian cytosolic epoxide hydrolase using trans-stilbene oxide as the substrate. <i>Biochemical Pharmacology</i> , 1982, 31, 1979-1984.	4.4	35
1064	Chalcone oxidesâ€”potent selective inhibitors of cytosolic epoxide hydrolase. <i>Archives of Biochemistry and Biophysics</i> , 1982, 216, 423-439.	3.0	116
1065	The use of enzyme-linked immunosorbent assays (ELISA) for the determination of Triton X nonionic detergents. <i>Analytical Biochemistry</i> , 1982, 125, 168-176.	2.4	16
1066	Juvenile hormone esterases of Lepidoptera. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 1982, 148, 1-10.	1.5	58
1067	The source and action of head factors regulating juvenile hormone esterase in larvae of the cabbage looper, <i>Trichoplusia ni</i> . <i>Journal of Insect Physiology</i> , 1981, 27, 85-91.	2.0	58
1068	Epoxide hydrolase activity in the mitochondrial and submitochondrial fractions of mouse liver. <i>Biochemical Pharmacology</i> , 1981, 30, 2111-2120.	4.4	56
1069	Developmental and behavioural responses of larval <i>Trichoplusia ni</i> to parasitization by an imported braconid parasite <i>Chelonus</i> sp. <i>Physiological Entomology</i> , 1981, 6, 387-394.	1.5	56
1070	Epoxide hydrolase activity in the mitochondrial fraction of mouse liver. <i>Nature</i> , 1981, 291, 167-168.	27.8	38
1071	Approaches to the purification of the juvenile hormone esterase from the cabbage looper, <i>Trichoplusia ni</i> . <i>Insect Biochemistry</i> , 1981, 11, 437-444.	1.8	22
1072	The distribution of juvenile hormone esterase and its interrelationship with other proteins influencing juvenile hormone metabolism in the cabbage looper, <i>Trichoplusia ni</i> . <i>Insect Biochemistry</i> , 1981, 11, 473-485.	1.8	87
1073	Potential of Immunochemical Technology for Pesticide Analysis. <i>ACS Symposium Series</i> , 1980, , 321-352.	0.5	70
1074	Partial purification of the aggregation pheromone nippolure from female <i>Nippostrongylus brasiliensis</i> (Nematoda). <i>Journal of Chemical Ecology</i> , 1980, 6, 297-308.	1.8	8
1075	A rapid radiometric assay for mammalian cytosolic epoxide hydrolase. <i>Analytical Biochemistry</i> , 1980, 106, 476-485.	2.4	45
1076	Hydration of an 18O epoxide by a cytosolic epoxide hydrolase from mouse liver. <i>Life Sciences</i> , 1980, 27, 1635-1641.	4.3	21
1077	Comparative inhibition of the juvenile hormone esterases from <i>Trichoplusia ni</i> , <i>Tenebrio molitor</i> , and <i>Musca domestica</i> . <i>Pesticide Biochemistry and Physiology</i> , 1980, 14, 290-302.	3.6	94
1078	The effect of hepatic microsomal and cytosolic subcellular fractions on the mutagenic activity of epoxide-containing compounds in the Salmonella assay. <i>Mutation Research - Genetic Toxicology Testing and Biomonitoring of Environmental Or Occupational Exposure</i> , 1980, 79, 59-71.	1.2	40
1079	Mutagenicity of psoralen epoxides. <i>Mutation Research - Genetic Toxicology Testing and Biomonitoring of Environmental Or Occupational Exposure</i> , 1980, 79, 73-77.	1.2	30
1080	Distribution and properties of a mammalian soluble epoxide hydrase. <i>Biochemical Pharmacology</i> , 1980, 29, 389-395.	4.4	140

#	ARTICLE	IF	CITATIONS
1081	A partition assay for epoxide hydrolases acting on insect juvenile hormone and an epoxide-containing juvenoid. <i>Analytical Biochemistry</i> , 1979, 92, 16-21.	2.4	50
1082	Chromatographic fractionation of aggregation and sex pheromones of <i>Nippostrongylus brasiliensis</i> (Nematoda). <i>The Journal of Experimental Zoology</i> , 1979, 208, 311-318.	1.4	9
1083	A comparison of the induced and naturally occurring juvenile hormone esterases from last instar larvae of <i>Trichoplusia ni</i> . <i>Insect Biochemistry</i> , 1979, 9, 411-421.	1.8	68
1084	Induction and regulation of juvenile hormone esterases during the last larval instar of the cabbage looper, <i>Trichoplusia ni</i> . <i>Journal of Insect Physiology</i> , 1979, 25, 551-560.	2.0	79
1085	Haemolymph juvenile hormone esterase activity in synchronous last instar larvae of the cabbage looper, <i>Trichoplusia ni</i> . <i>Journal of Insect Physiology</i> , 1979, 25, 125-132.	2.0	112
1086	Hydration of cis- and trans-epoxymethyl stearates by the cytosolic epoxide hydrolase of mouse liver. <i>Biochemical and Biophysical Research Communications</i> , 1979, 89, 965-971.	2.1	80
1087	Synthesis and bioassay of carbamate inhibitors of the juvenile hormone hydrolyzing esterases from the housefly, <i>Musca domestica</i> . <i>Journal of Agricultural and Food Chemistry</i> , 1979, 27, 763-765.	5.2	8
1088	Effects of the anti hormone-hormone mimic ETB on the induction of insect juvenile hormone esterase in. <i>Life Sciences</i> , 1979, 25, 445-450.	4.3	24
1089	Substrate selectivity and stereochemistry of enzymatic epoxide hydration in the soluble fraction of mouse liver. <i>Pesticide Biochemistry and Physiology</i> , 1979, 11, 275-284.	3.6	49
1090	Stability of epoxide-containing juvenoids to dilute aqueous acid. <i>Journal of Agricultural and Food Chemistry</i> , 1979, 27, 1223-1228.	5.2	15
1091	Inhibition of epoxidation of methyl farnesoate to juvenile hormone III by cockroach corpus allatum homogenates. <i>Pesticide Biochemistry and Physiology</i> , 1978, 9, 39-47.	3.6	50
1092	Acute toxicity and developmental effects of analogs of ethyl .alpha.-(4-chlorophenoxy)-.alpha.-methylpropionate on two insects, <i>Oncopeltus fasciatus</i> and <i>Tenebrio molitor</i> . <i>Journal of Agricultural and Food Chemistry</i> , 1978, 26, 166-170.	5.2	10
1093	Development of an S-bioallethrin specific antibody. <i>Journal of Agricultural and Food Chemistry</i> , 1978, 26, 1328-1333.	5.2	58
1094	Mechanisms of resistance to the juvenoid methoprene in the house fly <i>Musca domestica</i> L. <i>Pesticide Biochemistry and Physiology</i> , 1977, 7, 261-272.	3.6	36
1095	Selective inhibition of JH esterases from cockroach hemolymph. <i>Pesticide Biochemistry and Physiology</i> , 1977, 7, 517-530.	3.6	47
1096	A rapid assay for insect juvenile hormone esterase activity. <i>Analytical Biochemistry</i> , 1977, 82, 573-579.	2.4	276
1097	Soluble mammalian epoxide hydratase: Action on juvenile hormone and other terpenoid epoxides. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1976, 53, 263-265.	0.2	23
1098	Metabolic O-dealkylation of 1-(4-ethylphenoxy)-3,7-dimethyl-7-methoxy or ethoxy-trans-2-octene, potent juvenoids. <i>Pesticide Biochemistry and Physiology</i> , 1975, 5, 12-18.	3.6	15

#	ARTICLE	IF	CITATIONS
1099	NADPH dependent epoxidation of methyl farnesoate to juvenile hormone in the cockroach L. Life Sciences, 1975, 17, 323-328.	4.3	62
1100	Detection and analysis of epoxides with 4-(p-nitrobenzyl)-pyridine. Bulletin of Environmental Contamination and Toxicology, 1974, 12, 759-764.	2.7	65
1101	Mammalian Metabolism and Environmental Degradation of the Juvenoid 1-(4'-Ethylphenoxy)-3,7-dimethyl-6,7-epoxy-. Journal of Agricultural and Food Chemistry, 1974, 22, 386-395.	5.2	81
1102	Synthesis and morphogenetic activity of derivatives and analogs of aryl geranyl ether juvenoids. Journal of Agricultural and Food Chemistry, 1974, 22, 379-385.	5.2	62
1103	Insect metabolism of a phenyl epoxygeranyl ether juvenoid and related compounds. Pesticide Biochemistry and Physiology, 1974, 4, 393-406.	3.6	25
1104	Potent juvenile hormone mimic, 1-(4'-ethylphenoxy)-6,7-epoxy-3,7-dimethyl-2-octene, labeled with tritium in either the ethylphenyl- or geranyl-derived moiety. Journal of Agricultural and Food Chemistry, 1972, 20, 439-442.	5.2	11
1105	PRELIMINARY CHROMATOGRAPHIC STUDIES ON THE METABOLITES AND PHOTODECOMPOSITION PRODUCTS OF THE JUVENOID 1-(4'-ETHYLPHENOXY)-6,7-EPOXY-3,7-DIMETHYL-2-OCTENE. , 1972, , 177-189.		17
1106	Using a quantum dot bead-based lateral flow immunoassay to broadly detect the adulteration of PDE-5 inhibitors in functional foods. Analytical Methods, 0, , .	2.7	0