

# Joseph J Brophy

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7855291/publications.pdf>

Version: 2024-02-01

152  
papers

1,439  
citations

471509

17  
h-index

552781

26  
g-index

152  
all docs

152  
docs citations

152  
times ranked

1105  
citing authors

#	ARTICLE	IF	CITATIONS
1	Î <sup>2</sup> -Triketones from Myrtaceae: Î <sup>2</sup> -Isoleptospermane from <i>Leptospermum scoparium</i> and Papuanone from <i>Corymbia dallachiana</i> . <i>Journal of Natural Products</i> , 1999, 62, 487-489.	3.0	66
2	Antimicrobial and antioxidant activity and chemical characterisation of <i>Erythrina stricta</i> Roxb. (Fabaceae). <i>Journal of Ethnopharmacology</i> , 2016, 185, 171-181.	4.1	47
3	Volatile Components of the Fruit of <i>Pistacia Lentiscus</i> . <i>Journal of Food Science</i> , 1990, 55, 1325-1326.	3.1	38
4	Leaf Oils of the Genus <i>Backhousia</i> (Myrtaceae). <i>Journal of Essential Oil Research</i> , 1995, 7, 237-254.	2.7	38
5	Anomalous ions in the chemical ionization mass spectra of aromatic nitro and nitroso compounds. <i>Organic Mass Spectrometry</i> , 1979, 14, 201-203.	1.3	37
6	<i>Melaleuca leucadendra</i> L. leaf oil: Two phenylpropanoid chemotypes. <i>Flavour and Fragrance Journal</i> , 1988, 3, 43-46.	2.6	34
7	Essential Oil of <i>Eryngium</i> L. Species from New South Wales (Australia). <i>Journal of Essential Oil Research</i> , 2003, 15, 392-397.	2.7	34
8	Essential Oils from the Leaves of Some Queensland Annonaceae. <i>Journal of Essential Oil Research</i> , 2004, 16, 95-100.	2.7	33
9	Jensenone, a ketone from <i>Eucalyptus jensenii</i> . <i>Phytochemistry</i> , 1992, 31, 2178-2179.	2.9	29
10	The Leaf Oils of the Australian Species of <i>Citrus</i> (Rutaceae). <i>Journal of Essential Oil Research</i> , 2001, 13, 264-268.	2.7	29
11	Leaf essential oils of the genus <i>Leptospermum</i> (Myrtaceae) in eastern Australia. Part 7. <i>Leptospermum petersonii</i> , <i>L. liversidgei</i> and allies. <i>Flavour and Fragrance Journal</i> , 2000, 15, 342-351.	2.6	27
12	The Essential Oil of <i>Ocimum tenuiflorum</i> L. (Lamiaceae) Growing in Northern Australia. <i>Journal of Essential Oil Research</i> , 1993, 5, 459-461.	2.7	24
13	Terpinolene Varieties of <i>Melaleuca</i> . <i>Journal of Essential Oil Research</i> , 1992, 4, 363-367.	2.7	22
14	The Leaf Essential Oils of the Australian Members of the Genus <i>Callistemon</i> (Myrtaceae). <i>Journal of Essential Oil Research</i> , 1998, 10, 595-606.	2.7	22
15	Leaf essential oils of the genus <i>Leptospermum</i> (Myrtaceae) in eastern Australia, Part 6. <i>Leptospermum polygalifolium</i> and allies. <i>Flavour and Fragrance Journal</i> , 2000, 15, 271-277.	2.6	22
16	Composition of the Leaf Oils of the Australian and Lord Howe Island Species of <i>Zanthoxylum</i> (Rutaceae). <i>Journal of Essential Oil Research</i> , 2000, 12, 285-291.	2.7	18
17	The Leaf Oils of the Australian Species of <i>Neolitsea</i> (Lauraceae). <i>Journal of Essential Oil Research</i> , 2002, 14, 191-195.	2.7	18
18	Variation of essential oil constituents in <i>Vitex trifolia</i> species. <i>Flavour and Fragrance Journal</i> , 1991, 6, 97-99.	2.6	17

#	ARTICLE	IF	CITATIONS
19	The leaf essential oil of two chemotypes of <i>Backhousia anisata</i> Vickery. <i>Flavour and Fragrance Journal</i> , 1991, 6, 187-188.	2.6	17
20	Novel pyrazines from the head of Australian ponerine ant <i>Rhytidoponera metallica</i> . <i>Journal of Chemical Ecology</i> , 1987, 13, 1811-1822.	1.8	16
21	Steam volatile leaf oils of some Western Australian <i>Eucalyptus</i> species. <i>Flavour and Fragrance Journal</i> , 1991, 6, 265-269.	2.6	15
22	Steam volatile leaf oils of some <i>Melaleuca</i> species from western Australia. <i>Flavour and Fragrance Journal</i> , 1992, 7, 27-31.	2.6	15
23	Effect of Harvest Time on the Leaf and Essential Oil Yield of <i>Eucalyptus camaldulensis</i> . <i>Journal of Essential Oil Research</i> , 1995, 7, 627-632.	2.7	15
24	Leaf Oils of the Australian Species of <i>Polyalthia</i> (Annonaceae). <i>Journal of Essential Oil Research</i> , 2001, 13, 5-7.	2.7	15
25	Phytochemical Profile and Antibacterial and Antioxidant Activities of Medicinal Plants Used by Aboriginal People of New South Wales, Australia. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 2016, 1-14.	1.2	15
26	The volatile oils of <i>Euodia hortensis</i> and <i>Maehortensis</i> . <i>Flavour and Fragrance Journal</i> , 1985, 1, 17-20.	2.6	14
27	Constituents of <i>Santalum spicatum</i> (R.Br.) A. DC. Wood Oil. <i>Journal of Essential Oil Research</i> , 1991, 3, 381-385.	2.7	14
28	Leaf essential oils of the genus <i>Leptospermum</i> (Myrtaceae) in Eastern Australia. Part 1. <i>Leptospermum brachyandrum</i> and <i>Leptospermum pallidum</i> groups. <i>Flavour and Fragrance Journal</i> , 1998, 13, 19-25.	2.6	14
29	Constituents of the volatile leaf oils of <i>Polyscias fruticosa</i> (L.) Harms.. <i>Flavour and Fragrance Journal</i> , 1990, 5, 179-182.	2.6	13
30	Mass Spectra of Some $\beta$ -Triketones from Australian Myrtaceae. <i>Journal of Essential Oil Research</i> , 1996, 8, 465-470.	2.7	13
31	Composition of <i>Polygonum odoratum</i> Lour. from Southern Australia. <i>Journal of Essential Oil Research</i> , 1997, 9, 603-604.	2.7	13
32	Essential Oil of Leaves and Inflorescence of <i>Schinus terebinthifolius</i> : An Exotic Plant of India. <i>Journal of Essential Oil Research</i> , 1998, 10, 697-699.	2.7	13
33	Leaf essential oils of the genus <i>Leptospermum</i> (Myrtaceae) in eastern Australia. Part 5. <i>Leptospermum continentale</i> and allies. <i>Flavour and Fragrance Journal</i> , 1999, 14, 98-104.	2.6	13
34	The Leaf Essential Oils of <i>Eucalyptus miniata</i> and Its Allies. <i>Journal of Essential Oil Research</i> , 2004, 16, 89-94.	2.7	13
35	Bioactivity and chemical characterisation of <i>Lophostemon suaveolens</i> – an endemic Australian Aboriginal traditional medicinal plant. <i>Natural Product Research</i> , 2016, 30, 693-696.	1.8	13
36	Electron impact and chemical ionization mass spectra of aryl ureas. <i>Organic Mass Spectrometry</i> , 1979, 14, 379-386.	1.3	12

#	ARTICLE	IF	CITATIONS
37	Leaf essential oils of the genus <i>Leptospermum</i> (Myrtaceae) in eastern Australia. Part 3. <i>Leptospermum arachnoides</i> and allies. <i>Flavour and Fragrance Journal</i> , 1999, 14, 85-91.	2.6	12
38	Essential Oil Composition of <i>Eryngium Campestre</i> L. Growing in Different Soil Types. A Preliminary Study. <i>Natural Product Communications</i> , 2008, 3, 1934578X0800300.	0.5	12
39	Low-energy, low-temperature mass spectra. 9. The linear undecanols. <i>Organic Mass Spectrometry</i> , 1988, 23, 659-662.	1.3	11
40	Leaf Essential Oil of Two Chemotypes of <i>Eucalyptus cloeziana</i> F. Muell.. <i>Journal of Essential Oil Research</i> , 1990, 2, 87-90.	2.7	11
41	Low-energy, low-temperature mass spectra. Part 15: Electron ionization mass spectra of some monoterpene hydrocarbons. <i>Organic Mass Spectrometry</i> , 1992, 27, 1042-1051.	1.3	11
42	Essential Oils of the Genus <i>Crocea</i> (Rutaceae). <i>Journal of Essential Oil Research</i> , 1997, 9, 401-409.	2.7	11
43	The Leaf Oils of the Australian Species of <i>Cinnamomum</i> (Lauraceae). <i>Journal of Essential Oil Research</i> , 2001, 13, 332-335.	2.7	11
44	Steam volatile leaf oils of some Western Australian species of the family Myrtaceae. <i>Flavour and Fragrance Journal</i> , 2004, 19, 12-16.	2.6	11
45	The essential oils of the indigenous Myrtaceae of Lord Howe Island. <i>Flavour and Fragrance Journal</i> , 1993, 8, 153-159.	2.6	10
46	The essential oils of Australian <i>Austromyrtus</i> sens. lat. Part 1. The <i>A. dulcis</i> group. <i>Flavour and Fragrance Journal</i> , 1995, 10, 69-73.	2.6	10
47	The Leaf Essential Oils of the Genus <i>Syncarpia</i> Ten. (Myrtaceae). <i>Flavour and Fragrance Journal</i> , 1996, 11, 361-366.	2.6	10
48	The Leaf Essential Oils of the Australian Species of <i>Desmos</i> (Annonaceae). <i>Journal of Essential Oil Research</i> , 2002, 14, 298-301.	2.7	10
49	Leaf Oils of the Endemic <i>Melicope</i> (Rutaceae) of Lord Howe Island. <i>Journal of Essential Oil Research</i> , 2004, 16, 449-452.	2.7	10
50	Triumphalone, a diketone from the volatile oil of the leaves of <i>Melaleuca triumphalis</i> , and its spontaneous conversion into isotriumphalone. <i>Phytochemistry</i> , 2006, 67, 2085-2089.	2.9	10
51	The Essential Oils of the Genus <i>Doryphora</i> . <i>Journal of Essential Oil Research</i> , 1993, 5, 581-586.	2.7	9
52	Essential Oil of <i>Mentha diemenica</i> (Lamiaceae). <i>Journal of Essential Oil Research</i> , 1996, 8, 179-181.	2.7	9
53	The Essential Oils of the Australian Species of <i>Xylopia</i> (Annonaceae). <i>Journal of Essential Oil Research</i> , 1998, 10, 469-472.	2.7	9
54	Leaf essential oils of the genus <i>Leptospermum</i> (Myrtaceae) in eastern Australia, Part 4. <i>Leptospermum deanei</i> and allies. <i>Flavour and Fragrance Journal</i> , 1999, 14, 92-97.	2.6	9

#	ARTICLE	IF	CITATIONS
55	Essential oils of the genus <i>Lophostemon</i> (Myrtaceae). <i>Flavour and Fragrance Journal</i> , 2000, 15, 17-20.	2.6	9
56	The Leaf Oils of the Australian Species of <i>Miliusa</i> (Annonaceae). <i>Journal of Essential Oil Research</i> , 2004, 16, 253-255.	2.7	9
57	The Leaf Essential Oils of the Australian Species of <i>Pseuduvaria</i> (Annonaceae). <i>Journal of Essential Oil Research</i> , 2004, 16, 362-366.	2.7	9
58	A Preliminary Examination of the Leaf Oils of the Genus <i>Xanthostemon</i> (Myrtaceae) in Australia. <i>Journal of Essential Oil Research</i> , 2006, 18, 222-230.	2.7	9
59	Chemistry of the Australian Gymnosperms. Part IX. The Leaf Oils of the Australian Members of the Genus <i>Callitris</i> (Cupressaceae). <i>Journal of Essential Oil Research</i> , 2007, 19, 57-71.	2.7	9
60	Essential Oil of <i>Austromatthaea elegans</i> L.S. Smith (Monimiaceae) Leaves. <i>Journal of Essential Oil Research</i> , 1995, 7, 585-588.	2.7	8
61	Chemotype Variation in the Leaf Essential Oils of <i>Melicope melanophloia</i> C.T. White (Rutaceae). <i>Journal of Essential Oil Research</i> , 1997, 9, 279-282.	2.7	8
62	Essential oils of some Australian monimiaceae. <i>Flavour and Fragrance Journal</i> , 1998, 13, 273-276.	2.6	8
63	Leaf essential oils of the genus <i>Leptospermum</i> (Myrtaceae) in eastern Australia. Part 2. <i>Leptospermum blakelyi</i> and allies. <i>Flavour and Fragrance Journal</i> , 1998, 13, 353-358.	2.6	8
64	Chemistry of the Australian Gymnosperms—Part 5: Leaf Essential Oils of Some Endemic Tasmanian Gymnosperms: <i>Diselma archeri</i> , <i>Lagarostrobos franklinii</i> , <i>Microcachrys tetragona</i> and <i>Phyllocladus aspleniifolius</i> . <i>Journal of Essential Oil Research</i> , 2003, 15, 217-220.	2.7	8
65	The Steam-Volatile Oil of Commercial <i>Almaciga</i> Resin ( <i>Agathis philippinensis</i> Warb.) from the Philippines. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2008, 11, 634-637.	1.9	8
66	An examination of the leaf essential oils of the endemic <i>Melaleuca</i> (Myrtaceae) species of New Caledonia. <i>Journal of Essential Oil Research</i> , 2012, 24, 273-278.	2.7	8
67	Identification of 4-substituted 2-(4-x-2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine (25X-NBOMe) and analogues by gas chromatography–mass spectrometry analysis of heptafluorobutyric anhydride (HFBA) derivatives. <i>Australian Journal of Forensic Sciences</i> , 2016, 48, 59-73.	1.2	8
68	Leaf Essential Oils of the Australian Members of the Genus <i>Zygogynum</i> . <i>Journal of Essential Oil Research</i> , 1994, 6, 353-361.	2.7	7
69	The essential oils of <i>Choricarpia leptopetala</i> (f. muell.) domin and <i>C. subargentea</i> (c.t. white) l.a.s. johnson (myrtaceae). <i>Flavour and Fragrance Journal</i> , 1994, 9, 7-10.	2.6	7
70	(E)- $\beta$ -Ocimene from Two Species of <i>Austromyrtus</i> (Myrtaceae). <i>Journal of Essential Oil Research</i> , 1995, 7, 1-4.	2.7	7
71	The leaf essential oils of the Australian species of <i>Rhodamnia</i> (Myrtaceae). <i>Flavour and Fragrance Journal</i> , 1997, 12, 345-354.	2.6	7
72	The Leaf Essential Oil of <i>Cryptocarya cunninghamii</i> Meissner (Lauraceae). <i>Journal of Essential Oil Research</i> , 1998, 10, 73-75.	2.7	7

#	ARTICLE	IF	CITATIONS
73	Essential Oil of <i>Lindera queenslandica</i> (Lauraceae). <i>Journal of Essential Oil Research</i> , 1999, 11, 453-455.	2.7	7
74	Essential Oil Isolates from the Australian Flora. Part 3. <i>Journal of Essential Oil Research</i> , 2000, 12, 267-278.	2.7	7
75	<i>Darwinia citriodora</i> (Myrtaceae), a New Source of Methyl Myrtenate and Methyl Geranate. <i>Journal of Essential Oil Research</i> , 2001, 13, 58-60.	2.7	7
76	Leaf Oils of the Genus <i>Acradenia</i> (Rutaceae). <i>Journal of Essential Oil Research</i> , 2001, 13, 136-139.	2.7	7
77	The Chemistry of the Australian Gymnosperms—Part 4: the Leaf Oils of the Genus <i>Athrotaxis</i> D. Don (Cupressaceae). <i>Journal of Essential Oil Research</i> , 2002, 14, 109-113.	2.7	7
78	The Leaf Oils of the Queensland Species of <i>Melodorum</i> (Annonaceae). <i>Journal of Essential Oil Research</i> , 2004, 16, 483-486.	2.7	7
79	Essential Oil Composition of <i>Eryngium paludosum</i> (Moore et Betche) P.W. Michael: An Endemic Species from Eastern Australia. <i>Journal of Essential Oil Research</i> , 2008, 20, 416-419.	2.7	7
80	An examination of the leaf essential oils of three <i>Eugenia</i> (Myrtaceae) species endemic to New Caledonia. <i>Journal of Essential Oil Research</i> , 2014, 26, 71-75.	2.7	7
81	Volatile leaf oil of <i>Coleonema pulchellum williams</i> (rutaceae). <i>Flavour and Fragrance Journal</i> , 1986, 1, 155-157.	2.6	6
82	Essential Oil of <i>Bouchardatia neurococca</i> (Rutaceae) Leaves. <i>Journal of Essential Oil Research</i> , 1994, 6, 505-506.	2.7	6
83	Leaf Essential Oil of <i>Austrobaileya scandens</i> C. White. <i>Journal of Essential Oil Research</i> , 1994, 6, 301-303.	2.7	6
84	The Essential Oil of <i>Welchiodendron longivalve</i> (F. Muell.) Peter G. Wilson & J. T. Waterh. and <i>Lindsayomyrtus racemoides</i> (Greves) Craven (Myrtaceae) Leaves. <i>Flavour and Fragrance Journal</i> , 1996, 11, 67-70.	2.6	6
85	The Essential Oils of the Australian Species of <i>Uromyrtus</i> (Myrtaceae). <i>Flavour and Fragrance Journal</i> , 1996, 11, 133-138.	2.6	6
86	The Essential Oils of Australian <i>Austromyrtus</i> sens. lat. Part 3. The <i>Austromyrtus bidwillii</i> Group. <i>Flavour and Fragrance Journal</i> , 1996, 11, 275-287.	2.6	6
87	(Z)- $\beta$ -Ocimene from Two Species of <i>Homoranthus</i> (Myrtaceae). <i>Journal of Essential Oil Research</i> , 1998, 10, 229-233.	2.7	6
88	Leaf Essential Oils of Some <i>Leptospermum</i> (Myrtaceae) Species from Southern and Western Australia. <i>Journal of Essential Oil Research</i> , 1999, 11, 1-5.	2.7	6
89	The Leaf Oils of <i>Dinosperma erythrocca</i> and <i>D. stipitata</i> (Rutaceae). <i>Journal of Essential Oil Research</i> , 2002, 14, 443-446.	2.7	6
90	Chemistry of the Australian Gymnosperms. Part 6. Leaf Oils of the Australian Species of Genus <i>Podocarpus</i> . <i>Journal of Essential Oil Research</i> , 2004, 16, 342-346.	2.7	6

#	ARTICLE	IF	CITATIONS
91	The volatile leaf oil of <i>Eugenia javanica</i> lamk. <i>Flavour and Fragrance Journal</i> , 1987, 2, 37-40.	2.6	5
92	Angustifolenone, a ketone from <i>Backhousia angustifolia</i> . <i>Phytochemistry</i> , 1989, 28, 1259-1261.	2.9	5
93	The Leaf Essential Oil of <i>Haplostichanthus johnsonii</i> F. Muell.. <i>Journal of Essential Oil Research</i> , 1992, 4, 315-316.	2.7	5
94	The leaf essential oil of <i>Arillastrum gummiferum</i> (brongniart & gris) pancher ex baillon. <i>Flavour and Fragrance Journal</i> , 1994, 9, 47-49.	2.6	5
95	Leaf Essential Oils of <i>Lunasia amara</i> var. <i>amara</i> and <i>Sarcomelicope simplicifolia</i> subsp. <i>simplicifolia</i> (Rutaceae) from Australia. <i>Journal of Essential Oil Research</i> , 1997, 9, 141-144.	2.7	5
96	Leaf Essential Oil of <i>Mentha grandiflora</i> Benth. (Lamiaceae). <i>Journal of Essential Oil Research</i> , 1997, 9, 459-461.	2.7	5
97	Leaf Essential Oil of <i>Fitzalania heteropetala</i> F. Muell. (Annonaceae). <i>Journal of Essential Oil Research</i> , 1997, 9, 93-94.	2.7	5
98	A Comparison of the Leaf Oils of <i>Melaleuca squamophloia</i> with Those of Its Close Relatives, <i>M. styphelioides</i> and <i>M. bracteata</i> . <i>Journal of Essential Oil Research</i> , 1999, 11, 327-332.	2.7	5
99	Essential Oils of Australian Species of the Genera <i>Tristaniopsis</i> and <i>Tristania</i> (Myrtaceae). <i>Journal of Essential Oil Research</i> , 1999, 11, 661-665.	2.7	5
100	The leaf essential oils of <i>Pilidiostigma</i> (Myrtaceae). <i>Flavour and Fragrance Journal</i> , 1999, 14, 143-146.	2.6	5
101	Essential Oils of Australian Gymnosperms. Part 1. The Leaf Oil of <i>Sundacarpus amarus</i> (Blume) C.N. Page (Podocarpaceae). <i>Journal of Essential Oil Research</i> , 2000, 12, 421-423.	2.7	5
102	Leaf Essential Oils of the Australian Species of <i>Gyrocarpus</i> and <i>Hernandia</i> (Hernandiaceae). <i>Journal of Essential Oil Research</i> , 2000, 12, 717-722.	2.7	5
103	The Essential Oils of the Queensland Species of <i>Thryptomene</i> (Myrtaceae). <i>Journal of Essential Oil Research</i> , 2000, 12, 11-13.	2.7	5
104	<i>Melaleuca teretifolia</i> Chemovars: New Australian Sources of Citral and 1,8-Cineole. <i>Journal of Essential Oil Research</i> , 2003, 15, 339-341.	2.7	5
105	Leaf Oils of the Genus <i>Brombya</i> (Rutaceae). <i>Journal of Essential Oil Research</i> , 2004, 16, 402-404.	2.7	5
106	Essential Oils from the Leaves of the Australian Species of <i>Palmeria</i> (Monimiaceae). <i>Journal of Essential Oil Research</i> , 2004, 16, 312-317.	2.7	5
107	An Investigation of the Leaf Oils of the Western Australian Broombush Complex ( <i>Melaleuca</i> ) Tj ETQq1 1 0.784314 rgBT / Overlock 10	2.7	5
108	The volatile leaf oil of <i>Vitex limonifolia</i> wall. <i>Flavour and Fragrance Journal</i> , 1990, 5, 53-55.	2.6	4

#	ARTICLE	IF	CITATIONS
109	Secondary amines isolated from venom gland of dolichoderine antTechnomyrmex albipes. Journal of Chemical Ecology, 1993, 19, 2183-2192.	1.8	4
110	Variation inArchirhodomyrtus beckleri (F. Muell.) A.J. Scott (Myrtaceae): Evidence from Volatile Oils. Flavour and Fragrance Journal, 1996, 11, 11-14.	2.6	4
111	The Essential Oils of the Australian Species ofRhodomyrtus (Myrtaceae). Flavour and Fragrance Journal, 1997, 12, 103-108.	2.6	4
112	Leaf Essential Oils of the GenusWaterhousea(Myrtaceae). Journal of Essential Oil Research, 2002, 14, 31-34.	2.7	4
113	The Essential Oils of Some AustralianCassythaSpecies (Lauraceae). Journal of Essential Oil Research, 2009, 21, 543-546.	2.7	4
114	Isoamyl Isovalerate from Essential Oil ofMicromyrtus striata). W. Green. Journal of Essential Oil Research, 1991, 3, 281-283.	2.7	3
115	The Leaf Essential Oils of<i>Eucalyptus nova-anglica</i>Deane & Maiden. Journal of Essential Oil Research, 1992, 4, 29-32.	2.7	3
116	Essential Oils in the Leaf, Bark and Seed of Mopane (Colophospermum mopane). South African Forestry Journal, 1992, 161, 23-25.	0.1	3
117	The leaf essential oil ofIdiospermum australiense (Diels) S. T. Blake (Idiospermaceae). Flavour and Fragrance Journal, 1992, 7, 79-80.	2.6	3
118	The Essential Oil ofOsbornia octodontaF. Muell.. Journal of Essential Oil Research, 1993, 5, 1-5.	2.7	3
119	Essential Oil of the Leaves and Flowers of<i>Actinodium cunninghamii</i>Schauer (Myrtaceae). Journal of Essential Oil Research, 1994, 6, 639-640.	2.7	3
120	The essential oils of AustralianAustromyrtus sens. lat. Part 2. TheAustromyrtus lasioclada group. Flavour and Fragrance Journal, 1995, 10, 293-296.	2.6	3
121	The Leaf Essential Oil ofPitaviaster haplophyllus(F. Muell.) T. G. Hartley. Journal of Essential Oil Research, 2002, 14, 130-131.	2.7	3
122	The Essential Oils of Pentaceras australe (Rutaceae). Journal of Essential Oil Research, 2002, 14, 348-350.	2.7	3
123	The Rediscovery and Leaf Oil Chemistry ofDinosperma longifoliumT.G. Hartley (Rutaceae). Journal of Essential Oil Research, 2004, 16, 350-352.	2.7	3
124	Leaf Oil ofBackhousia enata(Myrtaceae). Journal of Essential Oil Research, 2007, 19, 26-27.	2.7	3
125	Essential Oil Composition of two New Species of Phebalium (Rutaceae) from North-Eastern NSW, Australia. Natural Product Communications, 2009, 4, 1934578X0900400.	0.5	3
126	Coconut Laurels: The Leaf Essential Oils from Four Endemic Australian <i>Cryptocarya</i> Species: <i>C. Bellendenkerana</i>, <i>C. Cocosoides</i>, <i>C. Cunninghamii</i> and <i>C. Lividula</i> (Lauraceae). Natural Product Communications, 2016, 11, 1934578X1601100.	0.5	3

#	ARTICLE	IF	CITATIONS
127	Leaf oils of the Australian species of <i>Clausena</i> and <i>Micromelum</i> (Rutaceae). <i>Journal of Essential Oil Research</i> , 2016, 28, 406-412.	2.7	3
128	The leaf essential oil of <i>allosyncarpia ternata</i> S. T. Blake. <i>Flavour and Fragrance Journal</i> , 1992, 7, 117-119.	2.6	2
129	The Leaf Essential Oil of <i>Angasomyrtus salina</i> Trudgen & Keighery. <i>Journal of Essential Oil Research</i> , 1994, 6, 69-71.	2.7	2
130	Essential Oil of <i>Lysicarpus angustifolius</i> (Hook.) Druce (Myrtaceae). <i>Journal of Essential Oil Research</i> , 1994, 6, 139-143.	2.7	2
131	Essential Oil of the Leaves and Flowers of <i>Geleznovia verrucosa</i> Turcz. (Rutaceae). <i>Journal of Essential Oil Research</i> , 1995, 7, 663-665.	2.7	2
132	The Leaf Essential Oil of <i>Thaleroxia queenslandica</i> (Myrtaceae). <i>Journal of Essential Oil Research</i> , 1997, 9, 587-588.	2.7	2
133	The Essential Oil of <i>Acmenosperma claviflorum</i> (Myrtaceae). <i>Journal of Essential Oil Research</i> , 1999, 11, 162-164.	2.7	2
134	Chemistry of Australian Gymnosperms. Part III. Leaf Oils of the Genus <i>Microstrobos</i> (Podocarpaceae). <i>Journal of Essential Oil Research</i> , 2001, 13, 108-109.	2.7	2
135	Leaf Oils of the Genera <i>Barongia</i> , <i>Mitrantia</i> , <i>Sphaerantia</i> and <i>Ristantia</i> (Myrtaceae). <i>Journal of Essential Oil Research</i> , 2003, 15, 226-230.	2.7	2
136	The Leaf Essential Oils of <i>Viticipremna queenslandica</i> (Lamiaceae). <i>Journal of Essential Oil Research</i> , 2008, 20, 403-404.	2.7	2
137	A Preliminary Investigation of the Leaf Essential Oils of the Australian Species of <i>Endressia</i> , <i>Steganthera</i> and <i>Wilkiea</i> (Monimiaceae). <i>Journal of Essential Oil Research</i> , 2009, 21, 115-122.	2.7	2
138	Essential Oil Composition of the Different Parts of <i>Eryngium aquifolium</i> from Spain. <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.5	2
139	Chemical Composition and Acaricidal Activity of <i>Nemuaron vieillardii</i> Essential Oil against the Cattle Tick <i>Rhipicephalus (Boophilus) microplus</i> . <i>Natural Product Communications</i> , 2016, 11, 1934578X1601101.	0.5	2
140	Mass spectra of aryl sulphenamides. <i>Organic Mass Spectrometry</i> , 1987, 22, 697-698.	1.3	1
141	Mass spectrometric fragmentation patterns of isomeric 5-methyl-3-alkyl-2-alkenylpyrazines. <i>Organic Mass Spectrometry</i> , 1989, 24, 609-614.	1.3	1
142	The essential oils of three unusual Eucalypts: <i>Eucalyptus curtisii</i> , <i>E. rubiginosa</i> and <i>E. tenuipes</i> (Myrtaceae). <i>Flavour and Fragrance Journal</i> , 1998, 13, 87-89.	2.6	1
143	The Leaf Essential Oils of <i>Drummondita calida</i> (Rutaceae: Boronieae). <i>Journal of Essential Oil Research</i> , 2006, 18, 652-653.	2.7	1
144	The Leaf Oils of the <i>Melaleuca minutifolia</i> F. Muell. group (Myrtaceae). <i>Journal of Essential Oil Research</i> , 2008, 20, 163-168.	2.7	1

#	ARTICLE	IF	CITATIONS
145	Essential Oil Composition of Three Australian Endemic Species of Darwinia (Myrtaceae). Natural Product Communications, 2010, 5, 1934578X1000501.	0.5	1
146	The Leaf Essential Oil of Eugenia reinwardtiana Growing in Australia. Natural Product Communications, 2015, 10, 1934578X1501000.	0.5	1
147	Characterization of essential oils from the leaves of the Genus <i>Daphnandra</i> (Atherospermataceae). Journal of Essential Oil Research, 2016, 28, 339-347.	2.7	1
148	The Essential Oil Composition of <i>Trachymene incisa</i> Rudge subsp. <i>incisa</i> Rudge from Australia. Plants, 2021, 10, 601.	3.5	1
149	Essential oil composition of three Australian endemic species of Darwinia (Myrtaceae). Natural Product Communications, 2010, 5, 1833-6.	0.5	1
150	The Leaf, Wood and Bark Oils of three Species of <i>Myodocarpus</i> (Myodocarpaceae) Endemic to New Caledonia. Natural Product Communications, 2014, 9, 1934578X1400900.	0.5	0
151	The Leaf Essential Oils of <i>Melaleuca deanii</i> F. Muell. and <i>Melaleuca hypericifolia</i> Sm. (Myrtaceae). Journal of Essential Oil-bearing Plants: JEOP, 2014, 17, 638-646.	1.9	0
152	Review of the Leaf Essential Oils of the Genus <i>Backhousia</i> Sens. Lat. and a Report on the Leaf Essential Oils of <i>B. gundarara</i> and <i>B. tetraptera</i> . Plants, 2022, 11, 1231.	3.5	0