

Joseph J Brophy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7855291/publications.pdf>

Version: 2024-02-01

152
papers

1,439
citations

471509
17
h-index

552781
26
g-index

152
all docs

152
docs citations

152
times ranked

1105
citing authors

#	ARTICLE	IF	CITATIONS
1	Review of the Leaf Essential Oils of the Genus <i>Backhousia</i> Sens. Lat. and a Report on the Leaf Essential Oils of <i>B. gundarara</i> and <i>B. tetraptera</i> . <i>Plants</i> , 2022, 11, 1231.	3.5	0
2	The Essential Oil Composition of <i>Trachymene incisa</i> Rudge subsp. <i>incisa</i> Rudge from Australia. <i>Plants</i> , 2021, 10, 601.	3.5	1
3	Chemical Composition and Acaricidal Activity of <i>Nemuaron vieillardii</i> Essential Oil against the Cattle Tick <i>Rhipicephalus (Boophilus) microplus</i> . <i>Natural Product Communications</i> , 2016, 11, 1934578X1601101.	0.5	2
4	Phytochemical Profile and Antibacterial and Antioxidant Activities of Medicinal Plants Used by Aboriginal People of New South Wales, Australia. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 2016, 1-14.	1.2	15
5	Coconut Laurels: The Leaf Essential Oils from Four Endemic Australian <i>< i>Cryptocarya</i></i> Species: <i>< i>C. Bellendenkerana, C. Cocosoides, C. Cunninghamii</i></i> and <i>< i>C. Lividula</i></i> (Lauraceae). <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.	0.5	3
6	Characterization of essential oils from the leaves of the Genus <i>< i>Daphnandra</i></i> (Atherospermataceae). <i>Journal of Essential Oil Research</i> , 2016, 28, 339-347.	2.7	1
7	Leaf oils of the Australian species of <i>Clausena</i> and <i>Micromelum</i> (Rutaceae). <i>Journal of Essential Oil Research</i> , 2016, 28, 406-412.	2.7	3
8	Antimicrobial and antioxidant activity and chemical characterisation of <i>Erythrina stricta</i> Roxb. (Fabaceae). <i>Journal of Ethnopharmacology</i> , 2016, 185, 171-181.	4.1	47
9	Identification of 4-substituted 2-(4-x-2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine (25X-NBOMe) and analogues by gas chromatographyâ€“mass spectrometry analysis of heptafluorobutyric anhydride (HFBA) derivatives. <i>Australian Journal of Forensic Sciences</i> , 2016, 48, 59-73.	1.2	8
10	Bioactivity and chemical characterisation of <i>< i>Lophostemon suaveolens</i></i> â€“ an endemic Australian Aboriginal traditional medicinal plant. <i>Natural Product Research</i> , 2016, 30, 693-696.	1.8	13
11	The Leaf Essential Oil of <i>Eugenia reinwardtiana</i> Growing in Australia. <i>Natural Product Communications</i> , 2015, 10, 1934578X1501000.	0.5	1
12	The Leaf, Wood and Bark Oils of three Species of <i>Myodocarpus</i> (Myodocarpaceae) Endemic to New Caledonia. <i>Natural Product Communications</i> , 2014, 9, 1934578X1400900.	0.5	0
13	An examination of the leaf essential oils of three <i>< i>Eugenia</i></i> (Myrtaceae) species endemic to New Caledonia. <i>Journal of Essential Oil Research</i> , 2014, 26, 71-75.	2.7	7
14	The Leaf Essential Oils of <i>< i>Melaleuca deanii</i></i> F. Muell. and <i>< i>Melaleuca hypericifolia</i></i> Sm. (Myrtaceae). <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2014, 17, 638-646.	1.9	0
15	An examination of the leaf essential oils of the endemic <i>< i>Melaleuca</i></i> (Myrtaceae) species of New Caledonia. <i>Journal of Essential Oil Research</i> , 2012, 24, 273-278.	2.7	8
16	Essential Oil Composition of Three Australian Endemic Species of <i>Darwinia</i> (Myrtaceae). <i>Natural Product Communications</i> , 2010, 5, 1934578X1000501.	0.5	1
17	Essential Oil Composition of the Different Parts of <i>< i>Eryngium aquifolium</i></i> from Spain. <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.5	2
18	Essential oil composition of three Australian endemic species of <i>Darwinia</i> (Myrtaceae). <i>Natural Product Communications</i> , 2010, 5, 1833-6.	0.5	1

#	ARTICLE	IF	CITATIONS
19	Essential Oil Composition of two New Species of <i>Phebalium</i> (Rutaceae) from North-Eastern NSW, Australia. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.5	3
20	A Preliminary Investigation of the Leaf Essential Oils of the Australian Species of <i>Endressia</i> , <i>Steganthera</i> and <i>Wilkiea</i> (Monimiaceae). <i>Journal of Essential Oil Research</i> , 2009, 21, 115-122.	2.7	2
21	The Essential Oils of Some Australian <i>Cassytha</i> Species (Lauraceae). <i>Journal of Essential Oil Research</i> , 2009, 21, 543-546.	2.7	4
22	Essential Oil Composition of <i>Eryngium paludosum</i> (Moore et Betche) P.W.Michael: An Endemic Species from Eastern Australia. <i>Journal of Essential Oil Research</i> , 2008, 20, 416-419.	2.7	7
23	The Steam-Volatile Oil of Commercial "Almaciga" Resin (<i>Agathis philippinensis</i> Warb.) from the Philippines. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2008, 11, 634-637.	1.9	8
24	The Leaf Essential Oils of <i>Viticipremna queenslandica</i> (Lamiaceae). <i>Journal of Essential Oil Research</i> , 2008, 20, 403-404.	2.7	2
25	The Leaf Oils of the <i>Melaleuca minutifolia</i> F.Muell. group (Myrtaceae). <i>Journal of Essential Oil Research</i> , 2008, 20, 163-168.	2.7	1
26	Essential Oil Composition of <i>Eryngium Campestre</i> L. Growing in Different Soil Types. A Preliminary Study. <i>Natural Product Communications</i> , 2008, 3, 1934578X0800300.	0.5	12
27	Chemistry of the Australian Gymnosperms. Part IX. The Leaf Oils of the Australian Members of the Genus <i>Callitris</i> (Cupressaceae). <i>Journal of Essential Oil Research</i> , 2007, 19, 57-71.	2.7	9
28	Leaf Oil of <i>Backhousia enata</i> (Myrtaceae). <i>Journal of Essential Oil Research</i> , 2007, 19, 26-27.	2.7	3
29	A Preliminary Examination of the Leaf Oils of the Genus <i>Xanthostemon</i> (Myrtaceae) in Australia. <i>Journal of Essential Oil Research</i> , 2006, 18, 222-230.	2.7	9
30	Triumphalone, a diketone from the volatile oil of the leaves of <i>Melaleuca triumphalis</i> , and its spontaneous conversion into isotriumphalone. <i>Phytochemistry</i> , 2006, 67, 2085-2089.	2.9	10
31	An Investigation of the Leaf Oils of the Western Australian Broombush Complex (<i>Melaleuca</i>) Tj ETQq1 1 0.784314 rgBT / Overlock 10	2.7	10
32	The Leaf Essential Oils of <i>Drummondita calida</i> (Rutaceae: Boronieae). <i>Journal of Essential Oil Research</i> , 2006, 18, 652-653.	2.7	1
33	Leaf Oils of the Genus <i>Brombya</i> (Rutaceae). <i>Journal of Essential Oil Research</i> , 2004, 16, 402-404.	2.7	5
34	The Rediscovery and Leaf Oil Chemistry of <i>Dinosperma longifolium</i> T.G. Hartley (Rutaceae). <i>Journal of Essential Oil Research</i> , 2004, 16, 350-352.	2.7	3
35	The Leaf Essential Oils of <i>Eucalyptus miniata</i> and Its Allies. <i>Journal of Essential Oil Research</i> , 2004, 16, 89-94.	2.7	13
36	The Leaf Oils of the Australian Species of <i>Miliusa</i> (Annonaceae). <i>Journal of Essential Oil Research</i> , 2004, 16, 253-255.	2.7	9

#	ARTICLE	IF	CITATIONS
37	Steam volatile leaf oils of some Western Australian species of the family Myrtaceae. Flavour and Fragrance Journal, 2004, 19, 12-16.	2.6	11
38	Leaf Oils of the Endemic Melicope(Rutaceae) of Lord Howe Island. Journal of Essential Oil Research, 2004, 16, 449-452.	2.7	10
39	Essential Oils from the Leaves of Some Queensland Annonaceae. Journal of Essential Oil Research, 2004, 16, 95-100.	2.7	33
40	The Leaf Essential Oils of the Australian Species of Pseuduvaria(Annonaceae). Journal of Essential Oil Research, 2004, 16, 362-366.	2.7	9
41	Essential Oils from the Leaves of the Australian Species of Palmeria(Monimiaceae). Journal of Essential Oil Research, 2004, 16, 312-317.	2.7	5
42	The Leaf Oils of the Queensland Species of Melodorum(Annonaceae). Journal of Essential Oil Research, 2004, 16, 483-486.	2.7	7
43	Chemistry of the Australian Gymnosperms. Part 6. Leaf Oils of the Australian Species of Genus <i>Podocarpus</i>. Journal of Essential Oil Research, 2004, 16, 342-346.	2.7	6
44	Essential Oil of <i>Eryngium</i> L. Species from New South Wales (Australia). Journal of Essential Oil Research, 2003, 15, 392-397.	2.7	34
45	<i>Melaleuca teretifolia</i> Chemovars: New Australian Sources of Citral and 1,8-Cineole. Journal of Essential Oil Research, 2003, 15, 339-341.	2.7	5
46	Chemistry of the Australian Gymnospermsâ€”Part 5: Leaf Essential Oils of Some Endemic Tasmanian Gymnosperms: <i>Diselma archeri</i> , <i>Lagarostrobos franklinii</i> , <i>Microcachrys tetragona</i> and <i>Phyllocladus aspleniifolius</i> . Journal of Essential Oil Research, 2003, 15, 217-220.	2.7	8
47	Leaf Oils of the Genera <i>Barongia</i>, <i>Mitrantia</i>, <i>Sphaerantia</i> and <i>Ristantia</i> (Myrtaceae). Journal of Essential Oil Research, 2003, 15, 226-230.	2.7	2
48	The Chemistry of the Australian Gymnospermsâ€”Part 4: the Leaf Oils of the Genus <i>Athrotaxis</i> D. Don (Cupressaceae). Journal of Essential Oil Research, 2002, 14, 109-113.	2.7	7
49	The Leaf Oils of the Australian Species of <i>Neolitsea</i> (Lauraceae). Journal of Essential Oil Research, 2002, 14, 191-195.	2.7	18
50	Leaf Essential Oils of the Genus <i>Waterhousea</i> (Myrtaceae). Journal of Essential Oil Research, 2002, 14, 31-34.	2.7	4
51	The Leaf Essential Oil of <i>Pitavia</i> <i>ster haplophyllus</i> (F. Muell.) T. G. Hartley. Journal of Essential Oil Research, 2002, 14, 130-131.	2.7	3
52	The Essential Oils of <i>Pentaceras australis</i> (Rutaceae). Journal of Essential Oil Research, 2002, 14, 348-350.	2.7	3
53	The Leaf Essential Oils of the Australian Species of <i>Desmos</i> (Annonaceae). Journal of Essential Oil Research, 2002, 14, 298-301.	2.7	10
54	The Leaf Oils of <i>Dinosperma erythrococca</i> and <i>D. stipitata</i> (Rutaceae). Journal of Essential Oil Research, 2002, 14, 443-446.	2.7	6

#	ARTICLE	IF	CITATIONS
55	Leaf Oils of the Australian Species of <i>Polyalthia</i> (Annonaceae). Journal of Essential Oil Research, 2001, 13, 5-7.	2.7	15
56	The Leaf Oils of the Australian Species of <i>i>Cinnamomum</i> (Lauraceae). Journal of Essential Oil Research, 2001, 13, 332-335.	2.7	11
57	<i>Darwinia citriodora</i> (Myrtaceae), a New Source of Methyl Myrtenate and Methyl Geranate. Journal of Essential Oil Research, 2001, 13, 58-60.	2.7	7
58	Leaf Oils of the Genus <i>Acradenia</i> (Rutaceae). Journal of Essential Oil Research, 2001, 13, 136-139.	2.7	7
59	Chemistry of Australian Gymnosperms. Part III. Leaf Oils of the Genus <i>Microstrobos</i> (Podocarpaceae). Journal of Essential Oil Research, 2001, 13, 108-109.	2.7	2
60	The Leaf Oils of the Australian Species of <i>Citrus</i> (Rutaceae). Journal of Essential Oil Research, 2001, 13, 264-268.	2.7	29
61	Essential oils of the genus <i>Lophostemon</i> (Myrtaceae). Flavour and Fragrance Journal, 2000, 15, 17-20.	2.6	9
62	Leaf essential oils of the genus <i>Leptospermum</i> (Myrtaceae) in eastern Australia, Part 6. <i>Leptospermum polygalifolium</i> and allies. Flavour and Fragrance Journal, 2000, 15, 271-277.	2.6	22
63	Leaf essential oils of the genus <i>Leptospermum</i> (Myrtaceae) in eastern Australia. Part 7. <i>Leptospermum petersonii</i> , L. <i>liversidgei</i> and allies. Flavour and Fragrance Journal, 2000, 15, 342-351.	2.6	27
64	Essential Oils of Australian Gymnosperms. Part 1. The Leaf Oil of <i>Sundacarpus amarus</i> (Blume) C.N. Page (Podocarpaceae). Journal of Essential Oil Research, 2000, 12, 421-423.	2.7	5
65	Leaf Essential Oils of the Australian Species of <i>Gyrocarpus</i> and <i>Hernandia</i> (Hernandiaceae). Journal of Essential Oil Research, 2000, 12, 717-722.	2.7	5
66	Essential Oil Isolates from the Australian Flora. Part 3. Journal of Essential Oil Research, 2000, 12, 267-278.	2.7	7
67	The Essential Oils of the Queensland Species of <i>Thryptomene</i> (Myrtaceae). Journal of Essential Oil Research, 2000, 12, 11-13.	2.7	5
68	Composition of the Leaf Oils of the Australian and Lord Howe Island Species of <i>Zanthoxylum</i> (Rutaceae). Journal of Essential Oil Research, 2000, 12, 285-291.	2.7	18
69	Leaf essential oils of the genus <i>Leptospermum</i> (Myrtaceae) in eastern Australia. Part 5. <i>Leptospermum continentale</i> and allies. Flavour and Fragrance Journal, 1999, 14, 98-104.	2.6	13
70	A Comparison of the Leaf Oils of <i>Melaleuca squamophloia</i> with Those of Its Close Relatives, <i>M. stypeliaoides</i> and <i>M. bracteata</i> . Journal of Essential Oil Research, 1999, 11, 327-332.	2.7	5
71	Essential Oil of <i>Lindera queenslandica</i> (Lauraceae). Journal of Essential Oil Research, 1999, 11, 453-455.	2.7	7
72	The Essential Oil of <i>Acmenosperma claviflorum</i> (Myrtaceae). Journal of Essential Oil Research, 1999, 11, 162-164.	2.7	2

#	ARTICLE	IF	CITATIONS
73	Essential Oils of Australian Species of the Genera <i>Tristaniopsis</i> and <i>Tristania</i> (Myrtaceae). Journal of Essential Oil Research, 1999, 11, 661-665.	2.7	5
74	The leaf essential oils of <i>Pilidiostigma</i> (Myrtaceae). Flavour and Fragrance Journal, 1999, 14, 143-146.	2.6	5
75	Leaf essential oils of the genus <i>Leptospermum</i> (Myrtaceae) in eastern Australia. Part 3. <i>Leptospermum arachnoides</i> and allies. Flavour and Fragrance Journal, 1999, 14, 85-91.	2.6	12
76	Leaf essential oils of the genus <i>Leptospermum</i> (Myrtaceae) in eastern Australia, Part 4. <i>Leptospermum deanei</i> and allies. Flavour and Fragrance Journal, 1999, 14, 92-97.	2.6	9
77	β -Triketones from Myrtaceae: β -Isoleptospermone from <i>Leptospermum scoparium</i> and Papuanone from <i>Corymbiadallachiana</i> . Journal of Natural Products, 1999, 62, 487-489.	3.0	66
78	Leaf Essential Oils of Some <i>Leptospermum</i> (Myrtaceae) Species from Southern and Western Australia. Journal of Essential Oil Research, 1999, 11, 1-5.	2.7	6
79	Leaf essential oils of the genus <i>Leptospermum</i> (Myrtaceae) in Eastern Australia. Part 1. <i>Leptospermum brachyandrum</i> and <i>Leptospermum pallidum</i> groups. Flavour and Fragrance Journal, 1998, 13, 19-25.	2.6	14
80	The essential oils of three unusual Eucalypts: <i>Eucalyptus curtisii</i> , <i>E. rubiginosa</i> and <i>E. tenuipes</i> (Myrtaceae). Flavour and Fragrance Journal, 1998, 13, 87-89.	2.6	1
81	Essential oils of some Australian monimiaceae. Flavour and Fragrance Journal, 1998, 13, 273-276.	2.6	8
82	Leaf essential oils of the genus <i>Leptospermum</i> (Myrtaceae) in eastern Australia. Part 2. <i>Leptospermum blakelyi</i> and allies. Flavour and Fragrance Journal, 1998, 13, 353-358.	2.6	8
83	(Z)- β -Ocimene from Two Species of <i>Homoranthus</i> (Myrtaceae). Journal of Essential Oil Research, 1998, 10, 229-233.	2.7	6
84	The Leaf Essential Oils of the Australian Members of the Genus <i>Callistemon</i> (Myrtaceae). Journal of Essential Oil Research, 1998, 10, 595-606.	2.7	22
85	The Essential Oils of the Australian Species of <i>Xylopia</i> (Annonaceae). Journal of Essential Oil Research, 1998, 10, 469-472.	2.7	9
86	Essential Oil of Leaves and Inflorescence of <i>Schinus terebinthifolius</i> : An Exotic Plant of India. Journal of Essential Oil Research, 1998, 10, 697-699.	2.7	13
87	The Leaf Essential Oil of <i>Cryptocarya cunninghamii</i> Meissner (Lauraceae). Journal of Essential Oil Research, 1998, 10, 73-75.	2.7	7
88	Chemotype Variation in the Leaf Essential Oils of <i>Melicope melanophloia</i> C.T. White (Rutaceae). Journal of Essential Oil Research, 1997, 9, 279-282.	2.7	8
89	Leaf Essential Oils of <i>Lunasia amara</i> var. <i>amara</i> and <i>Sarcomelicope simplicifolia</i> subsp. <i>simplicifolia</i> (Rutaceae) from Australia. Journal of Essential Oil Research, 1997, 9, 141-144.	2.7	5
90	Leaf Essential Oil of <i>Mentha grandiflora</i> Benth. (Lamiaceae). Journal of Essential Oil Research, 1997, 9, 459-461.	2.7	5

#	ARTICLE	IF	CITATIONS
91	Essential Oils of the Genus< i>Crowea</i>(Rutaceae). Journal of Essential Oil Research, 1997, 9, 401-409.	2.7	11
92	The Leaf Essential Oil of< i>Thaleropia queenslandica</i>(Myrtaceae). Journal of Essential Oil Research, 1997, 9, 587-588.	2.7	2
93	Leaf Essential Oil of< i>Fitzalanias heteropetala</i>F. Muell. (Annonaceae). Journal of Essential Oil Research, 1997, 9, 93-94.	2.7	5
94	Composition of< i>Polygonum odoratumLour. from Southern Australia. Journal of Essential Oil Research, 1997, 9, 603-604.	2.7	13
95	The Essential Oils of the Australian Species of< i>Rhodomyrtus (Myrtaceae). Flavour and Fragrance Journal, 1997, 12, 103-108.	2.6	4
96	The leaf essential oils of the Australian species of< i>Rhodamnia (Myrtaceae). Flavour and Fragrance Journal, 1997, 12, 345-354.	2.6	7
97	Variation in< i>Archirhodomyrtus beckleri (F. Muell.) A.J. Scott (Myrtaceae): Evidence from Volatile Oils. Flavour and Fragrance Journal, 1996, 11, 11-14.	2.6	4
98	The Essential Oil of< i>Welchiodendron longivalve (F. Muell.) Peter G. Wilson & J. T. Waterh. and< i>Lindsayomyrtus racemoides (Greves) Craven (Myrtaceae) Leaves. Flavour and Fragrance Journal, 1996, 11, 67-70.	2.6	6
99	The Essential Oils of the Australian Species of< i>Uromyrtus (Myrtaceae). Flavour and Fragrance Journal, 1996, 11, 133-138.	2.6	6
100	The Essential Oils of Australian< i>Austromyrtus sens. lat. Part 3. The< i>Austromyrtus bidwillii Group. Flavour and Fragrance Journal, 1996, 11, 275-287.	2.6	6
101	The Leaf Essential Oils of the Genus< i>Syncarpia Ten. (Myrtaceae). Flavour and Fragrance Journal, 1996, 11, 361-366.	2.6	10
102	Mass Spectra of Some $\hat{\imath}^2$ -Triketones from Australian Myrtaceae. Journal of Essential Oil Research, 1996, 8, 465-470.	2.7	13
103	Essential Oil of< i>Mentha diemenica</i>(Lamiaceae). Journal of Essential Oil Research, 1996, 8, 179-181.	2.7	9
104	The essential oils of Australian< i>Austromyrtus sens. lat. Part 1. The< i>A.dulcis group. Flavour and Fragrance Journal, 1995, 10, 69-73.	2.6	10
105	The essential oils of Australian< i>Austromyrtus sens. lat. Part 2. The< i>Austromyrtus lasioclada group. Flavour and Fragrance Journal, 1995, 10, 293-296.	2.6	3
106	Essential Oil of the Leaves and Flowers of< i>Geleznowia verrucosaTurcz. (Rutaceae). Journal of Essential Oil Research, 1995, 7, 663-665.	2.7	2
107	Essential Oil of< i>Austromatthaea elegansL.S. Smith (Monimiaceae) Leaves. Journal of Essential Oil Research, 1995, 7, 585-588.	2.7	8
108	(E)- $\hat{\imath}^2$ -Ocimene from Two Species of< i>Austromyrtus</i>(Myrtaceae). Journal of Essential Oil Research, 1995, 7, 1-4.	2.7	7

#	ARTICLE	IF	CITATIONS
109	Leaf Oils of the Genus< i>Backhousia</i>(Myrtaceae). Journal of Essential Oil Research, 1995, 7, 237-254.	2.7	38
110	Effect of Harvest Time on the Leaf and Essential Oil Yield ofEucalyptus camaldulensis. Journal of Essential Oil Research, 1995, 7, 627-632.	2.7	15
111	The Leaf Essential Oil ofAngasomyrtus salinaTrudgen & Keighery. Journal of Essential Oil Research, 1994, 6, 69-71.	2.7	2
112	Essential Oil of< i>Lysicarpus angustifolius</i>(Hook.) Druce (Myrtaceae). Journal of Essential Oil Research, 1994, 6, 139-143.	2.7	2
113	Essential Oil of the Leaves and Flowers of< i>Actinodium cunninghamii</i>Schauer (Myrtaceae). Journal of Essential Oil Research, 1994, 6, 639-640.	2.7	3
114	Essential Oil ofBouchardatia neurococca(Rutaceae) Leaves. Journal of Essential Oil Research, 1994, 6, 505-506.	2.7	6
115	Leaf Essential Oils of the Australian Members of the Genus< i>Zygogynum</i>. Journal of Essential Oil Research, 1994, 6, 353-361.	2.7	7
116	Leaf Essential Oil of< i>Austrobaileya scandens</i>C. White. Journal of Essential Oil Research, 1994, 6, 301-303.	2.7	6
117	The essential oils ofchoricarpia leptopetala (f. muell.) domin andc. subargentea (c.t. white) l.a.s. johnson (myrtaceae). Flavour and Fragrance Journal, 1994, 9, 7-10.	2.6	7
118	The leaf essential oil ofarillastrum gummiferum (brongriart & gris) pancher ex baillon. Flavour and Fragrance Journal, 1994, 9, 47-49.	2.6	5
119	The essential oils of the indigenous Myrtaceae of Lord Howe Island. Flavour and Fragrance Journal, 1993, 8, 153-159.	2.6	10
120	Secondary amines isolated from venom gland of dolichoderine antTechnomyrmex albipes. Journal of Chemical Ecology, 1993, 19, 2183-2192.	1.8	4
121	The Essential Oil ofOsbornia octodontaF. Muell.. Journal of Essential Oil Research, 1993, 5, 1-5.	2.7	3
122	The Essential Oils of the Genus< i>Doryphora</i>. Journal of Essential Oil Research, 1993, 5, 581-586.	2.7	9
123	The Essential Oil of< i>Ocimum tenuiflorum</i>L. (Lamiaceae) Growing in Northern Australia. Journal of Essential Oil Research, 1993, 5, 459-461.	2.7	24
124	The Leaf Essential Oils of< i>Eucalyptus nova-anglica</i>Deane & Maiden. Journal of Essential Oil Research, 1992, 4, 29-32.	2.7	3
125	Essential Oils in the Leaf, Bark and Seed of Mopane (Colophospermum mopane). South African Forestry Journal, 1992, 161, 23-25.	0.1	3
126	Terpinolene Varieties of< i>Melaleuca</i>. Journal of Essential Oil Research, 1992, 4, 363-367.	2.7	22

#	ARTICLE	IF	CITATIONS
127	The Leaf Essential Oil of <i>Haplostichanthus johnsonii</i> F. Muell.. Journal of Essential Oil Research, 1992, 4, 315-316.	2.7	5
128	Jensenone, a ketone from <i>Eucalyptus jensenii</i> . Phytochemistry, 1992, 31, 2178-2179.	2.9	29
129	Low-energy, low-temperature mass spectra. Part 15: Electron ionization mass spectra of some monoterpane hydrocarbons. Organic Mass Spectrometry, 1992, 27, 1042-1051.	1.3	11
130	Steam volatile leaf oils of some melaleuca species from western Australia. Flavour and Fragrance Journal, 1992, 7, 27-31.	2.6	15
131	The leaf essential oil of <i>diospermum austriense</i> (Diels) S. T. Blake (idiospermaceae). Flavour and Fragrance Journal, 1992, 7, 79-80.	2.6	3
132	The leaf essential oil of <i>allosyncarpia ternata</i> S. T. Blake. Flavour and Fragrance Journal, 1992, 7, 117-119.	2.6	2
133	Constituents of <i>Santalum spicatum</i> (R.Br.) A. DC. Wood Oil. Journal of Essential Oil Research, 1991, 3, 381-385.	2.7	14
134	Variation of essential oil constituents in <i>Vitex trifolia</i> species. Flavour and Fragrance Journal, 1991, 6, 97-99.	2.6	17
135	The leaf essential oil of two chemotypes of <i>Backhousia anisata</i> vickery. Flavour and Fragrance Journal, 1991, 6, 187-188.	2.6	17
136	Steam volatile leaf oils of some Western Australian <i>Eucalyptus</i> species. Flavour and Fragrance Journal, 1991, 6, 265-269.	2.6	15
137	Isoamyl Isovalerate from Essential Oil of <i>Micromyrtus striata</i> J. W. Green. Journal of Essential Oil Research, 1991, 3, 281-283.	2.7	3
138	Volatile Components of the Fruit of <i>Pistacia Lentiscus</i> . Journal of Food Science, 1990, 55, 1325-1326.	3.1	38
139	The volatile leaf oil of <i>vitex limonifolia</i> wall. Flavour and Fragrance Journal, 1990, 5, 53-55.	2.6	4
140	Constituents of the volatile leaf oils of <i>Polyscias fruticosa</i> (L.) Harms.. Flavour and Fragrance Journal, 1990, 5, 179-182.	2.6	13
141	Leaf Essential Oil of Two Chemotypes of <i>Eucalyptus cloeziana</i> F. Muell.. Journal of Essential Oil Research, 1990, 2, 87-90.	2.7	11
142	Mass spectrometric fragmentation patterns of isomeric 5-methyl-3-alkyl-2-alkenylpyrazines. Organic Mass Spectrometry, 1989, 24, 609-614.	1.3	1
143	Angustifolenone, a ketone from <i>Backhousia angustifolia</i> . Phytochemistry, 1989, 28, 1259-1261.	2.9	5
144	Low-energy, low-temperature mass spectra. 9â€”The linear undecanols. Organic Mass Spectrometry, 1988, 23, 659-662.	1.3	11

#	ARTICLE	IF	CITATIONS
145	Melaleuca leucadendra L. leaf oil:Two phenylpropanoid chemotypes. Flavour and Fragrance Journal, 1988, 3, 43-46.	2.6	34
146	Novel pyrazines from the head of Australian ponerine antRhytidoponera metallica. Journal of Chemical Ecology, 1987, 13, 1811-1822.	1.8	16
147	Mass spectra of aryl sulphenamides. Organic Mass Spectrometry, 1987, 22, 697-698.	1.3	1
148	The volatile leaf oil ofEugenia javanica lamk. Flavour and Fragrance Journal, 1987, 2, 37-40.	2.6	5
149	Volatile leaf oil ofColeonema pulchellum williams (rutaceae). Flavour and Fragrance Journal, 1986, 1, 155-157.	2.6	6
150	The volatile oils ofEuodia hortensis formahortensis. Flavour and Fragrance Journal, 1985, 1, 17-20.	2.6	14
151	Anomalous ions in the chemical ionization mass spectra of aromatic nitro and nitroso compounds. Organic Mass Spectrometry, 1979, 14, 201-203.	1.3	37
152	Electron impact and chemical ionization mass spectra of aryl ureas. Organic Mass Spectrometry, 1979, 14, 379-386.	1.3	12