## Yong-Min Tang

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7855572/publications.pdf

Version: 2024-02-01

85 papers

1,606 citations

361045 20 h-index 36 g-index

96 all docs 96
docs citations

96 times ranked 2265 citing authors

#	Article	IF	CITATIONS
1	Simple Evaluation of Clinical Situation and Subtypes of Pediatric Hemophagocytic Lymphohistiocytosis by Cytokine Patterns. Frontiers in Immunology, 2022, 13, 850443.	2.2	3
2	Integration of Interleukin-6 Improves the Diagnostic Precision of Metagenomic Next-Generation Sequencing for Infection in Immunocompromised Children. Frontiers in Microbiology, 2022, 13, 819467.	1.5	4
3	Potent anti-tumor activity of CD45RA-targeting Hm3A4-Ranpirnase against myeloid lineage leukemias. Bioengineered, 2022, 13, 8631-8642.	1.4	О
4	Tuning the ignition of CAR: optimizing the affinity of scFv to improve CAR-T therapy. Cellular and Molecular Life Sciences, 2022, 79, 14.	2.4	27
5	<i>U2AF1</i> expression is a novel and independent prognostic indicator of childhood Tâ€lineage acute lymphoblastic leukemia. International Journal of Laboratory Hematology, 2021, 43, 675-682.	0.7	4
6	Pediatric blastic plasmacytoid dendritic cell neoplasm: report of four cases and review of literature. International Journal of Hematology, 2021, 113, 751-759.	0.7	11
7	Treatment of Relapsed and Refractory ALK-Positive Anaplastic Large Cell Lymphoma With ALK-Specific Tyrosine Kinase Inhibitor in Children. Journal of Pediatric Hematology/Oncology, 2021, Publish Ahead of Print, .	0.3	1
8	Efficacy and safety of immunosuppressive therapy with or without eltrombopag in pediatric patients with acquired aplastic anemia: A Chinese retrospective study. Pediatric Hematology and Oncology, 2021, 38, 633-646.	0.3	11
9	Clinical features and prognostic impact of TCF3–PBX1 in childhood acute lymphoblastic leukemia: A single-center retrospective study of 837 patients from China. Current Problems in Cancer, 2021, 45, 100758.	1.0	13
10	Rare and favorable prognosis of pediatric acute lymphoblastic leukemia with TLS-ERG fusion gene: Case report with long-term follow-up and review of literature. Cancer Genetics, 2021, 256-257, 51-56.	0.2	0
11	Fulminant cytokine release syndrome in a paediatric patient with refractory Epstein–Barr virus-associated haemophagocytic lymphohistiocytosis receiving nivolumab treatment. Clinical Microbiology and Infection, 2021, 27, 1710-1712.	2.8	1
12	Overexpression of SET and MYND domain-containing protein 2 ( <i>SMYD2</i> ) is associated with poor prognosis in pediatric B lineage acute lymphoblastic leukemia. Leukemia and Lymphoma, 2020, 61, 437-444.	0.6	8
13	Dilemmas in diagnosis and management of hemophagocytic lymphohistiocytosis in children. World Journal of Pediatrics, 2020, 16, 333-340.	0.8	12
14	Chimeric antigen receptor T cell therapy can be administered safely under the real-time monitoring of Th1/Th2 cytokine pattern using the cytometric bead array technology for relapsed and refractory acute lymphoblastic leukemia in children. Pediatric Hematology and Oncology, 2020, 37, 288-299.	0.3	4
15	High CD38 expression in childhood T-cell acute lymphoblastic leukemia is not associated with prognosis. Cancer Biomarkers, 2020, 27, 277-284.	0.8	5
16	Prognostic significance of the tumor suppressor protein p53 gene in childhood acute lymphoblastic leukemia. Oncology Letters, 2020, 19, 549-556.	0.8	3
17	Low expression of <i>TET2</i> gene in pediatric acute lymphoblastic leukemia is associated with poor clinical outcome. International Journal of Laboratory Hematology, 2019, 41, 702-709.	0.7	5
18	Comparison of interleukin-6, interleukin-10, procalcitonin and C-reactive protein in identifying high-risk febrile illness in pediatric cancer patients: A prospective observational study. Cytokine, 2019, 116, 1-6.	1.4	22

#	Article	IF	CITATIONS
19	Evaluation of IVIG response in relation to Th $1/\text{Th}2$ cytokines in pediatricm immune thrombocytopenia. Cytokine, 2019, 120, 234-241.	1.4	8
20	Excessive expressions of T cell activation markers in pediatric immune thrombocytopenia. Thrombosis Research, 2019, 180, 1-9.	0.8	6
21	Effect of ectopic high expression of transcription factor OCT4 on the "stemness―characteristics of human bone marrow-derived mesenchymal stromal cells. Stem Cell Research and Therapy, 2019, 10, 160.	2.4	8
22	Minimal Residual Disease–guided Risk Restratification and Therapy Improves the Survival of Childhood Acute Lymphoblastic Leukemia: Experience From a Tertiary Children's Hospital in China. Journal of Pediatric Hematology/Oncology, 2019, 41, e346-e354.	0.3	7
23	Prognostic factors of early death in children with hemophagocytic lymphohistiocytosis. Cytokine, 2018, 110, 481-482.	1.4	3
24	The targeting effect of Hm2E8b–NCTD–liposomes on B-lineage leukaemia stem cells is associated with the HLF–SLUG axis. Journal of Drug Targeting, 2018, 26, 55-65.	2.1	6
25	Construction, Expression, and Characterization of a Novel Human–Mouse Chimeric Antibody, Hm3A4: A Potential Therapeutic Agent for B and Myeloid Lineage Leukemias. DNA and Cell Biology, 2018, 37, 778-785.	0.9	1
26	ETS-related gene is a novel prognostic factor in childhood acute lymphoblastic leukemia. Oncology Letters, 2017, 13, 455-462.	0.8	4
27	Cytokine profiles as novel diagnostic markers of Epstein-Barr virus–associated hemophagocytic lymphohistiocytosis in children. Journal of Critical Care, 2017, 39, 72-77.	1.0	26
28	Clinical presentation and outcome of pediatric patients with hemophagocytic lymphohistiocytosis in China: A retrospective multicenter study. Pediatric Blood and Cancer, 2017, 64, e26264.	0.8	55
29	Prognostic factors of early death in children with hemophagocytic lymphohistiocytosis. Cytokine, 2017, 97, 80-85.	1.4	36
30	Comparison of Th1/Th2 cytokine profiles between primary and secondary haemophagocytic lymphohistiocytosis. Italian Journal of Pediatrics, 2016, 42, 50.	1.0	33
31	Multiparameter comparative analysis reveals differential impacts of various cytokines on CART cell phenotype and function <i>ex vivo</i> and <i>in vivo</i> Oncotarget, 2016, 7, 82354-82368.	0.8	31
32	Re-evaluation of various molecular targets located on CD34+CD38â^'Linâ^' leukemia stem cells and other cell subsets in pediatric acute myeloid leukemia. Oncology Letters, 2016, 11, 891-897.	0.8	7
33	Efficiency of interleukin 6 and interferon gamma in the differentiation of invasive pulmonary aspergillosis and pneumocystis pneumonia in pediatric oncology patients. International Journal of Infectious Diseases, 2016, 48, 73-77.	1.5	16
34	A new in-frame deletion in ribosomal protein S19 in a Chinese infant with Diamond-Blackfan anemia. Blood Cells, Molecules, and Diseases, 2016, 62, 1-5.	0.6	2
35	Associations between inflammatory cytokines and organ damage in pediatric patients with hemophagocytic lymphohistiocytosis. Cytokine, 2016, 85, 14-17.	1.4	46
36	High expression of <i>Midkine (MK)</i> indicates poor prognosis in childhood acute lymphoblastic leukemia. Hematology, 2016, 21, 69-77.	0.7	6

3

#	Article	IF	Citations
37	The ratio of absolute lymphocyte count at interim of therapy to absolute lymphocyte count at diagnosis predicts survival in childhood B-lineage acute lymphoblastic leukemia. Leukemia Research, 2015, 39, 144-150.	0.4	6
38	Association between NOD2 single nucleotide polymorphisms and Grade III–IV acute graft-versus-host disease: A meta-analysis. Hematology, 2015, 20, 254-262.	0.7	3
39	Prognostic significance of cytokine receptor-like factor 2 alterations in acute lymphoblastic leukemia: a meta-analysis. World Journal of Pediatrics, 2015, 11, 126-133.	0.8	7
40	Coronin-1a is a potential therapeutic target for activated T cell-related immune disorders. Apmis, 2015, 123, 89-91.	0.9	4
41	Systemic Lupus Erythematous and Malignancy Risk: A Meta-Analysis. PLoS ONE, 2015, 10, e0122964.	1.1	65
42	Construction and Expression of a Novel Anti-CD14 Human-Mouse Chimeric Antibody Hm2F9. DNA and Cell Biology, 2014, 33, 599-604.	0.9	0
43	Staging and monitoring of childhood rhabdomyosarcoma with flow cytometry. Oncology Letters, 2014, 7, 970-976.	0.8	7
44	Construction and expression of a human/mouse chimeric CD19 monoclonal antibody: Successful modification of a murine IgM to a chimeric IgG. Experimental and Therapeutic Medicine, 2014, 7, 849-854.	0.8	3
45	The impact of IKZF1 deletion on the prognosis of acute lymphoblastic leukemia: An updated meta-analysis. Cancer Biomarkers, 2014, 14, 493-503.	0.8	14
46	Corticosteroid administration is associated with improved outcome of patients presenting high inflammatory cytokine levels during septic shock. Pediatric Blood and Cancer, 2014, 61, 2243-2248.	0.8	4
47	ZCH-2B8a, an antibody targeting actin-binding protein coronin-1a, is a potential therapeutic agent for B-lineage malignancies. Journal of Drug Targeting, 2014, 22, 488-497.	2.1	5
48	Therapy-related Myelodysplastic Syndrome Presenting as Isolated Thrombocytopenia Following Chemotherapy for Acute Myeloid Leukemia in a Chinese Child. Indian Journal of Pediatrics, 2014, 81, 222-223.	0.3	1
49	Serum creatinine and creatinine clearance for predicting plasma methotrexate concentrations after high-dose methotrexate chemotherapy for the treatment for childhood lymphoblastic malignancies. Cancer Chemotherapy and Pharmacology, 2014, 73, 79-86.	1.1	38
50	Cytokine release syndrome in cancer immunotherapy with chimeric antigen receptor engineered T cells. Cancer Letters, 2014, 343, 172-178.	3.2	130
51	Successful construction and stable expression of an anti-CD45RA scFv–EGFP fusion protein in Chinese hamster ovary cells. Protein Expression and Purification, 2014, 94, 1-6.	0.6	4
52	Successful Construction and Massive Expression of a Novel Anti-CD19 Human-Mouse Chimeric Antibody Hm2E8b. Monoclonal Antibodies in Immunodiagnosis and Immunotherapy, 2014, 33, 215-220.	0.8	3
53	Role of Interleukin-6 in Differentiating Interleukin-11 Induced Fever and Early Bacterial Infection. Indian Journal of Pediatrics, 2014, 81, 871-875.	0.3	2
54	Clinical Features of Severe Influenza A (H1N1) Virus Infection. Indian Journal of Pediatrics, 2013, 80, 97-101.	0.3	9

#	Article	IF	Citations
55	Prognostic significance of flow cytometric minimal residual disease assessment after the first induction course in Chinese childhood acute myeloid leukemia. Leukemia Research, 2013, 37, 134-138.	0.4	6
56	A multiplex cytokine score for the prediction of disease severity in pediatric hematology/oncology patients with septic shock. Cytokine, 2013, 64, 590-596.	1.4	24
57	Absolute lymphocyte count is associated with minimal residual disease level in childhood B-cell precursor acute lymphoblastic leukemia. Leukemia Research, 2013, 37, 671-674.	0.4	13
58	KLF4 translation level is associated with differentiation stage of different pediatric leukemias in both cell lines and primary samples. Clinical and Experimental Medicine, 2013, 13, 99-107.	1.9	11
59	Inflammatory cytokine measurement quickly discriminates gram-negative from gram-positive bacteremia in pediatric hematology/oncology patients with septic shock. Intensive Care Medicine, 2013, 39, 319-326.	3.9	45
60	Detection of the GD2+/CD56+/CD45â^' Immunophenotype by Flow Cytometry in Cerebrospinal Fluids from a Patient with Retinoblastoma. Pediatric Hematology and Oncology, 2013, 30, 13-17.	0.3	8
61	Efficacy and safety of adoptive immunotherapy using anti-CD19 chimeric antigen receptor transduced T-cells: a systematic review of phase I clinical trials. Leukemia and Lymphoma, 2013, 54, 255-260.	0.6	39
62	Initial frequency of CD34+/CD38 â^' cells is not correlated with minimal residual disease level in 73 Chinese children with B-cell precursor acute lymphoblastic leukemia. Leukemia and Lymphoma, 2013, 54, 2073-2075.	0.6	0
63	Prognostic significance of IKZF1 alteration status in pediatric B-lineage acute lymphoblastic leukemia: a meta-analysis. Leukemia and Lymphoma, 2013, 54, 889-891.	0.6	10
64	Simultaneous cytomorphological and multiparameter flow cytometric analysis of ALK-positive anaplastic large cell lymphoma in children. Oncology Letters, 2013, 5, 515-520.	0.8	5
65	Novel Mutations in the UNC13D Gene Carried by a Chinese Neonate with Hemophagocytic Lymphohistiocytosis. Yonsei Medical Journal, 2013, 54, 1053.	0.9	12
66	OCT4 pseudogenes present in human leukemia cells. Clinical and Experimental Medicine, 2012, 12, 207-216.	1.9	17
67	Rapid detection of neoplastic cells in serous cavity effusions in children with flow cytometry immunophenotyping. Leukemia and Lymphoma, 2012, 53, 1509-1514.	0.6	9
68	Cloning and sequencing of the light chain variable region from NS-1 myeloma. Oncology Letters, 2012, 3, 1083-1086.	0.8	4
69	Th1/Th2 Cytokine profiles in G+/Gâ^' bacteremia in pediatric hematology/oncology patients. Pediatric Blood and Cancer, 2012, 58, 50-54.	0.8	23
70	Day 22 of induction therapy is important for minimal residual disease assessment by flow cytometry in childhood acute lymphoblastic leukemia. Leukemia Research, 2012, 36, 1022-1027.	0.4	15
71	Diagnostic Accuracy of a Specific Cytokine Pattern in Hemophagocytic Lymphohistiocytosis in Children. Journal of Pediatrics, 2012, 160, 984-990.e1.	0.9	185
72	Prognostic significance of absolute lymphocyte count at diagnosis of diffuse large B-cell lymphoma: a meta-analysis. International Journal of Hematology, 2012, 95, 143-148.	0.7	35

#	Article	IF	CITATIONS
73	3A4, a new potential target for B and myeloid lineage leukemias. Journal of Drug Targeting, 2011, 19, 797-804.	2.1	5
74	Advances in Hemophagocytic Lymphohistiocytosis: Pathogenesis, Early Diagnosis/Differential Diagnosis, and Treatment. Scientific World Journal, The, 2011, 11, 697-708.	0.8	69
75	Preparation and evaluation of norcantharidin-encapsulated liposomes modified with a novel CD19 monoclonal antibody 2E8. Journal of Huazhong University of Science and Technology [Medical Sciences], 2010, 30, 240-247.	1.0	6
76	Targeting of the B-lineage leukemia stem cells and their progeny with norcantharidin encapsulated liposomes modified with a novel CD19 monoclonal antibody 2E8 <i>in vitro</i> . Journal of Drug Targeting, 2010, 18, 675-687.	2.1	21
77	Long-term outcome of childhood acute myeloid leukemia in a developing country: experience from a children's hospital in China. Leukemia and Lymphoma, 2010, 51, 2262-2269.	0.6	29
78	HEMOPHAGOCYTIC LYMPHOHISTIOCYTOSIS AT INITIATION OF KAWASAKI DISEASE AND THEIR DIFFERENTIAL DIAGNOSIS. Pediatric Hematology and Oncology, 2010, 27, 244-249.	0.3	14
79	Accurate Determination of Internalization for Target Binding Antibody Using Papain Digestion and Flow Cytometry. Hybridoma, 2010, 29, 133-139.	0.5	5
80	Targeting and internalization of sterically stabilized liposome modified with ZCH-4-2E8. Journal of Huazhong University of Science and Technology [Medical Sciences], 2009, 29, 273-280.	1.0	5
81	Longâ€term outcome of childhood acute lymphoblastic leukemia treated in China. Pediatric Blood and Cancer, 2008, 51, 380-386.	0.8	64
82	Early diagnostic and prognostic significance of a specific Th1/Th2 cytokine pattern in children with haemophagocytic syndrome. British Journal of Haematology, 2008, 143, 84-91.	1.2	156
83	Construction and Expression of Single-Chain Antibody Derived from a New Clone of Monoclonal Antibody Against Human CD14 in CHO Cells. Immunopharmacology and Immunotoxicology, 2007, 29, 375-386.	1.1	6
84	Retrospective Study on Elimination Delay of Methotrexate in High-dose Therapy of Childhood Acute Lymphoblastic Leukemia in China. Journal of Pediatric Hematology/Oncology, 2007, 29, 688-693.	0.3	20
85	Different Minimal Residual Disease Levels between Childhood Acute Lymphoblastic Leukemia and Acute Myeloid Leukemia Detected with Multi-Parameter Flow Cytometry Blood, 2004, 104, 4410-4410.	0.6	O