List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7857342/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Lapatinib as first-line treatment for muscle-invasive urothelial carcinoma in dogs. Scientific Reports, 2022, 12, 4.	3.3	15
2	Anti-CCR4 treatment depletes regulatory T cells and leads to clinical activity in a canine model of advanced prostate cancer. , 2022, 10, e003731.		18
3	Sorafenib inhibits tumor cell growth and angiogenesis in canine transitional cell carcinoma. Journal of Veterinary Medical Science, 2022, 84, 666-674.	0.9	8
4	Rapid visualization of mammary gland tumor lesions of dogs using the enzyme-activated fluorogenic probe; γ-glutamyl hydroxymethyl rhodamine green. Journal of Veterinary Medical Science, 2022, 84, 593-599.	0.9	3
5	Detection of Canine Urothelial Carcinoma Cells in Urine Using 5-Aminolevulinic Acid. Animals, 2022, 12, 485.	2.3	0
6	Comprehensive profiling of lipid metabolites in urine of canine patients with liver mass. Journal of Veterinary Medical Science, 2022, 84, 1074-1078.	0.9	2
7	BRAF ^{V595E} Mutation Associates CCL17 Expression and Regulatory T Cell Recruitment in Urothelial Carcinoma of Dogs. Veterinary Pathology, 2021, 58, 971-980.	1.7	7
8	Protease-Activated Receptor-2 Is Associated With Adverse Outcomes in Canine Mammary Carcinoma. Veterinary Pathology, 2021, 58, 53-62.	1.7	2
9	Human epidermal growth factor receptor 2 is overexpressed in canine prostate carcinoma. Translational and Regulatory Sciences, 2021, 3, 1-8.	0.2	1
10	<i>ErbB2</i> copy number gain is associated with adverse outcome in canine mammary carcinoma. Journal of Veterinary Medical Science, 2021, 83, 370-377.	0.9	0
11	DNA methylation landscape of 16 canine somatic tissues by methylation-sensitive restriction enzyme-based next generation sequencing. Scientific Reports, 2021, 11, 10005.	3.3	5
12	In vitro evidence of propagation of superoxide dismutase-1 protein aggregation in canine degenerative myelopathy. Veterinary Journal, 2021, 274, 105710.	1.7	1
13	Clinical assessment of testosterone analogues for urethral sphincter mechanism incompetence in ten spayed female dogs. Journal of Veterinary Medical Science, 2021, 83, 274-279.	0.9	1
14	<i>ErbB2</i> Copy Number Aberration in Canine Urothelial Carcinoma Detected by a Digital Polymerase Chain Reaction Assay. Veterinary Pathology, 2020, 57, 56-65.	1.7	10
15	Expression analysis of protease-activated receptor-2 in cats. Veterinary Immunology and Immunopathology, 2020, 229, 110115.	1.2	0
16	Isolated growth hormone deficiency in a Chihuahua with a GH1 mutation. Journal of Veterinary Diagnostic Investigation, 2020, 32, 733-736.	1.1	1
17	Foxp3 ⁺ Regulatory T Cells Associated With CCL17/CCR4 Expression in Carcinomas of Dogs. Veterinary Pathology, 2020, 57, 497-506.	1.7	9
18	Sphingosine-1-phosphate (S1P) signaling regulates the production of intestinal IgA and its potential role in the pathogenesis of canine inflammatory bowel disease. Journal of Veterinary Medical Science, 2019, 81, 1249-1258.	0.9	5

#	Article	IF	CITATIONS
19	Distribution of regulatory T cells in inflammatory colorectal polyps of miniature dachshunds. Veterinary Immunology and Immunopathology, 2019, 218, 109938.	1.2	3
20	Duodenal expression of antimicrobial peptides in dogs with idiopathic inflammatory bowel disease and intestinal lymphoma. Veterinary Journal, 2019, 249, 47-52.	1.7	7
21	Anti-tumor effects of the histone deacetylase inhibitor vorinostat on canine urothelial carcinoma cells. PLoS ONE, 2019, 14, e0218382.	2.5	25
22	Expression of apoptosis inhibitor of macrophages in tissue macrophages, leukocytes and vascular endothelial cells of dogs. Tissue and Cell, 2019, 58, 112-120.	2.2	2
23	CCR4 Blockade Depletes Regulatory T Cells and Prolongs Survival in a Canine Model of Bladder Cancer. Cancer Immunology Research, 2019, 7, 1175-1187.	3.4	57
24	Epithelial cell–derived prostaglandin D 2 inhibits chronic allergic lung inflammation in mice. FASEB Journal, 2019, 33, 8202-8210.	0.5	8
25	Assessment of HER2 Expression in Canine Urothelial Carcinoma of the Urinary Bladder. Veterinary Pathology, 2019, 56, 369-376.	1.7	25
26	Production of lipid mediators across different disease stages of dextran sodium sulfate-induced colitis in mice. Journal of Lipid Research, 2018, 59, 586-595.	4.2	27
27	Association of tumourâ€infiltrating regulatory T cells with adverse outcomes in dogs with malignant tumours. Veterinary and Comparative Oncology, 2018, 16, 330-336.	1.8	26
28	Decreased plasma amino acid concentrations in cats with chronic gastrointestinal diseases and their possible contribution in the inflammatory response. Veterinary Immunology and Immunopathology, 2018, 195, 1-6.	1.2	16
29	Cover Image, Volume 16, Issue 3. Veterinary and Comparative Oncology, 2018, 16, i-i.	1.8	Ο
30	Antiâ€ŧumour effect of lapatinib in canine transitional cell carcinoma cell lines. Veterinary and Comparative Oncology, 2018, 16, 642-649.	1.8	21
31	Urinary PGDM, a prostaglandin D2 metabolite, is a novel biomarker for objectively detecting allergic reactions of food allergy. Journal of Allergy and Clinical Immunology, 2018, 142, 1634-1636.e10.	2.9	19
32	Multiple acquired portosystemic shunts secondary to primary hypoplasia of the portal vein in a cat. Journal of Veterinary Medical Science, 2018, 80, 874-877.	0.9	3
33	Comprehensive gene expression analysis of canine invasive urothelial bladder carcinoma by RNA-Seq. BMC Cancer, 2018, 18, 472.	2.6	53
34	Endoscopic Cytology for the Diagnosis of Chronic Enteritis and Intestinal Lymphoma in Dogs. Veterinary Pathology, 2017, 54, 595-604.	1.7	11
35	Contrastâ€enhanced ultrasonographic findings of hepatic arterioportal fistulas in a dog. Journal of Small Animal Practice, 2017, 58, 419-419	1.2	0
36	Mast cell–derived prostaglandin D 2 attenuates anaphylactic reactions in mice. Journal of Allergy and Clinical Immunology, 2017, 140, 630-632.e9.	2.9	28

#	Article	IF	CITATIONS
37	Density of tumor-infiltrating granzyme B-positive cells predicts favorable prognosis in dogs with transitional cell carcinoma. Veterinary Immunology and Immunopathology, 2017, 190, 53-56.	1.2	14
38	Prostaglandin D2 metabolite in urine is an index of food allergy. Scientific Reports, 2017, 7, 17687.	3.3	29
39	Fecal microbiome in dogs with inflammatory bowel disease and intestinal lymphoma. Journal of Veterinary Medical Science, 2017, 79, 1840-1847.	0.9	38
40	CC chemokine ligand 2 and CXC chemokine ligand 8 as neutrophil chemoattractant factors in canine idiopathic polyarthritis. Veterinary Immunology and Immunopathology, 2016, 182, 52-58.	1.2	4
41	Thromboxane A2 exacerbates acute lung injury via promoting edema formation. Scientific Reports, 2016, 6, 32109.	3.3	33
42	Changes in Foxp3-Positive Regulatory T Cell Number in the Intestine of Dogs With Idiopathic Inflammatory Bowel Disease and Intestinal Lymphoma. Veterinary Pathology, 2016, 53, 102-112.	1.7	44
43	Construction of a multicolor GeneScan analytical system to detect clonal rearrangements of immunoglobulin and T cell receptor genes in canine lymphoid tumors. Veterinary Immunology and Immunopathology, 2015, 165, 81-87.	1.2	23
44	Accumulation and aggregate formation of mutant superoxide dismutase 1 in canine degenerative myelopathy. Neuroscience, 2015, 303, 229-240.	2.3	23
45	Association between lymphocyte antigen receptor gene rearrangements and histopathological evaluation in canine chronic enteropathy. Veterinary Immunology and Immunopathology, 2015, 165, 138-144.	1.2	12
46	PGD2 deficiency exacerbates food antigen-induced mast cell hyperplasia. Nature Communications, 2015, 6, 7514.	12.8	42
47	Prognostic factors in dogs with protein-losing enteropathy. Veterinary Journal, 2015, 205, 28-32.	1.7	56
48	Effect of Oral Administration of Metronidazole or Prednisolone on Fecal Microbiota in Dogs. PLoS ONE, 2014, 9, e107909.	2.5	103
49	Expression profiling of pattern recognition receptors and selected cytokines in miniature dachshunds with inflammatory colorectal polyps. Veterinary Immunology and Immunopathology, 2014, 159, 1-10.	1.2	19
50	Prognostic significance of the expression levels of the p16, p15, and p14 genes in dogs with high-grade lymphoma. Veterinary Journal, 2014, 199, 236-244.	1.7	16
51	Methylation of TNFRSF13B and TNFRSF13C in duodenal mucosa in canine inflammatory bowel disease and its association with decreased mucosal IgA expression. Veterinary Immunology and Immunopathology, 2014, 160, 97-106.	1.2	12
52	Mast Cell–Derived Prostaglandin D2 Inhibits Colitis and Colitis-Associated Colon Cancer in Mice. Cancer Research, 2014, 74, 3011-3019.	0.9	61
53	Intestinal Protease-Activated Receptor-2 and Fecal Serine Protease Activity are Increased in Canine Inflammatory Bowel Disease and May Contribute to Intestinal Cytokine Expression. Journal of Veterinary Medical Science, 2014, 76, 1119-1127.	0.9	21
54	Tumor suppressor prostaglandin D2. Oncoscience, 2014, 1, 396-397.	2.2	2

#	Article	IF	CITATIONS
55	Protease-activated receptor-2 induces proinflammatory cytokine and chemokine gene expression in canine keratinocytes. Veterinary Immunology and Immunopathology, 2013, 153, 17-25.	1.2	24
56	Decreased Immunoglobulin A Concentrations in Feces, Duodenum, and Peripheral Blood Mononuclear Cells of Dogs with Inflammatory Bowel Disease. Journal of Veterinary Internal Medicine, 2013, 27, 47-55.	1.6	35
57	Lymphangiomatosis of the Systemic Skin in an Old Dog. Journal of Veterinary Medical Science, 2013, 75, 187-190.	0.9	5
58	Increased expression of fractalkine and its receptor CX3CR1 in canine inflammatory bowel disease and their possible role in recruitment of intraepithelial lymphocytes. Veterinary Immunology and Immunopathology, 2012, 148, 226-235.	1.2	11
59	Molecular cloning and characterization of canine fractalkine and its receptor CX3CR1. Veterinary Immunology and Immunopathology, 2012, 145, 100-109.	1.2	4
60	Molecular cloning and expression analysis of the canine chemokine receptor CCR9. Veterinary Immunology and Immunopathology, 2012, 145, 534-539.	1.2	4
61	Mucosal imbalance of interleukin-1β and interleukin-1 receptor antagonist in canine inflammatory bowel disease. Veterinary Journal, 2012, 194, 66-70.	1.7	29
62	Quantification of chemokine and chemokine receptor gene expression in duodenal mucosa of dogs with inflammatory bowel disease. Veterinary Immunology and Immunopathology, 2011, 144, 290-298.	1.2	20
63	House dust mite major allergen Der f 1 enhances proinflammatory cytokine and chemokine gene expression in a cell line of canine epidermal keratinocytes. Veterinary Immunology and Immunopathology, 2009, 131, 298-302.	1.2	30
64	Molecular Cloning of Canine Protease-Activated Receptor-2 and its Expression in Normal Dog Tissues and Atopic Skin Lesions. Journal of Veterinary Medical Science, 2009, 71, 577-582.	0.9	9
65	Increase of CC chemokine receptor 4-positive cells in the peripheral CD4+ cells in dogs with atopic dermatitis or experimentally sensitized to Japanese cedar pollen. Clinical and Experimental Allergy, 2004, 34, 1467-1473.	2.9	27
66	Molecular Cloning of Canine Thymus and Activation-Regulated Chemokine(TARC) Gene and Its Expression in Various Tissues Journal of Veterinary Medical Science, 2001, 63, 1035-1038.	0.9	7
67	Characterization of Cytoplasmic Dynein Light-intermediate Chain isoforms in Rat Testis Cell Structure and Function, 1998, 23, 169-178.	1.1	5
68	Localization of Cytoplasmic Dynein Light-intermediate Chain mRNA in the Rat Testis Using In Situ Hybridization Cell Structure and Function, 1998, 23, 9-15.	1.1	5