

Shingo Maeda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7857342/publications.pdf>

Version: 2024-02-01

68
papers

1,187
citations

331259

21
h-index

433756

31
g-index

69
all docs

69
docs citations

69
times ranked

1415
citing authors

#	ARTICLE	IF	CITATIONS
1	Lapatinib as first-line treatment for muscle-invasive urothelial carcinoma in dogs. <i>Scientific Reports</i> , 2022, 12, 4.	1.6	15
2	Anti-CCR4 treatment depletes regulatory T cells and leads to clinical activity in a canine model of advanced prostate cancer. , 2022, 10, e003731.		18
3	Sorafenib inhibits tumor cell growth and angiogenesis in canine transitional cell carcinoma. <i>Journal of Veterinary Medical Science</i> , 2022, 84, 666-674.	0.3	8
4	Rapid visualization of mammary gland tumor lesions of dogs using the enzyme-activated fluorogenic probe; β -glutamyl hydroxymethyl rhodamine green. <i>Journal of Veterinary Medical Science</i> , 2022, 84, 593-599.	0.3	3
5	Detection of Canine Urothelial Carcinoma Cells in Urine Using 5-Aminolevulinic Acid. <i>Animals</i> , 2022, 12, 485.	1.0	0
6	Comprehensive profiling of lipid metabolites in urine of canine patients with liver mass. <i>Journal of Veterinary Medical Science</i> , 2022, 84, 1074-1078.	0.3	2
7	BRAF ^{V595E} Mutation Associates CCL17 Expression and Regulatory T Cell Recruitment in Urothelial Carcinoma of Dogs. <i>Veterinary Pathology</i> , 2021, 58, 971-980.	0.8	7
8	Protease-Activated Receptor-2 Is Associated With Adverse Outcomes in Canine Mammary Carcinoma. <i>Veterinary Pathology</i> , 2021, 58, 53-62.	0.8	2
9	Human epidermal growth factor receptor 2 is overexpressed in canine prostate carcinoma. <i>Translational and Regulatory Sciences</i> , 2021, 3, 1-8.	0.2	1
10	<i>ErbB2</i> copy number gain is associated with adverse outcome in canine mammary carcinoma. <i>Journal of Veterinary Medical Science</i> , 2021, 83, 370-377.	0.3	0
11	DNA methylation landscape of 16 canine somatic tissues by methylation-sensitive restriction enzyme-based next generation sequencing. <i>Scientific Reports</i> , 2021, 11, 10005.	1.6	5
12	In vitro evidence of propagation of superoxide dismutase-1 protein aggregation in canine degenerative myelopathy. <i>Veterinary Journal</i> , 2021, 274, 105710.	0.6	1
13	Clinical assessment of testosterone analogues for urethral sphincter mechanism incompetence in ten spayed female dogs. <i>Journal of Veterinary Medical Science</i> , 2021, 83, 274-279.	0.3	1
14	<i>ErbB2</i> Copy Number Aberration in Canine Urothelial Carcinoma Detected by a Digital Polymerase Chain Reaction Assay. <i>Veterinary Pathology</i> , 2020, 57, 56-65.	0.8	10
15	Expression analysis of protease-activated receptor-2 in cats. <i>Veterinary Immunology and Immunopathology</i> , 2020, 229, 110115.	0.5	0
16	Isolated growth hormone deficiency in a Chihuahua with a GH1 mutation. <i>Journal of Veterinary Diagnostic Investigation</i> , 2020, 32, 733-736.	0.5	1
17	Foxp3 ⁺ Regulatory T Cells Associated With CCL17/CCR4 Expression in Carcinomas of Dogs. <i>Veterinary Pathology</i> , 2020, 57, 497-506.	0.8	9
18	Sphingosine-1-phosphate (S1P) signaling regulates the production of intestinal IgA and its potential role in the pathogenesis of canine inflammatory bowel disease. <i>Journal of Veterinary Medical Science</i> , 2019, 81, 1249-1258.	0.3	5

#	ARTICLE	IF	CITATIONS
19	Distribution of regulatory T cells in inflammatory colorectal polyps of miniature dachshunds. <i>Veterinary Immunology and Immunopathology</i> , 2019, 218, 109938.	0.5	3
20	Duodenal expression of antimicrobial peptides in dogs with idiopathic inflammatory bowel disease and intestinal lymphoma. <i>Veterinary Journal</i> , 2019, 249, 47-52.	0.6	7
21	Anti-tumor effects of the histone deacetylase inhibitor vorinostat on canine urothelial carcinoma cells. <i>PLoS ONE</i> , 2019, 14, e0218382.	1.1	25
22	Expression of apoptosis inhibitor of macrophages in tissue macrophages, leukocytes and vascular endothelial cells of dogs. <i>Tissue and Cell</i> , 2019, 58, 112-120.	1.0	2
23	CCR4 Blockade Depletes Regulatory T Cells and Prolongs Survival in a Canine Model of Bladder Cancer. <i>Cancer Immunology Research</i> , 2019, 7, 1175-1187.	1.6	57
24	Epithelial cell-derived prostaglandin D ₂ inhibits chronic allergic lung inflammation in mice. <i>FASEB Journal</i> , 2019, 33, 8202-8210.	0.2	8
25	Assessment of HER2 Expression in Canine Urothelial Carcinoma of the Urinary Bladder. <i>Veterinary Pathology</i> , 2019, 56, 369-376.	0.8	25
26	Production of lipid mediators across different disease stages of dextran sodium sulfate-induced colitis in mice. <i>Journal of Lipid Research</i> , 2018, 59, 586-595.	2.0	27
27	Association of tumour-infiltrating regulatory T cells with adverse outcomes in dogs with malignant tumours. <i>Veterinary and Comparative Oncology</i> , 2018, 16, 330-336.	0.8	26
28	Decreased plasma amino acid concentrations in cats with chronic gastrointestinal diseases and their possible contribution in the inflammatory response. <i>Veterinary Immunology and Immunopathology</i> , 2018, 195, 1-6.	0.5	16
29	Cover Image, Volume 16, Issue 3. <i>Veterinary and Comparative Oncology</i> , 2018, 16, i-i.	0.8	0
30	Anti-tumour effect of lapatinib in canine transitional cell carcinoma cell lines. <i>Veterinary and Comparative Oncology</i> , 2018, 16, 642-649.	0.8	21
31	Urinary PGDM, a prostaglandin D ₂ metabolite, is a novel biomarker for objectively detecting allergic reactions of food allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 1634-1636.e10.	1.5	19
32	Multiple acquired portosystemic shunts secondary to primary hypoplasia of the portal vein in a cat. <i>Journal of Veterinary Medical Science</i> , 2018, 80, 874-877.	0.3	3
33	Comprehensive gene expression analysis of canine invasive urothelial bladder carcinoma by RNA-Seq. <i>BMC Cancer</i> , 2018, 18, 472.	1.1	53
34	Endoscopic Cytology for the Diagnosis of Chronic Enteritis and Intestinal Lymphoma in Dogs. <i>Veterinary Pathology</i> , 2017, 54, 595-604.	0.8	11
35	Contrast-enhanced ultrasonographic findings of hepatic arterioportal fistulas in a dog. <i>Journal of Small Animal Practice</i> , 2017, 58, 419-419.	0.5	0
36	Mast cell-derived prostaglandin D ₂ attenuates anaphylactic reactions in mice. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 630-632.e9.	1.5	28

#	ARTICLE	IF	CITATIONS
37	Density of tumor-infiltrating granzyme B-positive cells predicts favorable prognosis in dogs with transitional cell carcinoma. <i>Veterinary Immunology and Immunopathology</i> , 2017, 190, 53-56.	0.5	14
38	Prostaglandin D2 metabolite in urine is an index of food allergy. <i>Scientific Reports</i> , 2017, 7, 17687.	1.6	29
39	Fecal microbiome in dogs with inflammatory bowel disease and intestinal lymphoma. <i>Journal of Veterinary Medical Science</i> , 2017, 79, 1840-1847.	0.3	38
40	CC chemokine ligand 2 and CXC chemokine ligand 8 as neutrophil chemoattractant factors in canine idiopathic polyarthritis. <i>Veterinary Immunology and Immunopathology</i> , 2016, 182, 52-58.	0.5	4
41	Thromboxane A2 exacerbates acute lung injury via promoting edema formation. <i>Scientific Reports</i> , 2016, 6, 32109.	1.6	33
42	Changes in Foxp3-Positive Regulatory T Cell Number in the Intestine of Dogs With Idiopathic Inflammatory Bowel Disease and Intestinal Lymphoma. <i>Veterinary Pathology</i> , 2016, 53, 102-112.	0.8	44
43	Construction of a multicolor GeneScan analytical system to detect clonal rearrangements of immunoglobulin and T cell receptor genes in canine lymphoid tumors. <i>Veterinary Immunology and Immunopathology</i> , 2015, 165, 81-87.	0.5	23
44	Accumulation and aggregate formation of mutant superoxide dismutase 1 in canine degenerative myelopathy. <i>Neuroscience</i> , 2015, 303, 229-240.	1.1	23
45	Association between lymphocyte antigen receptor gene rearrangements and histopathological evaluation in canine chronic enteropathy. <i>Veterinary Immunology and Immunopathology</i> , 2015, 165, 138-144.	0.5	12
46	PGD2 deficiency exacerbates food antigen-induced mast cell hyperplasia. <i>Nature Communications</i> , 2015, 6, 7514.	5.8	42
47	Prognostic factors in dogs with protein-losing enteropathy. <i>Veterinary Journal</i> , 2015, 205, 28-32.	0.6	56
48	Effect of Oral Administration of Metronidazole or Prednisolone on Fecal Microbiota in Dogs. <i>PLoS ONE</i> , 2014, 9, e107909.	1.1	103
49	Expression profiling of pattern recognition receptors and selected cytokines in miniature dachshunds with inflammatory colorectal polyps. <i>Veterinary Immunology and Immunopathology</i> , 2014, 159, 1-10.	0.5	19
50	Prognostic significance of the expression levels of the p16, p15, and p14 genes in dogs with high-grade lymphoma. <i>Veterinary Journal</i> , 2014, 199, 236-244.	0.6	16
51	Methylation of TNFRSF13B and TNFRSF13C in duodenal mucosa in canine inflammatory bowel disease and its association with decreased mucosal IgA expression. <i>Veterinary Immunology and Immunopathology</i> , 2014, 160, 97-106.	0.5	12
52	Mast Cell-Derived Prostaglandin D2 Inhibits Colitis and Colitis-Associated Colon Cancer in Mice. <i>Cancer Research</i> , 2014, 74, 3011-3019.	0.4	61
53	Intestinal Protease-Activated Receptor-2 and Fecal Serine Protease Activity are Increased in Canine Inflammatory Bowel Disease and May Contribute to Intestinal Cytokine Expression. <i>Journal of Veterinary Medical Science</i> , 2014, 76, 1119-1127.	0.3	21
54	Tumor suppressor prostaglandin D2. <i>Oncoscience</i> , 2014, 1, 396-397.	0.9	2

#	ARTICLE	IF	CITATIONS
55	Protease-activated receptor-2 induces proinflammatory cytokine and chemokine gene expression in canine keratinocytes. <i>Veterinary Immunology and Immunopathology</i> , 2013, 153, 17-25.	0.5	24
56	Decreased Immunoglobulin A Concentrations in Feces, Duodenum, and Peripheral Blood Mononuclear Cells of Dogs with Inflammatory Bowel Disease. <i>Journal of Veterinary Internal Medicine</i> , 2013, 27, 47-55.	0.6	35
57	Lymphangiomatosis of the Systemic Skin in an Old Dog. <i>Journal of Veterinary Medical Science</i> , 2013, 75, 187-190.	0.3	5
58	Increased expression of fractalkine and its receptor CX3CR1 in canine inflammatory bowel disease and their possible role in recruitment of intraepithelial lymphocytes. <i>Veterinary Immunology and Immunopathology</i> , 2012, 148, 226-235.	0.5	11
59	Molecular cloning and characterization of canine fractalkine and its receptor CX3CR1. <i>Veterinary Immunology and Immunopathology</i> , 2012, 145, 100-109.	0.5	4
60	Molecular cloning and expression analysis of the canine chemokine receptor CCR9. <i>Veterinary Immunology and Immunopathology</i> , 2012, 145, 534-539.	0.5	4
61	Mucosal imbalance of interleukin-1 β and interleukin-1 receptor antagonist in canine inflammatory bowel disease. <i>Veterinary Journal</i> , 2012, 194, 66-70.	0.6	29
62	Quantification of chemokine and chemokine receptor gene expression in duodenal mucosa of dogs with inflammatory bowel disease. <i>Veterinary Immunology and Immunopathology</i> , 2011, 144, 290-298.	0.5	20
63	House dust mite major allergen Der f 1 enhances proinflammatory cytokine and chemokine gene expression in a cell line of canine epidermal keratinocytes. <i>Veterinary Immunology and Immunopathology</i> , 2009, 131, 298-302.	0.5	30
64	Molecular Cloning of Canine Protease-Activated Receptor-2 and its Expression in Normal Dog Tissues and Atopic Skin Lesions. <i>Journal of Veterinary Medical Science</i> , 2009, 71, 577-582.	0.3	9
65	Increase of CC chemokine receptor 4-positive cells in the peripheral CD4+ cells in dogs with atopic dermatitis or experimentally sensitized to Japanese cedar pollen. <i>Clinical and Experimental Allergy</i> , 2004, 34, 1467-1473.	1.4	27
66	Molecular Cloning of Canine Thymus and Activation-Regulated Chemokine(TARC) Gene and Its Expression in Various Tissues.. <i>Journal of Veterinary Medical Science</i> , 2001, 63, 1035-1038.	0.3	7
67	Characterization of Cytoplasmic Dynein Light-intermediate Chain isoforms in Rat Testis.. <i>Cell Structure and Function</i> , 1998, 23, 169-178.	0.5	5
68	Localization of Cytoplasmic Dynein Light-intermediate Chain mRNA in the Rat Testis Using In Situ Hybridization.. <i>Cell Structure and Function</i> , 1998, 23, 9-15.	0.5	5