
## William Deraedt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7857872/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Daratumumab plus Bortezomib, Melphalan, and Prednisone for Untreated Myeloma. New England Journal of Medicine, 2018, 378, 518-528.	27.0	747
2	Ciltacabtagene autoleucel, a B-cell maturation antigen-directed chimeric antigen receptor T-cell therapy in patients with relapsed or refractory multiple myeloma (CARTITUDE-1): a phase 1b/2 open-label study. Lancet, The, 2021, 398, 314-324.	13.7	711
3	Persistent Overall Survival Benefit and No Increased Risk of Second Malignancies With Bortezomib-Melphalan-Prednisone Versus Melphalan-Prednisone in Patients With Previously Untreated Multiple Myeloma. Journal of Clinical Oncology, 2013, 31, 448-455.	1.6	250
4	Ciltacabtagene Autoleucel, an Anti–B-cell Maturation Antigen Chimeric Antigen Receptor T-Cell Therapy, for Relapsed/Refractory Multiple Myeloma: CARTITUDE-1 2-Year Follow-Up. Journal of Clinical Oncology, 2023, 41, 1265-1274.	1.6	160
5	VMP (Bortezomib, Melphalan, and Prednisone) Is Active and Well Tolerated in Newly Diagnosed Patients With Multiple Myeloma With Moderately Impaired Renal Function, and Results in Reversal of Renal Impairment: Cohort Analysis of the Phase III VISTA Study. Journal of Clinical Oncology, 2009, 27, 6086-6093.	1.6	154
6	Superior outcomes associated with complete response in newly diagnosed multiple myeloma patients treated with nonintensive therapy: analysis of the phase 3 VISTA study of bortezomib plus melphalan-prednisone versus melphalan-prednisone. Blood, 2010, 116, 3743-3750.	1.4	101
7	Ciltacabtagene autoleucel, a B-cell maturation antigen (BCMA)-directed chimeric antigen receptor T-cell (CAR-T) therapy, in relapsed/refractory multiple myeloma (R/R MM): Updated results from CARTITUDE-1 Journal of Clinical Oncology, 2021, 39, 8005-8005.	1.6	23
8	Matching-adjusted indirect comparison of efficacy outcomes for ciltacabtagene autoleucel in CARTITUDE-1 versus idecabtagene vicleucel in KarMMa for the treatment of patients with relapsed or refractory multiple myeloma. Current Medical Research and Opinion, 2021, 37, 1779-1788.	1.9	21
9	Characterization of haematological parameters with bortezomib–melphalan–prednisone <i>versus</i> melphalan–prednisone in newly diagnosed myeloma, with evaluation of longâ€term outcomes and risk of thromboembolic events with use of erythropoiesisâ€stimulating agents: analysis of the VISTA trial. British lournal of Haematology, 2011, 153, 212-221.	2.5	13
10	The effects of different schedules of bortezomib, melphalan, and prednisone for patients with newly diagnosed multiple myeloma who are transplant ineligible: a matching-adjusted indirect comparison. Leukemia and Lymphoma, 2020, 61, 680-690.	1.3	9