G. Jeffrey Snyder

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/7858174/publications.pdf

Version: 2024-02-01

595 papers	74,018 citations	733 124 h-index	788 254 g-index
639 all docs	639 docs citations	639 times ranked	25383 citing authors

#	Article	IF	Citations
1	Thermoelectric transport effects beyond single parabolic band and acoustic phonon scattering. Materials Advances, 2022, 3, 734-755.	2.6	21
2	Estimating the lower-limit of fracture toughness from ideal-strength calculations. Materials Horizons, 2022, 9, 825-834.	6.4	4
3	Tuning valley degeneracy with band inversion. Journal of Materials Chemistry A, 2022, 10, 1588-1595.	5.2	6
4	Conduction band engineering of half-Heusler thermoelectrics using orbital chemistry. Journal of Materials Chemistry A, 2022, 10, 3051-3057.	5.2	25
5	Printing thermoelectric inks toward next-generation energy and thermal devices. Chemical Society Reviews, 2022, 51, 485-512.	18.7	39
6	Key properties of inorganic thermoelectric materialsâ€"tables (version 1). JPhys Energy, 2022, 4, 022002.	2.3	51
7	Understanding the High Thermoelectric Performance of Mg₃Sb₂â€Mg₃Bi₂ Alloys. Advanced Energy and Sustainability Research, 2022, 3, .	2.8	31
8	Effective Mass from Seebeck Coefficient. Advanced Functional Materials, 2022, 32, .	7.8	37
9	Effect of texturing on thermal, electric and elastic properties of MoAlB, Fe2AlB2, and Mn2AlB2. Journal of the European Ceramic Society, 2022, 42, 3183-3191.	2.8	18
10	The Importance of Avoided Crossings in Understanding High Valley Degeneracy in Halfâ€Heusler Thermoelectric Semiconductors. Advanced Electronic Materials, 2022, 8, .	2.6	11
11	Durable, stretchable and washable inorganic-based woven thermoelectric textiles for power generation and solid-state cooling. Energy and Environmental Science, 2022, 15, 2374-2385.	15.6	51
12	When power factor supersedes zT to determine power in a thermocouple. Journal of Applied Physics, 2022, 131, 115101.	1.1	1
13	Hidden Local Symmetry Breaking in Silver Diamondoid Compounds is Root Cause of Ultralow Thermal Conductivity. Advanced Materials, 2022, 34, e2202255.	11.1	20
14	Considering the Role of Ion Transport in Diffusonâ€Dominated Thermal Conductivity. Advanced Energy Materials, 2022, 12, .	10.2	27
15	Inherent Anharmonicity of Harmonic Solids. Research, 2022, 2022, .	2.8	7
16	High Thermoelectric Performance in Chalcopyrite Cu_{1â€"x}Ag_xGaTe₂â€"ZnTe: Nontrivial Band Structure and Dynamic Doping Effect. Journal of the American Chemical Society, 2022, 144, 9113-9125.	6.6	29
17	Ag rearrangement induced metal-insulator phase transition in thermoelectric MgAgSb. Materials Today Physics, 2022, 25, 100702.	2.9	0
18	Chemical Interpretation of Charged Point Defects in Semiconductors: A Case Study of Mg₂Si. ChemNanoMat, 2022, 8, .	1.5	2

#	Article	IF	Citations
19	Mapping Thermoelectric Transport in a Multicomponent Alloy Space. Advanced Electronic Materials, 2022, 8, .	2.6	4
20	Thermoelectric properties and low thermal conductivity of Zintl compound Yb₁₀MnSb₉. Journal of Materials Chemistry A, 2022, 10, 15127-15135.	5.2	6
21	Mode- and space-resolved thermal transport of alloy nanostructures. International Journal of Heat and Mass Transfer, 2022, 195, 123191.	2.5	3
22	Creep behavior and post-creep thermoelectric performance of the n-type Skutterudite alloy Yb0.3Co4Sb12. Journal of Materiomics, 2021, 7, 89-97.	2.8	9
23	Thermoelectric Properties of Novel Semimetals: A Case Study of YbMnSb₂. Advanced Materials, 2021, 33, e2003168.	11.1	34
24	Compositional Fluctuations Locked by Athermal Transformation Yielding High Thermoelectric Performance in GeTe. Advanced Materials, 2021, 33, e2005612.	11.1	52
25	Enhanced thermoelectric performance in Mg_{3+x}Sb_{1.5}Bi_{0.49}Te_{0.01}via engineering microstructure through melt-centrifugation. Journal of Materials Chemistry A, 2021, 9, 1733-1742.	5.2	20
26	Intrinsic carrier multiplication in layered Bi2O2Se avalanche photodiodes with gain bandwidth product exceeding 1 GHz. Nano Research, 2021, 14, 1961-1966.	5.8	17
27	Synthesis and physical properties of single-crystalline InTe: towards high thermoelectric performance. Journal of Materials Chemistry C, 2021, 9, 5250-5260.	2.7	18
28	Temperature-Dependent Band Renormalization in CoSb₃ Skutterudites Due to Sb-Ring-Related Vibrations. Chemistry of Materials, 2021, 33, 1046-1052.	3.2	16
29	Thermoelectric Materials: Compositional Fluctuations Locked by Athermal Transformation Yielding High Thermoelectric Performance in GeTe (Adv. Mater. 1/2021). Advanced Materials, 2021, 33, 2170008.	11.1	6
30	Using phase boundary mapping to resolve discrepancies in the Mg₂Siâ€“Mg₂Sn miscibility gap. Journal of Materials Chemistry A, 2021, 9, 7208-7215.	5.2	11
31	Orbital chemistry of high valence band convergence and low-dimensional topology in PbTe. Journal of Materials Chemistry A, 2021, 9, 12119-12139.	5.2	15
32	Defect chemistry and doping of BiCuSeO. Journal of Materials Chemistry A, 2021, 9, 20685-20694.	5.2	23
33	Discovery of multivalley Fermi surface responsible for the high thermoelectric performance in Yb ₁₄ MnSb ₁₁ and Yb ₁₄ MgSb ₁₁. Science Advances, 2021, 7, .	4.7	34
34	Thermoelectric Materials: Thermoelectric Properties of Novel Semimetals: A Case Study of YbMnSb₂ (Adv. Mater. 7/2021). Advanced Materials, 2021, 33, 2170051.	11.1	1
35	Possibility of interstitial Na as electron donor in Yb14MgSb11. MRS Communications, 2021, 11, 226-232.	0.8	4
36	Significant Enhancement of Thermoelectric Figure of Merit in BiSbTeâ€Based Composites by Incorporating Carbon Microfiber. Advanced Functional Materials, 2021, 31, 2008851.	7.8	57

#	Article	IF	Citations
37	Probing the phonon mean free paths in dislocation core by molecular dynamics simulation. Journal of Applied Physics, 2021, 129, .	1.1	9
38	Phase-Transition-Enhanced Thermoelectric Transport in Rickardite Mineral Cu_{3â€“x}Te₂. Chemistry of Materials, 2021, 33, 1832-1841.	3.2	9
39	Thermoelectric Performance Enhancement in BiSbTe Alloy by Microstructure Modulation via Cyclic Spark Plasma Sintering with Liquid Phase. Advanced Functional Materials, 2021, 31, 2009681.	7.8	84
40	Parallel Dislocation Networks and Cottrell Atmospheres Reduce Thermal Conductivity of PbTe Thermoelectrics. Advanced Functional Materials, 2021, 31, 2101214.	7.8	41
41	Phase Boundary Mapping of Tinâ€Doped ZnSb Reveals Thermodynamic Route to High Thermoelectric Efficiency. Advanced Energy Materials, 2021, 11, 2100181.	10.2	17
42	Fracture toughness of thermoelectric materials. Materials Science and Engineering Reports, 2021, 144, 100607.	14.8	39
43	Distributed and localized cooling with thermoelectrics. Joule, 2021, 5, 748-751.	11.7	34
44	Ultralow Thermal Conductivity in Diamondoid Structures and High Thermoelectric Performance in (Cu_{1â€“x}Ag_x)(In_{1â€“y}Ga_y)Te₂. Journal of the American Chemical Society, 2021, 143, 5978-5989.	6.4	49
45	Quantifying charge carrier localization in chemically doped semiconducting polymers. Nature Materials, 2021, 20, 1414-1421.	13.3	61
46	Nbâ€Mediated Grain Growth and Grainâ€Boundary Engineering in Mg₃Sb₂â€Based Thermoelectric Materials. Advanced Functional Materials, 2021, 31, 2100258.	7.8	53
47	Uncovering design principles for amorphous-like heat conduction using two-channel lattice dynamics. Materials Today Physics, 2021, 18, 100344.	2.9	42
48	Charge-carrier-mediated lattice softening contributes to high zT in thermoelectric semiconductors. Joule, 2021, 5, 1168-1182.	11.7	37
49	Thermal Evolution of Internal Strain in Doped PbTe. Chemistry of Materials, 2021, 33, 4765-4772.	3.2	11
50	When band convergence is not beneficial for thermoelectrics. Nature Communications, 2021, 12, 3425.	5.8	51
51	Physical insights on the low lattice thermal conductivity of AgInSe2. Materials Today Physics, 2021, 19, 100428.	2.9	20
52	First principles investigation of intrinsic and Na defects in XTe (X=Ca, Sr, Ba) nanostructured PbTe. Materials Today Physics, 2021, 19, 100415.	2.9	6
53	High thermoelectric performance enabled by convergence of nested conduction bands in Pb7Bi4Se13 with low thermal conductivity. Nature Communications, 2021, 12, 4793.	5.8	53
54	Regulating Te Vacancies through Dopant Balancing via Excess Ag Enables Rebounding Power Factor and High Thermoelectric Performance in pâ€Type PbTe. Advanced Science, 2021, 8, e2100895.	5.6	18

#	Article	IF	Citations
55	Dopant-segregation to grain boundaries controls electrical conductivity of n-type NbCo(Pt)Sn half-Heusler alloy mediating thermoelectric performance. Acta Materialia, 2021, 217, 117147.	3.8	24
56	Dislocations Stabilized by Point Defects Increase Brittleness in PbTe. Advanced Functional Materials, 2021, 31, 2108006.	7.8	25
57	Disorder-induced Anderson-like localization for bidimensional thermoelectrics optimization. Matter, 2021, 4, 2970-2984.	5.0	15
58	Thermal transport in defective and disordered materials. Applied Physics Reviews, 2021, 8, .	5.5	45
59	What makes a material bendable? A thickness-dependent metric for bendability, malleability, ductility. Matter, 2021, 4, 2694-2696.	5.0	11
60	Role of interfaces in organicâ€“inorganic flexible thermoelectrics. Nano Energy, 2021, 89, 106380.	8.2	30
61	The effect of Mg₃As₂ alloying on the thermoelectric properties of n-type Mg₃(Sb, Bi)₂. Dalton Transactions, 2021, 50, 9376-9382.	1.6	7
62	Visualizing defect energetics. Materials Horizons, 2021, 8, 1966-1975.	6.4	8
63	Phonon scattering in the complex strain field of a dislocation in PbTe. Journal of Materials Chemistry C, 2021, 9, 8506-8514.	2.7	7
64	Retarding Ostwald ripening through Gibbs adsorption and interfacial complexions leads to high-performance SnTe thermoelectrics. Energy and Environmental Science, 2021, 14, 5469-5479.	15.6	67
65	Stress/pressure-stabilized cubic polymorph of Li₃Sb with improved thermoelectric performance. Journal of Materials Chemistry A, 2021, 9, 25024-25031.	5.2	4
66	Finding the order in complexity: The electronic structure of 14-1-11 zintl compounds. Applied Physics Letters, 2021, 119, .	1.5	6
67	Iterative design of a high zT thermoelectric material. Applied Physics Letters, 2021, 119, .	1.5	4
68	Band Engineering SnTe via Trivalent Substitutions for Enhanced Thermoelectric Performance. Chemistry of Materials, 2021, 33, 9624-9637.	3.2	17
69	Revealing the Intrinsic Electronic Structure of 3D Halfâ€Heusler Thermoelectric Materials by Angleâ€Resolved Photoemission Spectroscopy. Advanced Science, 2020, 7, 1902409.	5.6	49
70	The importance of the Mgâ€“Mg interaction in Mg₃Sb₂â€“Mg₃Bi₂ shown through cation site alloying. Journal of Materials Chemistry A, 2020, 8, 2033-2038.	5.2	33
71	Origin of inhomogeneity in spark plasma sintered bismuth antimony telluride thermoelectric nanocomposites. Nano Research, 2020, 13, 1339-1346.	5.8	4
72	Revealing nano-chemistry at lattice defects in thermoelectric materials using atom probe tomography. Materials Today, 2020, 32, 260-274.	8.3	73

#	Article	IF	Citations
73	Prediction of improved thermoelectric performance by ordering in double half-Heusler materials. Journal of Materials Chemistry A, 2020, 8, 23590-23598.	5.2	29
74	Expression of interfacial Seebeck coefficient through grain boundary engineering with multi-layer graphene nanoplatelets. Energy and Environmental Science, 2020, 13, 4114-4121.	15.6	78
75	Optimum load resistance for a thermoelectric generator system. Energy Conversion and Management, 2020, 226, 113490.	4.4	23
76	Thermoelectric transport of semiconductor full-Heusler VFe₂Al. Journal of Materials Chemistry C, 2020, 8, 10174-10184.	2.7	34
77	Unveiling the phonon scattering mechanisms in half-Heusler thermoelectric compounds. Energy and Environmental Science, 2020, 13, 5165-5176.	15.6	49
78	Crystal Structure and Atomic Vacancy Optimized Thermoelectric Properties in Gadolinium Selenides. Chemistry of Materials, 2020, 32, 10130-10139.	3.2	36
79	Electronic quality factor for thermoelectrics. Science Advances, 2020, 6, .	4.7	88
80	Orbital Chemistry That Leads to High Valley Degeneracy in PbTe. Chemistry of Materials, 2020, 32, 9771-9779.	3.2	30
81	Na Doping in PbTe: Solubility, Band Convergence, Phase Boundary Mapping, and Thermoelectric Properties. Journal of the American Chemical Society, 2020, 142, 15464-15475.	6.6	101
82	Discovery of high-performance thermoelectric copper chalcogenide using modified diffusion-couple high-throughput synthesis and automated histogram analysis technique. Energy and Environmental Science, 2020, 13, 3041-3053.	15.6	43
83	Mg₃(Bi,Sb)₂ single crystals towards high thermoelectric performance. Energy and Environmental Science, 2020, 13, 1717-1724.	15.6	91
84	On the Dopability of Semiconductors and Governing Material Properties. Chemistry of Materials, 2020, 32, 4467-4480.	3.2	34
85	Vibrational Entropy Stabilizes Distorted Half-Heusler Structures. Chemistry of Materials, 2020, 32, 4767-4773.	3.2	13
86	Weighted Mobility. Advanced Materials, 2020, 32, e2001537.	11.1	439
87	Hallâ€effect Measurements and Transport Properties of Heterostructures in the Model System NiTe 2 â€Sn 12 Sb 2 Te 15. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2020, 646, 1345-1351.	0.6	0
88	High-performance p-type elemental Te thermoelectric materials enabled by the synergy of carrier tuning and phonon engineering. Journal of Materials Chemistry A, 2020, 8, 12156-12168.	5.2	12
89	Analytical Models of Phononâ€"Point-Defect Scattering. Physical Review Applied, 2020, 13, .	1.5	55
90	Contrasting SnTeâ€"NaSbTe₂ and SnTeâ€"NaBiTe₂ Thermoelectric Alloys: High Performance Facilitated by Increased Cation Vacancies and Lattice Softening. Journal of the American Chemical Society, 2020, 142, 12524-12535.	6.6	51

#	Article	IF	Citations
91	Systematic over-estimation of lattice thermal conductivity in materials with electrically-resistive grain boundaries. Energy and Environmental Science, 2020, 13, 1250-1258.	15.6	48
92	Metallic nâ€Type Mg₃Sb₂ Single Crystals Demonstrate the Absence of Ionized Impurity Scattering and Enhanced Thermoelectric Performance. Advanced Materials, 2020, 32, e1908218.	11.1	116
93	Stretchable fabric generates electric power from woven thermoelectric fibers. Nature Communications, 2020, 11, 572.	5.8	212
94	Band Sharpening and Band Alignment Enable High Quality Factor to Enhance Thermoelectric Performance in n-Type PbS. Journal of the American Chemical Society, 2020, 142, 4051-4060.	6.6	130
95	Thermoelectric transport enhancement of Te-rich bismuth antimony telluride (Bi0.5Sb1.5Te3+x) through controlled porosity. Journal of Materiomics, 2020, 6, 532-544.	2.8	36
96	Understanding the thermally activated charge transport in NaPb_mSbQ_{m+2} (Q) Tj ETQq0 0 0 rgBT /Overlock 1 carrier scattering. Energy and Environmental Science, 2020, 13, 1509-1518.	15.6	63
97	Alloy scattering of phonons. Materials Horizons, 2020, 7, 1452-1456.	6.4	39
98	All-Inorganic Halide Perovskites as Potential Thermoelectric Materials: Dynamic Cation off-Centering Induces Ultralow Thermal Conductivity. Journal of the American Chemical Society, 2020, 142, 9553-9563.	6.6	155
99	Thermal studies of individual Si/Ge heterojunctions â€" The influence of the alloy layer on the heterojunction. Journal of Materiomics, 2020, 6, 248-255.	2.8	11
100	Graphene/Strontium Titanate: Approaching Single Crystalâ€"Like Charge Transport in Polycrystalline Oxide Perovskite Nanocomposites through Grain Boundary Engineering. Advanced Functional Materials, 2020, 30, 1910079.	7.8	37
101	The Thermoelectric Properties of n-Type Bismuth Telluride: Bismuth Selenide Alloys Bi2Te3â^'xSex. Research, 2020, 2020, 4361703.	2.8	61
102	Violation of the T ^{â^'1} Relationship in the Lattice Thermal Conductivity of Mg ₃ Sb ₂ with Locally Asymmetric Vibrations. Research, 2020, 2020, 4589786.	2.8	25
103	Machine Learning Chemical Guidelines for Engineering Electronic Structures in Half-Heusler Thermoelectric Materials. Research, 2020, 2020, 6375171.	2.8	32
104	Realization of higher thermoelectric performance by dynamic doping of copper in n-type PbTe. Energy and Environmental Science, 2019, 12, 3089-3098.	15.6	127
105	Ultralow Thermal Conductivity and High-Temperature Thermoelectric Performance in n-Type K_{2.5}Bi_{8.5}Se₁₄. Chemistry of Materials, 2019, 31, 5943-5952.	3.2	25
106	High-Efficiency and Stable Thermoelectric Module Based on Liquid-Like Materials. Joule, 2019, 3, 1538-1548.	11.7	126
107	Density, distribution and nature of planar faults in silver antimony telluride for thermoelectric applications. Acta Materialia, 2019, 178, 135-145.	3.8	13
108	High Thermoelectric Performance in PbSeâ€"NaSbSe₂ Alloys from Valence Band Convergence and Low Thermal Conductivity. Advanced Energy Materials, 2019, 9, 1901377.	10.2	54

#	Article	IF	Citations
109	Phase Transformation Contributions to Heat Capacity and Impact on Thermal Diffusivity, Thermal Conductivity, and Thermoelectric Performance. Advanced Materials, 2019, 31, e1902980.	11.1	47
110	Conventional sintered Cu2-Se thermoelectric material. Journal of Materiomics, 2019, 5, 626-633.	2.8	14
111	Improvement of Lowâ€Temperature zT in a Mg₃Sb₂â€“Mg₃Bi₂ Solid Solution via Mgâ€Vapor Annealing. Advanced Materials, 2019, 31, e1902337.	11.1	150
112	A figure of merit for flexibility. Science, 2019, 366, 690-691.	6.0	97
113	Cobalt germanide precipitates indirectly improve the properties of thermoelectric germanium antimony tellurides. Journal of Materials Chemistry C, 2019, 7, 11419-11430.	2.7	4
114	Synergistically Optimizing Carrier Concentration and Decreasing Sound Velocity in n-type AgInSe₂ Thermoelectrics. Chemistry of Materials, 2019, 31, 8182-8190.	3.2	23
115	Creep behavior and postcreep thermoelectric performance of the n-type half-Heusler alloy Hf0.3Zr0.7NiSn0.98Sb0.02. Materials Today Physics, 2019, 9, 100134.	2.9	20
116	Synergistic modulation of mobility and thermal conductivity in (Bi,Sb)₂Te₃ towards high thermoelectric performance. Energy and Environmental Science, 2019, 12, 624-630.	15.6	120
117	Origins of ultralow thermal conductivity in 1-2-1-4 quaternary selenides. Journal of Materials Chemistry A, 2019, 7, 2589-2596.	5.2	28
118	Titanium-based thin film metallic glass as diffusion barrier layer for PbTe-based thermoelectric modules. APL Materials, 2019, 7, .	2.2	12
119	Interfaces in energy materials. APL Materials, 2019, 7, .	2.2	1
120	Grain Boundary Engineering Nanostructured SrTiO₃ for Thermoelectric Applications. Advanced Materials Interfaces, 2019, 6, 1900222.	1.9	52
121	Double Half-Heuslers. Joule, 2019, 3, 1226-1238.	11.7	103
122	Mg Deficiency in Grain Boundaries of nâ€Type Mg₃Sb₂ Identified by Atom Probe Tomography. Advanced Materials Interfaces, 2019, 6, 1900429.	1.9	44
123	Microstructure and composition engineering Yb single-filled CoSb3 for high thermoelectric and mechanical performances. Journal of Materiomics, 2019, 5, 702-710.	2.8	23
124	Short-range order in defective half-Heusler thermoelectric crystals. Energy and Environmental Science, 2019, 12, 1568-1574.	15.6	86
125	Achieving band convergence by tuning the bonding ionicity in nâ€type Mg₃Sb₂. Journal of Computational Chemistry, 2019, 40, 1693-1700.	1.5	68
126	Amphoteric Indium Enables Carrier Engineering to Enhance the Power Factor and Thermoelectric Performance in nâ€Type Ag_nPb₁₀₀In_nTe₁₀₀₊₂_n (LIST). Advanced Energy Materials, 2019, 9, 1900414.	10.2	60

#	Article	IF	Citations
127	Dramatically reduced lattice thermal conductivity of Mg2Si thermoelectric material from nanotwinning. Acta Materialia, 2019, 169, 9-14.	3.8	30
128	Thermal conductivity of complex materials. National Science Review, 2019, 6, 380-381.	4.6	33
129	Lattice Softening Significantly Reduces Thermal Conductivity and Leads to High Thermoelectric Efficiency. Advanced Materials, 2019, 31, e1900108.	11.1	171
130	The importance of phase equilibrium for doping efficiency: iodine doped PbTe. Materials Horizons, 2019, 6, 1444-1453.	6.4	42
131	The Thermoelectric Properties of Bismuth Telluride. Advanced Electronic Materials, 2019, 5, 1800904.	2.6	446
132	Exceptional thermoelectric performance in Mg₃Sb_{0.6}Bi_{1.4} for low-grade waste heat recovery. Energy and Environmental Science, 2019, 12, 965-971.	15.6	177
133	Effect of anion substitution on the structural and transport properties of argyrodites Cu₇PSe_{6â^'x}S_x. Dalton Transactions, 2019, 48, 15822-15829.	1.6	17
134	3D extruded composite thermoelectric threads for flexible energy harvesting. Nature Communications, 2019, 10, 5590.	5.8	56
135	Effect of Twoâ€Dimensional Crystal Orbitals on Fermi Surfaces and Electron Transport in Threeâ€Dimensional Perovskite Oxides. Angewandte Chemie, 2019, 131, 5557-5566.	1.6	8
136	Effect of Twoâ€Dimensional Crystal Orbitals on Fermi Surfaces and Electron Transport in Threeâ€Dimensional Perovskite Oxides. Angewandte Chemie - International Edition, 2019, 58, 5503-5512.	7.2	17
137	The Vacancyâ€Induced Electronic Structure of the SrTiO 3â^'Î´ Surface. Advanced Electronic Materials, 2019, 5, 1800460.	2.6	15
138	A Percolation Model for Piezoresistivity in Conductorâ€"Polymer Composites. Advanced Theory and Simulations, 2019, 2, 1800125.	1.3	16
139	Mechanical properties in thermoelectric oxides: Ideal strength, deformation mechanism, and fracture toughness. Acta Materialia, 2018, 149, 341-349.	3.8	25
140	Resonant Bonding, Multiband Thermoelectric Transport, and Native Defects in n-Type BaBiTe3â€"xSex (x =) Tj ETQq0 0 0 rgBT /Overlock	3.2	13
141	Observation of valence band crossing: the thermoelectric properties of CaZn₂Sb₂â€"CaMg₂Sb₂ solid solution. Journal of Materials Chemistry A, 2018, 6, 9437-9444.	5.2	70
142	High Thermoelectric Performance in SnTeâ€"AgSbTe₂ Alloys from Lattice Softening, Giant Phononâ€"Vacancy Scattering, and Valence Band Convergence. ACS Energy Letters, 2018, 3, 705-712.	8.8	151
143	Polycrystalline <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:msub><mml:mrow><mml:mi>ZrTe</mml:mi></mml:mrow><mml:mrow><mml:mn>5</mml:mn> Parametrized as a Narrow-Band-Gap Semiconductor for Thermoelectric Performance. Physical Review Applied, 2018, 9, .	1.5	26
144	Minimum thermal conductivity in the context of diffuson-mediated thermal transport. Energy and Environmental Science, 2018, 11, 609-616.	15.6	221

#	Article	IF	Citations
145	Quaternary Pavonites A_{1+x}Sn_{2â€“x}Bi_{5+x}S₁₀ (A⁺ = Li⁺, Na⁺): Site Occupancy Disorder Defines Electronic Structure. Inorganic Chemistry, 2018, 57, 2260-2268.	1.9	12
146	Grain Boundaries Softening Thermoelectric Oxide BiCuSeO. ACS Applied Materials & Interfaces, 2018, 10, 6772-6777.	4.0	10
147	Grain boundary dominated charge transport in Mg₃Sb₂-based compounds. Energy and Environmental Science, 2018, 11, 429-434.	15.6	253
148	Improving the thermoelectric performance in Mg3+xSb1.5Bi0.49Te0.01 by reducing excess Mg. APL Materials, 2018, 6, .	2.2	51
149	Manipulating Band Structure through Reconstruction of Binary Metal Sulfide for Highâ€Performance Thermoelectrics in Solutionâ€Synthesized Nanostructured Bi₁₃S₁₈I₂. Angewandte Chemie - International Edition, 2018, 57, 2413-2418.	7.2	20
150	Enhancement of average thermoelectric figure of merit by increasing the grain-size of Mg3.2Sb1.5Bi0.49Te0.01. Applied Physics Letters, 2018, 112, .	1.5	126
151	Impact of Ni content on the thermoelectric properties of half-Heusler TiNiSn. Energy and Environmental Science, 2018, 11, 311-320.	15.6	97
152	Assessing the Thermal Conductivity of Cu2â^'xSe Alloys Undergoing a Phase Transition via the Simultaneous Measurement of Thermoelectric Parameters by a Harman-Based Setup. Journal of Electronic Materials, 2018, 47, 3314-3319.	1.0	14
153	Enhanced Thermoelectric Performance in 18â€Electron Nb_{0.8}CoSb Halfâ€Heusler Compound with Intrinsic Nb Vacancies. Advanced Functional Materials, 2018, 28, 1705845.	7.8	124
154	Ultralow Thermal Conductivity in Diamond-Like Semiconductors: Selective Scattering of Phonons from Antisite Defects. Chemistry of Materials, 2018, 30, 3395-3409.	3.2	28
155	Boosting the thermoelectric performance of PbSe through dynamic doping and hierarchical phonon scattering. Energy and Environmental Science, 2018, 11, 1848-1858.	15.6	163
156	Low-Symmetry Rhombohedral GeTe Thermoelectrics. Joule, 2018, 2, 976-987.	11.7	402
157	A valence balanced rule for discovery of 18-electron half-Heuslers with defects. Energy and Environmental Science, 2018, 11, 1480-1488.	15.6	105
158	Simple and efficient synthesis of nanograin structured single phase filled skutterudite for high thermoelectric performance. Acta Materialia, 2018, 142, 8-17.	3.8	44
159	Unique Role of Refractory Ta Alloying in Enhancing the Figure of Merit of NbFeSb Thermoelectric Materials. Advanced Energy Materials, 2018, 8, 1701313.	10.2	181
160	Band engineering in Mg₃Sb₂ by alloying with Mg₃Bi₂ for enhanced thermoelectric performance. Materials Horizons, 2018, 5, 59-64.	6.4	177
161	Phase Boundary Mapping to Obtain n-type Mg3Sb2-Based Thermoelectrics. Joule, 2018, 2, 141-154.	11.7	274
162	First-principles calculations and experimental studies of XYZ₂ thermoelectric compounds: detailed analysis of van der Waals interactions. Journal of Materials Chemistry A, 2018, 6, 19502-19519.	5.2	20

#	Article	IF	Citations
163	Chalcopyrite ZnSnSb₂: A Promising Thermoelectric Material. ACS Applied Materials & Interfaces, 2018, 10, 43682-43690.	4.0	22
164	Phonon diffraction and dimensionality crossover in phonon-interface scattering. Communications Physics, 2018, 1, .	2.0	28
165	Argyroditeâ€Type Cu₈GeSe_{6â€“x}Te_x (0 â‰ x â‰ 2): Temperatureâ€Dependent Crystal Structure and Thermoelectric Properties. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2018, 644, 1915-1922.	0.6	16
166	Empirical modeling of dopability in diamond-like semiconductors. Npj Computational Materials, 2018, 4, .	3.5	27
167	Improved stability and high thermoelectric performance through cation site doping in n-type La-doped Mg₃Sb_{1.5}Bi_{0.5}. Journal of Materials Chemistry A, 2018, 6, 19941-19946.	5.2	85
168	Thermal boundary resistance correlated with strain energy in individual Si film-wafer twist boundaries. Materials Today Physics, 2018, 6, 53-59.	2.9	27
169	Heat capacity of Mg3Sb2, Mg3Bi2, and their alloys at high temperature. Materials Today Physics, 2018, 6, 83-88.	2.9	87
170	Compliant and stretchable thermoelectric coils for energy harvesting in miniature flexible devices. Science Advances, 2018, 4, eaau5849.	4.7	208
171	Temperature Dependent nâ€Type Self Doping in Nominally 19â€Electron Halfâ€Heusler Thermoelectric Materials. Advanced Energy Materials, 2018, 8, 1801409.	10.2	62
172	Determining ideal strength and failure mechanism of thermoelectric CuInTe2 through quantum mechanics. Journal of Materials Chemistry A, 2018, 6, 11743-11750.	5.2	10
173	Matminer: An open source toolkit for materials data mining. Computational Materials Science, 2018, 152, 60-69.	1.4	446
174	A practical field guide to thermoelectrics: Fundamentals, synthesis, and characterization. Applied Physics Reviews, 2018, 5, 021303.	5.5	223
175	Discovery of High-Performance Thermoelectric Chalcogenides through Reliable High-Throughput Material Screening. Journal of the American Chemical Society, 2018, 140, 10785-10793.	6.6	134
176	Compressive creep behavior of hot-pressed GeTe based TAGS-85 and effect of creep on thermoelectric properties. Acta Materialia, 2018, 158, 239-246.	3.8	16
177	Suppression of atom motion and metal deposition in mixed ionic electronic conductors. Nature Communications, 2018, 9, 2910.	5.8	148
178	Meltâ€Centrifuged (Bi,Sb)₂Te₃: Engineering Microstructure toward High Thermoelectric Efficiency. Advanced Materials, 2018, 30, e1802016.	11.1	133
179	Ductile deformation mechanism in semiconductor Î±-Ag2S. Npj Computational Materials, 2018, 4, .	3.5	54
180	Highly fluidic liquid at homointerface generates grain-boundary dislocation arrays for high-performance bulk thermoelectrics. Acta Materialia, 2018, 159, 266-275.	3.8	19

#	Article	IF	Citations
181	Mechanical softening of thermoelectric semiconductor Mg2Si from nanotwinning. Scripta Materialia, 2018, 157, 90-94.	2.6	13
182	Giant enhancement of the figure-of-merit over a broad temperature range in nano-boron incorporated Cu₂Se. Journal of Materials Chemistry A, 2018, 6, 18409-18416.	5.2	49
183	Thermopower-conductivity relation for distinguishing transport mechanisms: Polaron hopping in CeO2 and band conduction in SrTiO3. Physical Review B, 2018, 97, .	1.1	26
184	Using the 18-Electron Rule To Understand the Nominal 19-Electron Half-Heusler NbCoSb with Nb Vacancies. Chemistry of Materials, 2017, 29, 1210-1217.	3.2	93
185	Capturing Anharmonicity in a Lattice Thermal Conductivity Model for High-Throughput Predictions. Chemistry of Materials, 2017, 29, 2494-2501.	3.2	88
186	Nanocomposites from Solutionâ€Synthesized PbTeâ€BiSbTe Nanoheterostructure with Unity Figure of Merit at Lowâ€Medium Temperatures (500â€“600 K). Advanced Materials, 2017, 29, 1605140.	11.1	70
187	Highly Porous Thermoelectric Nanocomposites with Low Thermal Conductivity and High Figure of Merit from Largeâ€Scale Solutionâ€Synthesized Bi₂Te_{2.5}Se_{0.5} Hollow Nanostructures. Angewandte Chemie - International Edition, 2017, 56, 3546-3551.	7.2	114
188	Ideal Strength and Deformation Mechanism in High-Efficiency Thermoelectric SnSe. Chemistry of Materials, 2017, 29, 2382-2389.	3.2	50
189	The â€œelectron crystalâ€• behavior in copper chalcogenides Cu₂X (X = Se, S). Journal of Materials Chemistry A, 2017, 5, 5098-5105.	5.2	81
190	Nanocomposites: Nanocomposites from Solutionâ€Synthesized PbTeâ€BiSbTe Nanoheterostructure with Unity Figure of Merit at Lowâ€Medium Temperatures (Adv. Mater. 10/2017). Advanced Materials, 2017, 29, .	11.1	0
191	Thermoelectric transport properties of polycrystalline SnSe alloyed with PbSe. Applied Physics Letters, 2017, 110, .	1.5	52
192	A computational assessment of the electronic, thermoelectric, and defect properties of bournonite (CuPbSbS₃) and related substitutions. Physical Chemistry Chemical Physics, 2017, 19, 6743-6756.	1.3	47
193	Compromise and Synergy in Highâ€Efficiency Thermoelectric Materials. Advanced Materials, 2017, 29, 1605884.	11.1	1,098
194	Lattice Dislocations Enhancing Thermoelectric PbTe in Addition to Band Convergence. Advanced Materials, 2017, 29, 1606768.	11.1	365
195	Defect-Controlled Electronic Structure and Phase Stability in Thermoelectric Skutterudite CoSb₃. Chemistry of Materials, 2017, 29, 3999-4007.	3.2	17
196	High Electron Mobility and Disorder Induced by Silver Ion Migration Lead to Good Thermoelectric Performance in the Argyrodite Ag₈SiSe₆. Chemistry of Materials, 2017, 29, 4833-4839.	3.2	65
197	Engineering the Thermoelectric Transport in Halfâ€Heusler Materials through a Bottomâ€Up Nanostructure Synthesis. Advanced Energy Materials, 2017, 7, 1700446.	10.2	48
198	Enhancing the thermoelectric performance of SnSe_{1âˆ’x}Te_x nanoplates through band engineering. Journal of Materials Chemistry A, 2017, 5, 10713-10721.	5.2	94

#	Article	IF	Citations
199	High Temperature Electronic and Thermal Transport Properties of EuGa2âˆ’x In x Sb2. Journal of Electronic Materials, 2017, 46, 4798-4804.	1.0	4
200	Deformation mechanisms in high-efficiency thermoelectric layered Zintl compounds. Journal of Materials Chemistry A, 2017, 5, 9050-9059.	5.2	31
201	Compressive creep behaviour of hot-pressed PbTe. Scripta Materialia, 2017, 134, 71-74.	2.6	15
202	Achieving zT > 1 in Inexpensive Zintl Phase Ca₉Zn₄₊_xSb₉ by Phase Boundary Mapping. Advanced Functional Materials, 2017, 27, 1606361.	7.8	129
203	Effective mass and Fermi surface complexity factor from ab initio band structure calculations. Npj Computational Materials, 2017, 3, .	3.5	145
204	Thin-film metallic glass: an effective diffusion barrier for Se-doped AgSbTe2 thermoelectric modules. Scientific Reports, 2017, 7, 45177.	1.6	17
205	Vacancy-induced dislocations within grains for high-performance PbSe thermoelectrics. Nature Communications, 2017, 8, 13828.	5.8	360
206	A Chemical Understanding of the Band Convergence in Thermoelectric CoSb₃ Skutterudites: Influence of Electron Population, Local Thermal Expansion, and Bonding Interactions. Chemistry of Materials, 2017, 29, 1156-1164.	3.2	50
207	Realizing high-performance thermoelectric power generation through grain boundary engineering of skutterudite-based nanocomposites. Nano Energy, 2017, 41, 501-510.	8.2	130
208	High Thermoelectric Performance of New Rhombohedral Phase of GeSe stabilized through Alloying with AgSbSe₂. Angewandte Chemie, 2017, 129, 14301-14306.	1.6	19
209	Superstrengthening <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:msub><mml:mrow><mml:mi>Bi</mml:mi></mml:mrow><mml:mn>2</mml:mn></mml:msub><m through Nanotwinning. Physical Review Letters, 2017, 119, 085501.	2.9	58
210	High Thermoelectric Performance of New Rhombohedral Phase of GeSe stabilized through Alloying with AgSbSe₂. Angewandte Chemie - International Edition, 2017, 56, 14113-14118.	7.2	68
211	Significant enhancement of figure-of-merit in carbon-reinforced Cu2Se nanocrystalline solids. Nano Energy, 2017, 41, 164-171.	8.2	103
212	Figure of merit ZT of a thermoelectric device defined from materials properties. Energy and Environmental Science, 2017, 10, 2280-2283.	15.6	300
213	Grain boundary engineering with nano-scale InSb producing high performance In Ce Co4Sb12+ skutterudite thermoelectrics. Journal of Materiomics, 2017, 3, 273-279.	2.8	33
214	Isotropic Zero Thermal Expansion and Local Vibrational Dynamics in (Sc,Fe)F₃. Inorganic Chemistry, 2017, 56, 10840-10843.	1.9	16
215	Enhanced Thermoelectric Performance through Tuning Bonding Energy in Cu₂Se_{1â€“x}S_x Liquid-like Materials. Chemistry of Materials, 2017, 29, 6367-6377.	3.2	179
216	Enhanced stability and thermoelectric figure-of-merit in copper selenide by lithium doping. Materials Today Physics, 2017, 1, 7-13.	2.9	93

#	Article	IF	Citations
217	Ultrahigh thermoelectric performance in Cu₂Se-based hybrid materials with highly dispersed molecular CNTs. Energy and Environmental Science, 2017, 10, 1928-1935.	15.6	298
218	SnO as a potential oxide thermoelectric candidate. Journal of Materials Chemistry C, 2017, 5, 8854-8861.	2.7	72
219	Selfâ€Tuning nâ€Type Bi₂(Te,Se)₃/SiC Thermoelectric Nanocomposites to Realize High Performances up to 300 Â°C. Advanced Science, 2017, 4, 1700259.	5.6	72
220	Optimization principles and the figure of merit for triboelectric generators. Science Advances, 2017, 3, eaap8576.	4.7	133
221	Enhanced Strength Through Nanotwinning in the Thermoelectric Semiconductor InSb. Physical Review Letters, 2017, 119, 215503.	2.9	45
222	Metal phosphides as potential thermoelectric materials. Journal of Materials Chemistry C, 2017, 5, 12441-12456.	2.7	53
223	Micro- and Macromechanical Properties of Thermoelectric Lead Chalcogenides. ACS Applied Materials & Interfaces, 2017, 9, 40488-40496.	4.0	45
224	Mechanical properties of thermoelectric lanthanum telluride from quantum mechanics. Journal Physics D: Applied Physics, 2017, 50, 274002.	1.3	12
225	An ab initio electronic transport database for inorganic materials. Scientific Data, 2017, 4, 170085.	2.4	146
226	High thermoelectric performance in (Bi0.25Sb0.75)2Te3 due to band convergence and improved by carrier concentration control. Materials Today, 2017, 20, 452-459.	8.3	151
227	Charge-transport model for conducting polymers. Nature Materials, 2017, 16, 252-257.	13.3	412
228	Phonon scattering by dislocations at grain boundaries in polycrystalline Bi_{0.5}Sb_{1.5}Te₃. Physica Status Solidi (B): Basic Research, 2017, 254, 1600103.	0.7	43
229	Skutterudite with graphene-modified grain-boundary complexion enhances zT enabling high-efficiency thermoelectric device. Energy and Environmental Science, 2017, 10, 183-191.	15.6	252
230	Introduction to Modeling Thermoelectric Transport at High Temperatures. , 2017, , 207-224.		16
231	Graphene-Like Exfoliated Quasi-2D Thermoelectric Crystals. , 2017, , 245-256.		17
232	Distinct Impact of Alkali-Ion Doping on Electrical Transport Properties of Thermoelectric p-Type Polycrystalline SnSe. Journal of the American Chemical Society, 2016, 138, 8875-8882.	6.6	298
233	Apparent critical phenomena in the superionic phase transition of Cu_{2-x}Se. New Journal of Physics, 2016, 18, 013024.	1.2	48
234	Thermoelectric performance of co-doped SnTe with resonant levels. Applied Physics Letters, 2016, 109, .	1.5	36

#	Article	IF	Citations
235	Improved mechanical properties of thermoelectric (Bi_{0.2}Sb_{0.8})₂Te₃by nanostructuring. APL Materials, 2016, 4, 104807.	2.2	24
236	Understanding thermoelectric properties from high-throughput calculations: trends, insights, and comparisons with experiment. Journal of Materials Chemistry C, 2016, 4, 4414-4426.	2.7	193
237	Improved thermoelectric cooling based on the Thomson effect. , 2016, , .		0
238	n-Type Bi₂Te_{3â€“x}Se_x Nanoplates with Enhanced Thermoelectric Efficiency Driven by Wide-Frequency Phonon Scatterings and Synergistic Carrier Scatterings. ACS Nano, 2016, 10, 4719-4727.	7.3	303
239	Phase-Transition-Enhanced Thermoelectric Performance in Copper Selenide. , 2016, , 219-257.		0
240	Enhanced thermoelectric performance in rare-earth filled-skutterudites. Journal of Materials Chemistry C, 2016, 4, 4374-4379.	2.7	31
241	Enhanced ideal strength of thermoelectric half-Heusler TiNiSn by sub-structure engineering. Journal of Materials Chemistry A, 2016, 4, 14625-14636.	5.2	48
242	Lead-free tin chalcogenide thermoelectric materials. Inorganic Chemistry Frontiers, 2016, 3, 1449-1463.	3.0	42
243	Phosphonic acids aid composition adjustment in the synthesis of Cu2+x Zn1âˆ’x SnSe4âˆ’y nanoparticles. Journal of Nanoparticle Research, 2016, 18, 1.	0.8	5
244	Relating phase transition heat capacity to thermal conductivity and effusivity in Cu₂Se. Physica Status Solidi - Rapid Research Letters, 2016, 10, 618-621.	1.2	20
245	Structure and Failure Mechanism of the Thermoelectric CoSb₃/TiCoSb Interface. ACS Applied Materials & Interfaces, 2016, 8, 31968-31977.	4.0	13
246	Thermal stability of Mg₂Si_{0.4}Sn_{0.6} in inert gases and atomic-layer-deposited Al₂O₃ thin film as a protective coating. Journal of Materials Chemistry A, 2016, 4, 17726-17731.	5.2	21
247	Engineering half-Heusler thermoelectric materials using Zintl chemistry. Nature Reviews Materials, 2016, 1, .	23.3	340
248	Thinking Like a Chemist: Intuition in Thermoelectric Materials. Angewandte Chemie - International Edition, 2016, 55, 6826-6841.	7.2	639
249	Denken wie ein Chemiker: Thermoelektrika intuitiv. Angewandte Chemie, 2016, 128, 6938-6954.	1.6	33
250	p-Type Co Interstitial Defects in Thermoelectric Skutterudite CoSb₃ Due to the Breakage of Sb₄-Rings. Chemistry of Materials, 2016, 28, 2172-2179.	3.2	28
251	YCuTe₂: a member of a new class of thermoelectric materials with CuTe₄-based layered structure. Journal of Materials Chemistry A, 2016, 4, 2461-2472.	5.2	52
252	Atomistic explanation of brittle failure of thermoelectric skutterudite CoSb3. Acta Materialia, 2016, 103, 775-780.	3.8	28

#	Article	IF	Citations
253	Dislocation strain as the mechanism of phonon scattering at grain boundaries. Materials Horizons, 2016, 3, 234-240.	6.4	108
254	The Influence of Weak Tin Doping on the Thermoelectric Properties of Zinc Antimonide. Journal of Electronic Materials, 2016, 45, 1871-1874.	1.0	14
255	Calculation of dopant solubilities and phase diagrams of Xâ€“Pbâ€“Se (X = Br, Na) limited to defects with localized charge. Journal of Materials Chemistry C, 2016, 4, 1769-1775.	2.7	12
256	ZnSb Polymorphs with Improved Thermoelectric Properties. Chemistry of Materials, 2016, 28, 2912-2920.	3.2	16
257	Enhanced thermoelectric properties of the Zintl phase BaGa₂Sb₂via doping with Na or K. Journal of Materials Chemistry A, 2016, 4, 1867-1875.	5.2	26
258	Ultrahigh power factor and thermoelectric performance in hole-doped single-crystal SnSe. Science, 2016, 351, 141-144.	6.0	1,594
259	Zintl Phases: Recent Developments in Thermoelectrics and Future Outlook. RSC Energy and Environment Series, 2016, , 1-26.	0.2	21
260	Co-In-Sb Ternary System (I): Isothermal Sections and Liquidus Projection. Metallurgical and Materials Transactions E, 2015, 2, 236-249.	0.5	1
261	Measuring anisotropic resistivity of single crystals using the van der Pauw technique. Physical Review B, 2015, 92, .	1.1	15
262	Origin of resistivity anomaly in p-type leads chalcogenide multiphase compounds. AIP Advances, 2015, 5, 053601.	0.6	9
263	Electronic structure and thermoelectric properties of pnictogen-substituted ASn1.5Te1.5 (Aâ€‰=â€‰Co, Rh, Ir) skutterudites. Journal of Applied Physics, 2015, 118, .	1.1	13
264	Ultrahigh Thermoelectric Performance in Mosaic Crystals. Advanced Materials, 2015, 27, 3639-3644.	11.1	195
265	Increasing Seebeck Coefficients and Thermoelectric Performance of Sn/Sb/Te and Ge/Sb/Te Materials by Cd Doping. Advanced Electronic Materials, 2015, 1, 1500266.	2.6	20
266	Segmented Thermoelectric Oxideâ€Based Module for Highâ€Temperature Waste Heat Harvesting. Energy Technology, 2015, 3, 1143-1151.	1.8	29
267	Heterogeneous Distribution of Sodium for High Thermoelectric Performance of pâ€type Multiphase Leadâ€Chalcogenides. Advanced Energy Materials, 2015, 5, 1501047.	10.2	63
268	High Temperature Thermoelectric Properties of the Solid-Solution Zintl Phase Eu₁₁Cd_{6â€“x}Zn_xSb₁₂. Chemistry of Materials, 2015, 27, 4413-4421.	3.2	47
269	Characterization of Lorenz number with Seebeck coefficient measurement. APL Materials, 2015, 3, .	2.2	1,236
270	High thermoelectric and mechanical performance in highly dense Cu_{2â^'x}S bulks prepared by a melt-solidification technique. Journal of Materials Chemistry A, 2015, 3, 9432-9437.	5.2	176

#	Article	IF	Citations
271	High thermoelectric figure-of-merit in Sb₂Te₃/Ag₂Te bulk composites as Pb-free p-type thermoelectric materials. Journal of Materials Chemistry C, 2015, 3, 10494-10499.	2.7	41
272	Unileg Thermoelectric Generator Design for Oxide Thermoelectrics and Generalization of the Unileg Design Using an Idealized Metal. Journal of Electronic Materials, 2015, 44, 1834-1845.	1.0	9
273	Bonding and high-temperature reliability of NiFeMo alloy/n-type PbTe joints for thermoelectric module applications. Journal of Materials Science, 2015, 50, 2700-2708.	1.7	25
274	Thermoelectric properties of the Zintl phases Yb₅M₂Sb₆(M = Al,) Tj ETQq0 0 0 rgBT /Overlock 10	1.6	38
275	The Effects of Te^{2â^'} and I^{â^'} Substitutions on the Electronic Structures, Thermoelectric Performance, and Hardness in Meltâ€Quenched Highly Dense Cu_{2â€x}Se. Advanced Electronic Materials, 2015, 1, 1400015.	2.6	51
276	Interfacial reactions in Ni/CoSb3 couples at 450 Â°C. Journal of Alloys and Compounds, 2015, 632, 500-504.	2.8	16
277	Thermoelectric Enhancement in BaGa₂Sb₂ by Zn Doping. Chemistry of Materials, 2015, 27, 1622-1630.	3.2	53
278	Comparison of Thermoelectric Transport Measurement Techniques Using n-type PbSe. Journal of Electronic Materials, 2015, 44, 1967-1971.	1.0	4
279	Enhanced Thermoelectric Properties in Bulk Nanowire Heterostructure-Based Nanocomposites through Minority Carrier Blocking. Nano Letters, 2015, 15, 1349-1355.	4.5	118
280	Temperature dependent solubility of Yb in Ybâ€"CoSb3 skutterudite and its effect on preparation, optimization and lifetime of thermoelectrics. Journal of Materiomics, 2015, 1, 75-84.	2.8	88
281	Solubility design leading to high figure of merit in low-cost Ce-CoSb3 skutterudites. Nature Communications, 2015, 6, 7584.	5.8	142
282	Silver as a highly effective bonding layer for lead telluride thermoelectric modules assembled by rapid hot-pressing. Energy Conversion and Management, 2015, 98, 134-137.	4.4	25
283	State of the art Ag50-Sb Se50-Te alloys: Their high zT values, microstructures and related phase equilibria. Acta Materialia, 2015, 93, 38-45.	3.8	21
284	Band gap estimation from temperature dependent Seebeck measurementâ€"Deviations from the 2e|S|maxTmax relation. Applied Physics Letters, 2015, 106, .	1.5	181
285	High performance p-type segmented leg of misfit-layered cobaltite and half-Heusler alloy. Energy Conversion and Management, 2015, 99, 20-27.	4.4	23
286	The Co-Sb-Ga System: Isoplethal Section and Thermodynamic Modeling. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2015, 46, 1488-1499.	1.1	10
287	Nanostructuring of Undoped ZnSb by Cryo-Milling. Journal of Electronic Materials, 2015, 44, 2578-2584.	1.0	17
288	Ab initio study of intrinsic point defects in PbTe: an insight into phase stability. Acta Materialia, 2015, 92, 72-80.	3.8	46

#	Article	IF	Citations
289	Dense dislocation arrays embedded in grain boundaries for high-performance bulk thermoelectrics. Science, 2015, 348, 109-114.	6.0	1,552
290	Higher mobility in bulk semiconductors by separating the dopants from the charge-conducting band â€“ a case study of thermoelectric PbSe. Materials Horizons, 2015, 2, 323-329.	6.4	54
291	Liquidus projection and isothermal section at 650Â°C of ternary Coâ€“Sbâ€“Ga system. Journal of Alloys and Compounds, 2015, 637, 98-105.	2.8	3
292	Enhanced thermoelectric properties of Sr5In2Sb6via Zn-doping. Journal of Materials Chemistry A, 2015, 3, 10289-10295.	5.2	21
293	Flexible n-type thermoelectric materials by organic intercalation of layered transition metalÂdichalcogenide TiS2. Nature Materials, 2015, 14, 622-627.	13.3	612
294	Demonstration of a phonon-glass electron-crystal strategy in (Hf,Zr)NiSn half-Heusler thermoelectric materials by alloying. Journal of Materials Chemistry A, 2015, 3, 22716-22722.	5.2	137
295	Themed issue on the chemistry of thermoelectric materials. Journal of Materials Chemistry C, 2015, 3, 10332-10335.	2.7	4
296	Influence of Compensating Defect Formation on the Doping Efficiency and Thermoelectric Properties of Cu_{2-y}Se_{1â€“x}Br_x. Chemistry of Materials, 2015, 27, 7018-7027.	3.2	67
297	Convergence of multi-valley bands as the electronic origin of high thermoelectric performance in CoSb3 skutterudites. Nature Materials, 2015, 14, 1223-1228.	13.3	587
298	Coinage-Metal-Stuffed Eu₉Cd₄Sb₉: Metallic Compounds with Anomalous Low Thermal Conductivities. Chemistry of Materials, 2015, 27, 7508-7519.	3.2	39
299	Development of interconnection materials for Bi<inf>2</inf>Te<inf>3</inf> and PbTe thermoelectric module by using SLID technique. , 2015, , .		0
300	High temperature thermoelectric properties of Zn-doped Eu₅In₂Sb₆. Journal of Materials Chemistry C, 2015, 3, 10518-10524.	2.7	27
301	Interfacial reactions between PbTe-based thermoelectric materials and Cu and Ag bonding materials. Journal of Materials Chemistry C, 2015, 3, 10590-10596.	2.7	37
302	Mechanochemical synthesis and high temperature thermoelectric properties of calcium-doped lanthanum telluride La_{3â^'x}Ca_xTe₄. Journal of Materials Chemistry C, 2015, 3, 10459-10466.	2.7	19
303	Computational and experimental investigation of TmAgTe₂and XYZ₂compounds, a new group of thermoelectric materials identified by first-principles high-throughput screening. Journal of Materials Chemistry C, 2015, 3, 10554-10565.	2.7	99
304	Heterostructures of skutterudites and germanium antimony tellurides â€“ structure analysis and thermoelectric properties of bulk samples. Journal of Materials Chemistry C, 2015, 3, 10525-10533.	2.7	13
305	Brittle Failure Mechanism in Thermoelectric Skutterudite CoSb₃. Chemistry of Materials, 2015, 27, 6329-6336.	3.2	60
306	High Thermoelectric Performance SnTeâ€“In₂Te₃ Solid Solutions Enabled by Resonant Levels and Strong Vacancy Phonon Scattering. Chemistry of Materials, 2015, 27, 7801-7811.	3.2	191

#	Article	IF	Citations
307	Thermoelectric properties and electronic structure of the Zintl phase Sr₅In₂Sb₆and the Ca₅â^'xSr_xIn₂Sb₆solid solution. Journal of Physics Condensed Matter, 2015, 27, 015801.	0.7	9
308	Mechanically Robust BiSbTe Alloys with Superior Thermoelectric Performance: A Case Study of Stable Hierarchical Nanostructured Thermoelectric Materials. Advanced Energy Materials, 2015, 5, 1401391.	10.2	304
309	High temperature transport properties of BaZn2Sn2. Journal of Alloys and Compounds, 2015, 622, 402-407.	2.8	4
310	Measuring thermoelectric transport properties of materials. Energy and Environmental Science, 2015, 8, 423-435.	15.6	275
311	Resolving the true band gap of ZrNiSn half-Heusler thermoelectric materials. Materials Horizons, 2015, 2, 68-75.	6.4	99
312	Transport properties and valence band feature of high-performance (GeTe)₈₅(AgSbTe₂)₁₅thermoelectric materials. New Journal of Physics, 2014, 16, 013057.	1.2	34
313	Determining conductivity and mobility values of individual components in multiphase composite Cu1.97Ag0.03Se. Applied Physics Letters, 2014, 105, .	1.5	23
314	Response to â€œComment on â€˜Effective thermal conductivity in thermoelectric materialsâ€™â€•[J. Appl. Phys. 113, 204904 (2013)]. Journal of Applied Physics, 2014, 115, .	1.1	23
315	A new crystal: layer-structured rhombohedral In3Se4. CrystEngComm, 2014, 16, 393-398.	1.3	31
316	Linear dependence of the Hall coefficient of 1% Na doped PbTe with varying magnetic field. Physica Status Solidi (A) Applications and Materials Science, 2014, 211, 1273-1275.	0.8	2
317	Thermoelectric transport properties of diamond-like Cu1â^'xFe1+xS2 tetrahedral compounds. Journal of Applied Physics, 2014, 116, .	1.1	104
318	Thermoelectric properties of indium doped PbTe1-ySey alloys. Journal of Applied Physics, 2014, 116, .	1.1	27
319	Towards high efficiency segmented thermoelectric unicouples. Physica Status Solidi (A) Applications and Materials Science, 2014, 211, 9-17.	0.8	80
320	Defectâ€Controlled Electronic Properties in AZn₂Sb₂ Zintl Phases. Angewandte Chemie - International Edition, 2014, 53, 3422-3426.	7.2	112
321	Interfacial Reaction Between Nb Foil and n-Type PbTe Thermoelectric Materials During Thermoelectric Contact Fabrication. Journal of Electronic Materials, 2014, 43, 4064-4069.	1.0	27
322	Bonding and interfacial reaction between Ni foil and n-type PbTe thermoelectric materials for thermoelectric module applications. Journal of Materials Science, 2014, 49, 1716-1723.	1.7	57
323	Phase diagram of Inâ€“Coâ€“Sb system and thermoelectric properties of In-containing skutterudites. Energy and Environmental Science, 2014, 7, 812-819.	15.6	116
324	High Thermoelectric Performance in Nonâ€Toxic Earthâ€Abundant Copper Sulfide. Advanced Materials, 2014, 26, 3974-3978.	11.1	631

#	Article	IF	Citations
325	High-Temperature Thermoelectric Properties of the Solidâ€“Solution Zintl Phase Eu11Cd6Sb12â€“xAsx (x <) Tj ETQq1 1 0.784314 rgBT	3.2	32
326	Applying Quantitative Microstructure Control in Advanced Functional Composites. Advanced Functional Materials, 2014, 24, 2135-2153.	7.8	63
327	Optimum Carrier Concentration in nâ€Type PbTe Thermoelectrics. Advanced Energy Materials, 2014, 4, 1400486.	10.2	348
328	Thermoelectric properties of p-type polycrystalline SnSe doped with Ag. Journal of Materials Chemistry A, 2014, 2, 11171-11176.	5.2	488
329	Elemental tellurium as a chiral<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>p</mml:mi></mml:math>-type thermoelectric material. Physical Review B, 2014, 89, .	1.1	165
330	Thermoelectric properties and electronic structure of the Zintl phase Sr5Al2Sb6. Dalton Transactions, 2014, 43, 4720.	1.6	31
331	Thermoelectric alloys between PbSe and PbS with effective thermal conductivity reduction and high figure of merit. Journal of Materials Chemistry A, 2014, 2, 3169.	5.2	87
332	Effect of Isovalent Substitution on the Thermoelectric Properties of the Cu₂ZnGeSe_{4â€“x}S_x Series of Solid Solutions. Journal of the American Chemical Society, 2014, 136, 442-448.	6.6	95
333	Band convergence in the non-cubic chalcopyrite compounds Cu₂MGeSe₄. Journal of Materials Chemistry C, 2014, 2, 10189-10194.	2.7	57
334	Bond strength dependent superionic phase transformation in the solid solution series Cu₂ZnGeSe_{4â^’x}S_x. Journal of Materials Chemistry A, 2014, 2, 1790-1794.	5.2	33
335	Thermoelectric properties of Sn-doped p-type Cu₃SbSe₄: a compound with large effective mass and small band gap. Journal of Materials Chemistry A, 2014, 2, 13527-13533.	5.2	112
336	TAGS-related indium compounds and their thermoelectric properties â€“ the solid solution series (GeTe)_xAgIn_ySb_{1â^’y}Te₂ (x = 1â€“12; y = 0.5) Tj ETQq0 0 0 rgBT /Ove	5.2	21
337	Optimization of thermoelectric efficiency in SnTe: the case for the light band. Physical Chemistry Chemical Physics, 2014, 16, 20741-20748.	1.3	230
338	Optimization of the carrier concentration in phase-separated half-Heusler compounds. Journal of Materials Chemistry A, 2014, 2, 13513-13518.	5.2	47
339	A High-temperature, High-efficiency Solar Thermoelectric Generator Prototype. Energy Procedia, 2014, 49, 1460-1469.	1.8	60
340	Thermoelectric Transport in Cu₇PSe₆ with High Copper Ionic Mobility. Journal of the American Chemical Society, 2014, 136, 12035-12040.	6.6	154
341	Nanostructures in Te/Sb/Ge/Ag (TAGS) Thermoelectric Materials Induced by Phase Transitions Associated with Vacancy Ordering. Inorganic Chemistry, 2014, 53, 7722-7729.	1.9	39
342	Thermoelectric performance of tellurium-reduced quaternary p-type leadâ€“chalcogenide composites. Acta Materialia, 2014, 80, 365-372.	3.8	28

#	Article	IF	Citations
343	Glass-like lattice thermal conductivity and high thermoelectric efficiency in Yb₉Mn_{4.2}Sb₉. Journal of Materials Chemistry A, 2014, 2, 215-220.	5.2	109
344	Thermoelectric properties of the Yb₉Mn_{4.2â^'x}Zn_xSb₉solid solutions. Journal of Materials Chemistry A, 2014, 2, 7478-7483.	5.2	51
345	Thermoelectric properties of the Ca₅Al_{2â^'x}In_xSb₆solid solution. Dalton Transactions, 2014, 43, 15872-15878.	1.6	28
346	Thermoelectric Performance of n-Type (PbTe)_{0.75}(PbS)_{0.15}(PbSe)_{0.1} Composites. ACS Applied Materials & Interfaces, 2014, 6, 11476-11483.	4.0	69
347	High Band Degeneracy Contributes to High Thermoelectric Performance in pâ€Type Halfâ€Heusler Compounds. Advanced Energy Materials, 2014, 4, 1400600.	10.2	261
348	Chemical composition tuning in quaternary p-type Pb-chalcogenides â€“ a promising strategy for enhanced thermoelectric performance. Physical Chemistry Chemical Physics, 2014, 16, 1835-1840.	1.3	48
349	Tuning bands of PbSe for better thermoelectric efficiency. Energy and Environmental Science, 2014, 7, 804-811.	15.6	214
350	Nonstoichiometry in the Zintl Phase Yb_{1â^'Î´}Zn₂Sb₂ as a Route to Thermoelectric Optimization. Chemistry of Materials, 2014, 26, 5710-5717.	3.2	95
351	Composition Modulation of Ag₂Te Nanowires for Tunable Electrical and Thermal Properties. Nano Letters, 2014, 14, 5398-5404.	4.5	80
352	High-temperature thermoelectric properties of Cu1.97Ag0.03Se1+y. Materials for Renewable and Sustainable Energy, 2014, 3, 1.	1.5	36
353	Thermochemistry, Morphology, and Optical Characterization of Germanium Allotropes. Chemistry of Materials, 2014, 26, 3263-3271.	3.2	23
354	The intrinsic disorder related alloy scattering in ZrNiSn half-Heusler thermoelectric materials. Scientific Reports, 2014, 4, 6888.	1.6	213
355	Thermoelectric Properties and Microstructure Studies of Spinodally Decomposed PbTe_{0.38}S_{0.62} Alloy. Science of Advanced Materials, 2014, 6, 1453-1459.	0.1	2
356	Phase Characterization, Thermal Stability, High-Temperature Transport Properties, and Electronic Structure of Rare-Earth Zintl Phosphides Eu₃M₂P₄ (M = Ga, In). Inorganic Chemistry, 2013, 52, 3787-3794.	1.9	13
357	Atomic-Scale Interfacial Structure in Rock Salt and Tetradymite Chalcogenide Thermoelectric Materials. Jom, 2013, 65, 390-400.	0.9	24
358	Chemical Stability of (Ag,Cu)2Se: a Historical Overview. Journal of Electronic Materials, 2013, 42, 2014-2019.	1.0	139
359	Thermal Management Optimization of a Thermoelectric-Integrated Methanol Evaporator Using a Compact CFD Modeling Approach. Journal of Electronic Materials, 2013, 42, 2035-2042.	1.0	15
360	Chargeâ€Compensated Compound Defects in Gaâ€containing Thermoelectric Skutterudites. Advanced Functional Materials, 2013, 23, 3194-3203.	7.8	108

#	Article	IF	Citations
361	Enhanced thermoelectric performance in the very low thermal conductivity Ag2Se0.5Te0.5. Applied Physics Letters, 2013, 103, .	1.5	48
362	Analytical and numerical parameter extraction for compact modeling of thermoelectric coolers. International Journal of Heat and Mass Transfer, 2013, 60, 689-699.	2.5	87
363	Effective thermal conductivity in thermoelectric materials. Journal of Applied Physics, 2013, 113, .	1.1	86
364	Rational design of p-type thermoelectric PbTe: temperature dependent sodium solubility. Journal of Materials Chemistry A, 2013, 1, 8725.	5.2	56
365	The Criteria for Beneficial Disorder in Thermoelectric Solid Solutions. Advanced Functional Materials, 2013, 23, 1586-1596.	7.8	293
366	Phonon Scattering through a Local Anisotropic Structural Disorder in the Thermoelectric Solid Solution Cu₂Zn_{1â€“x}Fe_xGeSe₄. Journal of the American Chemical Society, 2013, 135, 726-732.	6.6	100
367	Improved thermoelectric properties in Zn-doped Ca5Ga2Sb6. Journal of Materials Chemistry A, 2013, 1, 4244.	5.2	44
368	Low Electron Scattering Potentials in High Performance Mg₂Si_{0.45}Sn_{0.55} Based Thermoelectric Solid Solutions with Band Convergence. Advanced Energy Materials, 2013, 3, 1238-1244.	10.2	220
369	Beneficial Contribution of Alloy Disorder to Electron and Phonon Transport in Halfâ€Heusler Thermoelectric Materials. Advanced Functional Materials, 2013, 23, 5123-5130.	7.8	349
370	Validity of rigid band approximation of PbTe thermoelectric materials. APL Materials, 2013, 1, .	2.2	44
371	High Thermoelectric Efficiency of nâ€type PbS. Advanced Energy Materials, 2013, 3, 488-495.	10.2	178
372	Thermoelectric properties of Zn-doped Ca5In2Sb6. Dalton Transactions, 2013, 42, 9713.	1.6	46
373	T-Shaped Bi₂Te₃â€“Te Heteronanojunctions: Epitaxial Growth, Structural Modeling, and Thermoelectric Properties. Journal of Physical Chemistry C, 2013, 117, 12458-12464.	1.5	59
374	The microstructure, liquidus projection and thermodynamic modeling of thermoelectric Agâ€“Pbâ€“Te system. Materials Chemistry and Physics, 2013, 141, 758-767.	2.0	16
375	Characteristics of lattice thermal conductivity and carrier mobility of undoped PbSe-PbS solid solutions. Journal Physics D: Applied Physics, 2013, 46, 405301.	1.3	16
376	Optical band gap and the Bursteinâ€“Moss effect in iodine doped PbTe using diffuse reflectance infrared Fourier transform spectroscopy. New Journal of Physics, 2013, 15, 075020.	1.2	188
377	Evaluating the potential for high thermoelectric efficiency of silver selenide. Journal of Materials Chemistry C, 2013, 1, 7568.	2.7	105
378	Phase transition enhanced thermoelectric figure-of-merit in copper chalcogenides. APL Materials, 2013, 1, .	2.2	109

#	Article	IF	Citations
379	Silicon-Based Thermoelectrics Made from a Boron-Doped Silicon Dioxide Nanocomposite. Chemistry of Materials, 2013, 25, 4867-4873.	3.2	24
380	Electron and phonon transport in Co-doped FeV0.6Nb0.4Sb half-Heusler thermoelectric materials. Journal of Applied Physics, 2013, 114, 134905.	1.1	54
381	Temperature dependent band gap in PbX (Xâ€‰=â€‰S, Se, Te). Applied Physics Letters, 2013, 103, .	1.5	140
382	Thermoelectric Properties and Electronic Structure of the Zintlâ€Phase Sr₃AlSb₃. ChemSusChem, 2013, 6, 2316-2321.	3.6	32
383	INFLUENCE OF THE CHEMICAL POTENTIAL ON THE CARRIER EFFECTIVE MASS IN THE THERMOELECTRIC SOLID SOLUTION Cu2Zn1-xFexGeSe4. Functional Materials Letters, 2013, 06, 1340010.	0.7	7
384	The self-compatibility effect in graded thermoelectric cooler elements. Physica Status Solidi (A) Applications and Materials Science, 2013, 210, 1407-1417.	0.8	17
385	Increased electrical conductivity in fine-grained (Zr,Hf)NiSn based thermoelectric materials with nanoscale precipitates. Applied Physics Letters, 2012, 100, .	1.5	32
386	Thermoelectric properties of Zn5Sb4In2-Î´ (Î´â€‰=â€‰0.15). Journal of Applied Physics, 2012, 111, 123712.	1.1	5
387	Rapid Microwave Preparation of Thermoelectric TiNiSn and TiCoSb Half-Heusler Compounds. Chemistry of Materials, 2012, 24, 2558-2565.	3.2	126
388	Concentrated solar thermoelectric generators. Energy and Environmental Science, 2012, 5, 9055.	15.6	227
389	Measurement of the electrical resistivity and Hall coefficient at high temperatures. Review of Scientific Instruments, 2012, 83, 123902.	0.6	223
390	Dopants effect on the band structure of PbTe thermoelectric material. Applied Physics Letters, 2012, 101, 092102.	1.5	76
391	A combinatorial approach to microstructure and thermopower of bulk thermoelectric materials: the pseudo-ternary PbTeâ€“Ag2Teâ€“Sb2Te3 system. Journal of Materials Chemistry, 2012, 22, 24335.	6.7	16
392	Ternary eutectic growth of nanostructured thermoelectric Ag-Pb-Te materials. Applied Physics Letters, 2012, 101, 023107.	1.5	21
393	Cu₂ZnGeSe₄ Nanocrystals: Synthesis and Thermoelectric Properties. Journal of the American Chemical Society, 2012, 134, 4060-4063.	6.6	199
394	Band Engineering of Thermoelectric Materials. Advanced Materials, 2012, 24, 6125-6135.	11.1	1,307
395	Hot pressing and nanostructuring of Bi₉₀Sb₁₀ alloys to concurrently improve mechanical and thermoelectric properties. Physica Status Solidi (A) Applications and Materials Science, 2012, 209, 2565-2569.	0.8	3
396	Thermoelectric properties of Zn-doped Ca3AlSb3. Journal of Materials Chemistry, 2012, 22, 9826.	6.7	48

#	Article	IF	Citations
397	Improved Thermoelectric Properties in Lu-doped Yb$_{14}$MnSb$_{11}$ Zintl Compounds. Applied Physics Express, 2012, 5, 031801.	1.1	31
398	Copper ion liquid-like thermoelectrics. Nature Materials, 2012, 11, 422-425.	13.3	1,700
399	Influence of the Triel Elements (M = Al, Ga, In) on the Transport Properties of Ca₅M₂Sb₆ Zintl Compounds. Chemistry of Materials, 2012, 24, 2091-2098.	3.2	90
400	Synthesis, Structural Characterization, and Physical Properties of the Type-I Clathrates A8Zn18As28 (A) Tj ETQq0 0 0 rgBT /Overlock 10	3.2	38
401	Formation of highly oriented large nanoscale In2Te3 precipitates in bulk Bi2Te3. Acta Materialia, 2012, 60, 4461-4467.	3.8	14
402	Low effective mass leading to high thermoelectric performance. Energy and Environmental Science, 2012, 5, 7963.	15.6	511
403	Influence of a Nano Phase Segregation on the Thermoelectric Properties of the p-Type Doped Stannite Compound Cu_{2+x}Zn_{1â€“x}GeSe₄. Journal of the American Chemical Society, 2012, 134, 7147-7154.	6.6	129
404	Reduced thermal conductivity in Pb-alloyed AgSbTe2 thermoelectric materials. Acta Materialia, 2012, 60, 6144-6151.	3.8	39
405	Thermopower enhancement in Pb1â^'xMnxTe alloys and its effect on thermoelectric efficiency. NPG Asia Materials, 2012, 4, e28-e28.	3.8	214
406	Improved thermoelectric cooling based on the Thomson effect. Physical Review B, 2012, 86, .	1.1	51
407	Thermoelectric Materials: Band Engineering of Thermoelectric Materials (Adv. Mater. 46/2012). Advanced Materials, 2012, 24, 6124-6124.	11.1	45
408	Thermoelectric properties of Sr3GaSb3 â€“ a chain-forming Zintl compound. Energy and Environmental Science, 2012, 5, 9121.	15.6	127
409	Nanostructuring of Thermoelectric Mg₂Si via a Nonequilibrium Intermediate State. Small, 2012, 8, 2350-2355.	5.2	34
410	Weak electronâ€“phonon coupling contributing to high thermoelectric performance in n-type PbSe. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 9705-9709.	3.3	359
411	A Mesoporous Anisotropic nâ€Type Bi₂Te₃ Monolith with Low Thermal Conductivity as an Efficient Thermoelectric Material. Advanced Materials, 2012, 24, 5065-5070.	11.1	80
412	Chalcopyrite CuGaTe₂: A Highâ€Efficiency Bulk Thermoelectric Material. Advanced Materials, 2012, 24, 3622-3626.	11.1	311
413	High Thermoelectric Figure of Merit in PbTe Alloys Demonstrated in PbTeâ€“CdTe. Advanced Energy Materials, 2012, 2, 670-675.	10.2	240
414	Thermoelectric Properties of Mn-Doped Ca5Al2Sb6. Journal of Electronic Materials, 2012, 41, 813-818.	1.0	24

#	Article	IF	Citations
415	Waste Heat Recovery from a Marine Waste Incinerator Using a Thermoelectric Generator. Journal of Electronic Materials, 2012, 41, 1024-1029.	1.0	77
416	Scanning Seebeck Coefficient Measurement System for Homogeneity Characterization of Bulk and Thin-Film Thermoelectric Materials. Journal of Electronic Materials, 2012, 41, 1667-1674.	1.0	27
417	Formation of ordered nano-wire microstructures in thermoelectric Pbâ€“Agâ€“Sbâ€“Te. Acta Materialia, 2012, 60, 1129-1138.	3.8	23
418	Optimized thermoelectric properties of Mo3Sb7âˆ’xTex with significant phonon scattering by electrons. Energy and Environmental Science, 2011, 4, 4086.	15.6	77
419	Direct tuning of electrical properties in nano-structured Bi2Se0.3Te2.7 by reversible electrochemical lithium reactions. Chemical Communications, 2011, 47, 12173.	2.2	13
420	Rapid consolidation of powdered materials by induction hot pressing. Review of Scientific Instruments, 2011, 82, 025104.	0.6	115
421	Phonon engineering through crystal chemistry. Journal of Materials Chemistry, 2011, 21, 15843.	6.7	719
422	Zone Leveling Crystal Growth of Thermoelectric PbTe Alloys with Sb₂Te₃ WidmanstÃtten Precipitates. Crystal Growth and Design, 2011, 11, 4183-4189.	1.4	12
423	Combination of large nanostructures and complex band structure for high performance thermoelectric lead telluride. Energy and Environmental Science, 2011, 4, 3640.	15.6	153
424	High-temperature electrical and thermal transport properties of fully filled skutterudites RFe4Sb12 (Râ€‰=â€‰Ca, Sr, Ba, La, Ce, Pr, Nd, Eu, and Yb). Journal of Applied Physics, 2011, 109, .	1.1	156
425	A high temperature apparatus for measurement of the Seebeck coefficient. Review of Scientific Instruments, 2011, 82, 063905.	0.6	255
426	Reevaluation of PbTe1âˆ’xIx as high performance n-type thermoelectric material. Energy and Environmental Science, 2011, 4, 2090.	15.6	359
427	Thermodynamics of Thermoelectric Phenomena and Applications. Entropy, 2011, 13, 1481-1517.	1.1	254
428	Reduction of thermal conductivity in PbTe:Tl by alloying with<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:mi mathvariant="normal">TlSbT</mml:mi><mml:msub><mml:mi mathvariant="normal">e</mml:mi><mml:mrow><mml:mn>2</mml:mn></mml:mrow></mml:msub></mml:mrow></mml:math>. Physical Review B, 2011, 83, .	1.1	25
429	Mechanochemical synthesis and thermoelectric properties of high quality magnesium silicide. Journal of Materials Chemistry, 2011, 21, 12259.	6.7	204
430	Ca₃AlSb₃: an inexpensive, non-toxic thermoelectric material for waste heat recovery. Energy and Environmental Science, 2011, 4, 510-518.	15.6	202
431	Surfactant-Free Synthesis of Bi₂Te₃âˆ’Te Microâˆ’Nano Heterostructure with Enhanced Thermoelectric Figure of Merit. ACS Nano, 2011, 5, 3158-3165.	7.3	104
432	Alloying to increase the band gap for improving thermoelectric properties of Ag2Te. Journal of Materials Chemistry, 2011, 21, 18256.	6.7	149

#	Article	IF	Citations
433	Predicted Electronic and Thermodynamic Properties of a Newly Discovered Zn₈Sb₇ Phase. Journal of the American Chemical Society, 2011, 133, 11255-11261.	6.6	33
434	Entropic stabilization and retrograde solubility in Zn4Sb3. Physical Review B, 2011, 83, .	1.1	41
435	Convergence of electronic bands for high performance bulk thermoelectrics. Nature, 2011, 473, 66-69.	13.7	3,306
436	Solubility and microstructure in the pseudo-binary PbTeâ€"Ag2Te system. Journal of Solid State Chemistry, 2011, 184, 2543-2552.	1.4	33
437	Lead telluride alloy thermoelectrics. Materials Today, 2011, 14, 526-532.	8.3	444
438	High thermoelectric figure of merit in heavy hole dominated PbTe. Energy and Environmental Science, 2011, 4, 2085.	15.6	631
439	A weak compatibility condition for precipitation with application to the microstructure of PbTeâ€"Sb2Te3 thermoelectrics. Acta Materialia, 2011, 59, 6124-6132.	3.8	11
440	Interfacial disconnections at Sb2Te3 precipitates in PbTe: Mechanisms of strain accommodation and phase transformation at a tetradymite/rocksalt telluride interface. Acta Materialia, 2011, 59, 7724-7735.	3.8	13
441	Solubility and formation of ternary WidmanstÃtten precipitates in PbTe in the pseudo-binary PbTeâ€"Bi2Te3 system. Journal of Materials Science, 2011, 46, 3846-3854.	1.7	19
442	Size control of Sb2Te3 WidmanstÃtten precipitates in thermoelectric PbTe. Acta Materialia, 2011, 59, 2679-2692.	3.8	25
443	Nanostructuring in Î²â€Zn₄Sb₃ with variable starting Zn compositions. Physica Status Solidi (A) Applications and Materials Science, 2011, 208, 1652-1657.	0.8	25
444	Doping of pâ€type ZnSb: Single parabolic band model and impurity band conduction. Physica Status Solidi (A) Applications and Materials Science, 2011, 208, 2753-2759.	0.8	71
445	High Thermoelectric Performance in PbTe Due to Large Nanoscale Ag2Te Precipitates and La Doping. Advanced Functional Materials, 2011, 21, 241-249.	7.8	484
446	Heavily Doped pâ€Type PbSe with High Thermoelectric Performance: An Alternative for PbTe. Advanced Materials, 2011, 23, 1366-1370.	11.1	461
447	Stabilizing the Optimal Carrier Concentration for High Thermoelectric Efficiency. Advanced Materials, 2011, 23, 5674-5678.	11.1	378
448	Selfâ€Tuning the Carrier Concentration of PbTe/Ag₂Te Composites with Excess Ag for High Thermoelectric Performance. Advanced Energy Materials, 2011, 1, 291-296.	10.2	224
449	Crystal structure, characterization and thermoelectric properties of the type-I clathrate Ba8âˆ'ySryAl14Si32 (0.6â‰yâ‰1.3) prepared by aluminum flux. Journal of Solid State Chemistry, 2011, 184, 1176-1185.	1.4	30
450	Phase stability and chemical composition dependence of the thermoelectric properties of the type-I clathrate Ba8AlxSi46âˆ'x (8â‰xâ‰15). Journal of Solid State Chemistry, 2011, 184, 1293-1303.	1.4	67

#	Article	IF	Citations
451	Reduction of lattice thermal conductivity from planar faults in the layered Zintl compound SrZnSb2. Journal of Applied Physics, 2011, 109, 043509-043509-5.	1.1	12
452	Improved carrier concentration control in Zn-doped Ca5Al2Sb6. Journal of Applied Physics, 2011, 110, .	1.1	50
453	Maximum performance in self-compatible thermoelectric elements. Journal of Materials Research, 2011, 26, 1933-1939.	1.2	22
454	Complex thermoelectric materials. , 2010, , 101-110.		143
455	Effective thermal conductivity of polycrystalline materials with randomly oriented superlattice grains. Journal of Applied Physics, 2010, 108, .	1.1	48
456	Microstructure Size Control through Cooling Rate in Thermoelectric PbTe-Sb2Te3 Composites. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2010, 41, 641-650.	1.1	14
457	Effect of Ca Doping on the Thermoelectric Performance of Yb14MnSb11. Journal of Electronic Materials, 2010, 39, 1373-1375.	1.0	38
458	High-resolution nanostructural investigation of Zn4Sb3 alloys. Scripta Materialia, 2010, 63, 784-787.	2.6	36
459	The Zintl Compound Ca₅Al₂Sb₆ for Lowâ€Cost Thermoelectric Power Generation. Advanced Functional Materials, 2010, 20, 4375-4380.	7.8	180
460	The compatibility approach in the classical theory of thermoelectricity seen from the perspective of variational calculus. Physica Status Solidi (A) Applications and Materials Science, 2010, 207, 760-765.	0.8	24
461	Powerâ€related compatibility and maximum electrical power output of a thermogenerator. Physica Status Solidi (A) Applications and Materials Science, 2010, 207, 2399-2406.	0.8	13
462	Nanostructure formation in bulk thermoelectric compounds in the pseudo binary PbTe-Sb2Te3 system. Materials Research Society Symposia Proceedings, 2010, 1267, 1.	0.1	4
463	Thermoelectric property studies on thallium-doped lead telluride prepared by ball milling and hot pressing. Journal of Applied Physics, 2010, 108, .	1.1	49
464	Zintl Chemistry for Designing High Efficiency Thermoelectric Materials. Chemistry of Materials, 2010, 22, 624-634.	3.2	560
465	High-Temperature Transport Properties of the Zintl Phases Yb₁₁GaSb₉ and Yb₁₁InSb₉. Chemistry of Materials, 2010, 22, 935-941.	3.2	37
466	Composition and the thermoelectric performance of Î²-Zn4Sb3. Journal of Materials Chemistry, 2010, 20, 9877.	6.7	139
467	Electronic structure and transport in thermoelectric compounds AZn2Sb2 (A = Sr, Ca, Yb, Eu). Dalton Transactions, 2010, 39, 1046-1054.	1.6	184
468	Optimizing Thermoelectric Efficiency in La_{3â^'x}Te₄ via Yb Substitution. Chemistry of Materials, 2010, 22, 2995-2999.	3.2	49

#	Article	IF	Citations
469	Electron and phonon scattering in the high-temperature thermoelectric<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:msub><mml:mrow><mml:mtext>La</mml:mtext></mml:mrow><mml:mn>3</mml:mn></mml:msub xmlns:mml="http://www.w3.org/1998/Math/Math. Physical Review B, 2010, 81, .	1.1	44
470	Synthesis, structure, magnetism, and high temperature thermoelectric properties of Ge doped Yb14MnSb11. Dalton Transactions, 2010, 39, 1055-1062.	1.6	37
471	Growth of Ca-Germanide and Ca-Silicide Crystals by Mechanical Alloying. E-Journal of Surface Science and Nanotechnology, 2009, 7, 129-133.	0.1	6
472	Transport properties of the layered Zintl compound SrZnSb2. Journal of Applied Physics, 2009, 106, .	1.1	32
473	Characterization and analysis of thermoelectric transport in<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>n</mml:mi></mml:math>-type<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:msub><mml:mrow><mml:mtext>Ba</mml:mtext></mml:mrow><mml:mn>8</mml:mn></mml:msu Physical Review B, 2009, 80, .	1.1	364
474	Thermal stability and thermoelectric properties of p-type Ba8Ga16Ge30 clathrates. Journal of Applied Physics, 2009, 106, 074509.	1.1	40
475	Complex thermoelectric materials. , 2009, , 50-59.		2
476	In situ observation of eutectoid reaction forming a PbTeâ€“Sb2Te3 thermoelectric nanocomposite by synchrotron X-ray diffraction. Scripta Materialia, 2009, 60, 321-324.	2.6	26
477	Thermal Stability and Phase Purity in Polycrystalline Ba8Ga x Ge46âˆ’x. Journal of Electronic Materials, 2009, 38, 1423-1426.	1.0	9
478	Structure and high-temperature thermoelectric properties of SrAl2Si2. Journal of Solid State Chemistry, 2009, 182, 240-245.	1.4	47
479	Interfaces in bulk thermoelectric materials. Current Opinion in Colloid and Interface Science, 2009, 14, 226-235.	3.4	340
480	Formation of Sb2Te3 WidmanstÃtten precipitates in thermoelectric PbTe. Acta Materialia, 2009, 57, 666-672.	3.8	61
481	Structure, Heat Capacity, and High-Temperature Thermal Properties of Yb₁₄Mn_{1âˆ’x}Al_xSb₁₁. Chemistry of Materials, 2009, 21, 1354-1360.	3.2	92
482	Influence of band structure on the large thermoelectric performance of lanthanum telluride. Physical Review B, 2009, 79, .	1.1	129
483	Phonon density of states and heat capacity of<mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:msub><mml:mrow><mml:mtext>La</mml:mtext></mml:mrow><mml:mrow><mml:mn>3</mml:m Physical Review B, 2009, 80, .	1.1	89
484	Nanoscale inclusions in the phonon glass thermoelectric material Zn₄Sb₃. Philosophical Magazine Letters, 2009, 89, 362-369.	0.5	29
485	Thermoelectric properties of p-type LiZnSb: Assessment of ab initio calculations. Journal of Applied Physics, 2009, 105, .	1.1	62
486	Thermoelectric Energy Harvesting. , 2009, , 325-336.		59

#	Article	IF	Citations
487	Traversing the Metalâ€Insulator Transition in a Zintl Phase: Rational Enhancement of Thermoelectric Efficiency in Yb₁₄Mn_{1â^'x}Al_xSb₁₁. Advanced Functional Materials, 2008, 18, 2795-2800.	7.8	294
488	Enhancement of Thermoelectric Efficiency in PbTe by Distortion of the Electronic Density of States. Science, 2008, 321, 554-557.	6.0	3,442
489	Complex thermoelectric materials. Nature Materials, 2008, 7, 105-114.	13.3	9,012
490	Thermoelectric performance of lanthanum telluride produced via mechanical alloying. Physical Review B, 2008, 78, .	1.1	224
491	Improved Thermoelectric Performance in Yb₁₄Mn_{1â^'x}Zn_xSb₁₁ by the Reduction of Spin-Disorder Scattering. Chemistry of Materials, 2008, 20, 3412-3419.	3.2	132
492	Synthesis, Structure, and High-Temperature Thermoelectric Properties of Boron-Doped Ba8Al14Si31 Clathrate I Phases. Inorganic Chemistry, 2008, 47, 8204-8212.	1.9	50
493	Evaluation of true interlamellar spacing from microstructural observations. Journal of Materials Research, 2008, 23, 2538-2544.	1.2	10
494	Lanthanum Telluride: Mechanochemical Synthesis of a Refractory Thermoelectric Material. AIP Conference Proceedings, 2008, , .	0.3	5
495	High temperature thermoelectric efficiency in <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:msub><mml:mi mathvariant="normal">Ba</mml:mi><mml:mn>8</mml:mn></mml:msub><mml:msub><mml:mi mathvariant="normal">Ga</mml:mi><mml:mn>16</mml:mn></mml:msub><mml:msub><mml:mi mathvariant="normal">Ge</mml:mi><mml:mn>30</mml:mn></mml:msub></mml:mrow></mml:math>. Physical Review B, 2008, 77, .	1.1	138
496	High thermoelectric efficiency in lanthanum doped Yb14MnSb11. Applied Physics Letters, 2008, 93, .	1.5	111
497	Integrated electroplated heat spreaders for high power semiconductor lasers. Journal of Applied Physics, 2008, 104, 064907.	1.1	3
498	Small Thermoelectric Generators. Electrochemical Society Interface, 2008, 17, 54-56.	0.3	117
499	NanoscaleÎ±-structural domains in the phonon-glass thermoelectric materialÎ²â^'Zn4Sb3. Physical Review B, 2007, 75, .	1.1	30
500	High temperature thermoelectric properties of Mo3Sb7â^'xTex for x=1.6 and 1.5. Journal of Alloys and Compounds, 2007, 427, 324-329.	2.8	39
501	Synthesis and thermoelectric properties of alloys. Journal of Alloys and Compounds, 2007, 431, 262-268.	2.8	10
502	Lattice thermal conductivity of self-assembled PbTe-Sb<inf>2</inf>Te<inf>3</inf> composites with nanometer lamellae. , 2007, , .		2
503	Zintl phases for thermoelectric devices. Dalton Transactions, 2007, , 2099.	1.6	488
504	Antimony-121 MÃ¶ssbauer Spectral Study of Î±-Zn4Sb3. Inorganic Chemistry, 2007, 46, 767-770.	1.9	8

#	Article	IF	Citations
505	Solidification processing of alloys in the pseudo-binary PbTeâ€“Sb2Te3 system. Acta Materialia, 2007, 55, 1227-1239.	3.8	73
506	Synthesis, Structure, and High Temperature Thermoelectric Properties of Yb11Sb9.3Ge0.5. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2007, 633, 1587-1594.	0.6	24
507	Local structure of interstitial Zn in Î²â€Zn₄Sb₃. Physica Status Solidi - Rapid Research Letters, 2007, 1, 253-255.	1.2	33
508	Compatibility factor for the power output of a thermogenerator. Physica Status Solidi - Rapid Research Letters, 2007, 1, 250-252.	1.2	16
509	Synthesis and thermoelectric properties of YbSb₂Te₄. Physica Status Solidi - Rapid Research Letters, 2007, 1, 265-267.	1.2	10
510	Self-Assembled Nanometer Lamellae of Thermoelectric PbTe and Sb2Te3with Epitaxy-like Interfaces. Chemistry of Materials, 2007, 19, 763-767.	3.2	143
511	Development and Evolution of Nanostructure in Bulk Thermoelectric Pb-Te-Sb Alloys. Journal of Electronic Materials, 2007, 36, 716-720.	1.0	24
512	High-temperature thermoelectric studies of A11Sb10 (A=Yb, Ca). Journal of Solid State Chemistry, 2007, 180, 1414-1420.	1.4	54
513	Effect of disorder on the thermal transport and elastic properties in thermoelectricZn4Sb3. Physical Review B, 2006, 74, .	1.1	66
514	Thermoelectric Properties and Microstructure of Ba8Al14Si31and EuBa7Al13Si33. Chemistry of Materials, 2006, 18, 4939-4945.	3.2	49
515	High temperature thermoelectric properties of Czochralski-pulled Ba8Ga16Ge30. , 2006, , .		0
516	Yb14MnSb11:â€‰ New High Efficiency Thermoelectric Material for Power Generation. Chemistry of Materials, 2006, 18, 1873-1877.	3.2	793
517	Thermoelectric properties and microstructure of Mg3Sb2. Journal of Solid State Chemistry, 2006, 179, 2252-2257.	1.4	150
518	Thermoelectric and structural properties of a new Chevrel phase: Ti0.3Mo5RuSe8. Journal of Solid State Chemistry, 2006, 179, 2158-2163.	1.4	17
519	Development of Nanostructures in Thermoelectric Pb-Te-Sb Alloys. , 2006, , .		0
520	Transient cooling of thermoelectric coolers and its applications for microdevices. Energy Conversion and Management, 2005, 46, 1407-1421.	4.4	119
521	Zintl Phases as Thermoelectric Materials: Tuned Transport Properties of the Compounds CaxYb1-xZn2Sb2. Advanced Functional Materials, 2005, 15, 1860-1864.	7.8	379
522	Advanced Superlattice BiTe-PbTe/TAGS Milliwatt Radioisotope Power System. AIP Conference Proceedings, 2005, , .	0.3	3

#	Article	IF	Citations
523	Macroscopic thermoelectric inhomogeneities in (AgSbTe2)x(PbTe)1â^'x. Applied Physics Letters, 2005, 87, 171903.	1.5	85
524	Solidification processing of Te-Sb-Pb alloys for thermoelectric applications. , 2005, , .		0
525	Synchrotron X-ray structure refinement of Zn/sub 4/Sb/sub 3/. , 2005, , .		1
526	Nonstoichiometry, Structure, and Electrical Properties of â€œSrPrO3â€• Chemistry of Materials, 2005, 17, 5146-5154.	3.2	4
527	Thermoelectric Power Generation. , 2005, , 9-1-9-26.		12
528	The Structure of High-performance Thermoelectric Material, .BETA.-Zn4Sb3 by Maximum Entropy Method. Nihon Kessho Gakkaishi, 2005, 47, 204-210.	0.0	0
529	Disordered zinc in Zn4Sb3 with phonon-glass and electron-crystal thermoelectric properties. Nature Materials, 2004, 3, 458-463.	13.3	787
530	Interstitial Zn Atoms Do the Trick in Thermoelectric Zinc Antimonide, Zn4Sb3: A Combined Maximum Entropy Method X-ray Electron Density and Ab Initio Electronic Structure Study. Chemistry - A European Journal, 2004, 10, 3861-3870.	1.7	169
531	Multistage thermoelectric microcoolers. Journal of Applied Physics, 2004, 95, 8226-8232.	1.1	40
532	Application of the compatibility factor to the design of segmented and cascaded thermoelectric generators. Applied Physics Letters, 2004, 84, 2436-2438.	1.5	230
533	Thermoelectric microdevice fabricated by a MEMS-like electrochemical process. Nature Materials, 2003, 2, 528-531.	13.3	428
534	Direct Electrodeposition of Highly Dense 50 nm Bi2Te3-ySeyNanowire Arrays. Nano Letters, 2003, 3, 973-977.	4.5	146
535	Thermoelectric Efficiency and Compatibility. Physical Review Letters, 2003, 91, 148301.	2.9	488
536	Using the Compatibility Factor to Design High Efficiency Segmented Thermoelectric Generators. Materials Research Society Symposia Proceedings, 2003, 793, 118.	0.1	2
537	Preparation and thermoelectric properties of CeFe4As12. Journal of Applied Physics, 2002, 91, 1344-1348.	1.1	18
538	Supercooling of Peltier cooler using a current pulse. Journal of Applied Physics, 2002, 92, 1564-1569.	1.1	132
539	Geometric Effects on the Transient Cooling of Thermoelectric Coolers. Materials Research Society Symposia Proceedings, 2001, 691, 1.	0.1	4
540	Thermoelectric Properties of Chalcogenides with the Spinel Structure. Materials Research Innovations, 2001, 5, 67-73.	1.0	66

#	Article	IF	Citations
541	Miniaturized radioisotope solid state power sources. AIP Conference Proceedings, 2000, , .	0.3	3
542	Thermoelectric Properties of Selenide Spinels. Materials Research Society Symposia Proceedings, 2000, 626, 331.	0.1	5
543	High efficiency segmented thermoelectric unicouples. AIP Conference Proceedings, 2000, , .	0.3	4
544	Thermoelectric Properties of Some Cobalt Phosphide-Arsenide Compounds. Materials Research Society Symposia Proceedings, 2000, 626, 141.	0.1	6
545	Thermoelectric properties of the incommensurate layered semiconductor Ge_xNbTe₂. Journal of Materials Research, 2000, 15, 2789-2793.	1.2	4
546	Thermoelectric, transport, and magnetic properties of the polaron semiconductorFexCr3âˆ’xSe4. Physical Review B, 2000, 62, 10185-10193.	1.1	49
547	Thermoelectric Properties of Some Phosphide Skutterudite Materials. Japanese Journal of Applied Physics, 2000, 39, 14.	0.8	6
548	A New High Efficiency Segmented Thermoelectric Unicouple. , 1999, , .		18
549	Title is missing!. Journal of Superconductivity and Novel Magnetism, 1999, 12, 295-298.	0.5	1
550	Potential of Chevrel phases for thermoelectric applications. Solid State Sciences, 1999, 1, 535-544.	1.5	66
551	Preparation and thermoelectric properties of some phosphide skutterudite compounds. Journal of Applied Physics, 1999, 86, 6213-6217.	1.1	54
552	Progress in the development of high efficiency segmented thermoelectric generators. , 1999, , .		11
553	Development of Thick-Film Thermoelectric Microcoolers Using Electrochemical Deposition. Materials Research Society Symposia Proceedings, 1998, 545, 493.	0.1	30
554	Thermoelectric Properties of Cr₃S₄-Type Selenides. Materials Research Society Symposia Proceedings, 1998, 545, 333.	0.1	12
555	Local structure, transport, and rare-earth magnetismin the ferrimagnetic perovskiteGd0.67Ca0.33MnO3s. Physical Review B, 1997, 55, 6453-6459.	1.1	137
556	Magnetoconductivity and Hall effects in La0.67Ca0.33MnO3. Applied Physics Letters, 1996, 69, 4254-4256.	1.5	56
557	Intrinsic electrical transport and magnetic properties ofLa0.67Ca0.33MnO3andLa0.67Sr0.33MnO3MOCVD thin films and bulk material. Physical Review B, 1996, 53, 14434-14444.	1.1	634
558	Anomalous Spin Scattering Effects in the Badly Metallic Itinerant FerromagnetSrRuO3. Physical Review Letters, 1996, 77, 2774-2777.	2.9	278

#	Article	IF	Citations
559	Evidence of magnetization-dependent polaron distortion inLa1â^'xAxMnO3,A=Ca,Pb. Physical Review B, 1996, 54, R15606-R15609.	1.1	64
560	Critical Transport and Magnetization of La0.67Ca0.3MnO3. Materials Research Society Symposia Proceedings, 1996, 453, 337.	0.1	0
561	Annealâ€tunable Curie temperature and transport of La0.67Ca0.33MnO3. Journal of Applied Physics, 1996, 80, 5158-5161.	1.1	160
562	Intrinsic Properties of Doped Lanthanum Manganite. Materials Research Society Symposia Proceedings, 1995, 401, 541.	0.1	1
563	The Infinite Chain Nitride Na5Ba3N. A One-Dimensional Void Metal?. Journal of the American Chemical Society, 1995, 117, 1996-1999.	6.6	52
564	Crystal structure of Ag7Ca2 â€" a new intermetallic structure type. Journal of Alloys and Compounds, 1995, 223, 65-69.	2.8	19
565	Crystal structure of barium dihydride, BaH₂. Zeitschrift Fur Kristallographie - Crystalline Materials, 1994, 209, 458-458.	0.4	19
566	Refined Structure and Properties of the Layered Mott Insulator BaCoS2. Journal of Solid State Chemistry, 1994, 113, 355-361.	1.4	26
567	Ab initio studies of complexes of ozone with some positive ions. Chemical Physics Letters, 1994, 218, 372-376.	1.2	10
568	Discrete M6N Octahedra in the Subnitrides Na16 Ba6N and Ag16Ca6N: A Reconsideration of the Ag8Ca3 Structure Type. Angewandte Chemie International Edition in English, 1994, 33, 689-691.	4.4	57
569	Reaction of alkali metal intercalated C60 with oxygen: Deintercalation, activation, and decomposition. Advanced Materials, 1994, 6, 374-376.	11.1	3
570	Dalton communications. The crystal structure of NaBa, an interpenetrating network of sodium tetrahedra and barium octahedra. Journal of the Chemical Society Dalton Transactions, 1994, , 1159.	1.1	23
571	The New Laves Phase Na2Ba. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1994, 49, 189-192.	0.3	26
572	Synthesis, structure, and properties of barium cobalt sulfide (Ba6Co25S27) a perovskite-like superstructure of Co8S6 and Ba6S clusters. Inorganic Chemistry, 1992, 31, 2107-2110.	1.9	11
573	Some properties of Re/sub 2/Te/sub 5/-based materials. , 0, , .		0
574	Solid-state power generation and cooling micro/nanodevices for distributed system architectures. , 0, , .		6
575	MEMS thermoelectric microcooler. , 0, , .		5
576	Development of high efficiency segmented thermoelectric unicouples. , 0, , .		28

#	Article	IF	Citations
577	Testing of milliwatt power source components. , 0, , .		3
578	Thermoelectric properties of n-type polycrystalline Bi/sub x/Sb/sub 2-x/Te/sub 3/ alloys. , 0, , .		3
579	Small thermoelectric generators. , 0, , .		5
580	Multistage thermoelectric micro coolers. , 0, , .		0
581	Thermoelectric microdevice fabrication process and evaluation at the Jet Propulsion Laboratory (JPL). , 0, , .		15
582	A study of heat sink performance in air and soil for use in a thermoelectric energy harvesting device. , 0, , .		30
583	Effects of annealing electrodeposited bismuth telluride films. , 0, , .		1
584	Compatibility of segmented thermoelectric generators. , 0, , .		18
585	The synthesis of CaZn/sub 2/Sb/sub 2/ and its thermoelectric properties. , 0, , .		1
586	Thermoelectric properties of Nb/sub 3/Sb/sub x/Te/sub 7-x/ compounds. , 0, , .		1
587	Design and optimization of compatible, segmented thermoelectric generators. , 0, , .		6
588	Embedded thermoelectric coolers for semiconductor hot spot cooling. , 0, , .		8
589	Hot spot cooling using embedded thermoelectric coolers. , 0, , .		62
590	Development of Segmented Thermoelectric Multicouple Converter Technology. , 0, , .		1
591	3D Microstructures of Sb₂Te₃Precipitates in PbTe Matrix with Prediction by a Weak Compatibility Condition. , 0, , 125-130.		0
592	Double Half-Heuslers. SSRN Electronic Journal, 0, , .	0.4	2
593	Thermodynamic Guidelines for Maximum Solubility. Chemistry of Materials, 0, , .	3.2	8
594	Structural Understanding of the Slaterâ€"Pauling Electron Count in Defective Heusler Thermoelectric TiFe_{1.5}Sb as a Valence Balanced Semiconductor. ACS Applied Electronic Materials, 0, , .	2.0	4

#	Article	IF	Citations
595	A Convergent Understanding of Charged Defects. Accounts of Materials Research, 0, , .	5.9	5