Gokhan Topcu

List of Publications by Citations

Source: https://exaly.com/author-pdf/7858530/gokhan-topcu-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26 201 9 13 g-index

28 255 3.8 avg, IF L-index

#	Paper	IF	Citations
26	CsPbBr3 perovskites: Theoretical and experimental investigation on water-assisted transition from nanowire formation to degradation. <i>Physical Review Materials</i> , 2018 , 2,	3.2	45
25	Polarized emission from CsPbBr nanowire embedded-electrospun PU fibers. <i>Nanotechnology</i> , 2018 , 29, 135202	3.4	23
24	Recent developments of colorimetric mechanical sensors based on polymer composites. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 12036-12053	7.1	18
23	Colorimetric and plasmonic pressure sensors based on polyacrylamide/Au nanoparticles. <i>Sensors and Actuators A: Physical</i> , 2019 , 295, 503-511	3.9	13
22	Monitoring the Doping and Diffusion Characteristics of Mn Dopants in Cesium Lead Halide Perovskites. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 11543-11549	3.8	12
21	Increasing solubility of metal silicates by mixed polymeric antiscalants. <i>Geothermics</i> , 2019 , 77, 106-114	4.3	12
20	Experimental modeling of silicate-based geothermal deposits. <i>Geothermics</i> , 2017 , 69, 65-73	4.3	11
19	Design of Polymeric Antiscalants Based on Functional Vinyl Monomers for (Fe, Mg) Silicates. <i>Energy & Energy Enels</i> , 2017 , 31, 8489-8496	4.1	11
18	Non-iridescent structural colors from uniform-sized SiO 2 colloids. <i>Photonics and Nanostructures - Fundamentals and Applications</i> , 2018 , 29, 22-29	2.6	10
17	Colloidal films of SiO2 in elastomeric polyacrylates by photopolymerization: A strain sensor application. <i>Sensors and Actuators B: Chemical</i> , 2020 , 305, 127452	8.5	8
16	The injection of CO2 to hypersaline geothermal brine: A case study for Tuzla region. <i>Geothermics</i> , 2019 , 80, 86-91	4.3	6
15	Enhancement of the Spontaneous Emission Rate of Perovskite Nanowires Coupled into Cylindrical Hollow Nanocavities Formed on the Surface of Polystyrene Microfibers. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 9343-9351	3.8	5
14	Polymeric Planar Microcavities Doped with a Europium Complex. <i>Crystals</i> , 2020 , 10, 287	2.3	4
13	Enhanced Spontaneous Emission Rate in a Low-Q Hybrid Photonic-Plasmonic Nanoresonator. Journal of Physical Chemistry C, 2019 , 123, 19862-19870	3.8	4
12	Experimental apparatus for simultaneous measurement of triboelectricity and triboluminescence. <i>Measurement: Journal of the International Measurement Confederation</i> , 2020 , 152, 107316	4.6	4
11	Experimental and first-principles investigation of Cr-driven color change in cesium lead halide perovskites. <i>Journal of Applied Physics</i> , 2019 , 125, 225705	2.5	3
10	Effect of chain topology on plasmonic properties of pressure sensor films based on poly(acrylamide) and Au nanoparticles. <i>Sensors and Actuators A: Physical</i> , 2019 , 295, 237-243	3.9	3

LIST OF PUBLICATIONS

9	Color-Tunable All-Inorganic CsPbBr3 Perovskites Nanoplatelet Films for Photovoltaic Devices. <i>ACS Applied Nano Materials</i> , 2019 , 2, 5149-5155	5.6	3	
8	Effect of high salinity and temperature on waterNolcanic rock interaction. <i>Environmental Earth Sciences</i> , 2021 , 80, 1	2.9	2	
7	Investigation of Lithium Sorption Efficiency Using SWCNT Functionalized Electrospun Fiber Mats from the Hypersaline Geothermal Brine. <i>Materials Science Forum</i> , 2018 , 915, 121-126	0.4	1	
6	Plasmon-induced spectral tunability of Perovskite nanowires. <i>Optical Materials</i> , 2021 , 122, 111702	3.3	1	
5	A Novel Photoinduced Ligation Approach for Cross-Linking Polymerization, Polymer Chain-End Functionalization, and Surface Modification Using Benzoyl Azides. <i>Macromolecular Rapid Communications</i> , 2021 , 42, e2100166	4.8	1	
4	Effects of perfluoro modified sol-gel additive on UV-curable phosphorus containing urethane acrylate coatings. <i>Journal of Vinyl and Additive Technology</i> , 2018 , 24, E133-E145	2	O	
3	Enhanced lightshatter interaction in a hybrid photonicplasmonic cavity. <i>Applied Physics A: Materials Science and Processing</i> , 2021 , 127, 1	2.6	O	
2	Refillable anti-icing SBS composite films. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021 , 615, 126203	5.1	O	
1	Pressure Sensors Based on IPMC Actuator. <i>Engineering Materials</i> , 2019 , 161-182	0.4		