## Marie-Laure Begout

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7858903/publications.pdf

Version: 2024-02-01

92 papers 2,515 citations

147566 31 h-index 253896 43 g-index

94 all docs 94 docs citations

times ranked

94

2708 citing authors

#	Article	IF	CITATIONS
1	Transcriptomic profiles of consistent risk-taking behaviour across time and contexts in European sea bass. Proceedings of the Royal Society B: Biological Sciences, 2022, 289, 20220399.	1.2	6
2	Environmental microplastics disrupt swimming activity in acute exposure in Danio rerio larvae and reduce growth and reproduction success in chronic exposure in D. rerio and Oryzias melastigma. Environmental Pollution, 2022, 308, 119721.	3.7	16
3	An environmentally relevant mixture of polychlorinated biphenyls (PCBs) and polybrominated diphenylethers (PBDEs) disrupts mitochondrial function, lipid metabolism and neurotransmission in the brain of exposed zebrafish and their unexposed F2 offspring. Science of the Total Environment, 2021, 754, 142097.	3.9	21
4	Chemicals sorbed to environmental microplastics are toxic to early life stages of aquatic organisms. Ecotoxicology and Environmental Safety, 2021, 208, 111665.	2.9	54
5	Analysis across diverse fish species highlights no conserved transcriptome signature for proactive behaviour. BMC Genomics, 2021, 22, 33.	1.2	8
6	Chronic feeding exposure to virgin and spiked microplastics disrupts essential biological functions in teleost fish. Journal of Hazardous Materials, 2021, 415, 125626.	6.5	45
7	A review of the effects of contamination and temperature in Solea solea larvae. Modeling perspectives in the context of climate change. Journal of Sea Research, 2021, 176, 102101.	0.6	2
8	Global assessment of the response to chronic stress in European sea bass. Aquaculture, 2021, 544, 737072.	1.7	15
9	Fish, Amphibian, and Reptile Tool Use. , 2021, , 3140-3145.		0
10	Familiarity reduces aggression but does not modify acoustic communication in pairs of Nile tilapia () Tj ETQq0 0 Biology, 2021, , .	0 rgBT /O 0.7	verlock 10 Tf 5 0
10			
	Biology, 2021, , .  Microplastics and sorbed contaminants – Trophic exposure in fish sensitive early life stages. Marine	0.7	0
11	Biology, 2021, , .  Microplastics and sorbed contaminants – Trophic exposure in fish sensitive early life stages. Marine Environmental Research, 2020, 161, 105126.  Acoustic signals produced by Nile tilapia Oreochromis niloticus and black-chinned tilapia	1.1	17
11 12	Biology, 2021, , .  Microplastics and sorbed contaminants – Trophic exposure in fish sensitive early life stages. Marine Environmental Research, 2020, 161, 105126.  Acoustic signals produced by Nile tilapia Oreochromis niloticus and black-chinned tilapia Sarotherodon melanotheron during intra- and interspecific pairings. Zoology, 2020, 143, 125831.  Low temperature has opposite effects on sex determination in a marine fish at the larval/postlarval	0.7	0 17 3
11 12	Biology, 2021, , .  Microplastics and sorbed contaminants – Trophic exposure in fish sensitive early life stages. Marine Environmental Research, 2020, 161, 105126.  Acoustic signals produced by Nile tilapia Oreochromis niloticus and black-chinned tilapia Sarotherodon melanotheron during intra- and interspecific pairings. Zoology, 2020, 143, 125831.  Low temperature has opposite effects on sex determination in a marine fish at the larval/postlarval and juvenile stages. Ecology and Evolution, 2020, 10, 13825-13835.  Organic contaminants sorbed to microplastics affect marine medaka fish early life stages	0.7 1.1 0.6	0 17 3
11 12 13	Biology, 2021, , .  Microplastics and sorbed contaminants – Trophic exposure in fish sensitive early life stages. Marine Environmental Research, 2020, 161, 105126.  Acoustic signals produced by Nile tilapia Oreochromis niloticus and black-chinned tilapia Sarotherodon melanotheron during intra- and interspecific pairings. Zoology, 2020, 143, 125831.  Low temperature has opposite effects on sex determination in a marine fish at the larval/postlarval and juvenile stages. Ecology and Evolution, 2020, 10, 13825-13835.  Organic contaminants sorbed to microplastics affect marine medaka fish early life stages development. Marine Pollution Bulletin, 2020, 154, 111059.  Spatial distribution and activity patterns as welfare indicators in response to water quality changes	0.7 1.1 0.6 0.8	0 17 3 15
11 12 13 14	Biology, 2021, , .  Microplastics and sorbed contaminants â€" Trophic exposure in fish sensitive early life stages. Marine Environmental Research, 2020, 161, 105126.  Acoustic signals produced by Nile tilapia Oreochromis niloticus and black-chinned tilapia Sarotherodon melanotheron during intra- and interspecific pairings. Zoology, 2020, 143, 125831.  Low temperature has opposite effects on sex determination in a marine fish at the larval/postlarval and juvenile stages. Ecology and Evolution, 2020, 10, 13825-13835.  Organic contaminants sorbed to microplastics affect marine medaka fish early life stages development. Marine Pollution Bulletin, 2020, 154, 111059.  Spatial distribution and activity patterns as welfare indicators in response to water quality changes in European sea bass, Dicentrarchus labrax. Applied Animal Behaviour Science, 2020, 226, 104974.  Zebrafish Danio rerio shows behavioural crossâ€context consistency at larval and juvenile stages but	0.7 1.1 0.6 0.8 2.3	0 17 3 15 77

#	Article	IF	CITATIONS
19	Multi-Laboratory Hazard Assessment of Contaminated Microplastic Particles by Means of Enhanced Fish Embryo Test With the Zebrafish (Danio rerio). Frontiers in Environmental Science, 2019, 7, .	1.5	28
20	Coping styles in European sea bass: The link between boldness, stress response and neurogenesis. Physiology and Behavior, 2019, 207, 76-85.	1.0	56
21	Agonistic behaviour and feed efficiency in juvenile Nile tilapia Oreochromis niloticus. Aquaculture, 2019, 505, 271-279.	1.7	12
22	Examining multi- and transgenerational behavioral and molecular alterations resulting from parental exposure to an environmental PCB and PBDE mixture. Aquatic Toxicology, 2019, 208, 29-38.	1.9	42
23	Fish life-history traits are affected after chronic dietary exposure to an environmentally realistic marine mixture of PCBs and PBDEs. Science of the Total Environment, 2018, 610-611, 531-545.	3.9	43
24	Evaluation of different tags on survival, growth and stress response in the flatfish Senegalese sole. Aquaculture, 2018, 494, 10-18.	1.7	5
25	Enhanced brain expression of genes related to cell proliferation and neural differentiation is associated with cortisol receptor expression in fishes. General and Comparative Endocrinology, 2018, 267, 76-81.	0.8	24
26	Coping styles in farmed fish: consequences for aquaculture. Reviews in Aquaculture, 2017, 9, 23-41.	4.6	137
27	Self-feeding behaviour and personality traits in tilapia: A comparative study between Oreochromis niloticus and Sarotherodon melanotheron. Applied Animal Behaviour Science, 2017, 187, 85-92.	0.8	23
28	Relationship between individual and group learning in a marine teleost: A case study with sea bass under self-feeding conditions. Learning and Behavior, 2017, 45, 276-286.	0.5	3
29	Reproductive behaviour of two tilapia species ( Oreochromis niloticus , Linn $\tilde{A}$ ©, 1758; Sarotherodon) Tj ETQq1 1 Behaviour Science, 2017, 193, 104-113.	0.784314 0.8	
30	Changes in Brain Monoamines Underlie Behavioural Disruptions after Zebrafish Diet Exposure to Polycyclic Aromatic Hydrocarbons Environmental Mixtures. International Journal of Molecular Sciences, 2017, 18, 560.	1.8	22
31	Genetic variability of environmental sensitivity revealed by phenotypic variation in body weight and (its) correlations to physiological and behavioral traits. PLoS ONE, 2017, 12, e0189943.	1.1	13
32	Trophic ecology of commercial-size meagre, <i>Argyrosomus regius</i> , in the Bay of Biscay (NE) Tj ETQq0 0 0 rgl	BT/Overlo	ck 10 Tf 50 2
33	Fish Reproduction Is Disrupted upon Lifelong Exposure to Environmental PAHs Fractions Revealing Different Modes of Action. Toxics, 2016, 4, 26.	1.6	21
34	Poor oxic conditions in a large estuary reduce connectivity from marine to freshwater habitats of a diadromous fish. Estuarine, Coastal and Shelf Science, 2016, 169, 216-226.	0.9	16
35	Unpredictability in food supply during early life influences growth and boldness in European seabass, Dicentrarchus labrax. Applied Animal Behaviour Science, 2016, 180, 147-156.	0.8	10
36	First insight into personality traits in Northern pike (Esox lucius) larvae: a basis for behavioural studies of early life stages. Environmental Biology of Fishes, 2016, 99, 105-115.	0.4	13

#	Article	IF	Citations
37	The shy prefer familiar congeners. Behavioural Processes, 2016, 126, 113-120.	0.5	10
38	Heritability of Boldness and Hypoxia Avoidance in European Seabass, Dicentrarchus labrax. PLoS ONE, 2016, 11, e0168506.	1.1	35
39	Fish, Amphibian, and Reptile Tool Use., 2016, , 1-6.		O
40	Exposures of zebrafish through diet to three environmentally relevant mixtures of PAHs produce behavioral disruptions in unexposed F1 and F2 descendant. Environmental Science and Pollution Research, 2015, 22, 16371-16383.	2.7	34
41	Consistency in European seabass coping styles: A life-history approach. Applied Animal Behaviour Science, 2015, 167, 74-88.	0.8	43
42	First links between self-feeding behaviour and personality traits in European seabass, Dicentrarchus labrax. Applied Animal Behaviour Science, 2014, 161, 131-141.	0.8	30
43	De novo assembly, characterization and functional annotation of Senegalese sole (Solea) Tj ETQq1 1 0.784314 microarray. BMC Genomics, 2014, 15, 952.	gBT /Over 1.2	lock 10 Tf 50 83
44	Early individual electronic identification of sea bass using RFID microtags: A first example of early phenotyping of sex-related growth. Aquaculture, 2014, 426-427, 165-171.	1.7	15
45	Innovative behaviour in fish: Atlantic cod can learn to use an external tag to manipulate a self-feeder. Animal Cognition, 2014, 17, 779-785.	0.9	24
46	Assessment of Genetic Variability of Fish Personality Traits using Rainbow Trout Isogenic Lines. Behavior Genetics, 2014, 44, 383-393.	1.4	25
47	Chronic dietary exposure to pyrolytic and petrogenic mixtures of PAHs causes physiological disruption in zebrafishâ€"part II: behavior. Environmental Science and Pollution Research, 2014, 21, 13818-13832.	2.7	49
48	Chronic dietary exposure to pyrolytic and petrogenic mixtures of PAHs causes physiological disruption in zebrafish - part I: Survival and growth. Environmental Science and Pollution Research, 2014, 21, 13804-13817.	2.7	43
49	Long-term disruption of growth, reproduction, and behavior after embryonic exposure of zebrafish to PAH-spiked sediment. Environmental Science and Pollution Research, 2014, 21, 13877-13887.	2.7	62
50	Long-term dietary-exposure to non-coplanar PCBs induces behavioral disruptions in adult zebrafish and their offspring. Neurotoxicology and Teratology, 2013, 39, 45-56.	1.2	45
51	Genetic differences for behaviour in juveniles from two strains of brown trout suggest an effect of domestication history. Applied Animal Behaviour Science, 2013, 147, 235-242.	0.8	9
52	Systematic Screening of Behavioral Responses in Two Zebrafish Strains. Zebrafish, 2013, 10, 365-375.	0.5	117
53	Impact of a plant-based diet on behavioural and physiological traits in sea bass ( <i>Dicentrarchus) Tj ETQq1 1 0.3</i>	784314 rg 0.5	:BT_/Overlock
54	First Insight into Exploration and Cognition in Wild Caught and Domesticated Sea Bass (Dicentrarchus labrax) in a Maze. PLoS ONE, 2013, 8, e65872.	1.1	20

#	Article	IF	Citations
55	Evaluation of self-feeders as a tool to study diet preferences in groups of Atlantic cod ( <i>Gadus) Tj ETQq1 1 0.78</i>	4314 rgBT	<i>l</i> Overlock 1
56	Electronic individual identification of zebrafish using radio frequency identification (RFID) microtags. Journal of Experimental Biology, 2012, 215, 2729-2734.	0.8	37
57	Early life behavioural differences in wild caught and domesticated sea bass (Dicentrarchus labrax). Applied Animal Behaviour Science, 2012, 141, 79-90.	0.8	41
58	Effect of fasting on self-feeding activity in juvenile sea bass (Dicentrarchus labrax). Applied Animal Behaviour Science, 2012, 136, 63-73.	0.8	17
59	Demand feeding and welfare in farmed fish. Fish Physiology and Biochemistry, 2012, 38, 107-118.	0.9	44
60	Fish welfare assurance system: initial steps to set up an effective tool to safeguard and monitor farmed fish welfare at a company level. Fish Physiology and Biochemistry, 2012, 38, 243-257.	0.9	20
61	Unfamiliar Congener used as a Visual Attractor in Wild Caught and Domesticated Sea Bass (Dicentrarchus labrax) Placed in a T-Maze. Journal of Aquaculture Research & Development, 2012, 04, .	0.4	3
62	Physiological response in different strains of sea bass (Dicentrarchus labrax): Swimming and aerobic metabolic capacities. Aquaculture, 2011, 317, 162-167.	1.7	23
63	Phenotypic and genetic differentiation in young-of-the-year common sole (Solea solea) at differentially contaminated nursery grounds. Marine Environmental Research, 2011, 71, 195-206.	1.1	7
64	Self-feeding behavior changes induced by a first and a second generation of domestication or selection for growth in the European sea bass, <i>Dicentrarchus labrax </i> . Aquatic Living Resources, 2011, 24, 53-61.	0.5	11
65	Effect of size grading on sea bass ( <i>Dicentrarchus labrax</i> ) juvenile self-feeding behaviour, social structure and culture performance. Aquatic Living Resources, 2011, 24, 391-402.	0.5	20
66	Sedentary behaviour establishment in O-group common sole <i>Solea solea</i> : a laboratory video-tracking study. Journal of the Marine Biological Association of the United Kingdom, 2010, 90, 1257-1262.	0.4	6
67	Digenean metacercariae parasites as natural tags of habitat use by 0-group common sole Solea solea in nearshore coastal areas: A case study in the embayed system of the Pertuis Charentais (Bay of Biscay,) Tj $ETQq1\ 1$	<b>മ</b> 7884314	∙ <b>ı</b> gBT /Overl
68	Evaluation of behavioral changes induced by a first step of domestication or selection for growth in the European sea bass (Dicentrarchus labrax): A self-feeding approach under repeated acute stress. Aquaculture, 2010, 306, 211-217.	1.7	33
69	Individual fish rhythm directs group feeding: a case study with sea bass juveniles ( $<$ i $>$ Dicentrarchus) Tj ETQq $1\ 1\ 0$ .	784314 rg	:BT /Overl <mark>oc</mark>
70	Exploration behaviour and flight response toward a stimulus in three sea bass strains (Dicentrarchus) Tj ETQq0 0 C	) rgBT /Ove	erlgck 10 Tf
71	Riskâ€taking behaviour variation over time in sea bass ⟨i⟩Dicentrarchus labrax⟨ i⟩: effects of day–night alternation, fish phenotypic characteristics and selection for growth. Journal of Fish Biology, 2009, 75, 1733-1749.	0.7	44
72	Effects of T-bar and DST Tagging on Survival and Growth of European Hake. Reviews: Methods and Technologies in Fish Biology and Fisheries, 2009, , 181-193.	0.6	3

#	Article	IF	Citations
73	Feed demand behavior in sea bass juveniles: Effects on individual specific growth rate variation and health (inter-individual and inter-group variation). Aquaculture, 2008, 274, 87-95.	1.7	39
74	Allis shad (Alosa alosa) exhibit an intensity-graded behavioral response when exposed to ultrasound. Journal of the Acoustical Society of America, 2008, 124, EL243-EL247.	0.5	16
75	Temporal changes in lipid condition and parasitic infection by digenean metacercariae of young-of-year common sole Solea solea (L.) in an Atlantic nursery ground (Bay of Biscay, France). Journal of Sea Research, 2007, 57, 162-170.	0.6	19
76	Comparison of Solea solea macroparasites between two nursery-continental shelf systems in the Bay of Biscay and the Portuguese coast. Journal of Fish Biology, 2007, 70, 1921-1930.	0.7	11
77	Spatial variability in digenean metacercariae infection of 0-group common sole Solea solea among nurseries along the French Atlantic coast. Diseases of Aquatic Organisms, 2007, 75, 221-228.	0.5	2
78	Long-term monitoring of individual fish triggering activity on a self-feeding system: An example using European sea bass (Dicentrarchus labrax). Aquaculture, 2006, 253, 385-392.	1.7	47
79	Testing the potential effects of shellfish farming on swimming activity and spatial distribution of sole (Solea solea) in a mesocosm. ICES Journal of Marine Science, 2006, 63, 1014-1028.	1.2	13
80	Upstream migration and reproductive patterns of a population of allis shad in a small river (L'Aulne,) Tj ETQq0 0	0 rgBT /O	verlock 10 Tf
81	Activity patterns, home-range size, and habitat utilization of Sarpa salpa (Teleostei: Sparidae) in the Mediterranean Sea. ICES Journal of Marine Science, 2006, 63, 128-139.	1.2	96
82	An assessment of the upstream migration and reproductive behaviour of allis shad (Alosa alosa L.) using acoustic tracking. ICES Journal of Marine Science, 2004, 61, 1291-1304.	1.2	45
83	Measuring cultured fish swimming behaviour: first results on rainbow trout using acoustic telemetry in tanks. Aquaculture, 2004, 240, 175-186.	1.7	76
84	Feeding Responses of Hatchery-Reared Gilthead Sea Bream (Sparus aurataL.) to a Commercial Diet and Natural Prey Items. Marine and Freshwater Behaviour and Physiology, 2003, 36, 77-86.	0.4	19
85	Tagging juvenile seabass and sole with telemetry transmitters: medium-term effects on growth. ICES Journal of Marine Science, 2003, 60, 1328-1334.	1.2	36
86	Feasibility of otolith markings in large juvenile turbot, Scophthalmus maximus, using immersion in alizarin-red S solutions. ICES Journal of Marine Science, 2000, 57, 1175-1181.	1.2	37
87	Influence of Light Preferences on the Avoidance Responses of Lake Whitefish, Coregonus clupeaformis, to Cadmium. Environmental Biology of Fishes, 1999, 55, 295-306.	0.4	4
88	Habitat preferences and residence time for the freshwater to ocean transition stage in Arctic charr. Journal of the Marine Biological Association of the United Kingdom, 1999, 79, 153-160.	0.4	20
89	Variabilité météorologique et hydrologique. Conséquences sur l'activité natatoire d'un poisson marin. Comptes Rendus De L'Académie Des Sciences Série 3, Sciences De La Vie, 1998, 321, 641-648.	0.8	10
90	Variability in appetite of turbot, Scophthalmus maximus under intensive rearing conditions: the role of environmental factors. Aquaculture, 1998, 165, 123-138.	1.7	42

#	Article	IF	CITATIONS
91	An acoustic telemetry study of seabream (Sparus aurata L.): first results on activity rhythm, effects of environmental variables and space utilization. Hydrobiologia, 1995, 300-301, 417-423.	1.0	21
92	Influence of Wind-produced Noise on Orientation in the Sole ( <i>Solea solea</i> ). Canadian Journal of Fisheries and Aquatic Sciences, 1994, 51, 1258-1264.	0.7	27