

# Manuel Gonçalves-Pereira

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7860277/publications.pdf>

Version: 2024-02-01

68  
papers

1,594  
citations

331259

21  
h-index

329751

37  
g-index

75  
all docs

75  
docs citations

75  
times ranked

2547  
citing authors

#	ARTICLE	IF	CITATIONS
1	Affective disorders and risk of developing dementia: systematic review. <i>British Journal of Psychiatry</i> , 2013, 202, 177-186.	1.7	249
2	Barriers and facilitators to the access to and use of formal dementia care: findings of a focus group study with people with dementia, informal carers and health and social care professionals in eight European countries. <i>BMC Geriatrics</i> , 2018, 18, 131.	1.1	144
3	Development and Validation of an International Risk Prediction Algorithm for Episodes of Major Depression in General Practice Attendees. <i>Archives of General Psychiatry</i> , 2008, 65, 1368.	13.8	134
4	Associations between unemployment and major depressive disorder: Evidence from an international, prospective study (the predict cohort). <i>Social Science and Medicine</i> , 2011, 73, 1627-1634.	1.8	105
5	Needs and quality of life of people with middle-stage dementia and their family carers from the European Actifcare study. When informal care alone may not suffice. <i>Aging and Mental Health</i> , 2018, 22, 897-902.	1.5	57
6	Effectiveness of a psychoeducational intervention for families of patients with schizophrenia: preliminary results of a study funded by the European Commission. <i>World Psychiatry</i> , 2005, 4, 45-9.	4.8	55
7	Effectiveness of a Psychoeducational Intervention Group Program in the Reduction of the Burden Experienced by Caregivers of Patients With Dementia. <i>Alzheimer Disease and Associated Disorders</i> , 2014, 28, 79-87.	0.6	48
8	Caregiving experiences and knowledge about dementia in Portuguese clinical outpatient settings. <i>International Psychogeriatrics</i> , 2010, 22, 270-280.	0.6	45
9	Validation study of the Camberwell Assessment of Need for the Elderly (CANE) in Portugal. <i>International Psychogeriatrics</i> , 2009, 21, 94.	0.6	42
10	Impact of psychosis on Portuguese caregivers: a cross-cultural exploration of burden, distress, positive aspects and clinical-functional correlates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 325-335.	1.6	42
11	A randomized trial to assess the efficacy of a psychoeducational intervention on caregiver burden in schizophrenia. <i>European Psychiatry</i> , 2016, 33, 9-17.	0.1	40
12	Access to timely formal dementia care in Europe: protocol of the Actifcare (ACcess to Timely Formal) Tj ETQqO 0 0 rgBT /Overlock 10 Tf	0.9	36
13	Quality of life in patients with cognitive impairment: validation of the Quality of Life "Alzheimer's Disease scale in Portugal. <i>International Psychogeriatrics</i> , 2013, 25, 1085-1096.	0.6	35
14	What do We Know about Family Interventions for Psychosis at the Process Level? A Systematic Review. <i>Family Process</i> , 2016, 55, 79-90.	1.4	35
15	Quality of Life, Care Resource Use, and Costs of Dementia in 8 European Countries in a Cross-Sectional Cohort of the Actifcare Study. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 1027-1040.	1.2	30
16	Perspectives of policy and political decision makers on access to formal dementia care: expert interviews in eight European countries. <i>BMC Health Services Research</i> , 2017, 17, 518.	0.9	29
17	A comparison of self and proxy quality of life ratings for people with dementia and their carers: a European prospective cohort study. <i>Aging and Mental Health</i> , 2020, 24, 162-170.	1.5	29
18	A comparison of primary and secondary caregivers of persons with dementia.. <i>Psychology and Aging</i> , 2020, 35, 20-27.	1.4	29

#	ARTICLE	IF	CITATIONS
19	Caregiver profiles in dementia related to quality of life, depression and perseverance time in the European Actifcare study: the importance of social health. <i>Aging and Mental Health</i> , 2017, 21, 49-57.	1.5	27
20	Reducing the Number of People with Dementia Through Primary Prevention in Mozambique, Brazil, and Portugal: An Analysis of Population-Based Data. <i>Journal of Alzheimer's Disease</i> , 2019, 70, S283-S291.	1.2	27
21	The prevalence of dementia in a Portuguese community sample: a 10/66 Dementia Research Group study. <i>BMC Geriatrics</i> , 2017, 17, 261.	1.1	24
22	Access to community care for people with dementia and their informal carers. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2018, 51, 530-536.	0.8	24
23	Assessment of the consequences of caregiving in psychosis: a psychometric comparison of the Zarit Burden Interview (ZBI) and the Involvement Evaluation Questionnaire (IEQ). <i>Health and Quality of Life Outcomes</i> , 2017, 15, 63.	1.0	17
24	Optimizing access to and use of formal dementia care: Qualitative findings from the European Actifcare study. <i>Health and Social Care in the Community</i> , 2019, 27, e814-e823.	0.7	16
25	Empathy as Related to Motivations for Medicine in a Sample of First-Year Medical Students. <i>Psychological Reports</i> , 2013, 112, 73-88.	0.9	15
26	The Zarit Burden Interview in Portugal: Validity and Recommendations in Dementia and Palliative Care. <i>Acta Medica Portuguesa</i> , 2014, 27, 163-165.	0.2	15
27	Is there equity in initial access to formal dementia care in Europe? The Andersen Model applied to the Actifcare cohort. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 45-52.	1.3	13
28	Health-Care Delivery for Older People with Dementia in Primary Care. , 2019, , 311-329.		12
29	Relationship quality and sense of coherence in dementia: Results of a European cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 745-755.	1.3	12
30	The prevalence of late-life depression in a Portuguese community sample: A 10/66 Dementia Research Group study. <i>Journal of Affective Disorders</i> , 2019, 246, 674-681.	2.0	11
31	A validation study of the CarerQol instrument in informal caregivers of people with dementia from eight European countries. <i>Quality of Life Research</i> , 2021, 30, 577-588.	1.5	11
32	A brief assessment unravels unmet needs of older people in primary care: a mixed-methods evaluation of the SPICE tool in Portugal. <i>Primary Health Care Research and Development</i> , 2018, 19, 637-643.	0.5	9
33	Key Elements of a Family Intervention for Schizophrenia: A Qualitative Analysis of an RCT. <i>Family Process</i> , 2018, 57, 100-112.	1.4	9
34	Impact of Untimely Access to Formal Care on Costs and Quality of Life in Community Dwelling People with Dementia. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 1165-1174.	1.2	9
35	Caregiving in severe mental illness: the psychometric properties of the Involvement Evaluation Questionnaire in Portugal. <i>Annals of General Psychiatry</i> , 2012, 11, 8.	1.2	8
36	A validation study of the ICECAP-O in informal carers of people with dementia from eight European Countries. <i>Quality of Life Research</i> , 2020, 29, 237-251.	1.5	8

#	ARTICLE	IF	CITATIONS
37	Development of best practice recommendations to enhance access to and use of formal community care services for people with dementia in Europe: a Delphi process conducted by the Actifcare project. <i>Aging and Mental Health</i> , 2021, 25, 2298-2309.	1.5	8
38	How Many People Live with Dementia in Portugal? A Discussion Paper of National Estimates. <i>Portuguese Journal of Public Health</i> , 2021, 39, 58-68.	1.7	8
39	What is the present role for general practitioners in dementia care? Experiences of general practitioners, patients and family carers in Portugal. <i>Dementia</i> , 2021, 20, 1988-2006.	1.0	8
40	Priorities for mental health promotion during pregnancy and infancy in primary health care. <i>Global Health Promotion</i> , 2009, 16, 29-38.	0.7	7
41	Do caregiver profiles predict the use of dementia care services? Findings from the Actifcare study. <i>Aging and Mental Health</i> , 2020, 24, 272-279.	1.5	7
42	Interventions to enhance access to and utilization of formal community care services for home dwelling persons with dementia and their informal carers. A scoping review. <i>Aging and Mental Health</i> , 2020, 24, 200-211.	1.5	7
43	Profiles of Met and Unmet Needs in People with Dementia According to Caregivers' Perspective: Results from a European Multicenter Study. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1609-1616.e1.	1.2	7
44	Positive and negative experiences of caregiving in dementia: The role of sense of coherence. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 360-367.	1.3	7
45	Carers' experiences of timely access to and use of dementia care services in eight European countries. <i>Ageing and Society</i> , 2021, 41, 403-420.	1.2	7
46	Associations between unmet needs for daytime activities and company and scores on the Neuropsychiatric Inventory-Questionnaire in people with dementia: a longitudinal study. <i>Aging and Mental Health</i> , 2022, 26, 725-734.	1.5	7
47	Neuropsychiatric Symptoms of Cognitive Impairment and Dementia. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2017, , .	0.3	6
48	Toward a Family-Sensitive Practice in Dementia. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2017, , 349-368.	0.3	5
49	Psicoeducação familiar na demência: da clínica à saúde pública. <i>Revista Portuguesa De Saude Publica</i> , 2011, 29, 3-10.	0.3	4
50	Implementação em Portugal de um estudo de prevalência da demência e da depressão geriátrica: a metodologia do 10/66 Dementia Research Group. <i>Revista Portuguesa De Saude Publica</i> , 2016, 34, 134-143.	0.3	4
51	Factors contributing to protection and vulnerability in dementia caregivers. , 2020, , 709-722.		4
52	Obtaining EQ-5D-5L utilities from the disease specific quality of life Alzheimer's disease scale: development and results from a mapping study. <i>Quality of Life Research</i> , 2021, 30, 867-879.	1.5	4
53	Trajectories of relationship quality in dementia: a longitudinal study in eight European countries. <i>Aging and Mental Health</i> , 2022, 26, 2307-2315.	1.5	4
54	Impact of physical activity in vascular cognitive impairment (AFIVASC): study protocol for a randomised controlled trial. <i>Trials</i> , 2019, 20, 114.	0.7	3

#	ARTICLE	IF	CITATIONS
55	O Modelo de Falloon para intervenç�o familiar na esquizofrenia: Fundamenta�o e aspectos t�cnicos. <i>Analise Psicologica</i> , 2012, 25, 241-255.	0.2	3
56	Dementia and primary care teams: obstacles to the implementation of Portugal's Dementia Strategy. <i>Primary Health Care Research and Development</i> , 2022, 23, e10.	0.5	3
57	Psychosis Assessment in Early-Stage Parkinson's Disease: Comparing Parkinson's Psychosis Questionnaire with the Brief Psychiatric Rating Scale in a Portuguese Sample. <i>Parkinson's Disease</i> , 2012, 2012, 1-5.	0.6	2
58	Family Issues in Behavioral and Psychological Symptoms of Dementia: Unraveling Circular Pathways?. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2017, , 331-348.	0.3	2
59	Portuguese Adaptation and Input for the Validation of the Views on Inpatient Care (VOICE) Outcome Measure to Assess Service Users' Perceptions of Inpatient Psychiatric Care. <i>Acta Medica Portuguesa</i> , 2017, 30, 790-795.	0.2	1
60	Comment on: Family caregiver assessment in primary care: How to strengthen the healthcare triad?. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 2361-2362.	1.3	1
61	Inappropriate Sexual Behaviors in Dementia. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2017, , 251-262.	0.3	1
62	Letter to the Editor Regarding the Article "Geriatric Assessment of the Portuguese Population Aged 65 and Over Living in the Community: The PEN-3S study" On Clinically Significant Depression and Validity of Cut-off Points.. <i>Acta Medica Portuguesa</i> , 2020, 33, 784.	0.2	1
63	Physical Activity Self-Report Is Not Reliable Among Subjects with Mild Vascular Cognitive Impairment: The AFIVASC Study. <i>Journal of Alzheimer's Disease</i> , 2022, 87, 405-414.	1.2	1
64	The Portuguese Participation in the Actifcare (Access to Timely Formal Care in Dementia) European Study: Preliminary Results of Systematic Reviews, Qualitative and Quantitative Data. <i>European Psychiatry</i> , 2017, 41, S652-S652.	0.1	0
65	Validation of the Portuguese version of the consumer experiences of stigma questionnaire (CESQ). <i>European Psychiatry</i> , 2017, 41, s812-s813.	0.1	0
66	Self- and proxy-rating of the ICECAP-O for people with dementia: A cross-sectional linguistic validation study in Germany and Portugal. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2021, 162, 24-31.	0.7	0
67	Neuropsychiatric Symptoms in Cognitive Impairment and Dementia: A Brief Introductory Overview. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2017, , 1-7.	0.3	0
68	Carta ao Editor Sobre o Artigo "Sa�de Mental nos Cuidados de Sa�de Prim�rios: Desafios e Oportunidades em Contexto de Pandemia" Quest�es Sobre a Doen�a Mental Grave. <i>Acta Medica Portuguesa</i> , 2022, 35, 407.	0.2	0