

Manuel Goncalves-Pereira

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7860277/manuel-goncalves-pereira-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

1,123
citations

17
h-index

32
g-index

75
ext. papers

1,359
ext. citations

3.3
avg, IF

4.19
L-index

#	Paper	IF	Citations
65	Dementia and primary care teams: obstacles to the implementation of Portugal's Dementia Strategy.. <i>Primary Health Care Research and Development</i> , 2022 , 23, e10	1.6	0
64	What is the present role for general practitioners in dementia care? Experiences of general practitioners, patients and family carers in Portugal. <i>Dementia</i> , 2021 , 20, 1988-2006	3	3
63	Development of best practice recommendations to enhance access to and use of formal community care services for people with dementia in Europe: a Delphi process conducted by the Actifcare project. <i>Aging and Mental Health</i> , 2021 , 25, 2298-2309	3.5	3
62	Associations between unmet needs for daytime activities and company and scores on the Neuropsychiatric Inventory-Questionnaire in people with dementia: a longitudinal study. <i>Aging and Mental Health</i> , 2021 , 1-10	3.5	2
61	Self- and proxy-rating of the ICECAP-O for people with dementia: A cross-sectional linguistic validation study in Germany and Portugal. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2021 , 162, 24-31	1.4	
60	Comment on: Family caregiver assessment in primary care: How to strengthen the healthcare triad?. <i>Journal of the American Geriatrics Society</i> , 2021 , 69, 2361-2362	5.6	1
59	A validation study of the CarerQol instrument in informal caregivers of people with dementia from eight European countries. <i>Quality of Life Research</i> , 2021 , 30, 577-588	3.7	1
58	Obtaining EQ-5D-5L utilities from the disease specific quality of life Alzheimer's disease scale: development and results from a mapping study. <i>Quality of Life Research</i> , 2021 , 30, 867-879	3.7	0
57	Positive and negative experiences of caregiving in dementia: The role of sense of coherence. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 360-367	3.9	2
56	Carers' experiences of timely access to and use of dementia care services in eight European countries. <i>Ageing and Society</i> , 2021 , 41, 403-420	1.7	4
55	How Many People Live with Dementia in Portugal? A Discussion Paper of National Estimates. <i>Portuguese Journal of Public Health</i> , 2021 , 39, 58-68	1.5	0
54	Trajectories of relationship quality in dementia: a longitudinal study in eight European countries. <i>Aging and Mental Health</i> , 2021 , 1-9	3.5	1
53	Letter to the Editor Regarding the Article "Geriatric Assessment of the Portuguese Population Aged 65 and Over Living in the Community: The PEN-3S study". On Clinically Significant Depression and Validity of Cut-off Points. <i>Acta Medica Portuguesa</i> , 2020 , 33, 784-785	1.4	1
52	A comparison of primary and secondary caregivers of persons with dementia. <i>Psychology and Aging</i> , 2020 , 35, 20-27	3.6	13
51	Profiles of Met and Unmet Needs in People with Dementia According to Caregivers' Perspective: Results from a European Multicenter Study. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1609-1616.e1	5.9	1
50	Factors contributing to protection and vulnerability in dementia caregivers 2020 , 709-722		2
49	Do caregiver profiles predict the use of dementia care services? Findings from the Actifcare study. <i>Aging and Mental Health</i> , 2020 , 24, 272-279	3.5	2

48	A comparison of self and proxy quality of life ratings for people with dementia and their carers: a European prospective cohort study. <i>Aging and Mental Health</i> , 2020 , 24, 162-170	3.5	13
47	Interventions to enhance access to and utilization of formal community care services for home dwelling persons with dementia and their informal carers. A scoping review. <i>Aging and Mental Health</i> , 2020 , 24, 200-211	3.5	2
46	Is there equity in initial access to formal dementia care in Europe? The Andersen Model applied to the Actifcare cohort. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 45-52	3.9	9
45	A validation study of the ICECAP-O in informal carers of people with dementia from eight European Countries. <i>Quality of Life Research</i> , 2020 , 29, 237-251	3.7	3
44	Reducing the Number of People with Dementia Through Primary Prevention in Mozambique, Brazil, and Portugal: An Analysis of Population-Based Data. <i>Journal of Alzheimer's Disease</i> , 2019 , 70, S283-S291	4.3	16
43	Relationship quality and sense of coherence in dementia: Results of a European cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2019 , 34, 745-755	3.9	5
42	Health-Care Delivery for Older People with Dementia in Primary Care 2019 , 311-329		8
41	Optimizing access to and use of formal dementia care: Qualitative findings from the European Actifcare study. <i>Health and Social Care in the Community</i> , 2019 , 27, e814-e823	2.6	9
40	Impact of physical activity in vascular cognitive impairment (AFIVASC): study protocol for a randomised controlled trial. <i>Trials</i> , 2019 , 20, 114	2.8	1
39	The prevalence of late-life depression in a Portuguese community sample: A 10/66 Dementia Research Group study. <i>Journal of Affective Disorders</i> , 2019 , 246, 674-681	6.6	5
38	A brief assessment unravels unmet needs of older people in primary care: a mixed-methods evaluation of the SPICE tool in Portugal. <i>Primary Health Care Research and Development</i> , 2018 , 19, 637-643	1.6	6
37	Key Elements of a Family Intervention for Schizophrenia: A Qualitative Analysis of an RCT. <i>Family Process</i> , 2018 , 57, 100-112	3.9	4
36	Access to community care for people with dementia and their informal carers : Case vignettes for a European comparison of structures and common pathways to formal care. <i>Zeitschrift Fur Gerontologie Und Geriatrie</i> , 2018 , 51, 530-536	2.7	18
35	Needs and quality of life of people with middle-stage dementia and their family carers from the European Actifcare study. When informal care alone may not suffice. <i>Aging and Mental Health</i> , 2018 , 22, 897-902	3.5	43
34	Barriers and facilitators to the access to and use of formal dementia care: findings of a focus group study with people with dementia, informal carers and health and social care professionals in eight European countries. <i>BMC Geriatrics</i> , 2018 , 18, 131	4.1	86
33	Impact of Untimely Access to Formal Care on Costs and Quality of Life in Community Dwelling People with Dementia. <i>Journal of Alzheimer's Disease</i> , 2018 , 66, 1165-1174	4.3	6
32	Quality of Life, Care Resource Use, and Costs of Dementia in 8 European Countries in a Cross-Sectional Cohort of the Actifcare Study. <i>Journal of Alzheimer's Disease</i> , 2018 , 66, 1027-1040	4.3	22
31	The prevalence of dementia in a Portuguese community sample: a 10/66 Dementia Research Group study. <i>BMC Geriatrics</i> , 2017 , 17, 261	4.1	16

30	Perspectives of policy and political decision makers on access to formal dementia care: expert interviews in eight European countries. <i>BMC Health Services Research</i> , 2017 , 17, 518	2.9	22
29	Portuguese Adaptation and Input for the Validation of the Views on Inpatient Care (VOICE) Outcome Measure to Assess Service Users' Perceptions of Inpatient Psychiatric Care. <i>Acta Medica Portuguesa</i> , 2017 , 30, 790-795	1.4	1
28	The Portuguese Participation in the Actifcare (Access to Timely Formal Care in Dementia) European Study: Preliminary Results of Systematic Reviews, Qualitative and Quantitative Data. <i>European Psychiatry</i> , 2017 , 41, S652-S652	6	
27	Validation of the Portuguese version of the consumer experiences of stigma questionnaire (CESQ). <i>European Psychiatry</i> , 2017 , 41, s812-s813	6	
26	Assessment of the consequences of caregiving in psychosis: a psychometric comparison of the Zarit Burden Interview (ZBI) and the Involvement Evaluation Questionnaire (IEQ). <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 63	3	11
25	Family Issues in Behavioral and Psychological Symptoms of Dementia: Unraveling Circular Pathways?. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2017 , 331-348		1
24	Caregiver profiles in dementia related to quality of life, depression and perseverance time in the European Actifcare study: the importance of social health. <i>Aging and Mental Health</i> , 2017 , 21, 49-57	3.5	15
23	Neuropsychiatric Symptoms of Cognitive Impairment and Dementia. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2017 ,		5
22	Inappropriate Sexual Behaviors in Dementia. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2017 , 251-262		1
21	Toward a Family-Sensitive Practice in Dementia. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2017 , 349-368		4
20	Neuropsychiatric Symptoms in Cognitive Impairment and Dementia: A Brief Introductory Overview. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2017 , 1-7		
19	What do We Know about Family Interventions for Psychosis at the Process Level? A Systematic Review. <i>Family Process</i> , 2016 , 55, 79-90	3.9	24
18	Access to timely formal dementia care in Europe: protocol of the Actifcare (ACcess to Timely Formal Care) study. <i>BMC Health Services Research</i> , 2016 , 16, 423	2.9	32
17	Implementação em Portugal de um estudo de prevalência da demência e da depressão geriátrica: a metodologia do 10/66 Dementia Research Group. <i>Revista Portuguesa De Saude Publica</i> , 2016 , 34, 134-143		4
16	A randomized trial to assess the efficacy of a psychoeducational intervention on caregiver burden in schizophrenia. <i>European Psychiatry</i> , 2016 , 33, 9-17	6	19
15	The Zarit Burden Interview in Portugal: Validity and recommendations in dementia and palliative care. <i>Acta Medica Portuguesa</i> , 2014 , 27, 163-5	1.4	12
14	Effectiveness of a psychoeducational intervention group program in the reduction of the burden experienced by caregivers of patients with dementia: the EDUCA-II randomized trial. <i>Alzheimer Disease and Associated Disorders</i> , 2014 , 28, 79-87	2.5	39
13	Impact of psychosis on Portuguese caregivers: a cross-cultural exploration of burden, distress, positive aspects and clinical-functional correlates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 325-35	4.5	28

12	Affective disorders and risk of developing dementia: systematic review. <i>British Journal of Psychiatry</i> , 2013 , 202, 177-86	5.4	215
11	Empathy as related to motivations for medicine in a sample of first-year medical students. <i>Psychological Reports</i> , 2013 , 112, 73-88	1.6	13
10	Quality of life in patients with cognitive impairment: validation of the Quality of Life-Alzheimer's Disease scale in Portugal. <i>International Psychogeriatrics</i> , 2013 , 25, 1085-96	3.4	28
9	Caregiving in severe mental illness: the psychometric properties of the Involvement Evaluation Questionnaire in Portugal. <i>Annals of General Psychiatry</i> , 2012 , 11, 8	3.4	7
8	Psychosis assessment in early-stage Parkinson's disease: comparing Parkinson's psychosis questionnaire with the brief psychiatric rating scale in a portuguese sample. <i>Parkinson's Disease</i> , 2012 , 2012, 469126	2.6	2
7	Psicoeducação familiar na demência: da clínica à saúde pública. <i>Revista Portuguesa De Saude Publica</i> , 2011 , 29, 3-10		3
6	Associations between unemployment and major depressive disorder: evidence from an international, prospective study (the predict cohort). <i>Social Science and Medicine</i> , 2011 , 73, 1627-34	5.1	80
5	Caregiving experiences and knowledge about dementia in Portuguese clinical outpatient settings. <i>International Psychogeriatrics</i> , 2010 , 22, 270-80	3.4	35
4	Priorities for mental health promotion during pregnancy and infancy in primary health care. <i>Global Health Promotion</i> , 2009 , 16, 29-38	1.4	7
3	Validation study of the Camberwell Assessment of Need for the Elderly (CANE) in Portugal. <i>International Psychogeriatrics</i> , 2009 , 21, 94-102	3.4	34
2	Development and validation of an international risk prediction algorithm for episodes of major depression in general practice attendees: the PredictD study. <i>Archives of General Psychiatry</i> , 2008 , 65, 1368-76		115
1	Effectiveness of a psychoeducational intervention for families of patients with schizophrenia: preliminary results of a study funded by the European Commission. <i>World Psychiatry</i> , 2005 , 4, 45-9	14.4	44