Tom Bourne

List of Publications by Citations

510 papers	12,475 citations	60 h-index	98 g-index
613 ext. papers	15,415 ext. citations	5.6 avg, IF	6.06 L-index

#	Paper	IF	Citations
510	Effects of tamoxifen on uterus and ovaries of postmenopausal women in a randomised breast cancer prevention trial. *Lancet, The*, **1994**, 343, 1318-21	40	463
509	Logistic regression model to distinguish between the benign and malignant adnexal mass before surgery: a multicenter study by the International Ovarian Tumor Analysis Group. *Journal of Clinical Oncology*, **2005**, 23, 8794-801	2.2	329
508	Systematic approach to sonographic evaluation of the pelvis in women with suspected endometriosis, including terms, definitions and measurements: a consensus opinion from the International Deep Endometriosis Analysis (IDEA) group. *Ultrasound in Obstetrics and Gynecology*, 2016, 48, 318-32	5.8	310
507	Simple ultrasound-based rules for the diagnosis of ovarian cancer. *Ultrasound in Obstetrics and Gynecology*, **2008**, 31, 681-90	5.8	310
506	Terms, definitions and measurements to describe sonographic features of myometrium and uterine masses: a consensus opinion from the Morphological Uterus Sonographic Assessment (MUSA) group. *Ultrasound in Obstetrics and Gynecology*, **2015**, 46, 284-98	5.8	268
505	Transvaginal colour flow imaging: a possible new screening technique for ovarian cancer. *BMJ: British Medical Journal*, **1989**, 299, 1367-70		236
504	Simple ultrasound rules to distinguish between benign and malignant adnexal masses before surgery: prospective validation by IOTA group. *BMJ, The*, **2010**, 341, c6839	5.9	235
503	Diagnostic criteria for nonviable pregnancy early in the first trimester. *New England Journal of Medicine*, **2013**, 369, 1443-51	59.2	219
502	Prevalence, potential risk factors for development and symptoms related to the presence of uterine niches following Cesarean section: systematic review. *Ultrasound in Obstetrics and Gynecology*, **2014**, 43, 372-82	5.8	209
501	The accuracy of transvaginal ultrasonography for the diagnosis of ectopic pregnancy prior to surgery. *Human Reproduction*, **2005**, 20, 1404-9	5.7	204
500	Evaluating the risk of ovarian cancer before surgery using the ADNEX model to differentiate between benign, borderline, early and advanced stage invasive, and secondary metastatic tumours: prospective multicentre diagnostic study. *BMJ, The*, **2014**, 349, g5920	5.9	194
499	Pregnancy of unknown location: a consensus statement of nomenclature, definitions, and outcome. *Fertility and Sterility*, **2011**, 95, 857-66	4.8	194
498	Terms, definitions and measurements to describe the sonographic features of the endometrium and intrauterine lesions: a consensus opinion from the International Endometrial Tumor Analysis (IETA) group. *Ultrasound in Obstetrics and Gynecology*, **2010**, 35, 103-12	5.8	159
497	Discrimination between benign and malignant adnexal masses by specialist ultrasound examination versus serum CA-125. *Journal of the National Cancer Institute*, **2007**, 99, 1706-14	9.7	150
496	Association of ovarian malignancy with expression of platelet-derived endothelial cell growth factor. *Journal of the National Cancer Institute*, **1994**, 86, 1234-8	9.7	141
495	Oestrogens, arterial status, and postmenopausal women. *Lancet, The*, **1990**, 335, 1470-1	40	138
494	Ovarian cancer prediction in adnexal masses using ultrasound-based logistic regression models: a temporal and external validation study by the IOTA group. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 226-34	5.8	133

493	A randomized trial on the use of ultrasonography or office hysteroscopy for endometrial assessment in postmenopausal patients with breast cancer who were treated with tamoxifen. *American Journal of Obstetrics and Gynecology*, **1998**, 179, 62-70	6.4	132
492	Predicting the risk of malignancy in adnexal masses based on the Simple Rules from the International Ovarian Tumor Analysis group. *American Journal of Obstetrics and Gynecology*, **2016**, 214, 424-437	6.4	131
491	The diagnostic effectiveness of an initial transvaginal scan in detecting ectopic pregnancy. *Human Reproduction*, **2007**, 22, 2824-8	5.7	131
490	Diagnosing ectopic pregnancy and current concepts in the management of pregnancy of unknown location. *Human Reproduction Update*, **2014**, 20, 250-61	15.8	130
489	Conventional and modern markers of endometrial receptivity: a systematic review and meta-analysis. *Human Reproduction Update*, **2019**, 25, 202-223	15.8	129
488	A comparison of methods for preoperative discrimination between malignant and benign adnexal masses: the development of a new logistic regression model. *American Journal of Obstetrics and Gynecology*, **1999**, 181, 57-65	6.4	127
487	Endometriomas: their ultrasound characteristics. *Ultrasound in Obstetrics and Gynecology*, **2010**, 35, 730-40	5.8	120
486	Presurgical diagnosis of adnexal tumours using mathematical models and scoring systems: a systematic review and meta-analysis. *Human Reproduction Update*, **2014**, 20, 449-62	15.8	115
485	Improving strategies for diagnosing ovarian cancer: a summary of the International Ovarian Tumor Analysis (IOTA) studies. *Ultrasound in Obstetrics and Gynecology*, **2013**, 41, 9-20	5.8	111
484	Ovarian morphology, endocrine function and intra-follicular blood flow during the peri-ovulatory period. *Human Reproduction*, **1991**, 6, 319-24	5.7	109
483	Ultrasound screening for familial ovarian cancer. *Gynecologic Oncology*, **1991**, 43, 92-7	4.9	109
482	Standardized approach for imaging and measuring Cesarean section scars using ultrasonography. *Ultrasound in Obstetrics and Gynecology*, **2012**, 39, 252-9	5.8	107
481	The use of ultrasound-based 'soft markers' for the prediction of pelvic pathology in women with chronic pelvic pain--can we reduce the need for laparoscopy?. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2006**, 113, 251-6	3.7	106
480	The use of a new logistic regression model for predicting the outcome of pregnancies of unknown location. *Human Reproduction*, **2004**, 19, 1900-10	5.7	100
479	Diagnostic accuracy of varying discriminatory zones for the prediction of ectopic pregnancy in women with a pregnancy of unknown location. *Ultrasound in Obstetrics and Gynecology*, **2005**, 26, 770-5	5.8	98
478	The conservative management of interstitial pregnancy. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2004**, 111, 1283-8	3.7	95
477	The impact of complaints procedures on the welfare, health and clinical practise of 7926 doctors in the UK: a cross-sectional survey. *BMJ Open*, **2015**, 5, e006687	3	94
476	O-RADS US Risk Stratification and Management System: A Consensus Guideline from the ACR Ovarian-Adnexal Reporting and Data System Committee. *Radiology*, **2020**, 294, 168-185	20.5	93

475	Limitations of current definitions of miscarriage using mean gestational sac diameter and crown-rump length measurements: a multicenter observational study. *Ultrasound in Obstetrics and Gynecology*, **2011**, 38, 497-502	5.8	91
474	The accuracy of first trimester ultrasound in the diagnosis of hydatidiform mole. *Ultrasound in Obstetrics and Gynecology*, **2007**, 29, 70-5	5.8	91
473	Should we be examining the ovaries in pregnancy? Prevalence and natural history of adnexal pathology detected at first-trimester sonography. *Ultrasound in Obstetrics and Gynecology*, **2004**, 24, 62-6	5.8	91
472	Detection of endometrial cancer by transvaginal ultrasonography with color flow imaging and blood flow analysis: a preliminary report. *Gynecologic Oncology*, **1991**, 40, 253-9	4.9	90
471	Pregnancy and neonatal outcomes of COVID-19: coreporting of common outcomes from PAN-COVID and AAP-SONPM registries. *Ultrasound in Obstetrics and Gynecology*, **2021**, 57, 573-581	5.8	88
470	Preovulatory changes of blood flow in different regions of the human follicle. *Fertility and Sterility*, **1998**, 69, 435-42	4.8	83
469	The conservative management of cervical ectopic pregnancies. *Ultrasound in Obstetrics and Gynecology*, **2006**, 27, 430-7	5.8	79
468	Miscarriage matters: the epidemiological, physical, psychological, and economic costs of early pregnancy loss. *Lancet, The*, **2021**, 397, 1658-1667	40	78
467	Diagnosis and management of ovarian cyst accidents. *Best Practice and Research in Clinical Obstetrics and Gynaecology*, **2009**, 23, 711-24	4.6	73
466	Associations between ultrasound indices of follicular blood flow, oocyte recovery and preimplantation embryo quality. *Human Reproduction*, **1996**, 11, 109-13	5.7	73
465	Post-traumatic stress, anxiety and depression following miscarriage or ectopic pregnancy: a prospective cohort study. *BMJ Open*, **2016**, 6, e011864	3	73
464	Strategies to diagnose ovarian cancer: new evidence from phase 3 of the multicentre international IOTA study. *British Journal of Cancer*, **2014**, 111, 680-8	8.7	72
463	Benign ovarian cysts and ovarian cancer: a cohort study with implications for screening. *Lancet, The*, **2000**, 355, 1060-3	40	70
462	The assessment of endometrial pathology and tubal patency: a comparison between the use of ultrasonography and X-ray hysterosalpingography for the investigation of infertility patients. *Ultrasound in Obstetrics and Gynecology*, **1999**, 14, 200-4	5.8	66
461	Sonographic examination of uterine niche in non-pregnant women: a modified Delphi procedure. *Ultrasound in Obstetrics and Gynecology*, **2019**, 53, 107-115	5.8	64
460	OC013: What do you do when you cannot see a pregnancy with ultrasound? The management of pregnancies of unknown location. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 3-4	5.8	63
459	The conservative management of early pregnancy complications: a review of the literature. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 420-30	5.8	63
458	The psychological impact of early pregnancy loss. *Human Reproduction Update*, **2018**, 24, 731-749	15.8	63

457	Multicentre external validation of IOTA prediction models and RMI by operators with varied training. *British Journal of Cancer*, **2013**, 108, 2448-54	8.7	62
456	Clinical implications of intra- and interobserver reproducibility of transvaginal sonographic measurement of gestational sac and crown-rump length at 6-9 weeks' gestation. *Ultrasound in Obstetrics and Gynecology*, **2011**, 38, 510-5	5.8	62
455	External validation of diagnostic models to estimate the risk of malignancy in adnexal masses. *Clinical Cancer Research*, **2012**, 18, 815-25	12.9	62
454	Prediction of ectopic pregnancy in women with a pregnancy of unknown location. *Ultrasound in Obstetrics and Gynecology*, **2007**, 29, 680-7	5.8	61
453	Human chorionic gonadotrophin and progesterone levels in pregnancies of unknown location. *International Journal of Gynecology and Obstetrics*, **2004**, 86, 351-7	4	61
452	Why are some ectopic pregnancies characterized as pregnancies of unknown location at the initial transvaginal ultrasound examination?. *Acta Obstetricia Et Gynecologica Scandinavica*, **2008**, 87, 1150-4	3.8	60
451	The optimal timing of an ultrasound scan to assess the location and viability of an early pregnancy. *Human Reproduction*, **2009**, 24, 1811-7	5.7	58
450	Establishment of vaginal microbiota composition in early pregnancy and its association with subsequent preterm prelabor rupture of the fetal membranes. *Translational Research*, **2019**, 207, 30-43	11	58
449	Management strategies for hyperemesis. *Best Practice and Research in Clinical Obstetrics and Gynaecology*, **2009**, 23, 549-64	4.6	57
448	Evidence of early first-trimester growth restriction in pregnancies that subsequently end in miscarriage. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2008**, 115, 1273-8	3.7	57
447	Inclusion of CA-125 does not improve mathematical models developed to distinguish between benign and malignant adnexal tumors. *Journal of Clinical Oncology*, **2007**, 25, 4194-200	2.2	57
446	Risk of complications in patients with conservatively managed ovarian tumours (IOTA5): a 2-year interim analysis of a multicentre, prospective, cohort study. *Lancet Oncology, The*, **2019**, 20, 448-458	21.7	55
445	Ovarian-Adnexal Reporting Lexicon for Ultrasound: A White Paper of the ACR Ovarian-Adnexal Reporting and Data System Committee. *Journal of the American College of Radiology*, **2018**, 15, 1415-1429	3.5	55
444	The characterization of common ovarian cysts in premenopausal women. *Ultrasound in Obstetrics and Gynecology*, **2001**, 17, 140-4	5.8	54
443	Psychological morbidity associated with hyperemesis gravidarum: a systematic review and meta-analysis. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2017**, 124, 20-30	3.7	53
442	Adding a single CA 125 measurement to ultrasound imaging performed by an experienced examiner does not improve preoperative discrimination between benign and malignant adnexal masses. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 345-54	5.8	52
441	Rationalizing the follow-up of pregnancies of unknown location. *Human Reproduction*, **2007**, 22, 1744-50	5.7	52
440	The characteristic ultrasound features of specific types of ovarian pathology (review). *International Journal of Oncology*, **2015**, 46, 445-58	4.4	51

439	Dating and growth in the first trimester. *Best Practice and Research in Clinical Obstetrics and Gynaecology*, **2009**, 23, 439-52	4.6	51
438	Failing pregnancies of unknown location: a prospective evaluation of the human chorionic gonadotrophin ratio. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2006**, 113, 521-7	3.7	51
437	Rationalizing the management of pregnancies of unknown location: temporal and external validation of a risk prediction model on 1962 pregnancies. *Human Reproduction*, **2013**, 28, 609-16	5.7	50
436	Defining safe criteria to diagnose miscarriage: prospective observational multicentre study. *BMJ, The*, **2015**, 351, h4579	5.9	48
435	Assessing first trimester growth: the influence of ethnic background and maternal age. *Human Reproduction*, **2009**, 24, 284-90	5.7	48
434	The conservative management of first trimester miscarriages and the use of colour Doppler sonography for patient selection. *Human Reproduction*, **1999**, 14, 1341-5	5.7	47
433	Posttraumatic stress, anxiety and depression following miscarriage and ectopic pregnancy: a multicenter, prospective, cohort study. *American Journal of Obstetrics and Gynecology*, **2020**, 222, 367.e1-367.e22	6.4	47
432	First International Consensus Report on Adnexal Masses: Management Recommendations. *Journal of Ultrasound in Medicine*, **2017**, 36, 849-863	2.9	46
431	Clinically oriented three-step strategy for assessment of adnexal pathology. *Ultrasound in Obstetrics and Gynecology*, **2012**, 40, 582-91	5.8	46
430	A prospective evaluation of a single-visit strategy to manage pregnancies of unknown location. *Human Reproduction*, **2005**, 20, 1398-403	5.7	46
429	Transvaginal ultrasonography sonohysterography and operative hysteroscopy for the evaluation of abnormal uterine bleeding. *Acta Obstetricia Et Gynecologica Scandinavica*, **2001**, 80, 616-622	3.8	46
428	The potential role of serum CA 125 in an ultrasound-based screening program for familial ovarian cancer. *Gynecologic Oncology*, **1994**, 52, 379-85	4.9	46
427	Micronized vaginal progesterone to prevent miscarriage: a critical evaluation of randomized evidence. *American Journal of Obstetrics and Gynecology*, **2020**, 223, 167-176	6.4	46
426	Ultrasound experience substantially impacts on diagnostic performance and confidence when adnexal masses are classified using pattern recognition. *Gynecologic and Obstetric Investigation*, **2010**, 69, 160-8	2.5	45
425	Lack of evidence from HPLC 32P-post-labelling for tamoxifen-DNA adducts in the human endometrium. *Carcinogenesis*, **1999**, 20, 339-42	4.6	44
424	Pregnancies of unknown location. *Best Practice and Research in Clinical Obstetrics and Gynaecology*, **2009**, 23, 493-9	4.6	43
423	A spline-based tool to assess and visualize the calibration of multiclass risk predictions. *Journal of Biomedical Informatics*, **2015**, 54, 283-93	10.2	42
422	A multicenter prospective external validation of the diagnostic performance of IOTA simple descriptors and rules to characterize ovarian masses. *Gynecologic Oncology*, **2013**, 130, 140-6	4.9	42

421	There is no role for uterine curettage in the contemporary diagnostic workup of women with a pregnancy of unknown location. *Human Reproduction*, **2006**, 21, 2706-10	5.7	42
420	Gestational sac and embryonic growth are not useful as criteria to define miscarriage: a multicenter observational study. *Ultrasound in Obstetrics and Gynecology*, **2011**, 38, 503-9	5.8	41
419	Acoustic streaming cannot discriminate reliably between endometriomas and other types of adnexal lesion: a multicenter study of 633 adnexal masses. *Ultrasound in Obstetrics and Gynecology*, **2010**, 35, 349-53	5.8	41
418	Clinical information does not improve the performance of mathematical models in predicting the outcome of pregnancies of unknown location. *Fertility and Sterility*, **2007**, 88, 572-80	4.8	41
417	Ultrasound characteristics of endometrial cancer as defined by International Endometrial Tumor Analysis (IETA) consensus nomenclature: prospective multicenter study. *Ultrasound in Obstetrics and Gynecology*, **2018**, 51, 818-828	5.8	40
416	A comparison between an ultrasound based prediction model (LR2) and the risk of ovarian malignancy algorithm (ROMA) to assess the risk of malignancy in women with an adnexal mass. *Gynecologic Oncology*, **2013**, 129, 377-83	4.9	40
415	A validation of the most commonly used protocol to predict the success of single-dose methotrexate in the treatment of ectopic pregnancy. *Human Reproduction*, **2007**, 22, 858-63	5.7	40
414	The association between vaginal bacterial composition and miscarriage: a nested case-control study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2020**, 127, 264-274	3.7	39
413	Managing pregnancy of unknown location based on initial serum progesterone and serial serum hCG levels: development and validation of a two-step triage protocol. *Ultrasound in Obstetrics and Gynecology*, **2016**, 48, 642-649	5.8	38
412	Predicting successful vaginal birth after Cesarean section using a model based on Cesarean scar features examined by transvaginal sonography. *Ultrasound in Obstetrics and Gynecology*, **2013**, 41, 672-8	5.8	38
411	Predicting the outcome of pregnancies of unknown location: Bayesian networks with expert prior information compared to logistic regression. *Human Reproduction*, **2006**, 21, 1824-31	5.7	38
410	Evaluating the risk of ovarian cancer before surgery using the ADNEX model: a multicentre external validation study. *British Journal of Cancer*, **2016**, 115, 542-8	8.7	38
409	Triaging women with ovarian masses for surgery: observational diagnostic study to compare RCOG guidelines with an International Ovarian Tumour Analysis (IOTA) group protocol. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2012**, 119, 662-71	3.7	37
408	New crown-rump length curve based on over 3500 pregnancies. *Ultrasound in Obstetrics and Gynecology*, **2010**, 35, 650-5	5.8	37
407	Caesarean scar pregnancy in the UK: a national cohort study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2018**, 125, 1663-1670	3.7	36
406	Diagnosis of ectopic pregnancy with ultrasound. *Best Practice and Research in Clinical Obstetrics and Gynaecology*, **2009**, 23, 501-8	4.6	36
405	Diagnosing miscarriage. *Best Practice and Research in Clinical Obstetrics and Gynaecology*, **2009**, 23, 463-77	4.6	35
404	Twin growth discrepancy in early pregnancy. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 38-42	5.8	35

403	Reliability of transvaginal ultrasonography at 7-9 weeks' gestation in the determination of chorionicity and amnionicity in twin pregnancies. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 618-21	5.8	35
402	Accurate prediction of pregnancy viability by means of a simple scoring system. *Human Reproduction*, **2013**, 28, 68-76	5.7	33
401	Imaging techniques for the pre-surgical diagnosis of adnexal tumours. *Best Practice and Research in Clinical Obstetrics and Gynaecology*, **2014**, 28, 683-95	4.6	32
400	Triaging pregnancies of unknown location: the performance of protocols based on single serum progesterone or repeated serum hCG levels. *Human Reproduction*, **2014**, 29, 938-45	5.7	32
399	Do levels of serum cancer antigen 125 and creatine kinase predict the outcome in pregnancies of unknown location?. *Human Reproduction*, **2005**, 20, 3348-54	5.7	32
398	The nonsurgical management of ectopic pregnancy. *Current Opinion in Obstetrics and Gynecology*, **2006**, 18, 587-93	2.4	32
397	Impact of the availability of sonography in the acute gynecology unit. *Ultrasound in Obstetrics and Gynecology*, **2006**, 28, 207-13	5.8	32
396	Changes in Cesarean section scar dimensions during pregnancy: a prospective longitudinal study. *Ultrasound in Obstetrics and Gynecology*, **2013**, 41, 556-62	5.8	31
395	Assessment of parasite population dynamics in mixed infections of rodent plasmodia. *Parasitology*, **1992**, 105 (Pt 3), 363-74	2.7	31
394	Doctors' experiences and their perception of the most stressful aspects of complaints processes in the UK: an analysis of qualitative survey data. *BMJ Open*, **2016**, 6, e011711	3	30
393	A model and scoring system to predict outcome of intrauterine pregnancies of uncertain viability. *Ultrasound in Obstetrics and Gynecology*, **2011**, 37, 588-95	5.8	30
392	Functional linear discriminant analysis: a new longitudinal approach to the assessment of embryonic growth. *Human Reproduction*, **2009**, 24, 278-83	5.7	30
391	Age-related differences in the sonographic characteristics of endometriomas. *Human Reproduction*, **2016**, 31, 1723-31	5.7	29
390	The practical application of a mathematical model to predict the outcome of pregnancies of unknown location. *Ultrasound in Obstetrics and Gynecology*, **2006**, 27, 311-5	5.8	29
389	The endometrium in breast cancer patients on tamoxifen. *Archives of Gynecology and Obstetrics*, **2000**, 263, 170-7	2.5	29
388	A comparison of intratumoural indices of blood flow velocity and impedance for the diagnosis of ovarian cancer. *Ultrasound in Medicine and Biology*, **1996**, 22, 837-43	3.5	29
387	Does the presence of a Caesarean section scar affect implantation site and early pregnancy outcome in women attending an early pregnancy assessment unit?. *Human Reproduction*, **2013**, 28, 1489-96	5.7	28
386	The use of serum inhibin A and activin A levels in predicting the outcome of 'pregnancies of unknown location'. *Human Reproduction*, **2009**, 24, 2451-6	5.7	28

385	False positive results in ovarian cancer screening: One year follow-up of psychological status. *Psychology and Health*, **1994**, 10, 33-40	2.9	28
384	Ultrasound methods to distinguish between malignant and benign adnexal masses in the hands of examiners with different levels of experience. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 454-61	5.8	27
383	The non-surgical management of ectopic pregnancy. *Ultrasound in Obstetrics and Gynecology*, **2006**, 27, 91-100	5.8	27
382	Clinical Utility of Risk Models to Refer Patients with Adnexal Masses to Specialized Oncology Care: Multicenter External Validation Using Decision Curve Analysis. *Clinical Cancer Research*, **2017**, 23, 5082-5090	12.9	26
381	A scoring system to differentiate malignant from benign masses in specific ultrasound-based subgroups of adnexal tumors. *Ultrasound in Obstetrics and Gynecology*, **2009**, 33, 92-101	5.8	26
380	The simple outpatient management of Bartholin's abscess using the Word catheter: a preliminary study. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, **2007**, 47, 137-40	1.7	26
379	Feasibility study of a randomised trial of ovarian cancer screening among the general population. *Journal of Medical Screening*, **1994**, 1, 209-14	1.4	26
378	Validation of the Performance of International Ovarian Tumor Analysis (IOTA) Methods in the Diagnosis of Early Stage Ovarian Cancer in a Non-Screening Population. *Diagnostics*, **2017**, 7,	3.8	25
377	Impact of ovulation and implantation timing on first-trimester crown-rump length and gestational age. *Ultrasound in Obstetrics and Gynecology*, **2012**, 40, 630-5	5.8	25
376	A mathematical model for interpretable clinical decision support with applications in gynecology. *PLoS ONE*, **2012**, 7, e34312	3.7	25
375	The hCG ratio can predict the ultimate viability of the intrauterine pregnancies of uncertain viability in the pregnancy of unknown location population. *Human Reproduction*, **2008**, 23, 1964-7	5.7	25
374	Are serum HE4 or ROMA scores useful to experienced examiners for improving characterization of adnexal masses after transvaginal ultrasonography?. *Ultrasound in Obstetrics and Gynecology*, **2014**, 43, 89-97	5.8	24
373	The effects of norethisterone on endometrial abnormalities identified by transvaginal ultrasound screening of healthy post-menopausal women on tamoxifen or placebo. *British Journal of Cancer*, **1998**, 78, 272-5	8.7	24
372	Do we need to follow up complete miscarriages with serum human chorionic gonadotrophin levels?. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2005**, 112, 827-9	3.7	24
371	Burnout, well-being and defensive medical practice among obstetricians and gynaecologists in the UK: cross-sectional survey study. *BMJ Open*, **2019**, 9, e030968	3	24
370	Ultrasound assessment of the peri-implantation uterus: a review. *Ultrasound in Obstetrics and Gynecology*, **2012**, 39, 612-9	5.8	23
369	Does a prediction model for pregnancy of unknown location developed in the UK validate on a US population?. *Human Reproduction*, **2010**, 25, 2434-40	5.7	23
368	A novel approach to predict the likelihood of specific ovarian tumor pathology based on serum CA-125: a multicenter observational study. *Cancer Epidemiology Biomarkers and Prevention*, **2011**, 20, 2420-8	4	23

367	Polytomous diagnosis of ovarian tumors as benign, borderline, primary invasive or metastatic: development and validation of standard and kernel-based risk prediction models. *BMC Medical Research Methodology*, **2010**, 10, 96	4.7	23
366	Ultrasound in gynecology: endometrium. *International Journal of Gynecology and Obstetrics*, **1997**, 56, 115-27	4	23
365	Prospective cross-validation of three methods of predicting failing pregnancies of unknown location. *Human Reproduction*, **2007**, 22, 1156-60	5.7	22
364	Does the presence of a cesarean section scar influence the site of placental implantation and subsequent migration in future pregnancies: a prospective case-control study. *Ultrasound in Obstetrics and Gynecology*, **2012**, 40, 557-61	5.8	21
363	Do pocket-sized ultrasound machines have the potential to be used as a tool to triage patients in obstetrics and gynecology?. *Ultrasound in Obstetrics and Gynecology*, **2012**, 40, 145-50	5.8	21
362	Ectopic pregnancy: using the hCG ratio to select women for expectant or medical management. *Acta Obstetricia Et Gynecologica Scandinavica*, **2011**, 90, 264-72	3.8	21
361	Prospective external validation of the 'ovarian crescent sign' as a single ultrasound parameter to distinguish between benign and malignant adnexal pathology. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 81-7	5.8	21
360	Ovarian cancer screening. *European Journal of Cancer & Clinical Oncology*, **1991**, 27, 655-9		21
359	Recurrent miscarriage: evidence to accelerate action. *Lancet, The*, **2021**, 397, 1675-1682	40	21
358	Diagnostic protocols for the management of pregnancy of unknown location: a systematic review and meta-analysis. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2019**, 126, 190-198	3.7	20
357	Pregnancies of unknown location: diagnostic dilemmas and management. *Current Opinion in Obstetrics and Gynecology*, **2005**, 17, 568-73	2.4	20
356	The feasibility of a 'one stop' ultrasound-based clinic for the diagnosis and management of abnormal uterine bleeding. *Ultrasound in Obstetrics and Gynecology*, **2001**, 17, 517-21	5.8	20
355	Risk of ovarian cancer and genetic relationship to other cancers in families. *Human Heredity*, **1993**, 43, 111-5	1.1	20
354	When is a pregnancy nonviable and what criteria should be used to define miscarriage?. *Fertility and Sterility*, **2012**, 98, 1091-6	4.8	19
353	Normative data for uterine size according to age and gravidity and possible role of the classical golden ratio. *Ultrasound in Obstetrics and Gynecology*, **2013**, 42, 713-7	5.8	19
352	Evaluating the endometrium of postmenopausal women with transvaginal ultrasonography. *Ultrasound in Obstetrics and Gynecology*, **1995**, 6, 75-80	5.8	19
351	Sex differences in fetal growth and immediate birth outcomes in a low-risk Caucasian population. *Biology of Sex Differences*, **2019**, 10, 48	9.3	18
350	Doctors' perception of support and the processes involved in complaints investigations and how these relate to welfare and defensive practice: a cross-sectional survey of the UK physicians. *BMJ Open*, **2017**, 7, e017856	3	18

349	Visibility and measurement of cesarean section scars in pregnancy: a reproducibility study. *Ultrasound in Obstetrics and Gynecology*, **2012**, 40, 549-56	5.8	18
348	Imaging in gynecological disease (7): clinical and ultrasound features of Brenner tumors of the ovary. *Ultrasound in Obstetrics and Gynecology*, **2012**, 40, 706-13	5.8	18
347	Effect of gel-instillation sonography on Doppler ultrasound findings in endometrial polyps. *Ultrasound in Obstetrics and Gynecology*, **2011**, 38, 355-9	5.8	18
346	Accuracy of ultrasonography performed by examiners with varied training and experience in predicting specific pathology of adnexal masses. *Ultrasound in Obstetrics and Gynecology*, **2015**, 45, 605-12	5.8	17
345	Prognostic value of serum HE4 levels and risk of ovarian malignancy algorithm scores at the time of ovarian cancer diagnosis. *International Journal of Gynecological Cancer*, **2014**, 24, 1173-80	3.5	17
344	Viability of intrauterine pregnancy in women with pregnancy of unknown location: prediction using human chorionic gonadotropin ratio vs. progesterone. *Ultrasound in Obstetrics and Gynecology*, **2010**, 35, 656-61	5.8	17
343	Use of family history in a screening clinic for familial ovarian cancer. *Gynecologic Oncology*, **1992**, 47, 247-53	2.3	17
342	ISUOG Consensus Statement on rationalization of early-pregnancy care and provision of ultrasonography in context of SARS-CoV-2. *Ultrasound in Obstetrics and Gynecology*, **2020**, 55, 871-878	5.8	16
341	Intra-cavitary uterine pathology in women with abnormal uterine bleeding: a prospective study of 1220 women. *Facts, Views & Vision in ObGyn*, **2015**, 7, 17-24	1.4	16
340	Practical guidance for applying the ADNEX model from the IOTA group to discriminate between different subtypes of adnexal tumors. *Facts, Views & Vision in ObGyn*, **2015**, 7, 32-41	1.4	16
339	Screening strategies for ovarian cancer. *Current Opinion in Obstetrics and Gynecology*, **1998**, 10, 33-9	2.4	16
338	Validation of models to diagnose ovarian cancer in patients managed surgically or conservatively: multicentre cohort study. *BMJ, The*, **2020**, 370, m2614	5.9	16
337	The clinical performance of the M4 decision support model to triage women with a pregnancy of unknown location as at low or high risk of complications. *Human Reproduction*, **2016**, 31, 1425-35	5.7	15
336	Ambulatory versus inpatient management of severe nausea and vomiting of pregnancy: a randomised control trial with patient preference arm. *BMJ Open*, **2017**, 7, e017566	3	15
335	Transvaginal sonographic diagnosis of appendicitis in acute pelvic pain. *Journal of Ultrasound in Medicine*, **2006**, 25, 1243-4	2.9	15
334	Placental site trophoblastic tumor masquerading as an ovarian ectopic pregnancy. *Ultrasound in Obstetrics and Gynecology*, **2003**, 21, 504-6	5.8	15
333	Detection of intracavitary uterine pathology using offline analysis of three-dimensional ultrasound volumes: interobserver agreement and diagnostic accuracy. *Ultrasound in Obstetrics and Gynecology*, **2012**, 40, 459-63	5.8	14
332	No influence of body mass index on first trimester fetal growth. *Human Reproduction*, **2010**, 25, 1895-9	5.7	14

331	Ectopic pregnancy. *Clinical Chemistry*, **2012**, 58, 1278-85	5.5	14
330	Validation and updating of risk models based on multinomial logistic regression. *Diagnostic and Prognostic Research*, **2017**, 1, 2	5.5	13
329	The influence of weight gain patterns in pregnancy on fetal growth using cluster analysis in an obese and nonobese population. *Obesity*, **2013**, 21, 1416-22	8	13
328	An application of methods for the probabilistic three-class classification of pregnancies of unknown location. *Artificial Intelligence in Medicine*, **2009**, 46, 139-54	7.4	13
327	The relationship between first trimester fetal growth, pregnancy-associated plasma protein A levels and birthweight. *Prenatal Diagnosis*, **2010**, 30, 873-8	3.2	13
326	Hormone replacement therapy after transcervical resection of the endometrium. *Obstetrics and Gynecology*, **1996**, 88, 767-70	4.9	13
325	ISUOG Consensus Statement on rationalization of gynecological ultrasound services in context of SARS-CoV-2. *Ultrasound in Obstetrics and Gynecology*, **2020**, 55, 879-885	5.8	12
324	Evaluation of machine learning methods with Fourier Transform features for classifying ovarian tumors based on ultrasound images. *PLoS ONE*, **2019**, 14, e0219388	3.7	12
323	Screening for data clustering in multicenter studies: the residual intraclass correlation. *BMC Medical Research Methodology*, **2013**, 13, 128	4.7	12
322	External validation of models and simple scoring systems to predict miscarriage in intrauterine pregnancies of uncertain viability. *Human Reproduction*, **2013**, 28, 2905-11	5.7	12
321	Hyperemesis gravidarum: is an ultrasound scan necessary?. *Human Reproduction*, **2006**, 21, 2440-2	5.7	12
320	Changing predictor measurement procedures affected the performance of prediction models in clinical examples. *Journal of Clinical Epidemiology*, **2020**, 119, 7-18	5.7	12
319	Triaging women with pregnancy of unknown location using two-step protocol including M6 model: clinical implementation study. *Ultrasound in Obstetrics and Gynecology*, **2020**, 55, 105-114	5.8	12
318	Typical ultrasound features of various endometrial pathologies described using International Endometrial Tumor Analysis (IETA) terminology in women with abnormal uterine bleeding. *Ultrasound in Obstetrics and Gynecology*, **2021**, 57, 164-172	5.8	12
317	Factors to consider in pregnancy of unknown location. *Womenjs Health*, **2017**, 13, 27-33	3	11
316	Diagnostic criteria for nonviable pregnancy early in the first trimester. *Ultrasound Quarterly*, **2014**, 30, 3-9	1.4	11
315	Improved modeling of clinical data with kernel methods. *Artificial Intelligence in Medicine*, **2012**, 54, 103-14	7.4	11
314	Is serum human chorionic gonadotrophin follow-up necessary after suspected spillage of trophoblast at the time of laparoscopic surgery for ectopic pregnancy?. *Gynecologic and Obstetric Investigation*, **2011**, 71, 225-8	2.5	11

313	A simplified ultrasound based infertility investigation protocol and its implications for patient management. *Journal of Assisted Reproduction and Genetics*, **2000**, 17, 87-92	3.4	11
312	Automated characterisation of ultrasound images of ovarian tumours: the diagnostic accuracy of a support vector machine and image processing with a local binary pattern operator. *Facts, Views & Vision in ObGyn*, **2015**, 7, 7-15	1.4	11
311	Implications for the future of Obstetrics and Gynaecology following the COVID-19 pandemic: a commentary. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2020**, 127, 1318-1323	3.7	11
310	Differences in ultrasound features of papillations in unilocular-solid adnexal cysts: a retrospective international multicenter study. *Ultrasound in Obstetrics and Gynecology*, **2018**, 52, 269-278	5.8	11
309	Early-pregnancy events and subsequent antenatal, delivery and neonatal outcomes: prospective cohort study. *Ultrasound in Obstetrics and Gynecology*, **2019**, 54, 530-537	5.8	10
308	A humanised mouse model of cytokine release: comparison of CD3-specific antibody fragments. *Journal of Immunological Methods*, **2012**, 384, 33-42	2.5	10
307	Defining the relationship between fetal Doppler indices, abdominal circumference and growth rate in severe fetal growth restriction using functional linear discriminant analysis. *Journal of the Royal Society Interface*, **2013**, 10, 20130376	4.1	10
306	Improving the preoperative classification of adnexal masses as benign or malignant by second-stage tests. *Ultrasound in Obstetrics and Gynecology*, **2011**, 37, 100-6	5.8	10
305	Predicting outcomes in pregnancies of unknown location. *Womenjs Health*, **2008**, 4, 491-9	3	10
304	Shotgun proteomics identifies serum fibronectin as a candidate diagnostic biomarker for inclusion in future multiplex tests for ectopic pregnancy. *PLoS ONE*, **2013**, 8, e66974	3.7	10
303	Evaluating the use of telemedicine in gynaecological practice: a systematic review. *BMJ Open*, **2020**, 10, e039457	3	9
302	Ectopic pregnancy prediction in women with a pregnancy of unknown location: data beyond 48 h are necessary. *Human Reproduction*, **2014**, 29, 441-7	5.7	9
301	NICE guidance on ectopic pregnancy and miscarriage restricts access and choice and may be clinically unsafe. *BMJ, The*, **2013**, 346, f197	5.9	9
300	Performance of the American College of Obstetricians and Gynecologists' ovarian tumor referral guidelines with a multivariate index assay. *Obstetrics and Gynecology*, **2011**, 118, 1179-1181	4.9	9
299	Umbilical artery pulsatility index and fetal abdominal circumference in isolated gastroschisis. *Ultrasound in Obstetrics and Gynecology*, **2011**, 38, 538-42	5.8	9
298	Ectopic pregnancy deaths: what should we be doing?. *British Journal of Hospital Medicine*, **2004**, 65, 657-60		9
297	Uterine anomalies and failed surgical termination of pregnancy: the role of routine preoperative transvaginal sonography. *Ultrasound in Obstetrics and Gynecology*, **1999**, 14, 431-3	5.8	9
296	Effects of tamoxifen on uterus. *Lancet, The*, **1994**, 344, 622-3	40	9

295	Identification and quantification of rodent malaria strains and species using gene probes. *Parasitology*, **1992**, 105 (Pt 1), 21-7	2.7	9
294	Sporadic miscarriage: evidence to provide effective care. *Lancet, The*, **2021**, 397, 1668-1674	40	9
293	Differences in post-traumatic stress, anxiety and depression following miscarriage or ectopic pregnancy between women and their partners: multicenter prospective cohort study. *Ultrasound in Obstetrics and Gynecology*, **2021**, 57, 141-148	5.8	9
292	Pregnancy and neonatal outcomes in COVID-19: study protocol for a global registry of women with suspected or confirmed SARS-CoV-2 infection in pregnancy and their neonates, understanding natural history to guide treatment and prevention. *BMJ Open*, **2021**, 11, e041247	3	9
291	Differentiating stage I epithelial ovarian cancer from benign disease in women with adnexal tumors using biomarkers or the ROMA algorithm. *Gynecologic Oncology*, **2013**, 130, 398-9	4.9	8
290	The role of ultrasonography in the diagnosis and management of early pregnancy complications. *The Obstetrician and Gynaecologist*, **2015**, 17, 173-181	0.9	8
289	The use of transvaginal ultrasonography to diagnose bladder carcinoma in women presenting with postmenopausal bleeding. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 959-60	5.8	8
288	Regulation of corpus luteum function in early human pregnancy**Supported by The Swedish Medical Research Council (grant no. B95□7X-11237□1A) and The Swedish Medical Society, Stockholm, Sweden.. *Fertility and Sterility*, **1996**, 65, 81-86	4.8	8
287	Natural history of pregnancy-related enhanced myometrial vascularity following miscarriage. *Ultrasound in Obstetrics and Gynecology*, **2020**, 55, 676-682	5.8	8
286	Peri-implantation urinary hormone monitoring distinguishes between types of first-trimester spontaneous pregnancy loss. *Paediatric and Perinatal Epidemiology*, **2020**, 34, 495-503	2.7	7
285	Morcellation and risk of malignancy in presumed ovarian fibromas/fibrothecomas. *Lancet Oncology, The*, **2016**, 17, 273-274	21.7	7
284	Use of a pocket-sized ultrasound machine (PUM) for routine examinations in the third trimester of pregnancy. *Ultrasound in Obstetrics and Gynecology*, **2014**, 44, 64-8	5.8	7
283	Characterising pelvic masses using ultrasound. *Best Practice and Research in Clinical Obstetrics and Gynaecology*, **2009**, 23, 725-38	4.6	7
282	Changes seen in the ultrasound features of a presumed decidualised ovarian endometrioma mimicking malignancy. *Journal of Obstetrics and Gynaecology*, **2012**, 32, 807-11	1.3	7
281	Accuracy of peritoneal fluid measurements by transvaginal ultrasonography. *Ultrasound in Obstetrics and Gynecology*, **2010**, 35, 589-92	5.8	7
280	Chlamydia trachomatis infection in patients attending an Early Pregnancy Unit: prevalence, symptoms, pregnancy location and viability. *Acta Obstetricia Et Gynecologica Scandinavica*, **2008**, 87, 601-7	3.8	7
279	The management of ectopic pregnancies and pregnancies of unknown location. *Gynecological Surgery*, **2004**, 1, 81-86	1.7	7
278	OC198: Should an ectopic pregnancy always be diagnosed using transvaginal ultrasonography in the first trimester prior to surgery?. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 53-53	5.8	7

277   Imaging in gynaecology: How good are we in identifying endometriomas?. *Facts, Views & Vision in ObGyn*, **2009**, 1, 7-17   1.4   7

276   ESGO/ISUOG/IOTA/ESGE Consensus Statement on pre-operative diagnosis of ovarian tumors. *International Journal of Gynecological Cancer*, **2021**, 31, 961-982   3.5   7

275   Refining Ovarian Cancer Test accuracy Scores (ROCkeTS): protocol for a prospective longitudinal test accuracy study to validate new risk scores in women with symptoms of suspected ovarian cancer. *BMJ Open*, **2016**, 6, e010333   3   7

274   Consensus on revised definitions of morphological uterus sonographic assessment (MUSA) features of adenomyosis: results of a modified Delphi procedure. *Ultrasound in Obstetrics and Gynecology*, **2021**,   5.8   7

273   Can risk factors, clinical history and symptoms be used to predict risk of ectopic pregnancy in women attending an early pregnancy assessment unit?. *Ultrasound in Obstetrics and Gynecology*, **2016**, 48, 656-662   5.8   6

272   Flawed external validation study of the ADNEX model to diagnose ovarian cancer. *Gynecologic Oncology Reports*, **2016**, 18, 49-50   1.3   6

271   Transvaginal ultrasound-guided ovarian endoscopy: a novel approach to the assessment of ovarian tumors. *Ultrasound in Obstetrics and Gynecology*, **1994**, 4, 130-4   5.8   6

270   Evaluation of tramline sign for prenatal diagnosis of abnormally invasive placenta using three-dimensional ultrasound and Crystal Vue rendering technology. *Ultrasound in Obstetrics and Gynecology*, **2018**, 52, 403-404   5.8   6

269   The first-trimester fetal central nervous system: a novel ultrasonographic perspective. *American Journal of Obstetrics and Gynecology*, **2017**, 217, 220-221   6.4   5

268   ESGO/ISUOG/IOTA/ESGE Consensus Statement on preoperative diagnosis of ovarian tumors. *Ultrasound in Obstetrics and Gynecology*, **2021**, 58, 148-168   5.8   5

267   Performance of plasma kisspeptin as a biomarker for miscarriage improves with gestational age during the first trimester. *Fertility and Sterility*, **2021**, 116, 809-819   4.8   5

266   Niche definition and guidance for detailed niche evaluation. *Acta Obstetricia Et Gynecologica Scandinavica*, **2019**, 98, 1351-1352   3.8   4

265   A missed opportunity for excellence: the NICE guideline on the diagnosis and initial management of ectopic pregnancy and miscarriage. *Journal of Family Planning and Reproductive Health Care*, **2015**, 41, 13-9   4

264   UKEPSS: The UK Early Pregnancy Surveillance Service for uncommon disorders of early pregnancy and acute gynaecology. *The Obstetrician and Gynaecologist*, **2014**, 16, 226-227   0.9   4

263   Automated classification of static ultrasound images of ovarian tumours based on decision level fusion **2014**,   4

262   OC01.03: Ultrasound in diagnosis of new and recurrent borderline ovarian tumors. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 1-2   5.8   4

261   Multi-class AUC metrics and weighted alternatives **2008**,   4

260   Screening for ovarian cancer by transvaginal sonography and colour Doppler. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **1993**, 49, 33-4   2.4   4

| 259 | The early detection and assessment of endometrial cancer by transvaginal colour Doppler ultrasonography. *European Journal of Obstetrics, Gynecology and Reproductive Biology*, **1993**, 49, 44-5 | 2.4 | 4 |

| 258 | Insights into the hyperglycosylation of human chorionic gonadotropin revealed by glycomics analysis. *PLoS ONE*, **2020**, 15, e0228507 | 3.7 | 4 |

| 257 | Assessment of protein biomarkers for preoperative differential diagnosis between benign and malignant ovarian tumors. *Gynecologic Oncology*, **2020**, 159, 811-819 | 4.9 | 4 |

| 256 | External validation of models to predict the outcome of pregnancies of unknown location: a multicentre cohort study. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2021**, 128, 552-562 | 2.7 | 4 |

| 255 | Reply: Niche risk factor for uterine rupture?. *Ultrasound in Obstetrics and Gynecology*, **2014**, 44, 371-2 | 5.8 | 3 |

| 254 | Pregnancy of unknown viability or location: less is more in the majority of cases. *Journal of Family Planning and Reproductive Health Care*, **2012**, 38, 7-10 | | 3 |

| 253 | The role of transvaginal ultrasound in the management of abnormal uterine bleeding. *Gynecological Surgery*, **2004**, 1, 119-126 | 1.7 | 3 |

| 252 | What is the correct primary diagnostic tool in the one-stop clinic for the investigation of abnormal menstrual bleeding?. *Gynaecological Endoscopy*, **2002**, 11, 27-32 | | 3 |

| 251 | Single-dose methotrexate in the treatment of cornual pregnancies diagnosed with ultrasound in the first trimester. *Ultrasound in Medicine and Biology*, **2003**, 29, S52 | 3.5 | 3 |

| 250 | Transvaginal ultrasonography sonohysterography and operative hysteroscopy for the evaluation of abnormal uterine bleeding. *Acta Obstetricia Et Gynecologica Scandinavica*, **2001**, 80, 616-622 | 3.8 | 3 |

| 249 | Re: Mol et al. Distinguishing the benign and malignant adnexal mass: an external validation of prognostic models. Gynecol Oncol 2001;80:162-7. *Gynecologic Oncology*, **2001**, 83, 166-8 | 4.9 | 3 |

| 248 | Sporadic abnormal vaginal bleeding (intermenstrual, postcoital and postmenopausal bleeding). *Current Obstetrics & Gynaecology*, **2002**, 12, 334-340 | | 3 |

| 247 | Detection of early ovarian cancer. *Lancet, The*, **1990**, 336, 436 | 40 | 3 |

| 246 | Peripherally-driven myeloid NFkB and IFN/ISG responses predict malignancy risk, survival, and immunotherapy regime in ovarian cancer **2021**, 9, | | 3 |

| 245 | Comparing Methods for Multi-class Probabilities in Medical Decision Making Using LS-SVMs and Kernel Logistic Regression. *Lecture Notes in Computer Science*, **2007**, 139-148 | 0.9 | 3 |

| 244 | IDEAL study: magnetic resonance imaging for suspected deep endometriosis assessment prior to laparoscopy is as reliable as radiological imaging as a complement to transvaginal ultrasonography. *Ultrasound in Obstetrics and Gynecology*, **2020**, 56, 255-266 | 5.8 | 3 |

| 243 | Association between hyperemesis gravidarum and psychological symptoms, psychosocial outcomes and infant bonding: a two-point prospective case-control multicentre survey study in an inner city setting. *BMJ Open*, **2020**, 10, e039715 | 3 | 3 |

| 242 | Changes in circulating kisspeptin levels during each trimester in women with antenatal complications. *Journal of Clinical Endocrinology and Metabolism*, **2021**, | 5.6 | 3 |

241	An automated technique for potential differentiation of ovarian mature teratomas from other benign tumours using neural networks classification of 2D ultrasound static images: a pilot study **2017**,		2
240	Use of biomedical photonics in gynecological surgery: a uterine transplantation model. *Future Science OA*, **2018**, 4, FSO286	2.7	2
239	Automatic segmentation and measurements of gestational sac using static B-mode ultrasound images **2016**,		2
238	Interobserver agreement in assessment of polycystic ovarian morphology using pattern recognition. *Ultrasound in Obstetrics and Gynecology*, **2016**, 47, 652-3	5.8	2
237	Diagnostic Criteria for Nonviable Pregnancy Early in the First Trimester. *Obstetrical and Gynecological Survey*, **2014**, 69, 63-64	2.4	2
236	Characterizing ovarian pathology: refining the performance of ultrasonography. *International Journal of Gynecological Cancer*, **2012**, 22 Suppl 1, S9-11	3.5	2
235	Key findings from the International Ovarian Tumor Analysis (IOTA) study: an approach to the optimal ultrasound based characterisation of adnexal pathology. *Australasian Journal of Ultrasound in Medicine*, **2012**, 15, 82-86	0.6	2
234	OC04.02: Intra- and inter-observer reproducibility of first trimester measurements between 6 and 9 weeks gestation. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 7-7	5.8	2
233	OC08.01: Differentiation of uterine pathology by transvaginal elastography: preliminary results. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 14-15	5.8	2
232	OP04.01: Has ultrasound eliminated the need for a vaginal speculum examination in the assessment of women with bleeding in early pregnancy?. *Ultrasound in Obstetrics and Gynecology*, **2007**, 30, 467-467	5.8	2
231	OC31.07: Can the hCG ratio be used to predict likelihood of success of conservative management of ectopic pregnancies?. *Ultrasound in Obstetrics and Gynecology*, **2005**, 26, 362-362	5.8	2
230	Definition and sonographic reporting system for Cesarean scar pregnancy in early pregnancy: modified Delphi method. *Ultrasound in Obstetrics and Gynecology*, **2021**,	5.8	2
229	Ultrasound-based risk model for preoperative prediction of lymph-node metastases in women with endometrial cancer: model-development study. *Ultrasound in Obstetrics and Gynecology*, **2020**, 56, 443-452	5.8	2
228	A Prospective International Lung Ultrasound Analysis Study in Tertiary Maternity Wards During the Severe Acute Respiratory Syndrome Coronavirus 2 Pandemic. *Journal of Ultrasound in Medicine*, **2021**, 40, 1991-1996	2.9	2
227	Cutting GMC investigations must not simply devolve problems elsewhere. *BMJ, The*, **2016**, 353, i2445	5.9	2
226	First-trimester intrauterine hematoma and pregnancy complications. *Ultrasound in Obstetrics and Gynecology*, **2020**, 55, 536-545	5.8	2
225	An Evaluation of the Effectiveness of Image-based Texture Features Extracted from Static B-mode Ultrasound Images in Distinguishing between Benign and Malignant Ovarian Masses. *Ultrasonic Imaging*, **2021**, 43, 124-138	1.9	2
224	Ultrasound evaluation of ovarian masses and assessment of the extension of ovarian malignancy. *British Journal of Radiology*, **2021**, 94, 20201375	3.4	2

223	Diagnosing adnexal tumours before surgery: a critical appraisal of recent evidence. *The Obstetrician and Gynaecologist*, **2015**, 17, 163-171	0.9	1
222	NICE guidance on place of birth falls short of neutrality. *BMJ, The*, **2014**, 349, g7776	5.9	1
221	Do women with pain and bleeding in early pregnancy require a vaginal speculum examination as part of their assessment?. *Gynecologic and Obstetric Investigation*, **2014**, 77, 29-34	2.5	1
220	Three-dimensional image of a tubal heterotopic pregnancy following assisted reproduction treatment. *Ultrasound in Obstetrics and Gynecology*, **2011**, 38, 484-5	5.8	1
219	Effect of cancer prevalence on the use of risk-assessment cut-off levels and the performance of mathematical models to distinguish malignant from benign adnexal masses. *Ultrasound in Obstetrics and Gynecology*, **2011**, 37, 226-31	5.8	1
218	Taking the management of early-pregnancy complications seriously. *Best Practice and Research in Clinical Obstetrics and Gynaecology*, **2009**, 23, 425-6	4.6	1
217	OP24.06: Elastography in gynecology: preliminary experience. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 140-140	5.8	1
216	Pregnancy of unknown location. *Obstetrics, Gynaecology and Reproductive Medicine*, **2009**, 19, 80-83	0.5	1
215	OC05.07: Gestation sac shape, sub-chorionic haematoma and vaginal bleeding as predictors of viability in intrauterine pregnancies of uncertain viability (IPUV). *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 10-10	5.8	1
214	Towards a Clinical Decision Support System for Pregnancies of Unknown Location **2008**,		1
213	OC47: Discrepancy in crown-rump length between twins as a predictor of spontaneous embryonic demise to a singleton pregnancy. *Ultrasound in Obstetrics and Gynecology*, **2007**, 30, 382-382	5.8	1
212	OC096: How important is measuring endometrial thickness in women with pregnancies of unknown location?. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 274-274	5.8	1
211	OC145: Ultrasound scoring system to differentiate benign from malignant masses in specific subgroups of adnexal tumors. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 290-290	5.8	1
210	P04.13: Conservative management of cervical ectopic pregnancy. *Ultrasound in Obstetrics and Gynecology*, **2004**, 24, 291-291	5.8	1
209	OC065: Negative predictive value of transvaginal ultrasound in women with chronic pelvic pain. Can we reduce the number of laparoscopies?. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 18-18	5.8	1
208	OC070: Can transvaginal ultrasound detect and localize endometriosis in women with chronic pelvic pain?. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 19-19	5.8	1
207	OC190: Should all emergency gynecology patients have an ultrasound scan?. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 52-52	5.8	1
206	OC016: Can we safely adopt a single visit approach to the management of pregnancies of unknown location?. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 4-4	5.8	1

205	Psychological impact of endometrial monitoring in tamoxifen-treated postmenopausal breast cancer patients. *Journal of Psychosomatic Obstetrics and Gynaecology*, **2000**, 21, 225-33	3.6	1
204	A comparison of the efficacy of gemeprost vaginal pessaries and extra-amniotic prostaglandin E2 gel in the induction of middle trimester abortion. *Journal of Obstetrics and Gynaecology*, **1990**, 10, 304-5	1.3	1
203	Chromosomally normal miscarriage is associated with vaginal dysbiosis and local inflammation.. *BMC Medicine*, **2022**, 20, 38	11.4	1
202	Experiences and well-being of healthcare professionals working in the field of ultrasound in obstetrics and gynaecology as the SARS-CoV-2 pandemic were evolving: a cross-sectional survey study.. *BMJ Open*, **2022**, 12, e051700	3	1
201	Gradient boosted trees with individual explanations: An alternative to logistic regression for viability prediction in the first trimester of pregnancy. *Computer Methods and Programs in Biomedicine*, **2022**, 213, 106520	6.9	1
200	Amenorrhoea and Polycystic Ovarian Syndrome **2003**, 221-226		1
199	Ultrasound Characteristics of Endometriosis **2003**, 189-195		1
198	ESGO/ISUOG/IOTA/ESGE Consensus Statement on preoperative diagnosis of ovarian tumours. *Facts, Views & Vision in ObGyn*, **2021**, 13, 107-130	1.4	1
197	Authors' reply Re: Implications for the future of Obstetrics and Gynaecology following the COVID-19 pandemic: a commentary. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2021**, 128, 616-617	3.7	1
196	Evaluation of the Tramline Sign in the Prediction of Placenta Accreta Spectrum and Perioperative Outcomes in Anterior Placenta Previa. *Ultraschall in Der Medizin*, **2021**,	3.8	1
195	Maternal Infection During Pregnancy **2018**, 161-177		1
194	Multiple Pregnancy **2018**, 268-281		1
193	Induction and Augmentation of Labour **2018**, 326-335		1
192	Neonatal Care for Obstetricians **2018**, 445-458		1
191	Clinical Anatomy of the Pelvis and Reproductive Tract **2018**, 473-484		1
190	Subfertility **2018**, 689-703		1
189	Benign Disease of the Uterus **2018**, 823-834		1
188	Use of Laser Speckle Contrast Analysis during pelvic surgery in a uterine transplantation model. *Future Science OA*, **2018**, 4, FSO324	2.7	1

187	III.2 Saline infusion sonography (SIS) or office hysteroscopy: Which one is the best? A prospective randomised study. *European Journal of Cancer*, **1998**, 34, S32-S33	7.5	0
186	VI.6 Detection of DNA adducts in the human endometrium: a lack of evidence. *European Journal of Cancer*, **1998**, 34, S66-S67	7.5	0
185	OC67: Persisting pregnancies of unknown location: challenges in diagnosis and management. *Ultrasound in Obstetrics and Gynecology*, **2007**, 30, 387-388	5.8	0
184	P113: Can serum hormonal levels predict ectopic pregnancies. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 101-102	5.8	0
183	Evaluating cut-off levels for progesterone, β human chorionic gonadotropin and β human chorionic gonadotropin ratio to exclude pregnancy viability in women with a pregnancy of unknown location: A prospective multicenter cohort study. *Acta Obstetricia Et Gynecologica Scandinavica*, **2021**, 101, 46	3.8	0
182	Re: "Diagnostic Accuracies of the Ultrasound and Magnetic Resonance Imaging ADNEX Scoring Systems for Ovarian Adnexal Mass: Systematic Review and Meta-Analysis". *Academic Radiology*, **2021**, 28, 1643-1644	4.3	0
181	A multi-centre, double-blind, placebo-controlled, randomised trial of combination methotrexate and gefitinib versus methotrexate alone to treat tubal ectopic pregnancies (GEM3): trial protocol. *Trials*, **2018**, 19, 643	2.8	0
180	Malpresentation, Malposition, Cephalopelvic Disproportion and Obstetric Procedures **2018**, 354-371		0
179	Spontaneous Miscarriage **2018**, 557-567		0
178	Induced Abortion **2018**, 597-610		0
177	Polycystic Ovary Syndrome and Secondary Amenorrhoea **2018**, 632-652		0
176	Chronic Pelvic Pain **2018**, 744-752		0
175	Contraception and Sterilization **2018**, 939-953		0
174	Prognostic factors for post-traumatic stress, anxiety and depression in women after early pregnancy loss: a multi-centre prospective cohort study.. *BMJ Open*, **2022**, 12, e054490	3	0
173	Nucleosome footprinting in plasma cell-free DNA for the pre-surgical diagnosis of ovarian cancer.. *Npj Genomic Medicine*, **2022**, 7, 30	6.2	0
172	The potential use of urinary hCG measurements in the management of pregnancies of unknown location. *Human Fertility*, **2020**, 1-8	1.9	
171	Letter to the Editor JMIG on the Article "Cesarean scar defects: an underrecognized cause of abnormal uterine bleeding and other gynecologic complications" (2013;20; 562-572). *Journal of Minimally Invasive Gynecology*, **2014**, 21, 498-9	2.2	
170	Authors' reply to Candido-dos-Reis. *BMJ, The*, **2014**, 349, g6691	5.9	

151 OP02.11: Rationalizing the management of pregnancies of unknown location (PULs) by reliably selecting failed PUL and intrauterine pregnancies for minimal follow up. *Ultrasound in Obstetrics and Gynecology*, **2011**, 38, 62-62 — 5.8

150 OP10.08: The relationship between previous elective or emergency Caesarean section and time-to-next-pregnancy interval on Caesarean scar size and residual myometrial thickness in subsequent pregnancy. *Ultrasound in Obstetrics and Gynecology*, **2011**, 38, 86-86 — 5.8

149 OP33.03: Visibility and dimensions of Caesarean section scars in pregnancy—an interobserver variability study. *Ultrasound in Obstetrics and Gynecology*, **2011**, 38, 150-150 — 5.8

148 OP33.07: How is the orientation and magnitude of a CRL measurement used to estimate fetal gestation affected by ultrasound machines variability?. *Ultrasound in Obstetrics and Gynecology*, **2011**, 38, 151-152 — 5.8

147 OC01.04: A practical approach to preoperatively assess ovarian pathology: combining pattern recognition and mathematical models. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 2-2 — 5.8

146 OC05.01: Predicting ovarian malignancy if simple rules are not applicable. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 7-7 — 5.8

145 OC05.03: The natural history over eleven years of ovarian pathology characterized as dermoid cysts using transvaginal ultrasonography. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 8-8 — 5.8

144 OC07.01: A new crown-rump length curve based on over 3500 pregnancies. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 11-12 — 5.8

143 OC07.04: The value of assessment of patient history and pain and bleeding scores prior to early pregnancy transvaginal ultrasound assessment. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 12-13 — 5.8

142 OC11.01: Comparison of gel instillation sonography (GIS) with unenhanced ultrasound in the diagnosis of uterine intracavity lesions. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 19-19 — 5.8

141 OC11.02: Prediction of intracavity uterine pathology at ultrasound examination using off-line analysis. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 19-19 — 5.8

140 OC25.02: Intercenter variability in ultrasound features of malignant and benign adnexal masses. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 48-49 — 5.8

139 OP08.02: Crown-rump length in genetically abnormal pregnancies compared to a CRL curve for normal pregnancies. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 85-85 — 5.8

138 OP10.01: The influence of maternal demographic features on fetal size in the first trimester. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 92-92 — 5.8

137 OP10.02: The influence of body mass index on first trimester fetal growth. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 92-93 — 5.8

136 OP10.09: The relationship between fetal growth in the first trimester, PAPP-A and birthweight percentiles. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 95-95 — 5.8

135 OP27.07: The relationship between abdominal circumference and umbilical artery Doppler z-scores in severe early onset fetal growth restriction. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 151-151 — 5.8

134 OP30.01: Interobserver agreement on reporting uterine intracavity lesions at gel infusion sonography (GIS). *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 158-158 — 5.8

| 133 | OP30.08: The influence of gel-infusion on the vascularity of endometrial polyps. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 160-160 | 5.8 |

| 132 | P19.03: The relationship between early first trimester PAPP-A and birthweight percentiles. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 253-253 | 5.8 |

| 131 | P20.02: The relationship between abdominal circumference and middle cerebral artery Doppler z-scores in severe early onset fetal growth restriction. *Ultrasound in Obstetrics and Gynecology*, **2009**, 34, 257-257 | 5.8 |

| 130 | Reply: No influence of body mass index on first trimester fetal growth. *Human Reproduction*, **2010**, 25, 3161-3162 | 5.7 |

| 129 | OC04.03: Risk factors for tubal versus non-tubal ectopic pregnancies: a multicentre case series. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 7-7 | 5.8 |

| 128 | OC04.04: The influence of pre-pregnancy BMI and maternal weight gain in pregnancy on fetal size at 12 weeks: a cross sectional analysis. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 7-8 | 5.8 |

| 127 | OC04.05: A longitudinal assessment of gestation sac growth in pregnancies subsequently shown to be viable and non-viable. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 8-8 | 5.8 |

| 126 | OC05.01: Reducing the follow-up required in women with a failing pregnancy of unknown location. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 8-8 | 5.8 |

| 125 | OP02.10: Prediction of pregnancy viability by means of scoring systems: towards a 'risk of miscarriage' index. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 57-58 | 5.8 |

| 124 | OP02.11: The effect of BMI on first trimester CRL growth: a longitudinal analysis. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 58-58 | 5.8 |

| 123 | OP07.02: The added value of fluid instillation sonography in women with a total endometrial thickness ? 5 mm at transvaginal ultrasound. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 71-71 | 5.8 |

| 122 | OP07.04: The value of fluid instillation sonography in women under 40 years of age. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 71-71 | 5.8 |

| 121 | OP29.06: Umbilical artery PI and fetal abdominal circumference in gastroschisis. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 137-138 | 5.8 |

| 120 | P02.03: Longitudinal growth of MSD and CRL in intrauterine pregnancies of uncertain viability (IPUV) and its relationship to gestation sac shape. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 170-171 | 5.8 |

| 119 | P16.01: Comparing tubal and non-tubal ectopic pregnancies: a multicentre case series. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 228-228 | 5.8 |

| 118 | P16.04: The influence of symptoms, uncertainty of dates and previous miscarriage on gestation sac growth. *Ultrasound in Obstetrics and Gynecology*, **2010**, 36, 229-229 | 5.8 |

| 117 | Pelvic utrasound and interventional radiology106-119 | |

| 116 | OP05.02: Can transvaginal ultrasound at 7 weeks reliably diagnose chorionicity and amnionicity in twin pregnancies?. *Ultrasound in Obstetrics and Gynecology*, **2007**, 30, 469-470 | 5.8 |

115	OP17.03: The impact of a two-week referral rapid access ultrasound-based clinic to assess women considered at high-risk of gynecological malignancy. *Ultrasound in Obstetrics and Gynecology*, **2007**, 30, 513-513	5.8
114	OC021: Assessment of pattern recognition for the ultrasound diagnosis of an endometrioma. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 250-250	5.8
113	OC089: Utilizing hCG ratio to reduce the number of visits in the pregnancy of unknown location (PUL) population. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 271-272	5.8
112	OC091: Can high definition transvaginal ultrasound result in a reduction in the number of women characterised as having a pregnancy of unknown location?. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 272-273	5.8
111	OC097: Pregnancy location and viability in women with chlamydia trachomatis infection. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 274-274	5.8
110	OC107: Growth delay in the first trimester: Sensitivity and specificity of using serial measurements of embryonic growth for the prediction of early pregnancy loss. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 278-278	5.8
109	OC109: Validation of the Robinson growth curve with data of transvaginal ultrasound assessments in early pregnancy from a large Caucasian population. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 278-278	5.8
108	OC112: Determination of outcome in very early intrauterine pregnancies of uncertain viability. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 279-279	5.8
107	OC153: Prospective evaluation of a model to diagnose adnexal masses as benign, primary invasive, borderline, or metastatic. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 293-293	5.8
106	OP09.02: A cross-sectional analysis of embryonic growth in normal and genetically abnormal pregnancies. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 337-337	5.8
105	OP12.06: Optimal timing of transvaginal ultrasound to confirm early pregnancy viability. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 349-349	5.8
104	Reply: Ultrasound diagnosis of ectopic pregnancy. *Human Reproduction*, **2007**, 22, 1494-1494	5.7
103	The Use of Ultrasound-Based ???Soft Markers??? for the Prediction of Pelvic Pathology in Women With Chronic Pelvic Pain???Can We Reduce the Need for Laparoscopy?. *Obstetrical and Gynecological Survey*, **2006**, 61, 379-380	2.4
102	Do early pregnancy ultrasound measurements correlate with fetal nuchal translucency at 11-14 weeks?. *Ultrasound in Obstetrics and Gynecology*, **2006**, 27, 628-31	5.8
101	OC17: Ultrasound and not biochemistry determines the ultimate viability of intra-uterine pregnancies in the PUL population. *Ultrasound in Obstetrics and Gynecology*, **2006**, 28, 364-364	5.8
100	OC18: What is the optimal approach to classifying viable intra-uterine pregnancies in the PUL population?. *Ultrasound in Obstetrics and Gynecology*, **2006**, 28, 364-364	5.8
99	OC19: Using a mathematical model in the management of pregnancies of unknown location: a prospective interventional study. *Ultrasound in Obstetrics and Gynecology*, **2006**, 28, 364-364	5.8
98	OC20: Validation of a logistic regression model to predict the outcome of pregnancies of unknown location in a new patient population. *Ultrasound in Obstetrics and Gynecology*, **2006**, 28, 365-365	5.8

97	OC54: Do women with hyperemesis gravidarum need an ultrasound scan?. *Ultrasound in Obstetrics and Gynecology*, **2006**, 28, 374-375	5.8
96	OC165: Shortcomings of serum CA125 in diagnosing ovarian cancer. *Ultrasound in Obstetrics and Gynecology*, **2006**, 28, 408-408	5.8
95	OC166: The pre-operative characterisation of ovarian pathology using serum CA125 and ultrasonography. *Ultrasound in Obstetrics and Gynecology*, **2006**, 28, 408-408	5.8
94	OP15.06: The value of ultrasound for the diagnosis of gestational trophoblastic disease. *Ultrasound in Obstetrics and Gynecology*, **2006**, 28, 494-494	5.8
93	OP15.07: A potential new approach to the monitoring and management of Cesarean scar ectopic pregnancies. *Ultrasound in Obstetrics and Gynecology*, **2006**, 28, 494-495	5.8
92	P18.14: Transvaginal ultrasonography and saline infusion sonography compared with outpatient hysteroscopy for the diagnosis of endometrial polyps and submucous fibroids. *Ultrasound in Obstetrics and Gynecology*, **2006**, 28, 607-607	5.8
91	Ultrasound of the Ovary **2003**, 181-192	
90	OC038: A prospective evaluation of a single visit strategy to manage pregnancies of unknown location (PUL). *Ultrasound in Obstetrics and Gynecology*, **2004**, 24, 226-226	5.8
89	OC040: The use of a logistic regression model to predict ectopic pregnancies in an early pregnancy setting. *Ultrasound in Obstetrics and Gynecology*, **2004**, 24, 227-227	5.8
88	OC041: Pregnancies of unknown location: a new logistic regression model for predicting outcome. *Ultrasound in Obstetrics and Gynecology*, **2004**, 24, 227-227	5.8
87	OC134: Can we safely manage more tubal ectopic pregnancies conservatively?. *Ultrasound in Obstetrics and Gynecology*, **2004**, 24, 252-253	5.8
86	P04.10: A new logistic regression model for predicting ectopic pregnancies based on a single visit. *Ultrasound in Obstetrics and Gynecology*, **2004**, 24, 290-290	5.8
85	P04.11: Can serum creatine kinase and CA 125 levels be used to predict the outcome in pregnancies of unknown location?. *Ultrasound in Obstetrics and Gynecology*, **2004**, 24, 290-290	5.8
84	P04.12: Can clinical factors and ultrasonographic findings be useful in the prediction of outcome in pregnancies of unknown location (PUL)?. *Ultrasound in Obstetrics and Gynecology*, **2004**, 24, 290-290	5.8
83	OC068: Patient history and ultrasound findings: A logistic regression model for the prediction of pelvic pathology in women with chronic pelvic pain. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 18-19	5.8
82	OC121: Should we screen for ovarian pathology in the first trimester?. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 34-34	5.8
81	OC159: Reducing surgical intervention with transvaginal ultrasound. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 43-43	5.8
80	OC195: The transvaginal ultrasound based acute gynaecology unit: Short term follow up of women seen with acute pelvic pain. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 52-53	5.8

79   OC197: Transvaginal ultrasound findings in women with moderate to severe pelvic inflammatory disease. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 53-53   5.8

78   OC258: Ovarian cysts in young women—the predictive value of ultrasound for dermoids and endometriomas and managing cysts in early pregnancy. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 68-69   5.8

77   P022: The correlation between early pregnancy ultrasound measurements and fetal nuchal translucency. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 77-77   5.8

76   P112: Is the use of prophylactic antibiotics required in women being managed expectantly with incomplete miscarriage?. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 101-101   5.8

75   P386: Screening for endometrial cancer in a high-risk population (Hereditary Non Polyposis Colorectal Cancer)—a pilot study. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 174-174   5.8

74   OC018: Should complete miscarriages be followed up with serum human chorionic gonadotrophin levels?. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 5-5   5.8

73   OC020: Is the discriminatory zone an outdated concept?. *Ultrasound in Obstetrics and Gynecology*, **2003**, 22, 5-5   5.8

72   The role of ultrasound in the management of menorrhagia. *Reviews in Gynaecological Practice*, **2003**, 3, 16-25

71   The role of ultrasound in the management of the acute gynaecological abdomen. *Reviews in Gynaecological Practice*, **2004**, 4, 224-229

70   OC16.01: The pros and cons of using mathematical models to predict malignancy in ovarian masses. *Ultrasound in Obstetrics and Gynecology*, **2005**, 26, 334-335   5.8

69   OC31.03: The role of ultrasound in acute gynaecology and its impact on management. *Ultrasound in Obstetrics and Gynecology*, **2005**, 26, 361-361   5.8

68   OC31.05: Prevalence of pathology in women presenting with pelvic pain and/or bleeding to an inner London acute gynaecology unit (AGU). *Ultrasound in Obstetrics and Gynecology*, **2005**, 26, 362-362   5.8

67   OC31.08: What is the optimal approach to accurately classifying failing pregnancies of unknown location (PULs)?. *Ultrasound in Obstetrics and Gynecology*, **2005**, 26, 363-363   5.8

66   OC37.01: Is it safe to perform uterine curettage in women with no signs of an intra-uterine pregnancy on transvaginal ultrasound?. *Ultrasound in Obstetrics and Gynecology*, **2005**, 26, 373-373   5.8

65   P12.03: Can we improve the performance of logistic regression analysis for predicting the outcome of pregnancies of unknown location (PULs)?. *Ultrasound in Obstetrics and Gynecology*, **2005**, 26, 455-455   5.8

64   P12.10: Is it possible to predict successful treatment response to methotrexate earlier than seven days?. *Ultrasound in Obstetrics and Gynecology*, **2005**, 26, 456-456   5.8

63   Transabdominal ultrasound screening for early ovarian cancer: Authors' reply **1990**, 300, 194-194

62   TOGadvisor: the role of online feedback in obstetrics and gynaecology. *The Obstetrician and Gynaecologist*, **2022**, 24, 7-11   0.9

7   Evidence-based Medicine in Obstetrics and Gynaecology **2018**, 1008-1014

6   The potential value of activin B and fibronectin for the triage of pregnancies of unknown location and prediction of first trimester viability. *Australasian Journal of Ultrasound in Medicine*, **2018**, 21, 138-146   0.6

5   Response to: Correspondence on "ESGO/ISUOG/IOTA/ESGE Consensus Statement on pre-operative diagnosis of ovarian tumors" by Thomassin-Nagarra et al. *International Journal of Gynecological Cancer*, **2021**, 31, 1396-1397   3.5

4   Insights into the hyperglycosylation of human chorionic gonadotropin revealed by glycomics analysis **2020**, 15, e0228507

3   Insights into the hyperglycosylation of human chorionic gonadotropin revealed by glycomics analysis **2020**, 15, e0228507

2   Insights into the hyperglycosylation of human chorionic gonadotropin revealed by glycomics analysis **2020**, 15, e0228507

1   Insights into the hyperglycosylation of human chorionic gonadotropin revealed by glycomics analysis **2020**, 15, e0228507