Tom Bourne

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7861438/tom-bourne-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 510
 12,475
 60
 98

 papers
 citations
 h-index
 g-index

 613
 15,415
 5.6
 6.06

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
510	Chromosomally normal miscarriage is associated with vaginal dysbiosis and local inflammation <i>BMC Medicine</i> , 2022 , 20, 38	11.4	1
509	TOGadvisor: the role of online feedback in obstetrics and gynaecology. <i>The Obstetrician and Gynaecologist</i> , 2022 , 24, 7-11	0.9	
508	Experiences and well-being of healthcare professionals working in the field of ultrasound in obstetrics and gynaecology as the SARS-CoV-2 pandemic were evolving: a cross-sectional survey study <i>BMJ Open</i> , 2022 , 12, e051700	3	1
507	Gradient boosted trees with individual explanations: An alternative to logistic regression for viability prediction in the first trimester of pregnancy. <i>Computer Methods and Programs in Biomedicine</i> , 2022 , 213, 106520	6.9	1
506	Prognostic factors for post-traumatic stress, anxiety and depression in women after early pregnancy loss: a multi-centre prospective cohort study <i>BMJ Open</i> , 2022 , 12, e054490	3	О
505	Nucleosome footprinting in plasma cell-free DNA for the pre-surgical diagnosis of ovarian cancer <i>Npj Genomic Medicine</i> , 2022 , 7, 30	6.2	О
504	Evaluating cut-off levels for progesterone, Ihuman chorionic gonadotropin and Ihuman chorionic gonadotropin ratio to exclude pregnancy viability in women with a pregnancy of unknown location: A prospective multicenter cohort study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021 , 101, 46	3.8	О
503	Peripherally-driven myeloid NFkB and IFN/ISG responses predict malignancy risk, survival, and immunotherapy regime in ovarian cancer 2021 , 9,		3
502	Definition and sonographic reporting system for Cesarean scar pregnancy in early pregnancy: modified Delphi method. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 ,	5.8	2
501	Re: "Diagnostic Accuracies of the Ultrasound and Magnetic Resonance Imaging ADNEX Scoring Systems for Ovarian Adnexal Mass: Systematic Review and Meta-Analysis". <i>Academic Radiology</i> , 2021 , 28, 1643-1644	4.3	O
500	Ultrasound characteristics, serum biochemistry and outcome of ectopic pregnancies presenting during COVID-19 pandemic. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 909-915	5.8	
499	A Prospective International Lung Ultrasound Analysis Study in Tertiary Maternity Wards During the Severe Acute Respiratory Syndrome Coronavirus 2 Pandemic. <i>Journal of Ultrasound in Medicine</i> , 2021 , 40, 1991-1996	2.9	2
498	Pregnancy and neonatal outcomes of COVID-19: coreporting of common outcomes from PAN-COVID and AAP-SONPM registries. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 573-581	5.8	88
497	Miscarriage matters: the epidemiological, physical, psychological, and economic costs of early pregnancy loss. <i>Lancet, The</i> , 2021 , 397, 1658-1667	40	78
496	Sporadic miscarriage: evidence to provide effective care. <i>Lancet, The</i> , 2021 , 397, 1668-1674	40	9
495	Recurrent miscarriage: evidence to accelerate action. <i>Lancet, The</i> , 2021 , 397, 1675-1682	40	21
494	ESGO/ISUOG/IOTA/ESGE Consensus Statement on preoperative diagnosis of ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 58, 148-168	5.8	5

493	ESGO/ISUOG/IOTA/ESGE Consensus Statement on preoperative diagnosis of ovarian tumours. <i>Facts, Views & Vision in ObGyn</i> , 2021 , 13, 107-130	1.4	1	
492	ESGO/ISUOG/IOTA/ESGE Consensus Statement on pre-operative diagnosis of ovarian tumors. International Journal of Gynecological Cancer, 2021, 31, 961-982	3.5	7	
491	Typical ultrasound features of various endometrial pathologies described using International Endometrial Tumor Analysis (IETA) terminology in women with abnormal uterine bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 164-172	5.8	12	
490	Differences in post-traumatic stress, anxiety and depression following miscarriage or ectopic pregnancy between women and their partners: multicenter prospective cohort study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 141-148	5.8	9	
489	Authors' reply Re: Implications for the future of Obstetrics and Gynaecology following the COVID-19 pandemic: a commentary. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 616-617	3.7	1	
488	Ultrasound, macroscopic and histological features of malignant ovarian tumors. <i>International Journal of Gynecological Cancer</i> , 2021 , 31, 150-151	3.5		
487	External validation of models to predict the outcome of pregnancies of unknown location: a multicentre cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 552-	587	4	
486	Pregnancy and neonatal outcomes in COVID-19: study protocol for a global registry of women with suspected or confirmed SARS-CoV-2 infection in pregnancy and their neonates, understanding natural history to guide treatment and prevention. <i>BMJ Open</i> , 2021 , 11, e041247	3	9	
485	An Evaluation of the Effectiveness of Image-based Texture Features Extracted from Static B-mode Ultrasound Images in Distinguishing between Benign and Malignant Ovarian Masses. <i>Ultrasonic Imaging</i> , 2021 , 43, 124-138	1.9	2	
484	Evaluation of the Tramline Sign in the Prediction of Placenta Accreta Spectrum and Perioperative Outcomes in Anterior Placenta Previa. <i>Ultraschall in Der Medizin</i> , 2021 ,	3.8	1	
483	Changes in circulating kisspeptin levels during each trimester in women with antenatal complications. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	3	
482	Response to: Correspondence on "ESGO/ISUOG/IOTA/ESGE Consensus Statement on pre-operative diagnosis of ovarian tumors" by Thomassin-Nagarra et al. <i>International Journal of Gynecological Cancer</i> , 2021 , 31, 1396-1397	3.5		
481	Performance of plasma kisspeptin as a biomarker for miscarriage improves with gestational age during the first trimester. <i>Fertility and Sterility</i> , 2021 , 116, 809-819	4.8	5	
480	Ultrasound evaluation of ovarian masses and assessment of the extension of ovarian malignancy. <i>British Journal of Radiology</i> , 2021 , 94, 20201375	3.4	2	
479	Consensus on revised definitions of morphological uterus sonographic assessment (MUSA) features of adenomyosis: results of a modified Delphi procedure. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 ,	5.8	7	
478	Evaluating the use of telemedicine in gynaecological practice: a systematic review. <i>BMJ Open</i> , 2020 , 10, e039457	3	9	
477	The potential use of urinary hCG measurements in the management of pregnancies of unknown location. <i>Human Fertility</i> , 2020 , 1-8	1.9		
476	Peri-implantation urinary hormone monitoring distinguishes between types of first-trimester spontaneous pregnancy loss. <i>Paediatric and Perinatal Epidemiology</i> , 2020 , 34, 495-503	2.7	7	

475	ISUOG Consensus Statement on rationalization of early-pregnancy care and provision of ultrasonography in context of SARS-CoV-2. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 871-878	5.8	16
474	ISUOG Consensus Statement on rationalization of gynecological ultrasound services in context of SARS-CoV-2. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 879-885	5.8	12
473	Insights into the hyperglycosylation of human chorionic gonadotropin revealed by glycomics analysis. <i>PLoS ONE</i> , 2020 , 15, e0228507	3.7	4
472	Micronized vaginal progesterone to prevent miscarriage: a critical evaluation of randomized evidence. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 223, 167-176	6.4	46
471	O-RADS US Risk Stratification and Management System: A Consensus Guideline from the ACR Ovarian-Adnexal Reporting and Data System Committee. <i>Radiology</i> , 2020 , 294, 168-185	20.5	93
470	Changing predictor measurement procedures affected the performance of prediction models in clinical examples. <i>Journal of Clinical Epidemiology</i> , 2020 , 119, 7-18	5.7	12
469	IDEAL study: magnetic resonance imaging for suspected deep endometriosis assessment prior to laparoscopy is as reliable as radiological imaging as a complement to transvaginal ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 255-266	5.8	3
468	Natural history of pregnancy-related enhanced myometrial vascularity following miscarriage. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 676-682	5.8	8
467	Posttraumatic stress, anxiety and depression following miscarriage and ectopic pregnancy: a multicenter, prospective, cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 222, 367.e	1 ⁶ 367.	e 2 2
466	Ultrasound-based risk model for preoperative prediction of lymph-node metastases in women with endometrial cancer: model-development study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 56, 443-	4 <u>5</u> 28	2
465	Assessment of protein biomarkers for preoperative differential diagnosis between benign and malignant ovarian tumors. <i>Gynecologic Oncology</i> , 2020 , 159, 811-819	4.9	4
464	Association between hyperemesis gravidarum and psychological symptoms, psychosocial outcomes and infant bonding: a two-point prospective case-control multicentre survey study in an inner city setting. <i>BMJ Open</i> , 2020 , 10, e039715	3	3
463	Implications for the future of Obstetrics and Gynaecology following the COVID-19 pandemic: a commentary. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 1318-1323	3.7	11
462	Validation of models to diagnose ovarian cancer in patients managed surgically or conservatively: multicentre cohort study. <i>BMJ, The</i> , 2020 , 370, m2614	5.9	16
461	The association between vaginal bacterial composition and miscarriage: a nested case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 264-274	3.7	39
460	First-trimester intrauterine hematoma and pregnancy complications. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 536-545	5.8	2
459	Triaging women with pregnancy of unknown location using two-step protocol including M6 model: clinical implementation study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020 , 55, 105-114	5.8	12
458	Insights into the hyperglycosylation of human chorionic gonadotropin revealed by glycomics analysis 2020 , 15, e0228507		

(2018-2020)

Insights into the hyperglycosylation of human chorionic gonadotropin revealed by glycomics 457 analysis 2020, 15, e0228507 Insights into the hyperglycosylation of human chorionic gonadotropin revealed by glycomics 456 analysis 2020, 15, e0228507 Insights into the hyperglycosylation of human chorionic gonadotropin revealed by glycomics 455 analysis **2020**, 15, e0228507 Sex differences in fetal growth and immediate birth outcomes in a low-risk Caucasian population. 18 9.3 Biology of Sex Differences, 2019, 10, 48 Niche definition and guidance for detailed niche evaluation. Acta Obstetricia Et Gynecologica 3.8 453 4 Scandinavica, 2019, 98, 1351-1352 Early-pregnancy events and subsequent antenatal, delivery and neonatal outcomes: prospective 5.8 452 10 cohort study. Ultrasound in Obstetrics and Gynecology, 2019, 54, 530-537 Risk of complications in patients with conservatively managed ovarian tumours (IOTA5): a 2-year 451 21.7 55 interim analysis of a multicentre, prospective, cohort study. Lancet Oncology, The, 2019, 20, 448-458 Diagnostic protocols for the management of pregnancy of unknown location: a systematic review 450 20 3.7 and meta-analysis. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 190-198 Evaluation of machine learning methods with Fourier Transform features for classifying ovarian 449 3.7 12 tumors based on ultrasound images. PLoS ONE, 2019, 14, e0219388 Burnout, well-being and defensive medical practice among obstetricians and gynaecologists in the 448 24 UK: cross-sectional survey study. BMJ Open, 2019, 9, e030968 Establishment of vaginal microbiota composition in early pregnancy and its association with 447 58 subsequent preterm prelabor rupture of the fetal membranes. Translational Research, 2019, 207, 30-43 11 Conventional and modern markers of endometrial receptivity: a systematic review and 446 15.8 129 meta-analysis. Human Reproduction Update, 2019, 25, 202-223 Sonographic examination of uterine niche in non-pregnant women: a modified Delphi procedure. 5.8 64 445 Ultrasound in Obstetrics and Gynecology, 2019, 53, 107-115 Use of biomedical photonics in gynecological surgery: a uterine transplantation model. Future 444 2.7 Science OA, 2018, 4, FSO286 Caesarean scar pregnancy in the UK: a national cohort study. BJOG: an International Journal of 36 443 3.7 Obstetrics and Gynaecology, **2018**, 125, 1663-1670 Ultrasound characteristics of endometrial cancer as defined by International Endometrial Tumor Analysis (IETA) consensus nomenclature: prospective multicenter study. Ultrasound in Obstetrics 5.8 40 442 and Gynecology, **2018**, 51, 818-828 Ovarian-Adnexal Reporting Lexicon for Ultrasound: A White Paper of the ACR Ovarian-Adnexal 441 55 Reporting and Data System Committee. Journal of the American College of Radiology, 2018, 15, 1415-142 3 95 Evaluation of tramline sign for prenatal diagnosis of abnormally invasive placenta using three-dimensional ultrasound and Crystal Vue rendering technology. Ultrasound in Obstetrics and 5.8 6 Gynecology, 2018, 52, 403-404

439	Differences in ultrasound features of papillations in unilocular-solid adnexal cysts: a retrospective international multicenter study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 52, 269-278	5.8	11
438	A multi-centre, double-blind, placebo-controlled, randomised trial of combination methotrexate and gefitinib versus methotrexate alone to treat tubal ectopic pregnancies (GEM3): trial protocol. <i>Trials</i> , 2018 , 19, 643	2.8	O
437	The psychological impact of early pregnancy loss. Human Reproduction Update, 2018, 24, 731-749	15.8	63
436	Maternal Physiology 2018 , 1-17		
435	Liver and Endocrine Diseases in Pregnancy 2018 , 116-128		
434	Haematological Problems in Pregnancy 2018 , 147-160		
433	Maternal Infection During Pregnancy 2018 , 161-177		1
432	Psychiatric Problems in Pregnancy and Post Partum 2018 , 178-190		
431	Autoimmune Rheumatic Diseases and Other Medical Disorders in Pregnancy 2018 , 191-206		
430	Obesity and Pregnancy 2018 , 207-218		
429	Fetal Growth Restriction 2018 , 219-230		
428	Third Trimester Fetal Assessment 2018 , 231-242		
427	Fetal Medical Conditions 2018 , 243-253		
426	The Placenta and Fetal Membranes 2018 , 18-28		
425	Fetal Anomalies 2018 , 254-267		
424	Multiple Pregnancy 2018 , 268-281		1
423	Normal Mechanisms in Labour 2018 , 283-306		
422	Post-term Pregnancy 2018 , 307-325		

421	induction and Augmentation of Labour 2018 , 326-335	1
420	Obstetric Emergencies 2018 , 336-353	
419	Malpresentation, Malposition, Cephalopelvic Disproportion and Obstetric Procedures 2018 , 354-371	О
418	Fetal Monitoring During Labour 2018 , 372-386	
417	Preterm Labour 2018 , 387-412	
416	Stillbirth 2018 , 413-422	
415	Healthy Fetal Growth 2018 , 29-37	
414	Analgesia, Anaesthesia and Resuscitation 2018 , 423-430	
413	Puerperium and Lactation 2018 , 431-444	
412	Neonatal Care for Obstetricians 2018 , 445-458	1
411	Perinatal Epidemiology and Statistics 2018 , 459-472	
410	Clinical Anatomy of the Pelvis and Reproductive Tract 2018 , 473-484	1
409	Normal and Abnormal Development of the Genital Tract 2018 , 485-498	
408	Role of Imaging in Gynaecology 2018 , 499-518	
407	Ambulatory Gynaecology, Hysteroscopy and Laparoscopy 2018 , 519-539	
406	Puberty and Its Disorders 2018 , 541-551	
405	Gynaecological Disorders of Childhood and Adolescence 2018 , 552-556	
404	Pre-conception Counselling 2018 , 38-46	

403	Spontaneous Miscarriage 2018 , 557-567	0
402	Recurrent Miscarriage 2018 , 568-574	
401	Gestational Trophoblast Neoplasia 2018 , 575-588	
400	Induced Abortion 2018 , 597-610	O
399	Acute Pelvic Infection 2018 , 611-620	
398	The Menstrual Cycle 2018 , 621-631	
397	Polycystic Ovary Syndrome and Secondary Amenorrhoea 2018 , 632-652	0
396	Heavy Menstrual Bleeding 2018 , 653-662	
395	Antenatal Care 2018 , 47-57	
394	Menopause and Postmenopausal Health 2018 , 672-688	
393	Subfertility 2018 , 689-703	1
392	Assisted Reproduction 2018 , 704-719	
391	Chronic Pelvic Pain 2018 , 744-752	0
390	Uterovaginal Prolapse 2018 , 753-765	
389	Benign Diseases of the Vulva 2018 , 793-810	
388	Benign Diseases of the Vagina, Cervix and Ovary 2018 , 811-822	
387	Benign Disease of the Uterus 2018 , 823-834	1
386	First Trimester Antenatal Screening 2018 , 58-70	

385	Malignant Disease of the Vulva and the Vagina 2018 , 835-857		
384	Premalignant and Malignant Disease of the Cervix 2018 , 858-875		
383	Surgical and Medical Management of Epithelial Ovarian Cancer 2018, 884-904		
382	Contraception and Sterilization 2018 , 939-953		O
381	Sexual Dysfunction 2018 , 954-966		
380	Rape and Sexual Assault and Female Genital Mutilation 2018 , 967-983		
379	Ethical Dilemmas in Obstetrics and Gynaecology 2018 , 985-998		
378	The Law and the Obstetrician and Gynaecologist 2018 , 999-1007		
377	Hypertensive Disorders 2018 , 71-84		
376	Evidence-based Medicine in Obstetrics and Gynaecology 2018 , 1008-1014		
375	Use of Laser Speckle Contrast Analysis during pelvic surgery in a uterine transplantation model. <i>Future Science OA</i> , 2018 , 4, FSO324	2.7	1
374	The potential value of activin B and fibronectin for the triage of pregnancies of unknown location and prediction of first trimester viability. <i>Australasian Journal of Ultrasound in Medicine</i> , 2018 , 21, 138-14	o.6	
373	First International Consensus Report on Adnexal Masses: Management Recommendations. <i>Journal of Ultrasound in Medicine</i> , 2017 , 36, 849-863	2.9	46
372	An automated technique for potential differentiation of ovarian mature teratomas from other benign tumours using neural networks classification of 2D ultrasound static images: a pilot study 2017 ,		2
371	Clinical Utility of Risk Models to Refer Patients with Adnexal Masses to Specialized Oncology Care: Multicenter External Validation Using Decision Curve Analysis. <i>Clinical Cancer Research</i> , 2017 , 23, 5082-5	69 8	26
370	The first-trimester fetal central nervous system: alhovel ultrasonographic perspective. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 217, 220-221	6.4	5
369	Doctors' perception of support and the processes involved in complaints investigations and how these relate to welfare and defensive practice: a cross-sectional survey of the UK physicians. <i>BMJ Open</i> , 2017 , 7, e017856	3	18
368	Validation and updating of risk models based on multinomial logistic regression. <i>Diagnostic and Prognostic Research</i> , 2017 , 1, 2	5.5	13

367	Factors to consider in pregnancy of unknown location. Womenjs Health, 2017, 13, 27-33	3	11
366	Psychological morbidity associated with hyperemesis gravidarum: a systematic review and meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology,</i> 2017 , 124, 20-30	3.7	53
365	Ambulatory versus inpatient management of severe nausea and vomiting of pregnancy: a randomised control trial with patient preference arm. <i>BMJ Open</i> , 2017 , 7, e017566	3	15
364	Pregnancy of Unknown Location 2017 , 33-38		
363	We need to change the culture around complaints procedures. <i>BMJ, The</i> , 2017 , 359, j5313	5.9	
362	Validation of the Performance of International Ovarian Tumor Analysis (IOTA) Methods in the Diagnosis of Early Stage Ovarian Cancer in a Non-Screening Population. <i>Diagnostics</i> , 2017 , 7,	3.8	25
361	Evaluation of Pregnancy Viability 2017 , 197-214		
360	Automatic segmentation and measurements of gestational sac using static B-mode ultrasound images 2016 ,		2
359	Can risk factors, clinical history and symptoms be used to predict risk of ectopic pregnancy in women attending an early pregnancy assessment unit?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 48, 656-662	5.8	6
358	Systematic approach to sonographic evaluation of the pelvis in women with suspected endometriosis, including terms, definitions and measurements: a consensus opinion from the International Deep Endometriosis Analysis (IDEA) group. <i>Ultrasound in Obstetrics and Gynecology</i> ,	5.8	310
357	Flawed external validation study of the ADNEX model to diagnose ovarian cancer. <i>Gynecologic Oncology Reports</i> , 2016 , 18, 49-50	1.3	6
356	Doctors' experiences and their perception of the most stressful aspects of complaints processes in the UK: an analysis of qualitative survey data. <i>BMJ Open</i> , 2016 , 6, e011711	3	30
355	The clinical performance of the M4 decision support model to triage women with a pregnancy of unknown location as at low or high risk of complications. <i>Human Reproduction</i> , 2016 , 31, 1425-35	5.7	15
354	Age-related differences in the sonographic characteristics of endometriomas. Human Reproduction,		29
	2016 , 31, 1723-31	5.7	
353		5.7 5.8	2
	2016, 31, 1723-31 Interobserver agreement in assessment of polycystic ovarian morphology using pattern		38
353	Interobserver agreement in assessment of polycystic ovarian morphology using pattern recognition. <i>Ultrasound in Obstetrics and Gynecology</i> , 2016 , 47, 652-3 Managing pregnancy of unknown location based on initial serum progesterone and serial serum hCG levels: development and validation of a two-step triage protocol. <i>Ultrasound in Obstetrics and</i>	5.8	

349	Cutting GMC investigations must not simply devolve problems elsewhere. <i>BMJ, The</i> , 2016 , 353, i2445	5.9	2
348	Refining Ovarian Cancer Test accuracy Scores (ROCkeTS): protocol for a prospective longitudinal test accuracy study to validate new risk scores in women with symptoms of suspected ovarian cancer. <i>BMJ Open</i> , 2016 , 6, e010333	3	7
347	Post-traumatic stress, anxiety and depression following miscarriage or ectopic pregnancy: a prospective cohort study. <i>BMJ Open</i> , 2016 , 6, e011864	3	73
346	Evaluating the risk of ovarian cancer before surgery using the ADNEX model: a multicentre external validation study. <i>British Journal of Cancer</i> , 2016 , 115, 542-8	8.7	38
345	A missed opportunity for excellence: the NICE guideline on the diagnosis and initial management of ectopic pregnancy and miscarriage. <i>Journal of Family Planning and Reproductive Health Care</i> , 2015 , 41, 13-9		4
344	Defining safe criteria to diagnose miscarriage: prospective observational multicentre study. <i>BMJ, The,</i> 2015 , 351, h4579	5.9	48
343	A spline-based tool to assess and visualize the calibration of multiclass risk predictions. <i>Journal of Biomedical Informatics</i> , 2015 , 54, 283-93	10.2	42
342	Accuracy of ultrasonography performed by examiners with varied training and experience in predicting specific pathology of adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 45, 605	-172 ⁸	17
341	The role of ultrasonography in the diagnosis and management of early pregnancy complications. <i>The Obstetrician and Gynaecologist</i> , 2015 , 17, 173-181	0.9	8
340	Diagnosing adnexal tumours before surgery: a critical appraisal of recent evidence. <i>The Obstetrician and Gynaecologist</i> , 2015 , 17, 163-171	0.9	1
339	Authors' reply to Fountain and colleagues. BMJ, The, 2015, 351, h5852	5.9	
338	Terms, definitions and measurements to describe sonographic features of myometrium and uterine masses: a consensus opinion from the Morphological Uterus Sonographic Assessment (MUSA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2015 , 46, 284-98	5.8	268
337	Dharmasena case illustrates what is wrong with complaints procedures. <i>BMJ, The</i> , 2015 , 350, h1130	5.9	
336	The impact of complaints procedures on the welfare, health and clinical practise of 7926 doctors in the UK: a cross-sectional survey. <i>BMJ Open</i> , 2015 , 5, e006687	3	94
335	Reply: Diagnostic and management modalities in early tubal pregnancy with focus on safety. <i>Human Reproduction Update</i> , 2015 , 21, 693	15.8	
334	The characteristic ultrasound features of specific types of ovarian pathology (review). <i>International Journal of Oncology</i> , 2015 , 46, 445-58	4.4	51
333	Intra-cavitary uterine pathology in women with abnormal uterine bleeding: a prospective study of 1220 women. <i>Facts, Views & Vision in ObGyn</i> , 2015 , 7, 17-24	1.4	16
332	Practical guidance for applying the ADNEX model from the IOTA group to discriminate between different subtypes of adnexal tumors. <i>Facts, Views & Vision in ObGyn</i> , 2015 , 7, 32-41	1.4	16

331	Automated characterisation of ultrasound images of ovarian tumours: the diagnostic accuracy of a support vector machine and image processing with a local binary pattern operator. <i>Facts, Views & Vision in ObGyn</i> , 2015 , 7, 7-15	1.4	11
330	Pregnancy of Unknown Location 2015 , 19-26		
329	Imaging techniques for the pre-surgical diagnosis of adnexal tumours. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2014 , 28, 683-95	4.6	32
328	Prevalence, potential risk factors for development and symptoms related to the presence of uterine niches following Cesarean section: systematic review. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 43, 372-82	5.8	209
327	Presurgical diagnosis of adnexal tumours using mathematical models and scoring systems: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2014 , 20, 449-62	15.8	115
326	Ectopic pregnancy prediction in women with a pregnancy of unknown location: data beyond 48 h are necessary. <i>Human Reproduction</i> , 2014 , 29, 441-7	5.7	9
325	Triaging pregnancies of unknown location: the performance of protocols based on single serum progesterone or repeated serum hCG levels. <i>Human Reproduction</i> , 2014 , 29, 938-45	5.7	32
324	Strategies to diagnose ovarian cancer: new evidence from phase 3 of the multicentre international IOTA study. <i>British Journal of Cancer</i> , 2014 , 111, 680-8	8.7	72
323	Diagnosing ectopic pregnancy and current concepts in the management of pregnancy of unknown location. <i>Human Reproduction Update</i> , 2014 , 20, 250-61	15.8	130
322	Letter to the Editor JMIG on the Article "Cesarean scar defects: an underrecognized cause of abnormal uterine bleeding and other gynecologic complications" (2013;20; 562-572). <i>Journal of Minimally Invasive Gynecology</i> , 2014 , 21, 498-9	2.2	
321	Authors' reply to Candido-dos-Reis. <i>BMJ, The</i> , 2014 , 349, g6691	5.9	
320	NICE guidance on place of birth falls short of neutrality. <i>BMJ, The</i> , 2014 , 349, g7776	5.9	1
319	Are serum HE4 or ROMA scores useful to experienced examiners for improving characterization of adnexal masses after transvaginal ultrasonography?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 43, 89-97	5.8	24
318	UKEPSS: The UK Early Pregnancy Surveillance Service for uncommon disorders of early pregnancy and acute gynaecology. <i>The Obstetrician and Gynaecologist</i> , 2014 , 16, 226-227	0.9	4
317	Use of a pocket-sized ultrasound machine (PUM) for routine examinations in the third trimester of pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 44, 64-8	5.8	7
316	Evaluating the risk of ovarian cancer before surgery using the ADNEX model to differentiate between benign, borderline, early and advanced stage invasive, and secondary metastatic tumours: prospective multicentre diagnostic study. <i>BMJ</i> , <i>The</i> , 2014 , 349, g5920	5.9	194
315	Reply: Niche risk factor for uterine rupture?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2014 , 44, 371-2	5.8	3
314	Automated classification of static ultrasound images of ovarian tumours based on decision level fusion 2014 ,		4

Diagnostic Criteria for Nonviable Pregnancy Early in the First Trimester. <i>Obstetrical and Gynecological Survey</i> , 2014 , 69, 63-64	2.4	2
Diagnostic criteria for nonviable pregnancy early in the first trimester. <i>Ultrasound Quarterly</i> , 2014 , 30, 3-9	1.4	11
Prognostic value of serum HE4 levels and risk of ovarian malignancy algorithm scores at the time of ovarian cancer diagnosis. <i>International Journal of Gynecological Cancer</i> , 2014 , 24, 1173-80	3.5	17
Do women with pain and bleeding in early pregnancy require a vaginal speculum examination as part of their assessment?. <i>Gynecologic and Obstetric Investigation</i> , 2014 , 77, 29-34	2.5	1
Differentiating stage I epithelial ovarian cancer from benign disease in women with adnexal tumors using biomarkers or the ROMA algorithm. <i>Gynecologic Oncology</i> , 2013 , 130, 398-9	4.9	8
Diagnostic criteria for nonviable pregnancy early in the first trimester. <i>New England Journal of Medicine</i> , 2013 , 369, 1443-51	59.2	219
A multicenter prospective external validation of the diagnostic performance of IOTA simple descriptors and rules to characterize ovarian masses. <i>Gynecologic Oncology</i> , 2013 , 130, 140-6	4.9	42
Accurate prediction of pregnancy viability by means of a simple scoring system. <i>Human Reproduction</i> , 2013 , 28, 68-76	5.7	33
Screening for data clustering in multicenter studies: the residual intraclass correlation. <i>BMC Medical Research Methodology</i> , 2013 , 13, 128	4.7	12
Improving strategies for diagnosing ovarian cancer: a summary of the International Ovarian Tumor Analysis (IOTA) studies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 9-20	5.8	111
Rationalizing the management of pregnancies of unknown location: temporal and external validation of a risk prediction model on 1962 pregnancies. <i>Human Reproduction</i> , 2013 , 28, 609-16	5.7	50
A comparison between an ultrasound based prediction model (LR2) and the risk of ovarian malignancy algorithm (ROMA) to assess the risk of malignancy in women with an adnexal mass. <i>Gynecologic Oncology</i> , 2013 , 129, 377-83	4.9	40
Normative data for uterine size according to age and gravidity and possible role of the classical golden ratio. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 42, 713-7	5.8	19
NICE guidance on ectopic pregnancy and miscarriage restricts access and choice and may be clinically unsafe. <i>BMJ, The</i> , 2013 , 346, f197	5.9	9
Does the presence of a Caesarean section scar affect implantation site and early pregnancy outcome in women attending an early pregnancy assessment unit?. <i>Human Reproduction</i> , 2013 , 28, 148	9.59%	28
Defining the relationship between fetal Doppler indices, abdominal circumference and growth rate in severe fetal growth restriction using functional linear discriminant analysis. <i>Journal of the Royal Society Interface</i> , 2013 , 10, 20130376	4.1	10
The influence of weight gain patterns in pregnancy on fetal growth using cluster analysis in an obese and nonobese population. <i>Obesity</i> , 2013 , 21, 1416-22	8	13
Predicting successful vaginal birth after Cesarean section using a model based on Cesarean scar features examined by transvaginal sonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 672-8	3 ^{5.8}	38
	Diagnostic criteria for nonviable pregnancy early in the first trimester. Ultrasound Quarterly, 2014, 30, 3-9 Prognostic value of serum HE4 levels and risk of ovarian malignancy algorithm scores at the time of ovarian cancer diagnosis. International Journal of Gynecological Concer, 2014, 24, 1173-80 Do women with pain and bleeding in early pregnancy require a vaginal speculum examination as part of their assessment?. Gynecologic and Obstetric Investigation, 2014, 77, 29-34 Differentiating stage I epithelial ovarian cancer from benign disease in women with adnexal tumors using biomarkers or the ROMA algorithm. Cynecologic Oncology, 2013, 130, 398-9 Diagnostic criteria for nonviable pregnancy early in the first trimester. New England Journal of Medicine, 2013, 369, 1443-51 A multicenter prospective external validation of the diagnostic performance of IOTA simple descriptors and rules to characterize ovarian masses. Cynecologic Oncology, 2013, 130, 140-6 Accurate prediction of pregnancy viability by means of a simple scoring system. Human Reproduction, 2013, 28, 68-76 Screening for data clustering in multicenter studies: the residual intraclass correlation. BMC Medical Research Methodology, 2013, 13, 128 Improving strategies for diagnosing ovarian cancer: a summary of the International Ovarian Tumor Analysis (IOTA) studies. Ultrasound in Obstetrics and Gynecology, 2013, 41, 9-20 Rationalizing the management of pregnancies of unknown location: temporal and external validation of a risk prediction model on 1962 pregnancies. Human Reproduction, 2013, 28, 609-16 A comparison between an ultrasound based prediction model (LR2) and the risk of ovarian malignancy algorithm (ROMA) to assess the risk of malignancy in women with an adnexal mass. Gynecologic Oncology, 2013, 12, 713-7 NICE guldance on ectopic pregnancy and miscarriage restricts access and choice and may be clinically unsafe. BMJ, The, 2013, 346, f197 Does the presence of a Caesarean section scar affect implantation site and early pregnancy outcome	Diagnostic criteria for nonviable pregnancy early in the first trimester. <i>Ultrasound Quarterly</i> , 2014, 30,3-9 Prognostic value of serum HEA levels and risk of ovarian malignancy algorithm scores at the time of ovarian cancer diagnosis. <i>International Journal of Gynecological Cancer</i> , 2014, 24, 1173-80 Do women with pain and bleeding in early pregnancy require a vaginal speculum examination as part of their assessment?. <i>Gynecologic and Obstetric Investigation</i> , 2014, 77, 29-34 Differentiating stage I epithelial ovarian cancer from benign disease in women with adnexal tumors using biomarkers or the ROMA algorithm. <i>Gynecologic Oncology</i> , 2013, 130, 398-9 Diagnostic criteria for nonviable pregnancy early in the first trimester. <i>New England Journal of Medicine</i> , 2013, 369, 1443-51 A multicenter prospective external validation of the diagnostic performance of IOTA simple descriptors and rules to characterize ovarian masses. <i>Gynecologic Oncology</i> , 2013, 130, 140-6 Accurate prediction of pregnancy viability by means of a simple scoring system. <i>Human Reproduction</i> , 2013, 28, 68-76 Screening for data clustering in multicenter studies: the residual intraclass correlation. <i>BMC Medical Research Methodology</i> , 2013, 13, 128 Improving strategies for diagnosing ovarian cancer: a summary of the International Ovarian Tumor Analysis (IOTA) studies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013, 41, 9-20 Rationalizing the management of pregnancies of unknown location: temporal and external validation of a risk prediction model on 1962 pregnancies. <i>Human Reproduction</i> , 2013, 28, 609-16 A comparison between an ultrasound in <i>Obstetrics and Gynecology</i> , 2013, 41, 9-20 NICE guidance on ectopic pregnancy and miscarriage restricts access and choice and may be clinically unsafe. <i>BM. J. The</i> , 2013, 346, f197 Does the presence of a Caesarean section scar affect implantation site and early pregnancy outcome in women attending an early pregnancy assessment unit?. <i>Human Reproduction</i> , 2013, 28, 1489-596 Defining the re

295	Multicentre external validation of IOTA prediction models and RMI by operators with varied training. <i>British Journal of Cancer</i> , 2013 , 108, 2448-54	8.7	62
294	External validation of models and simple scoring systems to predict miscarriage in intrauterine pregnancies of uncertain viability. <i>Human Reproduction</i> , 2013 , 28, 2905-11	5.7	12
293	Changes in Cesarean section scar dimensions during pregnancy: a prospective longitudinal study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 556-62	5.8	31
292	Reply: To PMID 22323094. Ultrasound in Obstetrics and Gynecology, 2013, 42, 121-2	5.8	
291	Reply: To PMID 23371440. Ultrasound in Obstetrics and Gynecology, 2013, 42, 123-4	5.8	
290	Shotgun proteomics identifies serum fibronectin as a candidate diagnostic biomarker for inclusion in future multiplex tests for ectopic pregnancy. <i>PLoS ONE</i> , 2013 , 8, e66974	3.7	10
289	Visibility and measurement of cesarean section scars in pregnancy: a reproducibility study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 40, 549-56	5.8	18
288	Does the presence of a cesarean section scar influence the site of placental implantation and subsequent migration in future pregnancies: a prospective case-control study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 40, 557-61	5.8	21
287	Imaging in gynecological disease (7): clinical and ultrasound features of Brenner tumors of the ovary. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 40, 706-13	5.8	18
286	Clinically oriented three-step strategy for assessment of adnexal pathology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 40, 582-91	5.8	46
285	Impact of ovulation and implantation timing on first-trimester crown-rump length and gestational age. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 40, 630-5	5.8	25
284	When is a pregnancy nonviable and what criteria should be used to define miscarriage?. <i>Fertility and Sterility</i> , 2012 , 98, 1091-6	4.8	19
283	Preoperative identification of a suspicious adnexal mass. <i>Gynecologic Oncology</i> , 2012 , 127, 260-2	4.9	
282	Detection of intracavitary uterine pathology using offline analysis of three-dimensional ultrasound volumes: interobserver agreement and diagnostic accuracy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 40, 459-63	5.8	14
281	Managing early pregnancy loss: diagnosing miscarriage is not as easy at you might think. <i>Obstetrics, Gynaecology and Reproductive Medicine</i> , 2012 , 22, 269-270	0.5	
2 80	A humanised mouse model of cytokine release: comparison of CD3-specific antibody fragments. Journal of Immunological Methods, 2012 , 384, 33-42	2.5	10
279	The Role of Ultrasound in Gynaecology 2012 , 435-447		
278	A mathematical model for interpretable clinical decision support with applications in gynecology. <i>PLoS ONE</i> , 2012 , 7, e34312	3.7	25

277	Standardized approach for imaging and measuring Cesarean section scars using ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 39, 252-9	5.8	107
276	Ultrasound assessment of the peri-implantation uterus: a review. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 39, 612-9	5.8	23
275	Do pocket-sized ultrasound machines have the potential to be used as a tool to triage patients in obstetrics and gynecology?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2012 , 40, 145-50	5.8	21
274	Triaging women with ovarian masses for surgery: observational diagnostic study to compare RCOG guidelines with an International Ovarian Tumour Analysis (IOTA) group protocol. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 662-71	3.7	37
273	Improved modeling of clinical data with kernel methods. <i>Artificial Intelligence in Medicine</i> , 2012 , 54, 103	-74	11
272	External validation of diagnostic models to estimate the risk of malignancy in adnexal masses. <i>Clinical Cancer Research</i> , 2012 , 18, 815-25	12.9	62
271	Changes seen in the ultrasound features of a presumed decidualised ovarian endometrioma mimicking malignancy. <i>Journal of Obstetrics and Gynaecology</i> , 2012 , 32, 807-11	1.3	7
270	Ectopic pregnancy. Clinical Chemistry, 2012 , 58, 1278-85	5.5	14
269	Pregnancy of unknown viability or location: less is more in the majority of cases. <i>Journal of Family Planning and Reproductive Health Care</i> , 2012 , 38, 7-10		3
268	Characterizing ovarian pathology: refining the performance of ultrasonography. <i>International Journal of Gynecological Cancer</i> , 2012 , 22 Suppl 1, S9-11	3.5	2
267	Key findings from the International Ovarian Tumor Analysis (IOTA) study: an approach to the optimal ultrasound based characterisation of adnexal pathology. <i>Australasian Journal of Ultrasound in Medicine</i> , 2012 , 15, 82-86	0.6	2
266	Pregnancy of unknown location: a consensus statement of nomenclature, definitions, and outcome. <i>Fertility and Sterility</i> , 2011 , 95, 857-66	4.8	194
265	Performance of the American College of Obstetricians and Gynecologists' ovarian tumor referral guidelines with a multivariate index assay. <i>Obstetrics and Gynecology</i> , 2011 , 118, 1179-1181	4.9	9
264	Ectopic pregnancy: using the hCG ratio to select women for expectant or medical management. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2011 , 90, 264-72	3.8	21
263	Gestational sac and embryonic growth are not useful as criteria to define miscarriage: a multicenter observational study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 503-9	5.8	41
262	Three-dimensional image of a tubal heterotopic pregnancy following assisted reproduction treatment. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 484-5	5.8	1
261	Limitations of current definitions of miscarriage using mean gestational sac diameter and crown-rump length measurements: a multicenter observational study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 497-502	5.8	91
260	Improving the preoperative classification of adnexal masses as benign or malignant by second-stage tests. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 37, 100-6	5.8	10

259	Effect of cancer prevalence on the use of risk-assessment cut-off levels and the performance of mathematical models to distinguish malignant from benign adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 37, 226-31	5.8	1
258	Clinical implications of intra- and interobserver reproducibility of transvaginal sonographic measurement of gestational sac and crown-rump length at 6-9 weeks' gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 510-5	5.8	62
257	Umbilical artery pulsatility index and fetal abdominal circumference in isolated gastroschisis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 538-42	5.8	9
256	A model and scoring system to predict outcome of intrauterine pregnancies of uncertain viability. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 37, 588-95	5.8	30
255	Effect of gel-instillation sonography on Doppler ultrasound findings in endometrial polyps. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 355-9	5.8	18
254	OC04.05: The limitations of using mean gestation sac diameter (MSD) measurements to define miscarriage. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 8-9	5.8	
253	OC07.01: Serial hCG assays for the management of pregnancies of unknown location (PUL): does the timing of hCG samples matter?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 12-13	5.8	
252	OC07.05: Comparing the subjective impression of the examiner to the hCG ratio and mathematical models for the management of pregnancies of unknown location (PUL). <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 14-14	5.8	
251	OC17.01: The association of patients' characteristics and bleeding pattern with uterine intracavitary pathology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 31-31	5.8	
250	OC20.05: Changes in Caesarean section scar size in the three trimesters of pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 38-38	5.8	
249	OC21.02: Selection of women with an ovarian tumor for surgery in specialist centers: a comparison of two triaging protocols. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 39-39	5.8	
248	OC21.04: A prediction model to distinguish between benign, borderline, stage I invasive, higher stage invasive, and metastatic adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 40-40	5.8	
247	OC26.05: Longitudinal measurements of Caesarean section scar size and residual myometrial thickness in pregnancy as predictors of scar appearance at repeat Caesarean delivery. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 48-48	5.8	
246	OP02.11: Rationalizing the management of pregnancies of unknown location (PULs) by reliably selecting failed PUL and intrauterine pregnancies for minimal follow up. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 62-62	5.8	
245	OP10.08: The relationship between previous elective or emergency Caesarean section and time-to-next-pregnancy interval on Caesarean scar size and residual myometrial thickness in subsequent pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 86-86	5.8	
244	OP33.03: Visibility and dimensions of Caesarean section scars in pregnancylln interobserver variability study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 150-150	5.8	
243	OP33.07: How is the orientation and magnitude of a CRL measurement used to estimate fetal gestation affected by ultrasound machines variability?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2011 , 38, 151-152	5.8	
242	Is serum human chorionic gonadotrophin follow-up necessary after suspected spillage of trophoblast at the time of laparoscopic surgery for ectopic pregnancy?. <i>Gynecologic and Obstetric Investigation</i> , 2011 , 71, 225-8	2.5	11

(2010-2011)

241	A novel approach to predict the likelihood of specific ovarian tumor pathology based on serum CA-125: a multicenter observational study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011 , 20, 2420-8	4	23
240	Ultrasound experience substantially impacts on diagnostic performance and confidence when adnexal masses are classified using pattern recognition. <i>Gynecologic and Obstetric Investigation</i> , 2010 , 69, 160-8	2.5	45
239	No influence of body mass index on first trimester fetal growth. <i>Human Reproduction</i> , 2010 , 25, 1895-9	5.7	14
238	Does a prediction model for pregnancy of unknown location developed in the UK validate on a US population?. <i>Human Reproduction</i> , 2010 , 25, 2434-40	5.7	23
237	Simple ultrasound rules to distinguish between benign and malignant adnexal masses before surgery: prospective validation by IOTA group. <i>BMJ, The,</i> 2010 , 341, c6839	5.9	235
236	Reply: No influence of body mass index on first trimester fetal growth. <i>Human Reproduction</i> , 2010 , 25, 3161-3162	5.7	
235	Terms, definitions and measurements to describe the sonographic features of the endometrium and intrauterine lesions: a consensus opinion from the International Endometrial Tumor Analysis (IETA) group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 103-12	5.8	159
234	Acoustic streaming cannot discriminate reliably between endometriomas and other types of adnexal lesion: a multicenter study of 633 adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 349-53	5.8	41
233	Prospective external validation of the 'ovarian crescent sign' as a single ultrasound parameter to distinguish between benign and malignant adnexal pathology. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 81-7	5.8	21
232	Accuracy of peritoneal fluid measurements by transvaginal ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 589-92	5.8	7
231	Ovarian cancer prediction in adnexal masses using ultrasound-based logistic regression models: a temporal and external validation study by the IOTA group. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 226-34	5.8	133
230	New crown-rump length curve based on over 3500 pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 650-5	5.8	37
229	Endometriomas: their ultrasound characteristics. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 730	- 4 ®	120
228	Viability of intrauterine pregnancy in women with pregnancy of unknown location: prediction using human chorionic gonadotropin ratio vs. progesterone. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 35, 656-61	5.8	17
227	OC01.03: Ultrasound in diagnosis of new and recurrent borderline ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 1-2	5.8	4
226	OC04.02: Intra- and inter-observer reproducibility of first trimester measurements between 6 and 9 weeks gestation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 7-7	5.8	2
225	OC04.03: Risk factors for tubal versus non-tubal ectopic pregnancies: a multicentre case series. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 7-7	5.8	
224	OC04.04: The influence of pre-pregnancy BMI and maternal weight gain in pregnancy on fetal size at 12 weeks: a cross sectional analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 7-8	5.8	

223	OC04.05: A longitudinal assessment of gestation sac growth in pregnancies subsequently shown to be viable and non-viable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 8-8	5.8	
222	OC05.01: Reducing the follow-up required in women with a failing pregnancy of unknown location. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 8-8	5.8	
221	OC05.07: Gestation sac shape, sub-chorionic haematoma and vaginal bleeding as predictors of viability in intrauterine pregnancies of uncertain viability (IPUV). <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 10-10	5.8	1
220	OC08.01: Differentiation of uterine pathology by transvaginal elastography: preliminary results. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 14-15	5.8	2
219	OP02.10: Prediction of pregnancy viability by means of scoring systems: towards a lisk of miscarriage Index. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 57-58	5.8	
218	OP02.11: The effect of BMI on first trimester CRL growth: a longitudinal analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 58-58	5.8	
217	OP07.02: The added value of fluid instillation sonography in women with a total endometrial thickness? 5 mm at transvaginal ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 71-71	5.8	
216	OP07.04: The value of fluid instillation sonography in women under 40 years of age. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 71-71	5.8	
215	OP29.06: Umbilical artery PI and fetal abdominal circumference in gastroschisis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 137-138	5.8	
214	P02.03: Longitudinal growth of MSD and CRL in intrauterine pregnancies of uncertain viability (IPUV) and its relationship to gestation sac shape. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 17	0 ⁵ 1 ⁸ 71	
213	P16.01: Comparing tubal and non-tubal ectopic pregnancies: a multicentre case series. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 228-228	5.8	
212	P16.04: The influence of symptoms, uncertainty of dates and previous miscarriage on gestation sac growth. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 229-229	5.8	
211	Polytomous diagnosis of ovarian tumors as benign, borderline, primary invasive or metastatic: development and validation of standard and kernel-based risk prediction models. <i>BMC Medical Research Methodology</i> , 2010 , 10, 96	4.7	23
210	The relationship between first trimester fetal growth, pregnancy-associated plasma protein A levels and birthweight. <i>Prenatal Diagnosis</i> , 2010 , 30, 873-8	3.2	13
209	Functional linear discriminant analysis: a new longitudinal approach to the assessment of embryonic growth. <i>Human Reproduction</i> , 2009 , 24, 278-83	5.7	30
208	Assessing first trimester growth: the influence of ethnic background and maternal age. <i>Human Reproduction</i> , 2009 , 24, 284-90	5.7	48
207	The use of serum inhibin A and activin A levels in predicting the outcome of 'pregnancies of unknown location'. <i>Human Reproduction</i> , 2009 , 24, 2451-6	5.7	28
206	The optimal timing of an ultrasound scan to assess the location and viability of an early pregnancy. <i>Human Reproduction</i> , 2009 , 24, 1811-7	5.7	58

(2009-2009)

205	Diagnosis of ectopic pregnancy with ultrasound. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2009 , 23, 501-8	4.6	36
204	Management strategies for hyperemesis. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2009 , 23, 549-64	4.6	57
203	Pregnancies of unknown location. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2009 , 23, 493-9	4.6	43
202	Dating and growth in the first trimester. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2009 , 23, 439-52	4.6	51
201	Diagnosis and management of ovarian cyst accidents. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2009 , 23, 711-24	4.6	73
200	Characterising pelvic masses using ultrasound. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2009 , 23, 725-38	4.6	7
199	Diagnosing miscarriage. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2009, 23, 463-	74 .6	35
198	Taking the management of early-pregnancy complications seriously. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2009 , 23, 425-6	4.6	1
197	An application of methods for the probabilistic three-class classification of pregnancies of unknown location. <i>Artificial Intelligence in Medicine</i> , 2009 , 46, 139-54	7.4	13
196	A scoring system to differentiate malignant from benign masses in specific ultrasound-based subgroups of adnexal tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 33, 92-101	5.8	26
195	Adding a single CA 125 measurement to ultrasound imaging performed by an experienced examiner does not improve preoperative discrimination between benign and malignant adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 345-54	5.8	52
194	Twin growth discrepancy in early pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 38-42	5.8	35
193	Ultrasound methods to distinguish between malignant and benign adnexal masses in the hands of examiners with different levels of experience. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 454-61	5.8	27
192	OC01.04: A practical approach to preoperatively assess ovarian pathology: combining pattern recognition and mathematical models. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 2-2	5.8	
191	OC05.01: Predicting ovarian malignancy if simple rules are not applicable. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 7-7	5.8	
190	OC05.03: The natural history over eleven years of ovarian pathology characterized as dermoid cysts using transvaginal ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 8-8	5.8	
189	OC07.01: A new crown-rump length curve based on over 3500 pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 11-12	5.8	
188	OC07.04: The value of assessment of patient history and pain and bleeding scores prior to early pregnancy transvaginal ultrasound assessment. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 12-13	5.8	

187	OC11.01: Comparison of gel instillation sonography (GIS) with unenhanced ultrasound in the diagnosis of uterine intracavity lesions. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 19-19	5.8	
186	OC11.02: Prediction of intracavity uterine pathology at ultrasound examination using off-line analysis. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 19-19	5.8	
185	OC25.02: Intercenter variability in ultrasound features of malignant and benign adnexal masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 48-49	5.8	
184	OP08.02: Crown-rump length in genetically abnormal pregnancies compared to a CRL curve for normal pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 85-85	5.8	
183	OP10.01: The influence of maternal demographic features on fetal size in the first trimester. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 92-92	5.8	
182	OP10.02: The influence of body mass index on first trimester fetal growth. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 92-93	5.8	
181	OP10.09: The relationship between fetal growth in the first trimester, PAPP-A and birthweight percentiles. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 95-95	5.8	
180	OP24.06: Elastography in gynecology: preliminary experience. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 140-140	5.8	1
179	OP27.07: The relationship between abdominal circumference and umbilical artery Doppler z-scores in severe early onset fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 151-15	51 ^{5.8}	
178	OP30.01: Interobserver agreement on reporting uterine intracavity lesions at gel infusion sonography (GIS). <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 158-158	5.8	
177	OP30.08: The influence of gel-infusion on the vascularity of endometrial polyps. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 160-160	5.8	
176	P19.03: The relationship between early first trimester PAPP-A and birthweight percentiles. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 253-253	5.8	
175	P20.02: The relationship between abdominal circumference and middle cerebral artery Doppler z-scores in severe early onset fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009 , 34, 257-257	5.8	
174	Pregnancy of unknown location. Obstetrics, Gynaecology and Reproductive Medicine, 2009, 19, 80-83	0.5	1
173	Imaging in gynaecology: How good are we in identifying endometriomas?. <i>Facts, Views & Vision in ObGyn</i> , 2009 , 1, 7-17	1.4	7
172	Evidence of early first-trimester growth restriction in pregnancies that subsequently end in miscarriage. <i>BJOG: an International Journal of Obstetrics and Gynaecology,</i> 2008 , 115, 1273-8	3.7	57
171	Towards a Clinical Decision Support System for Pregnancies of Unknown Location 2008,		1
170	The hCG ratio can predict the ultimate viability of the intrauterine pregnancies of uncertain viability in the pregnancy of unknown location population. <i>Human Reproduction</i> , 2008 , 23, 1964-7	5.7	25

Multi-class AUC metrics and weighted alternatives 2008, 169 4 Predicting outcomes in pregnancies of unknown location. Womenjs Health, 2008, 4, 491-9 168 10 3 Chlamydia trachomatis infection in patients attending an Early Pregnancy Unit: prevalence, 167 symptoms, pregnancy location and viability. Acta Obstetricia Et Gynecologica Scandinavica, **2008**, 87, 601 $^37^8$ 7 Why are some ectopic pregnancies characterized as pregnancies of unknown location at the initial 166 3.8 60 transvaginal ultrasound examination?. Acta Obstetricia Et Gynecologica Scandinavica, 2008, 87, 1150-4 Simple ultrasound-based rules for the diagnosis of ovarian cancer. Ultrasound in Obstetrics and 165 5.8 310 Gynecology, 2008, 31, 681-90 OC021: Assessment of pattern recognition for the ultrasound diagnosis of an endometrioma. 164 5.8 Ultrasound in Obstetrics and Gynecology, 2008, 32, 250-250 OC089: Utilizing hCG ratio to reduce the number of visits in the pregnancy of unknown location 163 5.8 (PUL) population. *Ultrasound in Obstetrics and Gynecology*, **2008**, 32, 271-272 OC091: Can high definition transvaginal ultrasound result in a reduction in the number of women 162 characterised as having a pregnancy of unknown location?. *Ultrasound in Obstetrics and Gynecology*, 5.8 **2008**, 32, 272-273 OC096: How important is measuring endometrial thickness in women with pregnancies of unknown 161 5.8 1 location?. Ultrasound in Obstetrics and Gynecology, 2008, 32, 274-274 OC097: Pregnancy location and viability in women with chlamydia trachomatis infection. Ultrasound 160 5.8 in Obstetrics and Gynecology, 2008, 32, 274-274 OC107: Growth delay in the first trimester: Sensitivity and specificity of using serial measurements of embryonic growth for the prediction of early pregnancy loss. Ultrasound in Obstetrics and 5.8 159 Gynecology, **2008**, 32, 278-278 OC109: Validation of the Robinson growth curve with data of transvaginal ultrasound assessments in early pregnancy from a large Caucasian population. Ultrasound in Obstetrics and Gynecology, 2008 158 5.8 , 32, 278-278 OC112: Determination of outcome in very early intrauterine pregnancies of uncertain viability. 5.8 157 Ultrasound in Obstetrics and Gynecology, 2008, 32, 279-279 OC145: Ultrasound scoring system to differentiate benign from malignant masses in specific 156 5.8 subgroups of adnexal tumors. Ultrasound in Obstetrics and Gynecology, 2008, 32, 290-290 OC153: Prospective evaluation of a model to diagnose adnexal masses as benign, primary invasive, 5.8 155 borderline, or metastatic. Ultrasound in Obstetrics and Gynecology, 2008, 32, 293-293 OP09.02: A cross-sectional analysis of embryonic growth in normal and genetically abnormal 5.8 154 pregnancies. Ultrasound in Obstetrics and Gynecology, 2008, 32, 337-337 OP12.06: Optimal timing of transvaginal ultrasound to confirm early pregnancy viability. Ultrasound 5.8 153 in Obstetrics and Gynecology, 2008, 32, 349-349 Reliability of transvaginal ultrasonography at 7-9 weeks' gestation in the determination of 152 chorionicity and amnionicity in twin pregnancies. Ultrasound in Obstetrics and Gynecology, **2008**, 32, 618- $\overline{27}^8$

151	The use of transvaginal ultrasonography to diagnose bladder carcinoma in women presenting with postmenopausal bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008 , 32, 959-60	5.8	8
150	The simple outpatient management of Bartholin's abscess using the Word catheter: a preliminary study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2007 , 47, 137-40	1.7	26
149	The accuracy of first trimester ultrasound in the diagnosis of hydatidiform mole. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 29, 70-5	5.8	91
148	Prediction of ectopic pregnancy in women with a pregnancy of unknown location. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 29, 680-7	5.8	61
147	OC47: Discrepancy in crownflump length between twins as a predictor of spontaneous embryonic demise to a singleton pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 382-382	5.8	1
146	OC67: Persisting pregnancies of unknown location: challenges in diagnosis and management. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 387-388	5.8	O
145	OP04.01: Has ultrasound eliminated the need for a vaginal speculum examination in the assessment of women with bleeding in early pregnancy?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 467-467	5.8	2
144	OP05.02: Can transvaginal ultrasound at 7½ weeks reliably diagnose chorionicity and amnionicity in twin pregnancies?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 469-470	5.8	
143	OP17.03: The impact of a two-week referral rapid access ultrasound-based clinic to assess women considered at high-risk of gynecological malignancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2007 , 30, 513-513	5.8	
142	Discrimination between benign and malignant adnexal masses by specialist ultrasound examination versus serum CA-125. <i>Journal of the National Cancer Institute</i> , 2007 , 99, 1706-14	9.7	150
141	Prospective cross-validation of three methods of predicting failing pregnancies of unknown location. <i>Human Reproduction</i> , 2007 , 22, 1156-60	5.7	22
140	Rationalizing the follow-up of pregnancies of unknown location. <i>Human Reproduction</i> , 2007 , 22, 1744-5	0 5.7	52
139	The diagnostic effectiveness of an initial transvaginal scan in detecting ectopic pregnancy. <i>Human Reproduction</i> , 2007 , 22, 2824-8	5.7	131
138	Inclusion of CA-125 does not improve mathematical models developed to distinguish between benign and malignant adnexal tumors. <i>Journal of Clinical Oncology</i> , 2007 , 25, 4194-200	2.2	57
137	Reply: Ultrasound diagnosis of ectopic pregnancy. <i>Human Reproduction</i> , 2007 , 22, 1494-1494	5.7	
136	A validation of the most commonly used protocol to predict the success of single-dose methotrexate in the treatment of ectopic pregnancy. <i>Human Reproduction</i> , 2007 , 22, 858-63	5.7	40
135	Clinical information does not improve the performance of mathematical models in predicting the outcome of pregnancies of unknown location. <i>Fertility and Sterility</i> , 2007 , 88, 572-80	4.8	41
134	Comparing Methods for Multi-class Probabilities in Medical Decision Making Using LS-SVMs and Kernel Logistic Regression. <i>Lecture Notes in Computer Science</i> , 2007 , 139-148	0.9	3

(2006-2006)

133	Predicting the outcome of pregnancies of unknown location: Bayesian networks with expert prior information compared to logistic regression. <i>Human Reproduction</i> , 2006 , 21, 1824-31	5.7	38
132	Hyperemesis gravidarum: is an ultrasound scan necessary?. Human Reproduction, 2006 , 21, 2440-2	5.7	12
131	Transvaginal sonographic diagnosis of appendicitis in acute pelvic pain. <i>Journal of Ultrasound in Medicine</i> , 2006 , 25, 1243-4	2.9	15
130	There is no role for uterine curettage in the contemporary diagnostic workup of women with a pregnancy of unknown location. <i>Human Reproduction</i> , 2006 , 21, 2706-10	5.7	42
129	The Use of Ultrasound-Based ???Soft Markers??? for the Prediction of Pelvic Pathology in Women With Chronic Pelvic Pain???Can We Reduce the Need for Laparoscopy?. <i>Obstetrical and Gynecological Survey</i> , 2006 , 61, 379-380	2.4	
128	The nonsurgical management of ectopic pregnancy. <i>Current Opinion in Obstetrics and Gynecology</i> , 2006 , 18, 587-93	2.4	32
127	The use of ultrasound-based 'soft markers' for the prediction of pelvic pathology in women with chronic pelvic paincan we reduce the need for laparoscopy?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006 , 113, 251-6	3.7	106
126	Failing pregnancies of unknown location: a prospective evaluation of the human chorionic gonadotrophin ratio. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006 , 113, 521-7	3.7	51
125	The conservative management of cervical ectopic pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 27, 430-7	5.8	79
124	The practical application of a mathematical model to predict the outcome of pregnancies of unknown location. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 27, 311-5	5.8	29
123	Do early pregnancy ultrasound measurements correlate with fetal nuchal translucency at 11-14 weeks?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 27, 628-31	5.8	
122	Impact of the availability of sonography in the acute gynecology unit. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 207-13	5.8	32
121	OC17: Ultrasound and not biochemistry determines the ultimate viability of intra-uterine pregnancies in the PUL population. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 364-364	5.8	
120	OC18: What is the optimal approach to classifying viable intra-uterine pregnancies in the PUL population?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 364-364	5.8	
119	OC19: Using a mathematical model in the management of pregnancies of unknown location: a prospective interventional study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 364-364	5.8	
118	OC20: Validation of a logistic regression model to predict the outcome of pregnancies of unknown location in a new patient population. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 365-365	5.8	
117	OC54: Do women with hyperemesis gravidarum need an ultrasound scan?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 374-375	5.8	
116	OC165: Shortcomings of serum CA125 in diagnosing ovarian cancer. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 408-408	5.8	_

115	OC166: The pre-operative characterisation of ovarian pathology using serum CA125 and ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 408-408	5.8	
114	OP15.06: The value of ultrasound for the diagnosis of gestational trophoblastic disease. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 494-494	5.8	
113	OP15.07: A potential new approach to the monitoring and management of Cesarean scar ectopic pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 494-495	5.8	
112	P18.14: Transvaginal ultrasonography and saline infusion sonography compared with outpatient hysteroscopy for the diagnosis of endometrial polyps and submucous fibroids. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 28, 607-607	5.8	
111	The non-surgical management of ectopic pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2006 , 27, 91-100	5.8	27
110	Do levels of serum cancer antigen 125 and creatine kinase predict the outcome in pregnancies of unknown location?. <i>Human Reproduction</i> , 2005 , 20, 3348-54	5.7	32
109	A prospective evaluation of a single-visit strategy to manage pregnancies of unknown location. <i>Human Reproduction</i> , 2005 , 20, 1398-403	5.7	46
108	Pregnancies of unknown location: diagnostic dilemmas and management. <i>Current Opinion in Obstetrics and Gynecology</i> , 2005 , 17, 568-73	2.4	20
107	OC16.01: The pros and cons of using mathematical models to predict malignancy in ovarian masses. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 334-335	5.8	
106	OC31.03: The role of ultrasound in acute gynaecology and its impact on management. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 361-361	5.8	
105	OC31.05: Prevalence of pathology in women presenting with pelvic pain and/or bleeding to an inner London acute gynaecology unit (AGU). <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 362-362	5.8	
104	OC31.07: Can the hCG ratio be used to predict likelihood of success of conservative management of ectopic pregnancies?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 362-362	5.8	2
103	OC31.08: What is the optimal approach to accurately classifying failing pregnancies of unknown location (PULs)?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 363-363	5.8	
102	OC37.01: Is it safe to perform uterine curettage in women with no signs of an intra-uterine pregnancy on transvaginal ultrasound?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 373-373	5.8	
101	P12.03: Can we improve the performance of logistic regression analysis for predicting the outcome of pregnancies of unknown location (PULs)?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 455-455	5.8	
100	P12.10: Is it possible to predict successful treatment response to methotrexate earlier than seven days?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 456-456	5.8	
99	Diagnostic accuracy of varying discriminatory zones for the prediction of ectopic pregnancy in women with a pregnancy of unknown location. <i>Ultrasound in Obstetrics and Gynecology</i> , 2005 , 26, 770-5	5.8	98
98	Do we need to follow up complete miscarriages with serum human chorionic gonadotrophin levels?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 827-9	3.7	24

(2004-2005)

97	The accuracy of transvaginal ultrasonography for the diagnosis of ectopic pregnancy prior to surgery. <i>Human Reproduction</i> , 2005 , 20, 1404-9	5.7	204	
96	Logistic regression model to distinguish between the benign and malignant adnexal mass before surgery: a multicenter study by the International Ovarian Tumor Analysis Group. <i>Journal of Clinical Oncology</i> , 2005 , 23, 8794-801	2.2	329	
95	The use of a new logistic regression model for predicting the outcome of pregnancies of unknown location. <i>Human Reproduction</i> , 2004 , 19, 1900-10	5.7	100	
94	The conservative management of interstitial pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004 , 111, 1283-8	3.7	95	
93	Should we be examining the ovaries in pregnancy? Prevalence and natural history of adnexal pathology detected at first-trimester sonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 62-6	5.8	91	
92	OC038: A prospective evaluation of a single visit strategy to manage pregnancies of unknown location (PUL). <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 226-226	5.8		
91	OC040: The use of a logistic regression model to predict ectopic pregnancies in an early pregnancy setting. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 227-227	5.8		
90	OC041: Pregnancies of unknown location: a new logistic regression model for predicting outcome. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 227-227	5.8		
89	OC134: Can we safely manage more tubal ectopic pregnancies conservatively?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 252-253	5.8		
88	P04.10: A new logistic regression model for predicting ectopic pregnancies based on a single visit. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 290-290	5.8		
87	P04.11: Can serum creatine kinase and CA 125 levels be used to predict the outcome in pregnancies of unknown location?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 290-290	5.8		
86	P04.12: Can clinical factors and ultrasonographic findings be useful in the prediction of outcome in pregnancies of unknown location (PUL)?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 290-290	5.8		
85	P04.13: Conservative management of cervical ectopic pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 24, 291-291	5.8	1	
84	The role of transvaginal ultrasound in the management of abnormal uterine bleeding. <i>Gynecological Surgery</i> , 2004 , 1, 119-126	1.7	3	
83	The management of ectopic pregnancies and pregnancies of unknown location. <i>Gynecological Surgery</i> , 2004 , 1, 81-86	1.7	7	
82	The role of ultrasound in the management of the acute gynaecological abdomen. <i>Reviews in Gynaecological Practice</i> , 2004 , 4, 224-229			
81	Human chorionic gonadotrophin and progesterone levels in pregnancies of unknown location. <i>International Journal of Gynecology and Obstetrics</i> , 2004 , 86, 351-7	4	61	
80	Ectopic pregnancy deaths: what should we be doing?. British Journal of Hospital Medicine, 2004, 65, 657	-60	9	

Ultrasound of the Ovary **2003**, 181-192

78	Placental site trophoblastic tumor masquerading as an ovarian ectopic pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 21, 504-6	5.8	15
77	OC065: Negative predictive value of transvaginal ultrasound in women with chronic pelvic pain. Can we reduce the number of laparoscopies?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 18-18	5.8	1
76	OC068: Patient history and ultrasound findings: A logistic regression model for the prediction of pelvic pathology in women with chronic pelvic pain. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 18-19	5.8	
75	OC070: Can transvaginal ultrasound detect and localize endometriosis in women with chronic pelvic pain?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 19-19	5.8	1
74	OC121: Should we screen for ovarian pathology in the first trimester?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 34-34	5.8	
73	OC159: Reducing surgical intervention with transvaginal ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 43-43	5.8	
72	OC190: Should all emergency gynecology patients have an ultrasound scan?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 52-52	5.8	1
71	OC195: The transvaginal ultrasound based acute gynaecology unit: Short term follow up of women seen with acute pelvic pain. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 52-53	5.8	
70	OC197: Transvaginal ultrasound findings in women with moderate to severe pelvic inflammatory disease. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 53-53	5.8	
69	OC198: Should an ectopic pregnancy always be diagnosed using transvaginal ultrasonography in the first trimester prior to surgery?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 53-53	5.8	7
68	OC258: Ovarian cysts in young womenthe predictive value of ultrasound for dermoids and endometriomas and managing cysts in early pregnancy. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 68-69	5.8	
67	P022: The correlation between early pregnancy ultrasound measurements and fetal nuchal translucency. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 77-77	5.8	
66	P112: Is the use of prophylactic antibiotics required in women being managed expectantly with incomplete miscarriage?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 101-101	5.8	
65	P113: Can serum hormonal levels predict ectopic pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 101-102	5.8	О
64	P386: Screening for endometrial cancer in a high-risk population (Hereditary Non Polyposis Colorectal Cancer)目 pilot study. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 174-174	5.8	
63	OC013: What do you do when you cannot see a pregnancy with ultrasound? The management of pregnancies of unknown location. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 3-4	5.8	63
62	OC016: Can we safely adopt a single visit approach to the management of pregnancies of unknown location?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 4-4	5.8	1

(2000-2003)

61	OC018: Should complete miscarriages be followed up with serum human chorionic gonadotrophin levels?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 5-5	5.8	
60	OC020: Is the discriminatory zone an outdated concept?. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 5-5	5.8	
59	Single-dose methotrexate in the treatment of cornual pregnancies diagnosed with ultrasound in the first trimester. <i>Ultrasound in Medicine and Biology</i> , 2003 , 29, S52	3.5	3
58	The conservative management of early pregnancy complications: a review of the literature. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 420-30	5.8	63
57	The role of ultrasound in the management of menorrhagia. <i>Reviews in Gynaecological Practice</i> , 2003 , 3, 16-25		
56	Amenorrhoea and Polycystic Ovarian Syndrome 2003 , 221-226		1
55	Ultrasound Characteristics of Endometriosis 2003 , 189-195		1
54	Ultrasound and Menorrhagia 2003 , 3-8		
53	The Assessment of Tubal Patency: Hystero-Contrast-Salpingography 2003, 227-231		
52	What is the correct primary diagnostic tool in the Bne-stopltlinic for the investigation of abnormal menstrual bleeding?. <i>Gynaecological Endoscopy</i> , 2002 , 11, 27-32		3
51	Sporadic abnormal vaginal bleeding (intermenstrual, postcoital and postmenopausal bleeding). <i>Current Obstetrics & Gynaecology</i> , 2002 , 12, 334-340		3
50	Transvaginal ultrasonography sonohysterography and operative hysteroscopy for the evaluation of abnormal uterine bleeding. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2001 , 80, 616-622	3.8	3
49	Re: Mol et al. Distinguishing the benign and malignant adnexal mass: an external validation of prognostic models. Gynecol Oncol 2001;80:162-7. <i>Gynecologic Oncology</i> , 2001 , 83, 166-8	4.9	3
48	The characterization of common ovarian cysts in premenopausal women. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001 , 17, 140-4	5.8	54
47	The feasibility of a 'one stop' ultrasound-based clinic for the diagnosis and management of abnormal uterine bleeding. <i>Ultrasound in Obstetrics and Gynecology</i> , 2001 , 17, 517-21	5.8	20
46	Transvaginal ultrasonography sonohysterography and operative hysteroscopy for the evaluation of abnormal uterine bleeding. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2001 , 80, 616-622	3.8	46
45	A simplified ultrasound based infertility investigation protocol and its implications for patient management. <i>Journal of Assisted Reproduction and Genetics</i> , 2000 , 17, 87-92	3.4	11
44	The endometrium in breast cancer patients on tamoxifen. <i>Archives of Gynecology and Obstetrics</i> , 2000 , 263, 170-7	2.5	29

43	Benign ovarian cysts and ovarian cancer: a cohort study with implications for screening. <i>Lancet, The</i> , 2000 , 355, 1060-3	40	70
42	Psychological impact of endometrial monitoring in tamoxifen-treated postmenopausal breast cancer patients. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2000 , 21, 225-33	3.6	1
41	The conservative management of first trimester miscarriages and the use of colour Doppler sonography for patient selection. <i>Human Reproduction</i> , 1999 , 14, 1341-5	5.7	47
40	Lack of evidence from HPLC 32P-post-labelling for tamoxifen-DNA adducts in the human endometrium. <i>Carcinogenesis</i> , 1999 , 20, 339-42	4.6	44
39	A comparison of methods for preoperative discrimination between malignant and benign adnexal masses: the development of a new logistic regression model. <i>American Journal of Obstetrics and Gynecology</i> , 1999 , 181, 57-65	6.4	127
38	The assessment of endometrial pathology and tubal patency: a comparison between the use of ultrasonography and X-ray hysterosalpingography for the investigation of infertility patients. <i>Ultrasound in Obstetrics and Gynecology</i> , 1999 , 14, 200-4	5.8	66
37	Uterine anomalies and failed surgical termination of pregnancy: the role of routine preoperative transvaginal sonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 1999 , 14, 431-3	5.8	9
36	The effects of norethisterone on endometrial abnormalities identified by transvaginal ultrasound screening of healthy post-menopausal women on tamoxifen or placebo. <i>British Journal of Cancer</i> , 1998 , 78, 272-5	8.7	24
35	A randomized trial on the use of ultrasonography or office hysteroscopy for endometrial assessment in postmenopausal patients with breast cancer who were treated with tamoxifen. <i>American Journal of Obstetrics and Gynecology</i> , 1998 , 179, 62-70	6.4	132
34	III.2 Saline infusion sonography (SIS) or office hysteroscopy: Which one is the best? A prospective randomised study. <i>European Journal of Cancer</i> , 1998 , 34, S32-S33	7.5	O
33	VI.6 Detection of DNA adducts in the human endometrium: a lack of evidence. <i>European Journal of Cancer</i> , 1998 , 34, S66-S67	7.5	O
32	Preovulatory changes of blood flow in different regions of the human follicle. <i>Fertility and Sterility</i> , 1998 , 69, 435-42	4.8	83
31	Screening strategies for ovarian cancer. Current Opinion in Obstetrics and Gynecology, 1998, 10, 33-9	2.4	16
30	Ultrasound in gynecology: endometrium. <i>International Journal of Gynecology and Obstetrics</i> , 1997 , 56, 115-27	4	23
29	Hormone replacement therapy after transcervical resection of the endometrium. <i>Obstetrics and Gynecology</i> , 1996 , 88, 767-70	4.9	13
28	Associations between ultrasound indices of follicular blood flow, oocyte recovery and preimplantation embryo quality. <i>Human Reproduction</i> , 1996 , 11, 109-13	5.7	73
27	Regulation of corpus luteum function in early human pregnancy**Supported by The Swedish Medical Research Council (grant no. B95117X-11237101A) and The Swedish Medical Society, Stockholm, Sweden <i>Fertility and Sterility</i> , 1996 , 65, 81-86	4.8	8
26	A comparison of intratumoural indices of blood flow velocity and impedance for the diagnosis of ovarian cancer. <i>Ultrasound in Medicine and Biology</i> , 1996 , 22, 837-43	3.5	29

(1991-1995)

25	Evaluating the endometrium of postmenopausal women with transvaginal ultrasonography. <i>Ultrasound in Obstetrics and Gynecology</i> , 1995 , 6, 75-80	5.8	19	
24	False positive results in ovarian cancer screening: One year follow-up of psychological status. <i>Psychology and Health</i> , 1994 , 10, 33-40	2.9	28	
23	Association of ovarian malignancy with expression of platelet-derived endothelial cell growth factor. <i>Journal of the National Cancer Institute</i> , 1994 , 86, 1234-8	9.7	141	
22	Transvaginal ultrasound-guided ovarian endoscopy: a novel approach to the assessment of ovarian tumors. <i>Ultrasound in Obstetrics and Gynecology</i> , 1994 , 4, 130-4	5.8	6	
21	The potential role of serum CA 125 in an ultrasound-based screening program for familial ovarian cancer. <i>Gynecologic Oncology</i> , 1994 , 52, 379-85	4.9	46	
20	Effects of tamoxifen on uterus. <i>Lancet, The</i> , 1994 , 344, 622-3	40	9	
19	Effects of tamoxifen on uterus and ovaries of postmenopausal women in a randomised breast cancer prevention trial. <i>Lancet, The</i> , 1994 , 343, 1318-21	40	463	
18	Feasibility study of a randomised trial of ovarian cancer screening among the general population. <i>Journal of Medical Screening</i> , 1994 , 1, 209-14	1.4	26	
17	Screening for ovarian cancer by transvaginal sonography and colour Doppler. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1993 , 49, 33-4	2.4	4	
16	The early detection and assessment of endometrial cancer by transvaginal colour Doppler ultrasonography. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1993 , 49, 44-5	2.4	4	
15	Risk of ovarian cancer and genetic relationship to other cancers in families. <i>Human Heredity</i> , 1993 , 43, 111-5	1.1	20	
14	Screening for Ovarian Cancer 1993 , 141-152			
13	Identification and quantification of rodent malaria strains and species using gene probes. <i>Parasitology</i> , 1992 , 105 (Pt 1), 21-7	2.7	9	
12	Assessment of parasite population dynamics in mixed infections of rodent plasmodia. <i>Parasitology</i> , 1992 , 105 (Pt 3), 363-74	2.7	31	
11	Use of family history in a screening clinic for familial ovarian cancer. <i>Gynecologic Oncology</i> , 1992 , 47, 24	17 <u>4</u> 533	17	
10	Ovarian morphology, endocrine function and intra-follicular blood flow during the peri-ovulatory period. <i>Human Reproduction</i> , 1991 , 6, 319-24	5.7	109	
9	Detection of endometrial cancer by transvaginal ultrasonography with color flow imaging and blood flow analysis: a preliminary report. <i>Gynecologic Oncology</i> , 1991 , 40, 253-9	4.9	90	
8	Ultrasound screening for familial ovarian cancer. <i>Gynecologic Oncology</i> , 1991 , 43, 92-7	4.9	109	

7	Ovarian cancer screening. European Journal of Cancer & Clinical Oncology, 1991 , 27, 655-9	21
6	Transabdominal ultrasound screening for early ovarian cancer: Authors' reply 1990 , 300, 194-194	
5	A comparison of the efficacy of gemeprost vaginal pessaries and extra-amniotic prostaglandin E2 gel in the induction of middle trimester abortion. <i>Journal of Obstetrics and Gynaecology</i> , 1990 , 10, 304-5 ^{1.3}	1
4	Detection of early ovarian cancer. <i>Lancet, The</i> , 1990 , 336, 436	3
3	Oestrogens, arterial status, and postmenopausal women. <i>Lancet, The</i> , 1990 , 335, 1470-1	138
2	Transvaginal colour flow imaging: a possible new screening technique for ovarian cancer. <i>BMJ:</i> British Medical Journal, 1989 , 299, 1367-70	236

Pelvic utrasound and interventional radiology106-119