
Witold Jeleniewicz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7862142/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Xanthohumol inhibits the extracellular signal regulated kinase (ERK) signalling pathway and suppresses cell growth of lung adenocarcinoma cells. Toxicology, 2016, 357-358, 65-73.	4.2	40
2	Histone Deacetylase Inhibitor SAHA as Potential Targeted Therapy Agent for Larynx Cancer Cells. Journal of Cancer, 2017, 8, 19-28.	2.5	38
3	Interaction Between Val158Met Catecholâ€Oâ€Methyltransferase Polymorphism and Social Cognitive Functioning in Schizophrenia: Pilot Study. Annals of Human Genetics, 2017, 81, 267-275.	0.8	21
4	Osthole induces apoptosis, suppresses cell-cycle progression and proliferation of cancer cells. Anticancer Research, 2014, 34, 6473-80.	1.1	19
5	<i>MMP-2</i> mRNA Expression in Ovarian Cancer Tissues Predicts Patients' Response to Platinum-Taxane Chemotherapy. Anticancer Research, 2019, 39, 1821-1827.	1.1	18
6	A Crosstalk between Diet, Microbiome and microRNA in Epigenetic Regulation of Colorectal Cancer. Nutrients, 2021, 13, 2428.	4.1	18
7	Cyclin I correlates with VEGFR-2 and cell proliferation in human epithelial ovarian cancer. Gynecologic Oncology, 2012, 127, 217-222.	1.4	17
8	<p>Histone deacetylase inhibitors reinforce the phenotypical markers of breast epithelial or mesenchymal cancer cells but inhibit their migratory properties</p> . Cancer Management and Research, 2019, Volume 11, 8345-8358.	1.9	14
9	Plateletcrit and Mean Platelet Volume in the Evaluation of Alcoholic Liver Cirrhosis and Nonalcoholic Fatty Liver Disease Patients. BioMed Research International, 2021, 2021, 1-9.	1.9	13
10	Quinaldic acid inhibits proliferation of colon cancer HT-29 cells in vitro: Effects on signaling pathways. European Journal of Pharmacology, 2015, 757, 21-27.	3.5	12
11	Serum miR‑210‑3p can be used to differentiate between patients with pancreatic ductal adenocarcinoma and chronic pancreatitis. Biomedical Reports, 2020, 14, 1-1.	2.0	12
12	An Insight into miR-1290: An Oncogenic miRNA with Diagnostic Potential. International Journal of Molecular Sciences, 2022, 23, 1234.	4.1	12
13	Elevated miRNA Inversely Correlates with E-cadherin Gene Expression in Tissue Biopsies from Crohn Disease Patients in contrast to Ulcerative Colitis Patients. BioMed Research International, 2020, 2020, 1-7.	1.9	10
14	Cyclin A correlates with YB1, progression and resistance to chemotherapy in human epithelial ovarian cancer. Anticancer Research, 2015, 35, 1715-21.	1.1	9
15	Towards an evaluation of alcoholic liver cirrhosis and nonalcoholic fatty liver disease patients with hematological scales. World Journal of Gastroenterology, 2020, 26, 7538-7549.	3.3	7
16	Quinaldic acid induces changes in the expression of p53 tumor suppressor both on protein and gene level in colon cancer LS180 cells. Pharmacological Reports, 2019, 71, 189-193.	3.3	4
17	MMP-9 and MMP-2 regulation in patients undergoing non-oncological and non-vascular elective surgery independent of the use of propofol or sevoflurane. Pharmacological Reports, 2019, 71, 528-534.	3.3	2
18	Epidermal Growth Factor Receptor and its Oncogenic <i>EGFRvIII</i> Variant in Benign and Malignant Brain Tumors. Anticancer Research, 2021, 41, 983-991.	1.1	2

#	Article	IF	CITATIONS
19	Cyclin I mRNA expression correlates with kinase insert domain receptor expression in human epithelial ovarian cancer. Anticancer Research, 2015, 35, 1115-9.	1.1	1
20	The role of ionotropic glutamate receptors in cancer biology. Wspolczesna Onkologia, 2010, 5, 291-296.	1.4	0
21	Detailed Clinical, Immunological and Molecular Analysis of NOTCH1, SF3B1 and MYD88 mutations in Chronic Lymphocytic Leukemia Patients Reveals Accumulation of Negative Prognostic Features in NOTCH1 and SF3B1 mutated Individuals. Blood, 2016, 128, 5570-5570.	1.4	Ο