

# Jurandir J Dalle Lucca

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7862658/publications.pdf>

Version: 2024-02-01

28  
papers

899  
citations

361413  
20  
h-index

501196  
28  
g-index

28  
all docs

28  
docs citations

28  
times ranked

1488  
citing authors

#	ARTICLE	IF	CITATIONS
1	Complement and coagulation cascades in trauma. <i>Acute Medicine &amp; Surgery</i> , 2019, 6, 329-335.	1.2	31
2	Early complementopathy predicts the outcomes of patients with trauma. <i>Trauma Surgery and Acute Care Open</i> , 2019, 4, e000217.	1.6	19
3	Intracellular Activation of Complement 3 Is Responsible for Intestinal Tissue Damage during Mesenteric Ischemia. <i>Journal of Immunology</i> , 2017, 198, 788-797.	0.8	68
4	IL-17A Produced by Innate Lymphoid Cells Is Essential for Intestinal Ischemia-Reperfusion Injury. <i>Journal of Immunology</i> , 2017, 199, 2921-2929.	0.8	14
5	C3a Enhances the Formation of Intestinal Organoids through C3aR1. <i>Frontiers in Immunology</i> , 2017, 8, 1046.	4.8	24
6	Complement Activation in Trauma Patients Alters Platelet Function. <i>Shock</i> , 2016, 46, 83-88.	2.1	27
7	C1 Inhibitor Limits Organ Injury and Prolongs Survival in Swine Subjected to Battlefield Simulated Injury. <i>Shock</i> , 2016, 46, 177-188.	2.1	16
8	Differential regulation of oxidative burst by distinct $\beta$ -glucan-binding receptors and signaling pathways in human peripheral blood mononuclear cells. <i>Glycobiology</i> , 2014, 24, 379-391.	2.5	30
9	Decay-accelerating factor limits hemorrhage-instigated tissue injury and improves resuscitation clinical parameters. <i>Journal of Surgical Research</i> , 2013, 179, 153-167.	1.6	22
10	Complement depletion protects lupus-prone mice from ischemia-reperfusion-initiated organ injury. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, G283-G292.	3.4	3
11	R-spondin3 prevents mesenteric ischemia/reperfusion-induced tissue damage by tightening endothelium and preventing vascular leakage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 14348-14353.	7.1	36
12	Evolution of biomedical research during combat operations. <i>Journal of Trauma and Acute Care Surgery</i> , 2013, 75, S115-S119.	2.1	5
13	Effects of C1 Inhibitor on Tissue Damage in a Porcine Model of Controlled Hemorrhage. <i>Shock</i> , 2012, 38, 82-91.	2.1	38
14	Platelets orchestrate remote tissue damage after mesenteric ischemia-reperfusion. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 302, G888-G897.	3.4	26
15	Blast-induced moderate neurotrauma (BINT) elicits early complement activation and tumor necrosis factor alpha (TNF $\alpha$ ) release in a rat brain. <i>Journal of the Neurological Sciences</i> , 2012, 318, 146-154.	0.6	49
16	Platelet-Associated CD40/CD154 Mediates Remote Tissue Damage after Mesenteric Ischemia/Reperfusion Injury. <i>PLoS ONE</i> , 2012, 7, e32260.	2.5	24
17	The Role of Platelet Factor 4 in Local and Remote Tissue Damage in a Mouse Model of Mesenteric Ischemia/Reperfusion Injury. <i>PLoS ONE</i> , 2012, 7, e39934.	2.5	28
18	Depletion of gut commensal bacteria attenuates intestinal ischemia/reperfusion injury. <i>American Journal of Physiology - Renal Physiology</i> , 2011, 301, G1020-G1030.	3.4	83

#	ARTICLE	IF	CITATIONS
19	A Novel Inhibitor of the Alternative Pathway of Complement Attenuates Intestinal Ischemia/Reperfusion-Induced Injury. <i>Journal of Surgical Research</i> , 2011, 167, e131-e136.	1.6	30
20	Decay-Accelerating Factor Attenuates C-Reactive Protein-Potentiated Tissue Injury After Mesenteric Ischemia/Reperfusion. <i>Journal of Surgical Research</i> , 2011, 167, e103-e115.	1.6	22
21	Decay-Accelerating Factor Mitigates Controlled Hemorrhage-Instigated Intestinal and Lung Tissue Damage and Hyperkalemia in Swine. <i>Journal of Trauma</i> , 2011, 71, S151-S160.	2.3	15
22	Immunopathogenesis of ischemia/reperfusion-associated tissue damage. <i>Clinical Immunology</i> , 2011, 141, 3-14.	3.2	72
23	Spleen tyrosine kinase inhibition prevents tissue damage after ischemia-reperfusion. <i>American Journal of Physiology - Renal Physiology</i> , 2010, 299, G391-G399.	3.4	45
24	IL-17 producing CD4+ T cells mediate accelerated ischemia/reperfusion-induced injury in autoimmunity-prone mice. <i>Clinical Immunology</i> , 2009, 130, 313-321.	3.2	77
25	B cells contribute to ischemia/reperfusion-mediated tissue injury. <i>Journal of Autoimmunity</i> , 2009, 32, 195-200.	6.5	39
26	An In Vitro Evaluation of the Cytotoxicity of Various Endodontic Irrigants On Human Gingival Fibroblasts. <i>Journal of Endodontics</i> , 2005, 31, 613-615.	3.1	49
27	Neointima formation in the rat carotid artery is exacerbated by dietary copper deficiency. <i>Experimental Biology and Medicine</i> , 2002, 227, 487-91.	2.4	4
28	Role of smooth muscle cell membrane potential in neointima formation in arteries of spontaneously hypertensive rats. <i>Pathophysiology</i> , 2001, 7, 245-250.	2.2	3