

Jussi Kauhanen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7863598/publications.pdf>

Version: 2024-02-01

171
papers

8,800
citations

57719

44
h-index

48277

88
g-index

175
all docs

175
docs citations

175
times ranked

14484
citing authors

#	ARTICLE	IF	CITATIONS
1	Predicting risk of cardiovascular death in the high-dimensional cohort follow-up data in the presence of competing events: a guide for building a modeling pipeline. <i>Biostatistics and Epidemiology</i> , 2023, 7, .	0.4	1
2	Exercise cardiac power and the risk of heart failure in men: A population-based follow-up study. <i>Journal of Sport and Health Science</i> , 2022, 11, 266-271.	3.3	3
3	Economic recession and cardiovascular disease among women: a cohort study from Eastern Finland. <i>Scandinavian Journal of Public Health</i> , 2022, 50, 250-256.	1.2	0
4	I don't leave my people; They need me: Qualitative research of local health care professionals' working motivations in Syria. <i>Conflict and Health</i> , 2022, 16, 1.	1.0	26
5	Lipid profile, lipid ratios, apolipoproteins, and risk of cardiometabolic multimorbidity in men: The Kuopio Ischaemic Heart Disease Risk Factor Study. <i>Lipids</i> , 2022, 57, 141-149.	0.7	8
6	Economic Recession and the Long Term Risk of Psychiatric Disorders and Alcohol Related Diseasesâ€”A Cohort Study From Eastern Finland. <i>Frontiers in Psychiatry</i> , 2022, 13, 794888.	1.3	1
7	Epidemiological predictive modeling: lessons learned from the Kuopio ischemic heart disease risk factor study. <i>Annals of Epidemiology</i> , 2022, 70, 1-8.	0.9	4
8	Lipid levels, apolipoproteins, and risk of incident atrial fibrillation in men: A report from the Kuopio Ischaemic Heart Disease Risk Factor Study (KIHD). <i>Journal of Clinical Lipidology</i> , 2022, 16, 447-454.	0.6	3
9	Antimicrobial activity of commercial organic honeys against clinical isolates of human pathogenic bacteria. <i>Organic Agriculture</i> , 2022, 12, 267-277.	1.2	2
10	The effects of loneliness and social isolation on all-cause, injury, cancer, and CVD mortality in a cohort of middle-aged Finnish men. A prospective study. <i>Aging and Mental Health</i> , 2021, 25, 2219-2228.	1.5	19
11	Association between ideal cardiovascular health and risk of sudden cardiac death and all-cause mortality among middle-aged men in Finland. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 294-300.	0.8	21
12	The difference in chronic inflammation between individuals with officially documented and self-reported adverse childhood experiences is maintained until older middle-age. <i>Psychological Medicine</i> , 2021, 51, 1049-1051.	2.7	2
13	Impact of cardiorespiratory fitness on survival in men with low socioeconomic status. <i>European Journal of Preventive Cardiology</i> , 2021, 28, 450-455.	0.8	22
14	Physical activity may not be associated with longâ€”term risk of dementia and Alzheimerâ€”s disease. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13415.	1.7	13
15	Economic Recession and the Risk of Cancer: A Cohort Study From Eastern Finland. <i>Journal of Epidemiology</i> , 2021, , .	1.1	1
16	Caught in crossfire: health care workersâ€™ experiences of violence in Syria. <i>Medicine, Conflict and Survival</i> , 2021, 37, 34-54.	0.3	11
17	The difference in chronic inflammation between individuals with officially documented and self-reported adverse childhood experiences is maintained until older middle-age. <i>Psychological Medicine</i> , 2021, , 1-3.	2.7	0
18	Response to Letter by Benson <i>et al.</i> on â€”Hangover and the Effects of L-Cysteineâ€™. <i>Alcohol and Alcoholism</i> , 2021, 56, 630-631.	0.9	1

#	ARTICLE	IF	CITATIONS
19	Does social health insurance prevent financial hardship in Mongolia? Inpatient care: A case in point. PLoS ONE, 2021, 16, e0248518.	1.1	6
20	Depression and loneliness may have a direct connection without mediating factors. Nordic Journal of Psychiatry, 2021, 75, 553-557.	0.7	12
21	Mass testing for COVID-19 in Ulaanbaatar, Mongolia: "One door-one test" approach. The Lancet Regional Health - Western Pacific, 2021, 9, 100149.	1.3	3
22	Loneliness and social isolation increase cancer incidence in a cohort of Finnish middle-aged men. A longitudinal study. Psychiatry Research, 2021, 299, 113868.	1.7	15
23	The determinants of under-5 age children malnutrition and the differences in the distribution of stunting "A study from Armenia. PLoS ONE, 2021, 16, e0249776.	1.1	3
24	Post-Analysis of Predictive Modeling with an Epidemiological Example. Healthcare (Switzerland), 2021, 9, 792.	1.0	0
25	Life's Simple 7 and the risk of stroke in Finnish men: A prospective cohort study. Preventive Medicine, 2021, 153, 106858.	1.6	8
26	I had to leave. I had to leave my clinic, my city, leave everything behind in Syria. Qualitative research of Syrian healthcare workers migrating from the war-torn country. BMJ Open, 2021, 11, e049941.	0.8	9
27	Progression of conventional cardiovascular risk factors and vascular disease risk in individuals: insights from the PROG-IMT consortium. European Journal of Preventive Cardiology, 2020, 27, 234-243.	0.8	10
28	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. International Journal of Epidemiology, 2020, 49, 173-192.	0.9	44
29	Leisure-time cross-country skiing is associated with lower incidence of type 2 diabetes: A prospective cohort study. Diabetes/Metabolism Research and Reviews, 2020, 36, e3216.	1.7	3
30	Changes in Circulating Metabolome Precede Alcohol-Related Diseases in Middle-Aged Men: A Prospective Population-Based Study With a 30-Year Follow-Up. Alcoholism: Clinical and Experimental Research, 2020, 44, 2457-2467.	1.4	6
31	Sense of Coherence and Mortality: A Systematic Review and Meta-Analysis. Psychosomatic Medicine, 2020, 82, 561-567.	1.3	13
32	L-Cysteine Containing Vitamin Supplement Which Prevents or Alleviates Alcohol-related Hangover Symptoms: Nausea, Headache, Stress and Anxiety. Alcohol and Alcoholism, 2020, 55, 660-666.	0.9	10
33	Parental Alcohol Problems, Parental Divorce, and Type 2 Diabetes in Adulthood: A Longitudinal Prospective Cohort Study in Middle-Aged Men. Psychosomatic Medicine, 2020, 82, 817-822.	1.3	0
34	Association Between Depressive Symptoms and Incident Cardiovascular Diseases. JAMA - Journal of the American Medical Association, 2020, 324, 2396.	3.8	152
35	Sub-chronic toxicity evaluation of top three commercial herbal antimalarial preparations in the Kumasi metropolis, Ghana. Bioscience Reports, 2020, 40, .	1.1	3
36	Sauna bathing reduces the risk of venous thromboembolism: a prospective cohort study. European Journal of Epidemiology, 2019, 34, 983-986.	2.5	18

#	ARTICLE	IF	CITATIONS
37	American heart association's cardiovascular health metrics and risk of cardiovascular disease mortality among a middle-aged male Scandinavian population. <i>Annals of Medicine</i> , 2019, 51, 306-313.	1.5	11
38	Finnish sauna bathing does not increase or decrease the risk of cancer in men: A prospective cohort study. <i>European Journal of Cancer</i> , 2019, 121, 184-191.	1.3	6
39	World Health Organization cardiovascular disease risk charts: revised models to estimate risk in 21 global regions. <i>The Lancet Global Health</i> , 2019, 7, e1332-e1345.	2.9	554
40	Ideal cardiovascular health and risk of acute myocardial infarction among Finnish men. <i>Atherosclerosis</i> , 2019, 289, 126-131.	0.4	18
41	Lipoprotein(a) is not associated with venous thromboembolism risk. <i>Scandinavian Cardiovascular Journal</i> , 2019, 53, 125-132.	0.4	7
42	Heavy metal content and health risk assessment of commonly patronized herbal medicinal preparations from the Kumasi metropolis of Ghana. <i>Journal of Environmental Health Science & Engineering</i> , 2019, 17, 609-618.	1.4	24
43	Serum Albumin and Future Risk of Hip, Humeral, and Wrist Fractures in Caucasian Men: New Findings from a Prospective Cohort Study. <i>Medical Principles and Practice</i> , 2019, 28, 401-409.	1.1	9
44	Leisure-time cross-country skiing is associated with lower incidence of hypertension. <i>Journal of Hypertension</i> , 2019, 37, 1624-1632.	0.3	5
45	Dietary intake of magnesium and the risk of epilepsy in middle-aged and older Finnish men: A 22-year follow-up study in a general population. <i>Nutrition</i> , 2019, 58, 36-39.	1.1	11
46	Alcohol-related social and health service use patterns as predictors of death and remission in patients with AUD. <i>Journal of Substance Abuse Treatment</i> , 2019, 96, 65-74.	1.5	3
47	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , 2019, 40, 621-631.	1.0	97
48	Cardiovascular Risk Factors Associated With Venous Thromboembolism. <i>JAMA Cardiology</i> , 2019, 4, 163.	3.0	187
49	Marriage Dissatisfaction and the Risk of Sudden Cardiac Death Among Men. <i>American Journal of Cardiology</i> , 2019, 123, 7-11.	0.7	11
50	Contemporary dance intervention in mild-to-moderate depression: A pilot study. <i>Journal of Dance and Somatic Practices</i> , 2019, 11, 143-156.	0.0	1
51	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. <i>Lancet</i> , 2018, 391, 1513-1523.	6.3	858
52	Follicle-Stimulating Hormone Levels and Subclinical Atherosclerosis in Older Postmenopausal Women. <i>American Journal of Epidemiology</i> , 2018, 187, 16-26.	1.6	13
53	Determinants of hospitalizations for pneumonia among Finnish drug users. <i>SAGE Open Medicine</i> , 2018, 6, 205031211878431.	0.7	7
54	Evolutionary methods for variable selection in the epidemiological modeling of cardiovascular diseases. <i>BioData Mining</i> , 2018, 11, 18.	2.2	1

#	ARTICLE	IF	CITATIONS
55	Predictive value for cardiovascular events of common carotid intima media thickness and its rate of change in individuals at high cardiovascular risk – Results from the PROG-IMT collaboration. PLoS ONE, 2018, 13, e0191172.	1.1	51
56	Diabetes hospitalizations and deaths in a cohort of treatment-seeking illicit drug users. SAGE Open Medicine, 2018, 6, 205031211876816.	0.7	3
57	Antimalarial Activity of <i>Croton macrostachyus</i> Stem Bark Extracts against <i>Plasmodium berghei</i> In Vivo. Journal of Pathogens, 2018, 2018, 1-6.	0.9	13
58	Association of childhood stress with late-life dementia and Alzheimer's disease: the KIHJ study. European Journal of Public Health, 2018, 28, 1069-1073.	0.1	59
59	Effect of Cardiorespiratory Fitness on Risk of Sudden Cardiac Death in Overweight/Obese Men Aged 42 to 60 Years. American Journal of Cardiology, 2018, 122, 775-779.	0.7	5
60	Association of fatty liver index with the risk of incident cardiovascular disease and acute myocardial infarction. European Journal of Gastroenterology and Hepatology, 2018, 30, 1047-1054.	0.8	39
61	Serum dihomo- γ -linolenic acid level is inversely associated with the risk of depression. A 21-year follow-up study in general population men. Journal of Affective Disorders, 2017, 213, 151-155.	2.0	6
62	Self-reported sleep disturbance and incidence of dementia in ageing men. Journal of Epidemiology and Community Health, 2017, 71, 329-335.	2.0	22
63	Sauna Bathing and Incident Hypertension: A Prospective Cohort Study. American Journal of Hypertension, 2017, 30, 1120-1125.	1.0	59
64	Alcohol Consumption and Common Carotid Intima-Media Thickness: The USE-IMT Study. Alcohol and Alcoholism, 2017, 52, 483-486.	0.9	7
65	Association of follicle-stimulating hormone levels and risk of type 2 diabetes in older postmenopausal women. Menopause, 2017, 24, 796-802.	0.8	21
66	High levels of cynical distrust partly predict premature mortality in middle-aged to ageing men. Journal of Behavioral Medicine, 2017, 40, 612-619.	1.1	6
67	Sauna bathing is inversely associated with dementia and Alzheimer's disease in middle-aged Finnish men. Age and Ageing, 2017, 46, 245-249.	0.7	81
68	Low serum 25-hydroxyvitamin D is associated with higher risk of frequent headache in middle-aged and older men. Scientific Reports, 2017, 7, 39697.	1.6	17
69	Physical activity and 22-year all-cause and coronary heart disease mortality. American Journal of Industrial Medicine, 2017, 60, 976-990.	1.0	32
70	Free and universal, but unequal utilization of primary health care in the rural and urban areas of Mongolia. International Journal for Equity in Health, 2017, 16, 73.	1.5	19
71	Association between route of illicit drug administration and hospitalizations for infective endocarditis. SAGE Open Medicine, 2017, 5, 205031211774098.	0.7	4
72	Clustering of cardiovascular risk factors and carotid intima-media thickness: The USE-IMT study. PLoS ONE, 2017, 12, e0173393.	1.1	13

#	ARTICLE	IF	CITATIONS
73	Antimicrobial Activity of <i>Croton macrostachyus</i> Stem Bark Extracts against Several Human Pathogenic Bacteria. <i>Journal of Pathogens</i> , 2016, 2016, 1-5.	0.9	25
74	Shift work and 20-year incidence of acute myocardial infarction: results from the Kuopio Ischemic Heart Disease Risk Factor Study. <i>Occupational and Environmental Medicine</i> , 2016, 73, 588-594.	1.3	14
75	Catastrophic health expenditure and impoverishment in Mongolia. <i>International Journal for Equity in Health</i> , 2016, 15, 105.	1.5	60
76	Association between routes of drug administration and all-cause mortality among drug users. <i>Journal of Substance Use</i> , 2016, 21, 559-565.	0.3	10
77	Natriuretic peptides and integrated risk assessment for cardiovascular disease: an individual-participant-data meta-analysis. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 840-849.	5.5	159
78	Inflammatory biomarker score and cancer: A population-based prospective cohort study. <i>BMC Cancer</i> , 2016, 16, 80.	1.1	34
79	Inflammatory markers and extent and progression of early atherosclerosis: Meta-analysis of individual-participant-data from 20 prospective studies of the PROG-IMT collaboration. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 194-205.	0.8	74
80	Hepatitis C as a risk factor for carotid atherosclerosis – a systematic review. <i>Clinical Physiology and Functional Imaging</i> , 2016, 36, 249-260.	0.5	18
81	Normative values for carotid intima media thickness and its progression: Are they transferrable outside of their cohort of origin?. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1165-1173.	0.8	33
82	Dietary magnesium intake and the incidence of depression: A 20-year follow-up study. <i>Journal of Affective Disorders</i> , 2016, 193, 94-98.	2.0	47
83	Reply to Dr. Kawada – Short sleep duration and serum copper. <i>Journal of Trace Elements in Medicine and Biology</i> , 2016, 35, 123.	1.5	0
84	Serum long-chain omega-3 polyunsaturated fatty acids and risk of orthostatic hypotension. <i>Hypertension Research</i> , 2016, 39, 543-547.	1.5	3
85	Metabolic syndrome and the risk of sudden cardiac death in middle-aged men. <i>International Journal of Cardiology</i> , 2016, 203, 792-797.	0.8	38
86	Cardiorespiratory fitness and lung cancer risk: A prospective population-based cohort study. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 98-102.	0.6	18
87	Serum ferritin and glucose homeostasis: change in the association by glycaemic state. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 507-514.	1.7	13
88	Income-related inequalities in health care utilization in Mongolia, 2007/2008–2012. <i>International Journal for Equity in Health</i> , 2015, 14, 57.	1.5	29
89	Independent and combined effects of physical activity and body mass index on the development of Type 2 Diabetes – a meta-analysis of 9 prospective cohort studies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 147.	2.0	50
90	Work schedules and 11-year progression of carotid atherosclerosis in middle-aged Finnish men. <i>American Journal of Industrial Medicine</i> , 2015, 58, 1-13.	1.0	14

#	ARTICLE	IF	CITATIONS
91	Characteristics of drug-abusing females with and without children seeking treatment in Helsinki, Finland. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 221-228.	1.2	10
92	Somatic concerns, depressive traits, atherosclerosis and the incidence of cardiovascular disease in ageing Finnish men. <i>Journal of Psychosomatic Research</i> , 2015, 79, 207-213.	1.2	2
93	Explaining differences in education-related inequalities in health between urban and rural areas in Mongolia. <i>International Journal for Equity in Health</i> , 2015, 14, 154.	1.5	11
94	Serum Zinc and the Risk of Depression in Men: Observations from a 20-Year Follow-up Study. <i>Biological Psychiatry</i> , 2015, 77, e11-e12.	0.7	7
95	Plasma IL-5 concentration and subclinical carotid atherosclerosis. <i>Atherosclerosis</i> , 2015, 239, 125-130.	0.4	36
96	Carotid Intima-Media Thickness Progression and Risk of Vascular Events in People With Diabetes: Results From the PROG-IMT Collaboration. <i>Diabetes Care</i> , 2015, 38, 1921-1929.	4.3	67
97	Cardiorespiratory fitness, C-reactive protein and lung cancer risk: A prospective population-based cohort study. <i>European Journal of Cancer</i> , 2015, 51, 1365-1370.	1.3	17
98	Association of Cardiometabolic Multimorbidity With Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 52.	3.8	624
99	Impaired pulmonary function is a risk predictor for sudden cardiac death in men. <i>Annals of Medicine</i> , 2015, 47, 381-385.	1.5	17
100	Serum copper, zinc and high-sensitivity C-reactive protein in short and long sleep duration in ageing men. <i>Journal of Trace Elements in Medicine and Biology</i> , 2015, 32, 177-182.	1.5	13
101	Resting Heart Rate and Risk of Incident Heart Failure: Three Prospective Cohort Studies and a Systematic Meta-Analysis. <i>Journal of the American Heart Association</i> , 2015, 4, e001364.	1.6	51
102	Factors Associated with Hospitalization for Blood-Borne Viral Infections Among Treatment-Seeking Illicit Drug Users. <i>Journal of Substance Abuse Treatment</i> , 2015, 53, 71-77.	1.5	1
103	Hospitalization in a Cohort Seeking Treatment for Illicit Drug Use in Finland. <i>Journal of Substance Abuse Treatment</i> , 2015, 53, 64-70.	1.5	17
104	Potential Years of Life Lost Due to Premature Mortality Among Treatment-Seeking Illicit Drug Users in Finland. <i>Journal of Community Health</i> , 2015, 40, 1099-1106.	1.9	6
105	Sex-Specific Effects of Adiponectin on Carotid Intima-Media Thickness and Incident Cardiovascular Disease. <i>Journal of the American Heart Association</i> , 2015, 4, e001853.	1.6	33
106	Do depressive symptoms predict the incidence of myocardial infarction independent of hopelessness?. <i>Journal of Health Psychology</i> , 2015, 20, 60-68.	1.3	11
107	Type A Behavior Pattern is not a Predictor of Premature Mortality. <i>International Journal of Behavioral Medicine</i> , 2015, 22, 161-169.	0.8	32
108	Exercise cardiac power and the risk of sudden cardiac death in a long-term prospective study. <i>International Journal of Cardiology</i> , 2015, 181, 155-159.	0.8	10

#	ARTICLE	IF	CITATIONS
109	Association between HOMA-IR, fasting insulin and fasting glucose with coronary heart disease mortality in nondiabetic men: a 20-year observational study. <i>Acta Diabetologica</i> , 2015, 52, 183-186.	1.2	15
110	Occupational physical activity and 20-year incidence of acute myocardial infarction: results from the Kuopio Ischemic Heart Disease Risk Factor Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 124-139.	1.7	67
111	Testosterone, Sex Hormone-Binding Globulin and the Metabolic Syndrome in Men: An Individual Participant Data Meta-Analysis of Observational Studies. <i>PLoS ONE</i> , 2014, 9, e100409.	1.1	162
112	Patterns and 14-year trends in mortality among illicit drug users in Finland: The HUUTI study. <i>International Journal of Drug Policy</i> , 2014, 25, 1047-1053.	1.6	12
113	Assessing Risk Prediction Models Using Individual Participant Data From Multiple Studies. <i>American Journal of Epidemiology</i> , 2014, 179, 621-632.	1.6	47
114	Glycated Hemoglobin Measurement and Prediction of Cardiovascular Disease. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 1225.	3.8	179
115	Dietary patterns are associated with the prevalence of elevated depressive symptoms and the risk of getting a hospital discharge diagnosis of depression in middle-aged or older Finnish men. <i>Journal of Affective Disorders</i> , 2014, 159, 1-6.	2.0	58
116	Plasma autoantibodies against apolipoprotein B-100 peptide 210 in subclinical atherosclerosis. <i>Atherosclerosis</i> , 2014, 232, 242-248.	0.4	27
117	Low levels of IgM antibodies against phosphorylcholine are associated with fast carotid intima media thickness progression and cardiovascular risk in men. <i>Atherosclerosis</i> , 2014, 236, 394-399.	0.4	23
118	A serum 25-hydroxyvitamin D concentration-associated genetic variant in DHCR7 interacts with type 2 diabetes status to influence subclinical atherosclerosis (measured by carotid intima-media thickness) in middle-aged men. <i>Journal of Internal Medicine</i> , 2014, 275, 377-387.	1.2	12
119	Factors associated with buprenorphine compared to amphetamine abuse among clients seeking treatment in Finland. <i>Journal of Substance Abuse Treatment</i> , 2014, 46, 561-566.	1.5	6
120	Trait anxiety and somatic concerns associate with increased mortality risk: a 23-year follow-up in aging men. <i>Annals of Epidemiology</i> , 2014, 24, 463-468.	0.9	28
121	Fasting Plasma Glucose and Incident Heart Failure Risk: A Population-Based Cohort Study and New Meta-analysis. <i>Journal of Cardiac Failure</i> , 2014, 20, 584-592.	0.7	17
122	Antimicrobial activity of different Finnish monofloral honeys against human pathogenic bacteria. <i>Apmis</i> , 2013, 121, 827-834.	0.9	31
123	Mortality among clients seeking treatment for buprenorphine abuse in Finland. <i>Drug and Alcohol Dependence</i> , 2013, 133, 391-397.	1.6	12
124	Dietary zinc intake and the risk of depression in middle-aged men: A 20-year prospective follow-up study. <i>Journal of Affective Disorders</i> , 2013, 150, 682-685.	2.0	37
125	Extended-release methylphenidate for treatment of amphetamine/methamphetamine dependence: a randomized, double-blind, placebo-controlled trial. <i>Addiction</i> , 2013, 108, 1279-1286.	1.7	56
126	Twelve-year trend in treatment seeking for buprenorphine abuse in Finland. <i>Drug and Alcohol Dependence</i> , 2013, 127, 207-214.	1.6	26

#	ARTICLE	IF	CITATIONS
127	Serum 25-Hydroxyvitamin D Concentration in Subclinical Carotid Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, 2633-2638.	1.1	33
128	Alcohol consumption and the risk of stroke among hypertensive and overweight men. <i>Journal of Neurology</i> , 2013, 260, 534-539.	1.8	7
129	Prediagnostic circulating markers of inflammation and risk of prostate cancer. <i>International Journal of Cancer</i> , 2013, 133, 2961-2967.	2.3	40
130	Prevalence of Concomitant Use of Alcohol and Sedative-Hypnotic Drugs in Middle and Older Aged Persons: A Systematic Review. <i>Annals of Pharmacotherapy</i> , 2013, 47, 257-268.	0.9	39
131	Serum Carotenoids Reduce Progression of Early Atherosclerosis in the Carotid Artery Wall among Eastern Finnish Men. <i>PLoS ONE</i> , 2013, 8, e64107.	1.1	41
132	Myocardial infarction in relation to mercury and fatty acids from fish: a risk-benefit analysis based on pooled Finnish and Swedish data in men. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 706-713.	2.2	49
133	Serum long-chain n-3 polyunsaturated fatty acids, methylmercury and blood pressure in an older population. <i>Hypertension Research</i> , 2012, 35, 1000-1004.	1.5	23
134	Adult height and the risk of cause-specific death and vascular morbidity in 1 million people: individual participant meta-analysis. <i>International Journal of Epidemiology</i> , 2012, 41, 1419-1433.	0.9	230
135	Sociodemographic Characteristics and Drug Abuse Patterns of Treatment-Seeking Illicit Drug Abusers in Finland, 1997â€“2008: The Huuti Study. <i>Journal of Addictive Diseases</i> , 2012, 31, 350-362.	0.8	40
136	Serum Î²-Carotene in Relation to Risk of Prostate Cancer: The Kuopio Ischaemic Heart Disease Risk Factor Study. <i>Nutrition and Cancer</i> , 2012, 64, 361-367.	0.9	25
137	Relation of Systemic Blood Pressure to Sudden Cardiac Death. <i>American Journal of Cardiology</i> , 2012, 110, 378-382.	0.7	30
138	Alcohol Consumption and Dietary Patterns: The FinDrink Study. <i>PLoS ONE</i> , 2012, 7, e38607.	1.1	54
139	Stability of alexithymia in the general population: an 11-year follow-up. <i>Comprehensive Psychiatry</i> , 2011, 52, 536-541.	1.5	119
140	Plasma lecithin:cholesterol acyltransferase and carotid intima-media thickness in European individuals at high cardiovascular risk. <i>Journal of Lipid Research</i> , 2011, 52, 1569-1574.	2.0	43
141	Heavy Drinking and Use of Sedative or Anxiolytic Drugs Among Aging Men: An II-Year Follow-Up of the FinDrink Study. <i>Annals of Pharmacotherapy</i> , 2011, 45, 1240-1247.	0.9	9
142	Alexithymia Is Associated With Increased Cardiovascular Mortality in Middle-Aged Finnish Men. <i>Psychosomatic Medicine</i> , 2010, 72, 187-191.	1.3	79
143	Elevated depressive symptoms and compositional changes in LDL particles in middle-aged men. <i>European Journal of Epidemiology</i> , 2010, 25, 403-409.	2.5	20
144	Binge drinking and depressive symptoms: a 5â€“year populationâ€“based cohort study. <i>Addiction</i> , 2009, 104, 1168-1178.	1.7	109

#	ARTICLE	IF	CITATIONS
145	Insertion/deletion polymorphism in β 2-adrenergic receptor gene is a genetic risk factor for sudden cardiac death. <i>American Heart Journal</i> , 2009, 158, 615-621.	1.2	22
146	Binge drinking and the progression of atherosclerosis in middle-aged men: An 11-year follow-up. <i>Atherosclerosis</i> , 2009, 205, 266-271.	0.4	24
147	Alcohol consumption and risk of colorectal cancer: the Findrink study. <i>European Journal of Epidemiology</i> , 2008, 23, 395-401.	2.5	21
148	Risk drinking behavior among psychotropic drug users in an aging Finnish population: The FinDrink study. <i>Alcohol</i> , 2008, 42, 261-267.	0.8	18
149	A comparison of three questionnaire-based measures of analgesic use over 11 years in adult males: A retrospective analysis of data from a prospective, population-based cohort study. <i>Clinical Therapeutics</i> , 2007, 29, 529-534.	1.1	8
150	Functional COMT Val158Met Polymorphism, Risk of Acute Coronary Events and Serum Homocysteine: The Kuopio Ischaemic Heart Disease Risk Factor Study. <i>PLoS ONE</i> , 2007, 2, e181.	1.1	36
151	Social disadvantages in childhood and risk of all-cause death and cardiovascular disease in later life: a comparison of historical and retrospective childhood information. <i>International Journal of Epidemiology</i> , 2006, 35, 962-968.	0.9	87
152	Socioeconomic and Psychosocial Exposures across the Life Course and Binge Drinking in Adulthood: Population-based Study. <i>American Journal of Epidemiology</i> , 2006, 165, 184-193.	1.6	50
153	Differences in brief interventions on excessive drinking and smoking by primary care physicians: qualitative study. <i>Preventive Medicine</i> , 2004, 38, 473-478.	1.6	27
154	Cardiorespiratory Fitness and Vigorous Leisure-Time Physical Activity Modify the Association of Small Size at Birth With the Metabolic Syndrome. <i>Diabetes Care</i> , 2003, 26, 2156-2164.	4.3	79
155	Factors influencing inquiry about patients' alcohol consumption by primary health care physicians: qualitative semi-structured interview study. <i>Family Practice</i> , 2003, 20, 270-275.	0.8	126
156	Alexithymia and Cardiovascular Risk in Older Adults: Psychosocial, Psychophysiological, and Biomedical Correlates. <i>Psychology and Health</i> , 2002, 17, 597-610.	1.2	48
157	Analysis of monoamine oxidase A (MAOA) promoter polymorphism in Finnish male alcoholics. <i>Psychiatry Research</i> , 2002, 109, 113-119.	1.7	69
158	Leucine7 to proline7 polymorphism in the preproneuropeptide Y is associated with the progression of carotid atherosclerosis, blood pressure and serum lipids in Finnish men. <i>Atherosclerosis</i> , 2001, 159, 145-151.	0.4	101
159	An insertion/deletion polymorphism in the β 2-adrenergic receptor gene is a novel genetic risk factor for acute coronary events. <i>Journal of the American College of Cardiology</i> , 2001, 37, 1516-1522.	1.2	110
160	Pain as a reason to visit the doctor: a study in Finnish primary health care. <i>Pain</i> , 2001, 89, 175-180.	2.0	355
161	Pattern of Alcohol Drinking and Progression of Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 3001-3006.	1.1	84
162	Prevalence of alexithymia and its association with sociodemographic variables in the general population of Finland. <i>Journal of Psychosomatic Research</i> , 1999, 46, 75-82.	1.2	417

#	ARTICLE	IF	CITATIONS
163	Review: Some health risks associated with drinking alcohol are greater for women than for men. ACP Journal Club, 1999, 130, 50.	0.1	0
164	Alexithymia and risk of death in middle-aged men. Journal of Psychosomatic Research, 1996, 41, 541-549.	1.2	137
165	Conditioning Leisure Time Physical Activity and Cardiorespiratory Fitness in Sociodemographic Groups of Middle-Aged Men in Eastern Finland. International Journal of Epidemiology, 1996, 25, 86-93.	0.9	45
166	Intake of Mercury From Fish, Lipid Peroxidation, and the Risk of Myocardial Infarction and Coronary, Cardiovascular, and Any Death in Eastern Finnish Men. Circulation, 1995, 91, 645-655.	1.6	454
167	Association between Plasma Fibrinogen Concentration and Five Socioeconomic Indices in the Kuopio Ischemic Heart Disease Risk Factor Study. American Journal of Epidemiology, 1993, 137, 292-300.	1.6	108
168	Coping with Inner Feelings and Stress: Heavy Alcohol Use in the Context of Alexithymia. Behavioral Medicine, 1992, 18, 121-126.	1.0	137
169	Validity and reliability of the Toronto Alexithymia scale (TAS) in a population study. Journal of Psychosomatic Research, 1992, 36, 687-694.	1.2	42
170	Alexithymia and Perceived Symptoms: Criterion Validity of the Toronto Alexithymia Scale. Psychotherapy and Psychosomatics, 1991, 56, 247-252.	4.0	39
171	Early Lift of Restrictions in Mongolia During the COVID-19 Pandemic: Child Rights, Public Trust, and Social Inequality. Asia-Pacific Journal of Public Health, 0, , 101053952211085.	0.4	2