

Zohar Landau

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7864299/publications.pdf>

Version: 2024-02-01

16
papers

1,353
citations

840119

11
h-index

940134

16
g-index

16
all docs

16
docs citations

16
times ranked

1884
citing authors

#	ARTICLE	IF	CITATIONS
1	High Caloric intake at breakfast vs. dinner differentially influences weight loss of overweight and obese women. <i>Obesity</i> , 2013, 21, 2504-2512.	1.5	437
2	Biochemical and metabolic mechanisms by which dietary whey protein may combat obesity and Type 2 diabetes. <i>Journal of Nutritional Biochemistry</i> , 2013, 24, 1-5.	1.9	206
3	Meal timing and composition influence ghrelin levels, appetite scores and weight loss maintenance in overweight and obese adults. <i>Steroids</i> , 2012, 77, 323-331.	0.8	130
4	Fasting Until Noon Triggers Increased Postprandial Hyperglycemia and Impaired Insulin Response After Lunch and Dinner in Individuals With Type 2 Diabetes: A Randomized Clinical Trial. <i>Diabetes Care</i> , 2015, 38, 1820-1826.	4.3	124
5	Influences of Breakfast on Clock Gene Expression and Postprandial Glycemia in Healthy Individuals and Individuals With Diabetes: A Randomized Clinical Trial. <i>Diabetes Care</i> , 2017, 40, 1573-1579.	4.3	119
6	High-energy breakfast with low-energy dinner decreases overall daily hyperglycaemia in type 2 diabetic patients: a randomised clinical trial. <i>Diabetologia</i> , 2015, 58, 912-919.	2.9	92
7	Effects of caloric intake timing on insulin resistance and hyperandrogenism in lean women with polycystic ovary syndrome. <i>Clinical Science</i> , 2013, 125, 423-432.	1.8	57
8	Reduction in Glycated Hemoglobin and Daily Insulin Dose Alongside Circadian Clock Upregulation in Patients With Type 2 Diabetes Consuming a Three-Meal Diet: A Randomized Clinical Trial. <i>Diabetes Care</i> , 2019, 42, 2171-2180.	4.3	54
9	Big breakfast rich in protein and fat improves glycemic control in type 2 diabetics. <i>Obesity</i> , 2014, 22, E46-54.	1.5	47
10	High-energy breakfast based on whey protein reduces body weight, postprandial glycemia and HbA 1C in Type 2 diabetes. <i>Journal of Nutritional Biochemistry</i> , 2017, 49, 1-7.	1.9	43
11	Role of High Energy Breakfast "Big Breakfast Diet" in Clock Gene Regulation of Postprandial Hyperglycemia and Weight Loss in Type 2 Diabetes. <i>Nutrients</i> , 2021, 13, 1558.	1.7	18
12	Improved outcome of patients with diabetes mellitus with good glycemic control in the cardiac intensive care unit: a retrospective study. <i>Cardiovascular Diabetology</i> , 2019, 18, 4.	2.7	15
13	Random blood glucose screening at a public health station encouraged high risk subjects to make lifestyle changes. <i>International Journal of Clinical Practice</i> , 2017, 71, e12984.	0.8	7
14	The link between polycystic ovarian syndrome and type 2 diabetes: preventive and therapeutic approach in Israel. <i>Israel Medical Association Journal</i> , 2012, 14, 442-7.	0.1	2
15	Hypoglycemia- simplifying the ways to predict an old problem in the general ward. <i>European Journal of Internal Medicine</i> , 2019, 60, 13-17.	1.0	1
16	Serum from type 2 diabetes patients consuming a three-meal diet resets circadian rhythms in cultured hepatocytes. <i>Diabetes Research and Clinical Practice</i> , 2021, 178, 108941.	1.1	1