List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7864473/publications.pdf Version: 2024-02-01



VIL-PINC CHIN

#	Article	IF	CITATIONS
1	Activation of persulfate by humic substances: Stoichiometry and changes in the optical properties of the humic substances. Water Research, 2022, 212, 118107.	5.3	10
2	Spatial Distribution and Biogeochemistry of Redox Active Species in Arctic Sedimentary Porewaters and Seeps. Environmental Sciences: Processes and Impacts, 2022, , .	1.7	1
3	Influence of Organic Ligands on the Redox Properties of Fe(II) as Determined by Mediated Electrochemical Oxidation. Environmental Science & Technology, 2022, 56, 9123-9132.	4.6	19
4	Winter Limnology: How do Hydrodynamics and Biogeochemistry Shape Ecosystems Under Ice?. Journal of Geophysical Research G: Biogeosciences, 2021, 126, e2020JG006237.	1.3	47
5	Carbonate Alkalinity Enhances Triclosan Photolysis. Aquatic Geochemistry, 2021, 27, 159-171.	1.5	1
6	lce Cover Influences Redox Dynamics in Prairie Pothole Wetland Sediments. Journal of Geophysical Research G: Biogeosciences, 2021, 126, e2021JG006318.	1.3	2
7	Fast Photomineralization of Dissolved Organic Matter in Acid Mine Drainage Impacted Waters. Environmental Science & Technology, 2019, 53, 6273-6281.	4.6	25
8	Photochemical acetochlor degradation induced by hydroxyl radical in Fe-amended wetland waters: Impact of pH and dissolved organic matter. Water Research, 2018, 132, 52-60.	5.3	37
9	A Tribute to George R. Aiken. Environmental Science & Technology, 2018, 52, 4489-4489.	4.6	1
10	High Pressure Size Exclusion Chromatography (HPSEC) Determination of Dissolved Organic Matter Molecular Weight Revisited: Accounting for Changes in Stationary Phases, Analytical Standards, and Isolation Methods. Environmental Science & Technology, 2018, 52, 722-730.	4.6	33
11	Abundant carbon substrates drive extremely high sulfate reduction rates and methane fluxes in Prairie Pothole Wetlands. Global Change Biology, 2017, 23, 3107-3120.	4.2	64
12	Photodegradation of UV filters oxybenzone and sulisobenzone in wastewater effluent and by dissolved organic matter. Applied Geochemistry, 2017, 83, 150-157.	1.4	26
13	Quantifying the electron donating capacities of sulfide and dissolved organic matter in sediment pore waters of wetlands. Environmental Sciences: Processes and Impacts, 2017, 19, 758-767.	1.7	16
14	Role of effluent organic matter in the photochemical degradation of compounds of wastewater origin. Water Research, 2017, 110, 170-179.	5.3	87
15	Photolysis- and Dissolved Organic Matter-Induced Toxicity of Triclocarban to <i>Daphnia magna</i> . Environmental Science and Technology Letters, 2017, 4, 457-462.	3.9	10
16	Deep echinoderm phylogeny preserved in organic molecules from Paleozoic fossils. Geology, 2016, 44, 379-382.	2.0	10
17	Concentrations, gas–particle distributions, and source indicator analysis of brominated flame retardants in air at Toolik Lake, Arctic Alaska. Environmental Sciences: Processes and Impacts, 2016, 18, 1274-1284	1.7	7
18	Isoproturon Reappearance after Photosensitized Degradation in the Presence of Triplet Ketones or Fulvic Acids. Environmental Science & amp; Technology, 2016, 50, 12250-12257.	4.6	17

#	Article	IF	CITATIONS
19	Novel Insights into the Distribution of Reduced Sulfur Species in Prairie Pothole Wetland Pore Waters Provided by Bismuth Film Electrodes. Environmental Science and Technology Letters, 2016, 3, 104-109.	3.9	13
20	Developing the scientific framework for urban geochemistry. Applied Geochemistry, 2016, 67, 1-20.	1.4	66
21	Sorption, uptake, and biotransformation of 17βâ€estradiol, 17αâ€ethinylestradiol, zeranol, and trenbolone acetate by hybrid poplar. Environmental Toxicology and Chemistry, 2015, 34, 2906-2913.	2.2	14
22	Triplet Photochemistry of Effluent and Natural Organic Matter in Whole Water and Isolates from Effluent-Receiving Rivers. Environmental Science & Technology, 2015, 49, 3453-3463.	4.6	135
23	A Fluence-Based Method for the Direct Comparison of Photolysis Kinetics under Variable Light Regimes. Environmental Science and Technology Letters, 2015, 2, 183-187.	3.9	4
24	Influence of Temperature, Relative Humidity, and Soil Properties on the Soil–Air Partitioning of Semivolatile Pesticides: Laboratory Measurements and Predictive Models. Environmental Science & Technology, 2015, 49, 10431-10439.	4.6	52
25	Contaminant-mediated photobleaching of wetland chromophoric dissolved organic matter. Environmental Sciences: Processes and Impacts, 2014, 16, 2098-2107.	1.7	9
26	Evidence of Incorporation of Abiotic S and N into Prairie Wetland Dissolved Organic Matter. Environmental Science and Technology Letters, 2014, 1, 345-350.	3.9	66
27	Partitioning of Polybrominated Diphenyl Ethers to Dissolved Organic Matter Isolated from Arctic Surface Waters. Environmental Science & Technology, 2014, 48, 4852-4859.	4.6	39
28	An Improved Screening Tool for Predicting Volatilization of Pesticides Applied to Soils. Environmental Science & Technology, 2013, 47, 868-876.	4.6	38
29	Transformation of Natural and Synthetic Estrogens by Maize Seedlings. Environmental Science & Technology, 2013, 47, 5101-5108.	4.6	24
30	Sources and composition of sediment poreâ€water dissolved organic matter in prairie pothole lakes. Limnology and Oceanography, 2013, 58, 1136-1146.	1.6	69
31	Uptake of Natural and Synthetic Estrogens by Maize Seedlings. Journal of Agricultural and Food Chemistry, 2012, 60, 8264-8271.	2.4	30
32	Prediction and Experimental Evaluation of Soil Sorption by Natural Hormones and Hormone Mimics. Journal of Agricultural and Food Chemistry, 2012, 60, 1480-1487.	2.4	26
33	Photodegradation of Ormetoprim in Aquaculture and Stream-Derived Dissolved Organic Matter. Journal of Agricultural and Food Chemistry, 2012, 60, 9801-9806.	2.4	27
34	Potential for Abiotic Reduction of Pesticides in Prairie Pothole Porewaters. Environmental Science & Technology, 2012, 46, 3177-3187.	4.6	80
35	Photosensitized degradation of caffeine: Role of fulvic acids and nitrate. Chemosphere, 2012, 86, 124-129.	4.2	49
36	Pesticide Processing Potential in Prairie Pothole Porewaters. Environmental Science & Technology, 2011, 45, 6814-6822.	4.6	67

#	Article	IF	CITATIONS
37	Fulvic acid mediated photolysis of ibuprofen in water. Water Research, 2011, 45, 4449-4458.	5.3	108
38	When a habitat freezes solid: microorganisms over-winter within the ice column of a coastal Antarctic lake. FEMS Microbiology Ecology, 2011, 76, 401-412.	1.3	28
39	Abiotic Reduction of Pendimethalin and Trifluralin in Controlled and Natural Systems Containing Fe(II) and Dissolved Organic Matter. Journal of Agricultural and Food Chemistry, 2010, 58, 12840-12846.	2.4	14
40	The role of fulvic acid composition in the photosensitized degradation of aquatic contaminants. Aquatic Sciences, 2009, 71, 160-169.	0.6	144
41	Reduction of Cr(VI) to Cr(III) by Fe(II) in the presence of fulvic acids and in lacustrine pore water. Chemical Geology, 2009, 262, 328-335.	1.4	41
42	Assessment of the geochemical reactivity of Fe-DOM complexes in wetland sediment pore waters using a nitroaromatic probe compound. Geochimica Et Cosmochimica Acta, 2009, 73, 1382-1393.	1.6	29
43	Photochemical Fate of Sulfadimethoxine in Aquaculture Waters. Environmental Science & Technology, 2009, 43, 8587-8592.	4.6	135
44	Evaluating the triplet state photoreactivity of dissolved organic matter isolated by chromatography and ultrafiltration using an alkylphenol probe molecule. Limnology and Oceanography: Methods, 2009, 7, 391-398.	1.0	22
45	Probing the oxidation–reduction properties of terrestrially and microbially derived dissolved organic matter. Geochimica Et Cosmochimica Acta, 2007, 71, 3003-3015.	1.6	143
46	Influence of Dissolved Organic Matter and Fe(II) on the Abiotic Reduction of Pentachloronitrobenzene. Environmental Science & Technology, 2007, 41, 7337-7342.	4.6	52
47	Hydroxyl Radical Production from Irradiated Arctic Dissolved Organic Matter. Biogeochemistry, 2006, 78, 51-66.	1.7	34
48	Characterizing the properties of dissolved organic matter isolated by XAD and C-18 solid phase extraction and ultrafiltration. Aquatic Sciences, 2005, 67, 61-71.	0.6	54
49	Indirect Photolysis Promoted by Natural and Engineered Wetland Water Constituents:Â Processes Leading to Alachlor Degradation. Environmental Science & Technology, 2005, 39, 4454-4462.	4.6	66
50	Variations in the composition and adsorption behavior of dissolved organic matter at a small, forested watershed. Biogeochemistry, 2004, 67, 39-56.	1.7	25
51	Sonochemical reactions of dissolved organic matter. Research on Chemical Intermediates, 2004, 30, 735-753.	1.3	33
52	Quantification and characterization of dissolved organic carbon and iron in sedimentary porewater from Green Bay, WI, USA. Biogeochemistry, 2004, 71, 371-386.	1.7	52
53	Chemical characterization of dissolved organic material in Pony Lake, a saline coastal pond in Antarctica. Marine Chemistry, 2004, 89, 327-337.	0.9	84
54	Abiotic Degradation of Pentachloronitrobenzene by Fe(II):Â Reactions on Goethite and Iron Oxide Nanoparticles. Environmental Science & Technology, 2004, 38, 4353-4360.	4.6	84

#	Article	IF	CITATIONS
55	Photosensitized Degradation of Bisphenol A by Dissolved Organic Matterâ€. Environmental Science & Technology, 2004, 38, 5888-5894.	4.6	158
56	Role of Dissolved Organic Matter Composition on the Photoreduction of Cr(VI) to Cr(III) in the Presence of Iron. Environmental Science & Technology, 2003, 37, 4403-4409.	4.6	121
57	Abiotic Degradation of Trifluralin by Fe(II):Â Kinetics and Transformation Pathways. Environmental Science & Technology, 2003, 37, 1311-1318.	4.6	45
58	Complexation of Copper by Zwitterionic Aminosulfonic (Good) Buffers. Analytical Chemistry, 2003, 75, 671-677.	3.2	139
59	Photoinduced Degradation of Carbaryl in a Wetland Surface Water. Journal of Agricultural and Food Chemistry, 2002, 50, 6758-6765.	2.4	91
60	Nucleophilic Aliphatic Substitution Reactions of Propachlor, Alachlor, and Metolachlor with Bisulfide (HS-) and Polysulfides (Sn2-). Environmental Science & Technology, 2002, 36, 4065-4073.	4.6	62
61	Effect of detector wavelength on the determination of the molecular weight of humic substances by high-pressure size exclusion chromatography. Water Research, 2001, 35, 333-338.	5.3	87
62	Effect of Flue Gas Desulfurization (FGD) Byâ€₽roduct on Water Quality at an Underground Coal Mine. Journal of Environmental Quality, 2001, 30, 1371-1381.	1.0	15
63	A Log-Normal Distribution Model for the Molecular Weight of Aquatic Fulvic Acids. Environmental Science & Technology, 2000, 34, 1103-1109.	4.6	118
64	Fractionation of aquatic natural organic matter upon sorption to goethite and kaolinite. Chemical Geology, 1999, 157, 275-284.	1.4	196
65	Intercomparison of DPASV and ISE for the Measurement of Cu Complexation Characteristics of NOM in Freshwater. Environmental Science & amp; Technology, 1999, 33, 1766-1770.	4.6	35
66	Binding of Polychlorinated Biphenyls to Aquatic Humic Substances:Â The Role of Substrate and Sorbate Properties on Partitioning. Environmental Science & Technology, 1999, 33, 2715-2718.	4.6	78
67	Highâ€pressure size exclusion chromatography analysis of dissolved organic matter isolated by tangentialâ€flow ultrafiltration. Limnology and Oceanography, 1999, 44, 1316-1322.	1.6	35
68	Abundance and properties of dissolved organic matter in pore waters of a freshwater wetland. Limnology and Oceanography, 1998, 43, 1287-1296.	1.6	143
69	Binding of Pyrene to Aquatic and Commercial Humic Substances:Â The Role of Molecular Weight and Aromaticity. Environmental Science & Technology, 1997, 31, 1630-1635.	4.6	513
70	Adsorption of (poly)maleic acid and an aquatic fulvic acid by geothite. Geochimica Et Cosmochimica Acta, 1997, 61, 5313-5324.	1.6	112
71	Adsorption of Natural Organic Polyelectrolytes by Activated Carbon:Â A Size-Exclusion Chromatography Study. Environmental Science & Technology, 1996, 30, 1336-1343.	4.6	185
72	Response to Comment on "Solubility Enhancement and Fluorescence Quenching of Pyrene by Humic Substance: The Effects of Dissolved Oxygen on Quenching Processes― Environmental Science & Technology, 1996, 30, 1409-1410.	4.6	5

#	Article	IF	CITATIONS
73	Laboratory Assessment of BTEX Soil Flushing. Environmental Science & Technology, 1996, 30, 3223-3231.	4.6	19
74	The sorption of 2-methylnaphthalene by Rossburg Soil in the absence and presence of a nonionic surfactant. Journal of Contaminant Hydrology, 1996, 22, 83-94.	1.6	12
75	Physical and chemical characteristics of poly(maleic acid), a synthetic organic colloid analog. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 1996, 107, 141-154.	2.3	20
76	The Sorption and Desorption Kinetics of Polycyclic Aromatic Hydrocarbons in Methanol/Water Mixtures. Hazardous Waste and Hazardous Materials, 1996, 13, 177-195.	0.4	7
77	Solubility Enhancement and Fluorescence Quenching of Pyrene by Humic Substances: The Effect of Dissolved Oxygen on Quenching Processes. Environmental Science & Technology, 1995, 29, 2162-2165.	4.6	72
78	Molecular Weight, Polydispersity, and Spectroscopic Properties of Aquatic Humic Substances. Environmental Science & Technology, 1994, 28, 1853-1858.	4.6	1,535
79	The sorption of polycyclic aromatic hydrocarbons by soils in low-methanol/water mixtures. Journal of Contaminant Hydrology, 1994, 17, 129-143.	1.6	17
80	Sorption of radon-222 to natural sediments. Geochimica Et Cosmochimica Acta, 1992, 56, 3923-3932.	1.6	18
81	The abundance, distribution, and configuration of porewater organic colloids in recent sediments. Geochimica Et Cosmochimica Acta, 1991, 55, 1309-1317.	1.6	189
82	Estimating soil/sediment partition coefficients for organic compounds by high performance reverse phase liquid chromatography. Water Research, 1988, 22, 873-881.	5.3	27
83	Determination of partition coefficients and aqueous solubilities by reverse phase chromatography—I. Water Research, 1986, 20, 1433-1442.	5.3	23
84	Determination of partition coefficients and aqueous solubilities by reverse phase chromatography—II. Water Research, 1986, 20, 1443-1450.	5.3	32