

# Stefano Spigarelli

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7865021/stefano-spigarelli-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

137  
papers

2,571  
citations

29  
h-index

44  
g-index

142  
ext. papers

2,880  
ext. citations

3.1  
avg. IF

5.22  
L-index

#	Paper	IF	Citations
137	Wear resistance investigation of titanium nitride-based coatings. <i>Ceramics International</i> , <b>2015</b> , 41, 10349-10379	5.1	128
136	Analysis of high-temperature deformation and microstructure of an AZ31 magnesium alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2007</b> , 462, 197-201	5.3	113
135	A Review on Fatigue Life Prediction Methods for Metals. <i>Advances in Materials Science and Engineering</i> , <b>2016</b> , 2016, 1-26	1.5	101
134	Evolution of microstructure in a modified 9Cr1Mo steel during short term creep. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>1998</b> , 245, 285-292	5.3	84
133	Interpretation of creep behaviour of a 9Cr1Mo1Nb1V (T91) steel using threshold stress concept. <i>Materials Science and Technology</i> , <b>1999</b> , 15, 1433-1440	1.5	76
132	Microstructure and mechanical property studies of AA6056 friction stir welded plate. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2007</b> , 460-461, 86-94	5.3	75
131	Study of hot workability of a heat treated AA6082 aluminum alloy. <i>Scripta Materialia</i> , <b>2003</b> , 49, 179-183	5.6	75
130	Analysis of the creep behaviour of modified P91 (9Cr1Mo1bV) welds. <i>Materials &amp; Design</i> , <b>2002</b> , 23, 547-552		66
129	Effects of thermal treatments on microstructure and mechanical properties in a thixocast 319 aluminum alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2000</b> , 284, 254-260	5.3	64
128	Analysis of the creep behaviour of a thixoformed AZ91 magnesium alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2000</b> , 289, 172-181	5.3	63
127	Creep behavior of an aluminum 2024 alloy produced by powder metallurgy. <i>Acta Materialia</i> , <b>1997</b> , 45, 529-540	8.4	62
126	An analysis of hot formability of the 6061+20% Al <sub>2</sub> O <sub>3</sub> composite by means of different stability criteria. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2002</b> , 327, 144-154	5.3	60
125	Hot deformation and processing maps of a particulate-reinforced 6061+20% Al <sub>2</sub> O <sub>3</sub> composite. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2002</b> , 324, 157-161	5.3	55
124	Review of creep behaviour of AZ91 magnesium alloy produced by different technologies. <i>Materials Science and Technology</i> , <b>2001</b> , 17, 627-638	1.5	55
123	Modelling of the flow behaviour of wrought aluminium alloys at elevated temperatures by a new constitutive equation. <i>Materials &amp; Design</i> , <b>2014</b> , 54, 869-873		45
122	Analysis of the creep strength of a low-carbon AISI 304 steel with low-angle grain boundaries. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2003</b> , 352, 93-99	5.3	43
121	Constitutive equations for hot deformation of an Al-6061/20%Al <sub>2</sub> O <sub>3</sub> composite. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2001</b> , 319-321, 721-723	5.3	41

120	A study of the hot formability of an Al-Cu-Mg-Zr alloy. <i>Journal of Materials Science</i> , <b>2003</b> , 38, 81-88	4.3	39
119	High-temperature behaviour of as die-cast and heat treated Mg <sub>95</sub> Al <sub>5</sub> AS21X magnesium alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2004</b> , 387-389, 41-45	5.3	38
118	Hot workability in process modeling of a bearing steel by using combined constitutive equations and dynamic material model. <i>Materials &amp; Design</i> , <b>2014</b> , 53, 398-404		36
117	Creep properties of an Al-2024 composite reinforced with SiC particulates. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2002</b> , 328, 39-47	5.3	36
116	Analysis of the effect of Deep Cryogenic Treatment on the hardness and microstructure of X30 CrMoN 15 1 steel. <i>Materials &amp; Design</i> , <b>2012</b> , 33, 136-144		35
115	Investigation on precipitation phenomena of Ni <sub>2</sub> Cr <sub>2</sub> CoMo alloy aged and crept at high temperature. <i>International Journal of Pressure Vessels and Piping</i> , <b>2008</b> , 85, 63-71	2.4	35
114	An analysis of hot deformation of an AlCuMg alloy produced by powder metallurgy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2003</b> , 339, 43-52	5.3	35
113	Material Reuse in Laser Powder Bed Fusion: Side Effects of the LaserMetal Powder Interaction. <i>Metals</i> , <b>2020</b> , 10, 341	2.3	33
112	High temperature deformation and microstructural instability in AZ31 magnesium alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2013</b> , 570, 135-148	5.3	32
111	Thermal evolution and mechanical properties of hard TiCrBN and TiAlSiBN coatings. <i>Surface and Coatings Technology</i> , <b>2008</b> , 203, 736-740	4.4	32
110	Factors influencing creep model equation selection. <i>International Journal of Pressure Vessels and Piping</i> , <b>2008</b> , 85, 80-88	2.4	31
109	Creep behavior of INCOLOY alloy 617. <i>Journal of Materials Science</i> , <b>2008</b> , 43, 2912-2921	4.3	30
108	Constitutive equations for prediction of the flow behaviour of duplex stainless steels. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2010</b> , 527, 4218-4228	5.3	29
107	Constitutive equations for creep and plasticity of aluminum alloys produced by powder metallurgy and aluminum-based metal matrix composites. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , <b>2002</b> , 33, 373-381	2.3	28
106	Basic creep modelling of aluminium. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2018</b> , 711, 343-349	5.3	28
105	Constitutive equations in creep of MgAl alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2008</b> , 492, 153-160	5.3	25
104	Microstructure-based assessment of creep rupture strength in 9Cr steels. <i>International Journal of Pressure Vessels and Piping</i> , <b>2013</b> , 101, 64-71	2.4	24
103	A TEM quantitative evaluation of strengthening in an MgRE alloy reinforced with SiC. <i>Materials Characterization</i> , <b>2011</b> , 62, 959-969	3.9	23

102	High-temperature deformation and creep in Mg wrought alloys. <i>Scripta Materialia</i> , <b>2010</b> , 63, 704-709	5.6	23
101	Strain Enhanced Growth of Precipitates during Creep of T91. <i>Materials Transactions</i> , <b>2003</b> , 44, 1802-1808	5.3	23
100	Interpretation of the role of forest dislocations and precipitates in high-temperature creep in a Nb-stabilised austenitic stainless steel. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2000</b> , 279, 52-60	5.3	23
99	Hot Workability and Constitutive Equations of ZM21 Magnesium Alloy. <i>Key Engineering Materials</i> , <b>2008</b> , 367, 79-86	0.4	22
98	Creep behaviour at high stresses of a Mg-Zn-Ca-Ce-La alloy processed by rapid solidification. <i>Scripta Materialia</i> , <b>1996</b> , 35, 449-454	5.6	22
97	A New Constitutive Model for the Plastic Flow of Metals at Elevated Temperatures. <i>Journal of Materials Engineering and Performance</i> , <b>2014</b> , 23, 658-665	1.6	20
96	Analysis of the creep response of an Al <sub>7</sub> Si <sub>2</sub> Cu <sub>0.5</sub> Mg alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2004</b> , 387-389, 702-705	5.3	20
95	An analysis of thermo-mechanical treatments of a 2618 aluminium alloy: study of optimum conditions for warm forging. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2002</b> , 334, 87-95	5.3	20
94	Creep as an extension of hot working: A unified approach to high temperature deformation of AZ31 alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2010</b> , 527, 5708-5714	5.3	19
93	Effect of grain size on high temperature deformation of AZ31 alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2011</b> , 528, 6919-6926	5.3	18
92	Formability and Microstructure of AZ31 Magnesium Alloy Sheets. <i>Key Engineering Materials</i> , <b>2007</b> , 344, 31-38	0.4	18
91	Comparison Study of Constitutive Models in Predicting the Hot Deformation Behavior of AA6060 and AA6063 Aluminium Alloys. <i>Materials Today: Proceedings</i> , <b>2015</b> , 2, 4732-4739	1.4	17
90	Creep of a thixoformed and heat treated AZ91 Mg-Al-Zn alloy. <i>Scripta Materialia</i> , <b>2000</b> , 42, 397-402	5.6	17
89	A new model for the description of creep behaviour of aluminium-based composites reinforced with nanosized particles. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2018</b> , 112, 346-355	8.4	17
88	Interpretation of constant-load and constant-stress creep behavior of a magnesium alloy produced by rapid solidification. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>1998</b> , 254, 90-98	5.3	16
87	Hot working and multipass deformation of a 41Cr4 steel. <i>Journal of Alloys and Compounds</i> , <b>2004</b> , 378, 151-154	5.7	16
86	Compressive deformation of an Mg-Al-Si-RE alloy between 120 and 180 °C. <i>Materials Letters</i> , <b>2004</b> , 58, 460-464	3.3	16
85	Analysis of the effect of Si content on the creep response of an Mg <sub>95</sub> Al <sub>4</sub> Mn alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2005</b> , 410-411, 62-66	5.3	16

84	Evaluation of the creep properties of an Al <sub>7</sub> Si <sub>1</sub> Mg <sub>0.7</sub> Cu alloy. <i>Materials Letters</i> , <b>2002</b> , 56, 1059-1063	3.3	16
83	An evaluation of the creep properties of two Al-Si alloys produced by rapid solidification processing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , <b>1996</b> , 27, 3871-3879	2.3	16
82	Significance of continuous precipitation during creep of a powder metallurgy aluminum alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>1996</b> , 216, 161-168	5.3	16
81	Nanoindentation Hardness Measurement in Piling up SiO <sub>2</sub> Coating. <i>Physics Procedia</i> , <b>2013</b> , 40, 100-112		15
80	Analysis of creep curves in a 9Cr-1Mo modified steel by means of simple constitutive equations. <i>Scripta Materialia</i> , <b>1997</b> , 37, 399-404	5.6	15
79	High temperature processing of brass: Constitutive analysis of hot working of Cu <sub>z</sub> n alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2014</b> , 615, 331-339	5.3	14
78	Microstructure-related equations for the constitutive analysis of creep in magnesium alloys. <i>Scripta Materialia</i> , <b>2009</b> , 61, 729-732	5.6	14
77	Constitutive equations in creep of wrought Mg <sub>z</sub> n alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2009</b> , 527, 126-131	5.3	14
76	Microstructural characterization of secondary-phase particles in a hot-deformed Al-Cu-Mg-Zr alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , <b>2004</b> , 35, 293-300	2.3	14
75	Creep behaviour of the ZM21 wrought magnesium alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2009</b> , 510-511, 403-406	5.3	13
74	A TEM investigation on the effect of semisolid forming on precipitation processes in an AlMgSi Alloy. <i>Materials Characterization</i> , <b>2002</b> , 49, 193-202	3.9	13
73	Interpretation of creep behaviour of dispersion-strengthened AlBe <sub>2</sub> Si alloys in terms of detachment mechanisms: an overview. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2002</b> , 337, 306-314	5.3	12
72	A new sustainable direct solid state recycling of AA1090 aluminum alloy chips by means of friction stir back extrusion process. <i>Procedia CIRP</i> , <b>2019</b> , 79, 638-643	1.8	11
71	New Approaches to Friction Stir Welding of Aluminum Light-Alloys. <i>Metals</i> , <b>2020</b> , 10, 233	2.3	11
70	High Temperature Plasticity of Bimetallic Magnesium and Aluminum Friction Stir Welded Joints. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , <b>2014</b> , 45, 752-764	2.3	11
69	Modelling of Creep in Alloys Strengthened by Rod-Shaped Particles: Al-Cu-Mg Age-Hardenable Alloys. <i>Metals</i> , <b>2018</b> , 8, 930	2.3	10
68	Analysis of flow stress and deformation mechanism under hot working of ZK60 magnesium alloy by a new strain-dependent constitutive equation. <i>Journal of Physics and Chemistry of Solids</i> , <b>2015</b> , 87, 183-195	2.3	9
67	A Unified Physical Model for Creep and Hot Working of Al-Mg Solid Solution Alloys. <i>Metals</i> , <b>2018</b> , 8, 9	2.3	9

66	High temperature mechanical properties of an aluminum alloy containing Zn and Mg. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2012</b> , 550, 206-213	5.3	9
65	Mechanical Properties and Microstructure of Primary and Secondary AA6063 Aluminum Alloy after Extrusion and T5 Heat Treatment. <i>Materials Today: Proceedings</i> , <b>2015</b> , 2, 4890-4897	1.4	9
64	High Temperature Creep and Superplasticity in a Mg <sub>2</sub> Ni <sub>2</sub> r Alloy. <i>Journal of Materials Science and Technology</i> , <b>2012</b> , 28, 407-413	9.1	9
63	Enhanced plasticity and creep in an extruded Mg <sub>2</sub> Ni <sub>2</sub> r alloy. <i>Scripta Materialia</i> , <b>2010</b> , 63, 617-620	5.6	9
62	Nomenclature for strain-induced boundaries in hot and cold working. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2007</b> , 462, 37-44	5.3	9
61	Microstructure Stability During Creep of Friction Stir Welded AA2024-T3 Alloy. <i>Journal of Materials Engineering and Performance</i> , <b>2018</b> , 27, 5054-5063	1.6	8
60	Comparative study of the high-temperature behaviour of MgAl and Mg <sub>2</sub> Ni wrought alloys. <i>International Journal of Materials Research</i> , <b>2009</b> , 100, 447-451	0.5	8
59	(Al,Mg) <sub>86</sub> Mn <sub>14</sub> quasi-crystal and icosahedral cubic phase in a thixoformed MgAl <sub>2</sub> Ni alloy (AZ91). <i>Materials Letters</i> , <b>2001</b> , 49, 43-46	3.3	8
58	Analysis of the effect of friction stir welding on the minimum creep rate of an Mg <sub>83</sub> % Al <sub>17</sub> % Zn alloy. <i>Scripta Materialia</i> , <b>2011</b> , 65, 626-629	5.6	7
57	Hot Working of the ZEK200 Magnesium Alloy. <i>Materials Science Forum</i> , <b>2008</b> , 604-605, 212-222	0.4	7
56	Constitutive analysis for the quantification of hardness decay in a superlattice CrN/NbN hard-coating. <i>Surface and Coatings Technology</i> , <b>2015</b> , 275, 155-166	4.4	6
55	Physical modeling of the creep response of an AlCuMg alloy with a fine microstructure transformed by Friction Stir Processing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2020</b> , 769, 138521	5.3	6
54	Investigation of the Temperature-Related Wear Performance of Hard Nanostructured Coatings Deposited on a S600 High Speed Steel. <i>Metals</i> , <b>2019</b> , 9, 332	2.3	5
53	A sustainable solid state recycling of pure aluminum by means of friction stir extrusion process (FSE) <b>2018</b> ,		5
52	Quantification of the effect of early microstructural degradation during creep of 9Cr <sub>1</sub> Mo <sub>1</sub> bV steels at 600°C. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2013</b> , 565, 269-277	5.3	5
51	Creep characterization of a duplex Ti-Al base alloy at 700 and 750 °C. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>1997</b> , 234-236, 378-381	5.3	5
50	An analysis of strain-time relationships for creep in an as-cast MgAlBi alloy. <i>Materials &amp; Design</i> , <b>2003</b> , 24, 445-453		5
49	Effect of heterogeneous deformation on the creep behaviour of a near-fully lamellar TiAl-base alloy at 750 °C. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>1996</b> , 211, 15-22	5.3	5



48	Creep properties at 125 °C of an AM50 Mg alloy modified by Si additions. <i>International Journal of Materials Research</i> , <b>2005</b> , 96, 619-624		5
47	Modelling the creep behavior of an AlSi10Mg alloy produced by additive manufacturing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2021</b> , 799, 140138	5.3	5
46	Comparative investigation of oxidation resistance and thermal stability of nanostructured TiB <sub>2</sub> and TiSiB <sub>2</sub> coatings. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , <b>2017</b> , 53, 452-459	0.9	4
45	Microstructure, Thermal Stability during Creep and Fractography Study of Friction-Stir-Processed AA2024-T3 Aluminum Alloy. <i>Journal of Materials Engineering and Performance</i> , <b>2020</b> , 29, 4872-4878	1.6	4
44	Microstructural and constitutive analysis in process modeling of hot working: The case of a Mg-Zn-Mn alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2016</b> , 661, 40-50	5.3	4
43	A New Constitutive Model Describing the Plastic Flow of Metals: Application to the AA6082 Aluminum Alloy. <i>Key Engineering Materials</i> , <b>2013</b> , 585, 59-66	0.4	4
42	High Temperature Behaviour of the HPDC AS21X Magnesium Alloy. <i>Materials Science Forum</i> , <b>2003</b> , 419-422, 433-438	0.4	4
41	Temperature and strain-rate sensitivity parameters: Analysis of the deformed metal matrix composite A359/SiC/20p. <i>Journal of Materials Science Letters</i> , <b>2001</b> , 20, 1195-1197		4
40	Effect of Low-Temperature Annealing on Creep Properties of AlSi10Mg Alloy Produced by Additive Manufacturing: Experiments and Modeling. <i>Metals</i> , <b>2021</b> , 11, 179	2.3	4
39	Constitutive analysis of high-temperature workability of a high-nitrogen bearing steel. <i>Materials Science and Technology</i> , <b>2016</b> , 32, 1071-1078	1.5	3
38	Thermal Stability of Nanostructured Coatings. <i>Materials Science Forum</i> , <b>2010</b> , 653, 1-22	0.4	3
37	Mechanical And Microstructural Aspects Of High Temperature Formability Of AZ31 Sheets. <i>AIP Conference Proceedings</i> , <b>2007</b> ,	0	3
36	The Microstructure and Mechanical Properties of a Thixoformed AZ91 Magnesium Alloy. <i>Key Engineering Materials</i> , <b>2000</b> , 188, 139-0	0.4	3
35	On the creep performance of the Ti-6Al-4V alloy processed by additive manufacturing. <i>Additive Manufacturing</i> , <b>2022</b> , 49, 102520	6.1	3
34	A Study of the Metallurgical and Mechanical Properties of Friction-Stir-Processed Cu. <i>Metals</i> , <b>2021</b> , 11, 656	2.3	3
33	High temperature deformation of IN718 superalloy: use of basic creep modelling in the study of Nickel and single-phase Ni-based superalloys. <i>Materials at High Temperatures</i> , <b>2019</b> , 36, 58-67	1.1	3
32	Study of mechanical, microstructural and thermal stability properties of friction stir processed aluminum 2024-T3 alloy. <i>Metallic Materials</i> , <b>2020</b> , 57, 229-236	1.3	3
31	Dry Sliding Tribological Properties of a Hard Anodized AA6082 Aluminum Alloy. <i>Metals</i> , <b>2020</b> , 10, 207	2.3	2

30	A Calibration Round-Robin Protocol for Nanoindentation Measurements of Thin Film Coatings. <i>Physics Procedia</i> , <b>2013</b> , 40, 1-8		2
29	Microstructure Stability During Creep of Friction Stir Welded AZ31B Magnesium Alloy. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , <b>2015</b> , 137,	3.3	2
28	High Temperature Thermal Stability of Innovative Nanostructured Thin Coatings for Advanced Tooling. <i>Key Engineering Materials</i> , <b>2014</b> , 622-623, 45-52	0.4	2
27	DC Casting - Simulation and Microstructure of Mg-Zn Alloys. <i>Materials Science Forum</i> , <b>2010</b> , 638-642, 1518-1523	0.4	2
26	Oxidation Behaviour and Thermal Stability of Nanocomposited Ti-Al-Si-B-N and Ti-Cr-B-N Coatings. <i>Materials Science Forum</i> , <b>2008</b> , 604-605, 19-28	0.4	2
25	A Microstructural Study of an Al-Cu-Mg-Zr Alloy after Hot Forming. <i>Materials Science Forum</i> , <b>2002</b> , 396-402, 807-814	0.4	2
24	Assessment of the Creep Response of New Powder Metallurgy - Rapid Solidification Al-Si-Ni-Cr and Al-Si-Cu-Fe Alloys. <i>Materials Science Forum</i> , <b>1996</b> , 217-222, 1423-1428	0.4	2
23	Cold Working Effect on Creep Strength of AISI 347 Stainless Steel. <i>High Temperature Materials and Processes</i> , <b>1993</b> , 12, 49-56	0.9	2
22	Hot Workability and Constitutive Equations of ZM21 Magnesium Alloy. <i>Key Engineering Materials</i> , 79-86	0.4	2
21	Cold Work Effect on Particle Strengthening in Creep of AISI 347 Stainless Steel <b>1994</b> , 485-494		2
20	Creep Behavior of a AlSiMg Alloy Produced by Additive Manufacturing. <i>Minerals, Metals and Materials Series</i> , <b>2020</b> , 185-193	0.3	1
19	High Temperature Deformation of Wrought Zn-Containing Magnesium Alloys. <i>Materials Science Forum</i> , <b>2010</b> , 638-642, 1482-1487	0.4	1
18	Constitutive Equations in Creep of the AE44 Magnesium Alloy. <i>Materials Science Forum</i> , <b>2008</b> , 604-605, 357-365	0.4	1
17	Hot Workability of the 2618 Aluminium Alloy. <i>Materials Science Forum</i> , <b>2000</b> , 331-337, 449-454	0.4	1
16	The Role of Cold Working in the Creep Deformation of Nb Stabilized Stainless Steel. I. Creep Results and Microstructural Evolution. <i>High Temperature Materials and Processes</i> , <b>1995</b> , 14,	0.9	1
15	Characterization of Hot Deformation of CW602N Brass. <i>Acta Physica Polonica A</i> , <b>2015</b> , 128, 726-730	0.6	1
14	Revisiting copper as a case study of creep in pure metals: Prediction of creep response in pure Cu in half-hard and friction-stir-processed states. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2022</b> , 832, 142426	5.3	1
13	Microstructural Refinement of Cast Ti48Al2W0.5Si Alloy by Static Heat Treatment. <i>High Temperature Materials and Processes</i> , <b>1996</b> , 15, 281-286	0.9	0



12	Thermal Plasticity Index of Nanostructured N-Based Coatings on HSS 6-5-2 (1.3343) Tool Steel. <i>Materials Science Forum</i> , <b>2016</b> , 879, 262-267	0.4
11	Microstructural Study and Mechanical Properties of a Thixoformed AZ91 <b>2013</b> , 301-307	
10	Analysis of the Age-Hardening T5 Treatment in a Al-7%Si-0.6%Mg-0.5%Cu Rheo-Cast Alloy. <i>Solid State Phenomena</i> , <b>2006</b> , 116-117, 522-525	0.4
9	Eutectic Microstructural Evolution of a Thixoformed AZ91 after Solution Heat Treatment <b>2005</b> , 46-51	
8	Analysis of the Hot Workability, Stress-Strain and Fracture Behavior of 2014 PM Aluminium Matrix Composite. <i>Materials Science Forum</i> , <b>2002</b> , 413, 201-206	0.4
7	Characterisation of a 6082 Aluminum Alloy after Thixoforming. <i>Key Engineering Materials</i> , <b>2000</b> , 188, 101-110	0.4
6	Microstructural processes occurring during creep of friction stir welded AA2024-T3 alloy. <i>Zavarivanje I Zavarene Konstrukcije</i> , <b>2020</b> , 65, 53-64	0.1
5	The Role of Advanced Materials in the Development of Innovative Manufacturing Processes <b>2019</b> , 177-194	
4	The Search for Reliable Inputs in Modelling Hot Working Operations: A Model Describing the Flow Behavior of Metals at High Temperature Applied to CW602N Brass. <i>Acta Physica Polonica A</i> , <b>2015</b> , 128, 722-726	0.6
3	Constitutive Models for the Description of Creep and Plasticity of Cast and Wrought Mg-Al and Mg-Zn Alloys. <i>Advanced Structured Materials</i> , <b>2013</b> , 317-326	0.6
2	Microstructural Changes during Creep and Fractography Study of Friction Stir-Processed Commercially Pure Cu. <i>Journal of Materials Engineering and Performance</i> , 1	1.6
1	On the Short-Term Creep Response at 482 °C (900 °F) of the 17-4PH Steel Produced by Bound Metal Deposition. <i>Metals</i> , <b>2022</b> , 12, 477	2.3