

A Richard Horrocks

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7865966/publications.pdf>

Version: 2024-02-01

160
papers

6,335
citations

61857

43
h-index

79541

73
g-index

173
all docs

173
docs citations

173
times ranked

3870
citing authors

#	ARTICLE	IF	CITATIONS
1	Fundamentals: Flammability, ignition, and fire spread in polymers. , 2022, , 1-72.		1
2	Surface Modification of Commingled Flax/PP and Flax/PLA Fibres by Silane or Atmospheric Argon Plasma Exposure to Improve Fibre-Matrix Adhesion in Composites. <i>Fibers</i> , 2022, 10, 2.	1.8	11
3	Effect of compatibilizers on lignin/bio-polyamide blend carbon precursor filament properties and their potential for thermostabilisation and carbonisation. <i>Polymer Testing</i> , 2021, 95, 107133.	2.3	10
4	Effects of Water and Chemical Solutions Ageing on the Physical, Mechanical, Thermal and Flammability Properties of Natural Fibre-Reinforced Thermoplastic Composites. <i>Molecules</i> , 2021, 26, 4581.	1.7	5
5	Combined atmospheric pressure plasma and UV surface functionalisation and diagnostics of nylon 6.6 fabrics. <i>Applied Surface Science</i> , 2021, 562, 150090.	3.1	12
6	The Potential for Bio-Sustainable Organobromine-Containing Flame Retardant Formulations for Textile Applications—A Review. <i>Polymers</i> , 2020, 12, 2160.	2.0	30
7	Potential Synergism between Novel Metal Complexes and Polymeric Brominated Flame Retardants in Polyamide 6.6. <i>Polymers</i> , 2020, 12, 1543.	2.0	8
8	Novel metal complexes as potential synergists with phosphorus based flame retardants in polyamide 6.6. <i>Polymer Degradation and Stability</i> , 2020, 179, 109220.	2.7	15
9	Hydroxypropyl-modified and organosolv lignin/bio-based polyamide blend filaments as carbon fibre precursors—™. <i>Journal of Materials Science</i> , 2020, 55, 7066-7083.	1.7	15
10	Design and characterisation of bicomponent polyamide 6 fibres with specific locations of each flame retardant component for enhanced flame retardancy. <i>Polymer Testing</i> , 2019, 79, 106041.	2.3	12
11	Biopolymer blends from hardwood lignin and bio-polyamides: Compatibility and miscibility. <i>International Journal of Biological Macromolecules</i> , 2019, 132, 439-450.	3.6	41
12	Understanding the thermal and dielectric response of organosolv and modified kraft lignin as a carbon fibre precursor. <i>Green Chemistry</i> , 2018, 20, 4461-4472.	4.6	122
13	Environmentally Sustainable Flame Retardant Surface Treatments for Textiles: The Potential of a Novel Atmospheric Plasma/UV Laser Technology. <i>Fibers</i> , 2018, 6, 31.	1.8	28
14	Synthesis and thermal analytical screening of metal complexes as potential novel fire retardants in polyamide 6.6. <i>Polymer Degradation and Stability</i> , 2017, 144, 420-433.	2.7	14
15	Flammability of natural plant and animal fibers: a heat release survey. <i>Fire and Materials</i> , 2017, 41, 275-288.	0.9	19
16	Flame Retardant Polyamide Fibres: The Challenge of Minimising Flame Retardant Additive Contents with Added Nanoclays. <i>Polymers</i> , 2016, 8, 288.	2.0	37
17	Fibre-reinforced glass/silicate composites: effect of fibrous reinforcement on intumescence behaviour of silicate matrices as a fire barrier application. <i>Materials and Design</i> , 2015, 86, 80-88.	3.3	5
18	The combined effects of zinc stannate and aluminium diethyl phosphinate on the burning behaviour of glass fibre-reinforced, high temperature polyamide (HTPA). <i>Polymer Degradation and Stability</i> , 2014, 104, 95-103.	2.7	31

#	ARTICLE	IF	CITATIONS
19	The effect of fibrous reinforcement on optical and impact performance of fibre-reinforced transparent glass composites. <i>Journal of Materials Science</i> , 2014, 49, 1903-1913.	1.7	3
20	The potential of metal oxalates as novel flame retardants and synergists for engineering polymers. <i>Polymer Degradation and Stability</i> , 2014, 110, 290-297.	2.7	30
21	Textile flammability research since 1980 – Personal challenges and partial solutions. <i>Polymer Degradation and Stability</i> , 2013, 98, 2813-2824.	2.7	65
22	Combustion processes of textile fibres. , 2013, , 3-25.		7
23	Flame resistant textiles for transport applications. , 2013, , 603-622.		4
24	Flame resistant composites and nanocomposites. , 2013, , 283-321.		1
25	Effects of nanoparticles on the flame retardancy of the ammonium sulphamate-dipentaerythritol flame-retardant system in polyamide 6. <i>Polymers for Advanced Technologies</i> , 2013, 24, 398-406.	1.6	16
26	Flame resistant ceramic fibres. , 2013, , 272-282.		0
27	Micromechanical finite element analyses of fire-retarded woven fabric composites at elevated temperatures using unit cells at multiple length scales. <i>Computational Materials Science</i> , 2012, 55, 23-33.	1.4	17
28	Integrated thermal, micro- and macro-mechanical modelling of post-fire flexural behaviour of flame-retarded glass/epoxy composites. <i>Computational Materials Science</i> , 2012, 59, 22-32.	1.4	9
29	Zinc stannate interactions with flame retardants in polyamides; Part 1: Synergies with organobromine-containing flame retardants in polyamides (PA6) and 6.6 (PA6.6). <i>Polymer Degradation and Stability</i> , 2012, 97, 2503-2510.	2.7	46
30	The potential for ultrasound to improve nanoparticle dispersion and increase flame resistance in fibre-forming polymers. <i>Polymer Degradation and Stability</i> , 2012, 97, 2511-2523.	2.7	23
31	Effect of alkali and ultraviolet aging on physical, thermal, and mechanical properties of fibers for potential use as reinforcing elements in glass/silicate composites. <i>Polymers for Advanced Technologies</i> , 2012, 23, 1454-1463.	1.6	9
32	Zinc stannate interactions with flame retardants in polyamides; Part 2: Potential synergies with non-halogen-containing flame retardants in polyamide 6 (PA6). <i>Polymer Degradation and Stability</i> , 2012, 97, 645-652.	2.7	33
33	Surface modification of fabrics for improved flash fire resistance using atmospheric pressure plasma in the presence of a functionalized clay and polysiloxane. <i>Polymers for Advanced Technologies</i> , 2011, 22, 22-29.	1.6	57
34	Flame retardant challenges for textiles and fibres: New chemistry versus innovatory solutions. <i>Polymer Degradation and Stability</i> , 2011, 96, 377-392.	2.7	474
35	Studies on the effect of different levels of toughener and flame retardants on thermal stability of epoxy resin. <i>Polymer Degradation and Stability</i> , 2010, 95, 144-152.	2.7	100
36	Smart flame retardant textile coatings and laminates. , 2010, , 264-293.		3

#	ARTICLE	IF	CITATIONS
37	Quantification of Zinc Hydroxystannate** and Stannate** Synergies in Halogen-containing Flame-retardant Polymeric Formulations. <i>Journal of Fire Sciences</i> , 2010, 28, 217-248.	0.9	61
38	Zinc Stannates as Alternative Synergists in Selected Flame Retardant Systems. <i>Journal of Fire Sciences</i> , 2009, 27, 495-521.	0.9	33
39	Effect of Flame Retardants on the Thermal, Burning, and Char Formation Behaviour of Polypropylene-Nanoclay Compounded Polymers. <i>ACS Symposium Series</i> , 2009, , 47-69.	0.5	3
40	Modelling Thermal Degradation of Flame-Retarded Epoxy Resin Formulations under Different Heating Conditions. <i>ACS Symposium Series</i> , 2009, , 368-386.	0.5	0
41	Empirical and numerical approach for optimisation of fire and mechanical performance in fire-retardant glass-reinforced epoxy composites. <i>Fire Safety Journal</i> , 2008, 43, 11-23.	1.4	20
42	Study of the thermal decomposition of flame-retarded unsaturated polyester resins by thermogravimetric analysis and Py-GC/MS. <i>Polymer Degradation and Stability</i> , 2008, 93, 1996-2006.	2.7	98
43	Polypropylene fibers containing dispersed clays having improved fire performance. Part II: characterization of fibers and fabrics from PP–nanoclay blends. <i>Polymers for Advanced Technologies</i> , 2008, 19, 658-670.	1.6	45
44	Effect of different compatibilisers on nanoclay dispersion, thermal stability, and burning behavior of polypropylene–nanoclay blends. <i>Journal of Applied Polymer Science</i> , 2008, 108, 816-824.	1.3	43
45	An Introduction to the Burning Behaviour of Cellulosic Fibres. <i>Coloration Technology</i> , 2008, 99, 191-197.	0.1	115
46	Developments in flame-retarding polyester/cotton blends. <i>Coloration Technology</i> , 2008, 105, 346-349.	0.1	6
47	Smoke, CO, and CO ₂ Measurements and Evaluation using Different Fire Testing Techniques for Flame Retardant Unsaturated Polyester Resin Formulations. <i>Journal of Fire Sciences</i> , 2008, 26, 215-242.	0.9	63
48	Flame retardant/resistant textile coatings and laminates. , 2008, , 159-187.		13
49	Nanocomposites II: Potential applications for nanocomposite-based flame retardant systems. , 2008, , 124-158.		2
50	Flammability testing of fabrics. , 2008, , 339-388.		5
51	Advances in fire retardant materials. , 2008, , .		73
52	The Potential for Volatile Phosphorus-containing Flame Retardants in Textile Back-coatings. <i>Journal of Fire Sciences</i> , 2007, 25, 523-540.	0.9	64
53	Polypropylene fibers containing dispersed clays having improved fire performance. I. Effect of nanoclays on processing parameters and fiber properties. <i>Journal of Applied Polymer Science</i> , 2007, 106, 1707-1717.	1.3	54
54	Thermal degradation analysis and XRD characterisation of fibre-forming synthetic polypropylene containing nanoclay. <i>Polymer Degradation and Stability</i> , 2007, 92, 727-732.	2.7	52

#	ARTICLE	IF	CITATIONS
55	A quantitative study of carbon monoxide and carbon dioxide evolution during thermal degradation of flame retarded epoxy resins. <i>Polymer Degradation and Stability</i> , 2007, 92, 765-776.	2.7	54
56	Flame-retardant unsaturated polyester resin incorporating nanoclays. <i>Polymers for Advanced Technologies</i> , 2006, 17, 294-303.	1.6	155
57	Flammability, degradation and structural characterization of fibre-forming polypropylene containing nanoclay flame retardant combinations. <i>Polymer Degradation and Stability</i> , 2006, 91, 719-725.	2.7	83
58	Comparison of cone and OSU calorimetric techniques to assess the flammability behaviour of fabrics used for aircraft interiors. <i>Fire and Materials</i> , 2006, 30, 241-255.	0.9	28
59	Developments in flame retardant textiles – a review. <i>Polymer Degradation and Stability</i> , 2005, 88, 3-12.	2.7	322
60	The sensitisation of thermal decomposition of ammonium polyphosphate by selected metal ions and their potential for improved cotton fabric flame retardancy. <i>Polymer Degradation and Stability</i> , 2005, 88, 114-122.	2.7	108
61	Use of high-performance fibres and intumescent as char promoters in glass-reinforced polyester composites. <i>Polymer Degradation and Stability</i> , 2005, 88, 123-129.	2.7	27
62	Effect of Layered Silicate Nanocomposites on Burning Behavior of Conventionally Flame-Retarded Unsaturated Polyesters. <i>ACS Symposium Series</i> , 2005, , 155-171.	0.5	5
63	Thermal (heat and fire) protection. , 2005, , 398-440.		6
64	Flammability and fire resistance of composites. , 2005, , 330-363.		19
65	Char Formation in Polyamides (Nylons 6 and 6.6) and Wool Keratin Phosphorylated by Polyol Phosphoryl Chlorides. <i>Textile Research Journal</i> , 2004, 74, 433-441.	1.1	23
66	The particular flammability hazards of nightwear. <i>Fire Safety Journal</i> , 2004, 39, 259-276.	1.4	40
67	Estimation of heat release rate for polymer filler composites by cone calorimetry. <i>Polymer Testing</i> , 2004, 23, 225-230.	2.3	49
68	Substantive intumescent flame retardants for functional fibrous polymers. <i>Journal of Materials Science</i> , 2003, 38, 2195-2198.	1.7	10
69	New developments in flame retardancy of glass-reinforced epoxy composites. <i>Journal of Applied Polymer Science</i> , 2003, 88, 2511-2521.	1.3	46
70	Substantive intumescence from phosphorylated 1,3-propanediol derivatives substituted on to cellulose. <i>Journal of Applied Polymer Science</i> , 2003, 90, 3165-3172.	1.3	34
71	A review of flame retardant polypropylene fibres. <i>Progress in Polymer Science</i> , 2003, 28, 1517-1538.	11.8	490
72	Mechanical performance of heat/fire damaged novel flame retardant glass-reinforced epoxy composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2003, 34, 863-873.	3.8	66

#	ARTICLE	IF	CITATIONS
73	The Effect of Functional Nanoclays in Enhancing the Fire Performance of Fibre-forming Polymers. Journal of the Textile Institute, 2003, 94, 46-66.	1.0	24
74	UV stabilising synergies between carbon black and hindered light stabilisers in linear low density polyethylene films. Macromolecular Symposia, 2003, 202, 199-220.	0.4	9
75	The effect of intumescent on the burning behaviour of polyester-resin-containing composites. Composites Part A: Applied Science and Manufacturing, 2002, 33, 805-817.	3.8	69
76	Enhancing polymer flame retardancy by reaction with phosphorylated polyols. Part 2. Cellulose treated with a phosphonium salt urea condensate (proban CCA®) flame retardant. Fire and Materials, 2002, 26, 173-182.	0.9	29
77	Use of cone calorimetry to quantify the burning hazard of apparel fabrics. Fire and Materials, 2002, 26, 191-199.	0.9	96
78	An investigation into the mechanism of flame retardancy and smoke suppression by melamine in flexible polyurethane foam. Fire and Materials, 2002, 26, 201-206.	0.9	89
79	Effect of Carbon Black on UV stability of LLDPE films under artificial weathering conditions. Polymer Degradation and Stability, 2002, 75, 485-499.	2.7	98
80	A study of the global kinetics of thermal degradation of a fibre-intumescent mixture. Polymer Degradation and Stability, 2002, 77, 187-194.	2.7	15
81	Burning behaviour of foam/cotton fabric combinations in the cone calorimeter. Polymer Degradation and Stability, 2002, 77, 213-220.	2.7	47
82	The influence of carbon black on properties of oriented polypropylene 3. Thermal degradation under applied stress. Polymer Degradation and Stability, 2002, 78, 225-235.	2.7	9
83	Thermal Characterization of Thermoset Matrix Resins. ACS Symposium Series, 2001, , 344-360.	0.5	11
84	Char Formation in Flame-Retarded Fibre-Intumescent Combinations. Part V. Exploring Different Fibre/Intumescent Combinations. Fire and Materials, 2001, 25, 153-160.	0.9	22
85	Enhancing polymer char formation by reaction with phosphorylated polyols. 1. Cellulose. Polymer, 2001, 42, 8025-8033.	1.8	53
86	Thermally resistant fibres. , 2001, , 281-324.		11
87	Flame retardant textile back-coatings. Part 2. Effectiveness of phosphorus-containing flame retardants in textile back-coating formulations. Polymer International, 2000, 49, 1079-1091.	1.6	80
88	Scanning electron microscopic studies of wool/intumescent char formation. Polymer International, 2000, 49, 1125-1132.	1.6	31
89	Burning behaviour of fabric/polyurethane foam combinations in the cone calorimeter. Polymer International, 2000, 49, 1153-1157.	1.6	18
90	Heat release measurements for non-flaming barrier fabrics using thermopile and oxygen consumption techniques. Polymer International, 2000, 49, 1210-1215.	1.6	6

#	ARTICLE	IF	CITATIONS
91	Multivariate analysis of the performance of responsive heat barrier materials. Polymer International, 2000, 49, 1226-1231.	1.6	0
92	Char formation in flame-retarded wool fibres. Part 1. Effect of intumescent on thermogravimetric behaviour. Fire and Materials, 2000, 24, 151-157.	0.9	61
93	Complex char formation in flame-retarded fibre-intumescent combinations ? IV. Mass loss and thermal barrier properties. Fire and Materials, 2000, 24, 265-275.	0.9	38
94	Effect of Recycled Polyolefin Inclusion on the Properties of Polypropylene Filaments. Textile Reseach Journal, 2000, 70, 363-372.	1.1	5
95	Investigation into Cotton Fibre Morphology Part III: Effect of Alcohol Treatment on Water Absorption. Journal of the Textile Institute, 2000, 91, 123-131.	1.0	3
96	Investigation into Cotton Fibre Morphology Part II: Effect of Scouring and Bleaching Treatments on Absorption. Journal of the Textile Institute, 2000, 91, 107-122.	1.0	6
97	Effectiveness of Phosphorus-Containing Flame Retardants in Textile Back-coating Formulations. Journal of Industrial Textiles, 2000, 29, 206-239.	1.1	3
98	Effectiveness of Phosphorus-Containing Flame Retardants in Textile Back-coating Formulations. Journal of Industrial Textiles, 2000, 29, 206-239.	1.1	9
99	Complex Char Formation in Flame-Retarded Fiber/Intumescent Combinations: Physical and Chemical Nature of Char1. Textile Reseach Journal, 1999, 69, 374-381.	1.1	51
100	The flammability of Lyocell. Polymer Degradation and Stability, 1999, 64, 505-510.	2.7	43
101	The influence of carbon black on properties of orientated polypropylene 2. Thermal and photodegradation. Polymer Degradation and Stability, 1999, 65, 25-36.	2.7	78
102	Title is missing!. Journal of Materials Science, 1999, 34, 4333-4340.	1.7	7
103	Investigation into Cotton Fibre Morphology Part I: Effect of Chemical and Physical Treatments on Fibre Porosity. Journal of the Textile Institute, 1999, 90, 481-492.	1.0	3
104	ENVIRONMENTAL CONSEQUENCES OF USING FLAME RETARDANT TEXTILES - A SIMPLE LIFE CYCLE ANALYTICAL MODEL. , 1999, , 297-303.		0
105	Influence of Waste Polymer Inclusion on the Performance of Oriented Polypropylene Geotextile Tapes. Textile Reseach Journal, 1998, 68, 473-478.	1.1	4
106	Novel Intumescent Applications to Textiles. Journal of Coated Fabrics, 1997, 27, 17-26.	0.1	4
107	Textile Materials for Medical and Healthcare Applications. Journal of the Textile Institute, 1997, 88, 83-93.	1.0	57
108	Evidence of interaction in flame-retardant fibre-intumescent combinations by thermal analytical techniques. Thermochimica Acta, 1997, 294, 113-125.	1.2	47

#	ARTICLE	IF	CITATIONS
109	Environmental consequences of using flame-retardant textiles—a simple life cycle analytical model. <i>Fire and Materials</i> , 1997, 21, 229-234.	0.9	18
110	Flame-Retardant Treatments of Cellulose and Their Influence on the Mechanism of Cellulose Pyrolysis. <i>Journal of Macromolecular Science - Reviews in Macromolecular Chemistry and Physics</i> , 1996, 36, 721-794.	2.2	274
111	Thermogravimetric Studies of the Pyrolytic Behaviour in Air of Selected Tropical Timbers. <i>Fire and Materials</i> , 1996, 20, 173-181.	0.9	12
112	FTIR analysis of gases evolved from cotton and flame retarded cotton fabrics pyrolysed in air. <i>Polymer Degradation and Stability</i> , 1996, 52, 205-213.	2.7	32
113	Complex char formation in flame retarded fibre-intumescent combinations: 1. Scanning electron microscopic studies. <i>Polymer</i> , 1996, 37, 3197-3206.	1.8	53
114	RECYCLING AND RECOVERY STRATEGIES. , 1996, , 3-15.		1
115	THE PRODUCTION OF HIGH TENACITY TAPES FROM WASTE POLYPROPYLENE. , 1996, , 127-133.		1
116	Correlation of physicochemical changes in UV-exposed low density polyethylene films containing various UV stabilisers. <i>Polymer Degradation and Stability</i> , 1995, 49, 151-161.	2.7	44
117	Influence of Waste Polymer Inclusion on the Performance of Oriented Polypropylene Geotextile Tapes. <i>Textile Research Journal</i> , 1995, 65, 601-606.	1.1	9
118	Flammability of polyacrylonitrile and its copolymers II. Thermal behaviour and mechanism of degradation. <i>Polymer International</i> , 1994, 33, 303-314.	1.6	56
119	The flammability of polyacrylonitrile and its copolymers III. Effect of flame retardants. <i>Fire and Materials</i> , 1994, 18, 231-241.	0.9	37
120	The flammability of polyacrylonitrile and its copolymers IV. The flame retardant mechanism of ammonium polyphosphate. <i>Fire and Materials</i> , 1994, 18, 307-312.	0.9	52
121	Demonstration of the possible competing effects of oxidation and chain scission in orientated and stressed polypropylenes. <i>Journal of Applied Polymer Science</i> , 1994, 54, 593-600.	1.3	14
122	The effects of stress, environment and polymer variables on the durabilities of oriented polypropylene tapes. <i>Polymer Degradation and Stability</i> , 1994, 46, 181-194.	2.7	10
123	Thermogravimetric analysis study of the mechanism of pyrolysis of untreated and flame retardant treated cotton fabrics under a continuous flow of nitrogen. <i>Polymer Degradation and Stability</i> , 1994, 44, 323-333.	2.7	43
124	Effect of carbon black on the oxidation of polyolefins—An overview. <i>Polymer Degradation and Stability</i> , 1994, 44, 351-356.	2.7	61
125	The flammability of polyacrylonitrile and its copolymers. <i>Polymer Degradation and Stability</i> , 1994, 44, 379-386.	2.7	38
126	The influence of fibre production history and stress on the durability of polypropylene. <i>Polymer Degradation and Stability</i> , 1994, 43, 81-91.	2.7	16

#	ARTICLE	IF	CITATIONS
127	Studies on evolved gases and smoke generated by flame-retarded phosphorylated celluloses. Fire Safety Journal, 1993, 20, 189-202.	1.4	4
128	Thermal, spectral and morphological studies on cellulose, cellulose ethylthiophosphate and its metal complexes in air. Polymer International, 1993, 30, 33-45.	1.6	5
129	Use of cyclic differential scanning calorimetry. Journal of Thermal Analysis, 1993, 40, 649-656.	0.7	12
130	The Flammability of Polyacrylonitrile and Its Copolymers I. The Flammability Assessment Using Pressed Powdered Polymer Samples. Journal of Fire Sciences, 1993, 11, 442-456.	0.9	14
131	Improved synthesis of 1-methoxy-3-methyl-2-phospholene oxide utilising multivariate optimization analysis. Journal of the Chemical Society Perkin Transactions II, 1993, , 629.	0.9	8
132	Influence of Laundering on Durable Flame Retarded Cotton Fabrics " Part 1. Effect of Oxidant Concentration and Detergent Type. Journal of Fire Sciences, 1992, 10, 335-351.	0.9	6
133	The Burning Behaviour of Combustion Modified High Resilience Polyurethane Foams. Journal of Fire Sciences, 1992, 10, 28-39.	0.9	9
134	Environmental aspects of flame-retardant textiles "an overview. Review of Progress in Coloration and Related Topics, 1992, 22, 48-57.	0.2	20
135	Use of gas chromatographic analysis of volatile products to investigate the mechanisms underlying the influence of flame retardants on the pyrolysis of cellulose in air. Polymer Degradation and Stability, 1991, 33, 155-170.	2.7	49
136	The spontaneous igniting behaviour of oil-contaminated cotton. Polymer Degradation and Stability, 1991, 33, 295-305.	2.7	10
137	Physicochemical changes in stabilized, orientated polypropylene films during the initial stages of thermal oxidation. Journal of Applied Polymer Science, 1991, 42, 243-261.	1.3	19
138	Studies on the temperature dependence of extinction oxygen index values for cellulosic fabrics: III. Comparison with limiting oxygen index for commercial flame-retarded cotton. Journal of Applied Polymer Science, 1990, 39, 2165-2172.	1.3	0
139	The inhibition of spontaneous ignition by flame-retarding cotton fabrics. Journal of Applied Polymer Science, 1990, 41, 3069-3078.	1.3	16
140	Smoke, CO ₂ and CO Evolution from Cotton and Flame Retarded Cotton: Part 2. Behaviour of Single Layer Fabrics in Air at Elevated Temperatures. Journal of Fire Sciences, 1990, 8, 135-151.	0.9	11
141	Application of evolved gas analysis. Analytical Proceedings, 1990, 27, 145.	0.4	4
142	Studies on the temperature dependence of extinction oxygen index values for cellulosic fabrics. II. Commercial quality flame-retarded cotton. Journal of Applied Polymer Science, 1989, 37, 1051-1061.	1.3	4
143	Use of DTA with infrared analysis of evolved gas to investigate the effect of flame retardants on gas evolution from pyrolysed cellulose (cotton). British Polymer Journal, 1988, 20, 61-67.	0.7	23
144	The use of TGA to study thermal ageing effects of orientated polypropylene. Thermochemica Acta, 1988, 134, 255-260.	1.2	5

#	ARTICLE	IF	CITATIONS
145	The Extinction Oxygen Index of Polyester-Cotton Blended Fabrics. <i>Journal of Fire Sciences</i> , 1988, 6, 432-449.	0.9	2
146	The Burning Behaviour of Textiles and its Assessment by Oxygen-index Methods. <i>Textile Progress</i> , 1988, 18, 1-186.	1.3	76
147	Smoke and CO Evolution from Cotton and Flame Retarded Cotton. Part 1: Behaviour of Single Layer Fabrics under LOI Conditions. <i>Journal of Fire Sciences</i> , 1988, 6, 333-347.	0.9	12
148	Studies on the temperature dependence of extinction oxygen index values for cellulosic fabrics. I. Cotton. <i>Journal of Applied Polymer Science</i> , 1987, 34, 1901-1916.	1.3	11
149	THE INFLUENCE OF TEMPERATURE AND OXYGEN CONCENTRATION ON THE BURNING BEHAVIOUR OF COTTON. <i>Journal of the Textile Institute</i> , 1986, 77, 119-127.	1.0	7
150	Nitrogen-phosphorous antagonism in flame-retardant cotton. <i>Journal of Applied Polymer Science</i> , 1986, 31, 1655-1662.	1.3	12
151	Flame-retardant Finishing of Textiles. <i>Review of Progress in Coloration and Related Topics</i> , 1986, 16, 62-101.	0.2	197
152	FUNCTIONAL PROPERTIES OF TEXTILES. <i>Journal of the Textile Institute</i> , 1985, 76, 196-206.	1.0	8
153	The use of DTA to study spontaneous ignition of cellulose. <i>Fire and Materials</i> , 1985, 9, 57-64.	0.9	15
154	The persistence of burning of textiles in different oxygen environments and the determination of the extinction oxygen index. <i>Fire and Materials</i> , 1983, 7, 111-118.	0.9	12
155	Ignition studies on cotton cellulose by DTA. <i>Thermochimica Acta</i> , 1983, 63, 351-362.	1.2	30
156	Emission from benzene excited by pulse radiolysis. <i>Canadian Journal of Chemistry</i> , 1970, 48, 1000-1002.	0.6	6
157	SOLVENT DEPENDENCE OF THE QUANTUM YIELD OF TRIPLET STATE PRODUCTION OF 9-PHENYLANTHRACENE. <i>Photochemistry and Photobiology</i> , 1967, 6, 21-28.	1.3	42
158	Mechanism of fluorescence quenching in solution. Part 2. Quenching by xenon and intersystem crossing efficiencies. <i>Transactions of the Faraday Society</i> , 1966, 62, 3393-3399.	0.9	73
159	A new accurate method for determining the quantum yields of triplet state production of aromatic molecules in solution. <i>Chemical Communications / Chemical Society, London</i> , 1965, , 452.	0.1	5
160	Potential Applications of Nanocomposites for Flame Retardancy. , 0, , 325-353.		4