

Joo E Fonseca

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7866585/joao-e-fonseca-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

3,628
citations

31
h-index

55
g-index

191
ext. papers

4,493
ext. citations

4.2
avg, IF

5.02
L-index

#	Paper	IF	Citations
161	Treating rheumatoid arthritis to target: 2014 update of the recommendations of an international task force. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 3-15	2.4	814
160	Genome-wide association study and gene expression analysis identifies CD84 as a predictor of response to etanercept therapy in rheumatoid arthritis. <i>PLoS Genetics</i> , 2013 , 9, e1003394	6	127
159	EULAR definition of arthralgia suspicious for progression to rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 491-496	2.4	125
158	Synovial tissue research: a state-of-the-art review. <i>Nature Reviews Rheumatology</i> , 2017 , 13, 463-475	8.1	107
157	Effective treatment of rat adjuvant-induced arthritis by celastrol. <i>Autoimmunity Reviews</i> , 2012 , 11, 856-623.6	3.6	95
156	TYK2 protein-coding variants protect against rheumatoid arthritis and autoimmunity, with no evidence of major pleiotropic effects on non-autoimmune complex traits. <i>PLoS ONE</i> , 2015 , 10, e0122273.7	3.7	77
155	Identification of a cytokine network sustaining neutrophil and Th17 activation in untreated early rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2010 , 12, R196	5.7	76
154	The Ratio of Blood T Follicular Regulatory Cells to T Follicular Helper Cells Marks Ectopic Lymphoid Structure Formation While Activated Follicular Helper T Cells Indicate Disease Activity in Primary Sjögren's Syndrome. <i>Arthritis and Rheumatology</i> , 2018 , 70, 774-784	9.5	71
153	Three decades of low-dose methotrexate in rheumatoid arthritis: can we predict toxicity?. <i>Immunologic Research</i> , 2014 , 60, 289-310	4.3	63
152	Comparative effectiveness and predictors of response to tumour necrosis factor inhibitor therapies in rheumatoid arthritis. <i>Rheumatology</i> , 2012 , 51, 2020-6	3.9	62
151	Treating Rheumatoid Arthritis to Target: multinational recommendations assessment questionnaire. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1999-2002	2.4	59
150	Systemic sclerosis: state of the art on clinical practice guidelines. <i>RMD Open</i> , 2018 , 4, e000782	5.9	53
149	Old drugs, old problems: where do we stand in prediction of rheumatoid arthritis responsiveness to methotrexate and other synthetic DMARDs?. <i>BMC Medicine</i> , 2013 , 11, 17	11.4	50
148	Bilateral MR imaging of the hand and wrist in early and very early inflammatory arthritis: tenosynovitis is associated with progression to rheumatoid arthritis. <i>Radiology</i> , 2012 , 264, 823-33	20.5	49
147	Whole blood transcriptional profiling in ankylosing spondylitis identifies novel candidate genes that might contribute to the inflammatory and tissue-destructive disease aspects. <i>Arthritis Research and Therapy</i> , 2011 , 13, R57	5.7	48
146	Cytokine pattern in very early rheumatoid arthritis favours B-cell activation and survival. <i>Rheumatology</i> , 2011 , 50, 278-82	3.9	48
145	Alterations on peripheral blood B-cell subpopulations in very early arthritis patients. <i>Rheumatology</i> , 2010 , 49, 1082-92	3.9	45

144	B-cell phenotype and IgD-CD27- memory B cells are affected by TNF-inhibitors and tocilizumab treatment in rheumatoid arthritis. <i>PLoS ONE</i> , 2017 , 12, e0182927	3.7	45
143	Systemic lupus erythematosus: state of the art on clinical practice guidelines. <i>RMD Open</i> , 2018 , 4, e000793	9.3	42
142	Anti-ribosomal P protein IgG autoantibodies in patients with systemic lupus erythematosus: diagnostic performance and clinical profile. <i>BMC Medicine</i> , 2013 , 11, 98	11.4	39
141	Tumor necrosis factor and interleukin-6 differentially regulate Dkk-1 in the inflamed arthritic joint. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2071-5	9.5	38
140	Early vascular alterations in SLE and RA patients--a step towards understanding the associated cardiovascular risk. <i>PLoS ONE</i> , 2012 , 7, e44668	3.7	37
139	Modulation of IL-17 and Foxp3 expression in the prevention of autoimmune arthritis in mice. <i>PLoS ONE</i> , 2010 , 5, e10558	3.7	36
138	Upregulation of inflammatory genes and downregulation of sclerostin gene expression are key elements in the early phase of fragility fracture healing. <i>PLoS ONE</i> , 2011 , 6, e16947	3.7	35
137	Review: animal models as a tool to dissect pivotal pathways driving spondyloarthritis. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2813-27	9.5	34
136	To B or not to B the conductor of rheumatoid arthritis orchestra. <i>Clinical Reviews in Allergy and Immunology</i> , 2012 , 43, 281-91	12.3	33
135	Bilateral evaluation of the hand and wrist in untreated early inflammatory arthritis: a comparative study of ultrasonography and magnetic resonance imaging. <i>Journal of Rheumatology</i> , 2013 , 40, 1282-92	4.1	33
134	Protective effect of an ERAP1 haplotype in ankylosing spondylitis: investigating non-MHC genes in HLA-B27-positive individuals. <i>Rheumatology</i> , 2013 , 52, 2168-76	3.9	32
133	Hemorheological parameters are related to subclinical atherosclerosis in systemic lupus erythematosus and rheumatoid arthritis patients. <i>Atherosclerosis</i> , 2011 , 219, 821-6	3.1	32
132	BAFF and TACI gene expression are increased in patients with untreated very early rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2013 , 40, 1293-302	4.1	31
131	Right drug, right patient, right time: aspiration or future promise for biologics in rheumatoid arthritis?. <i>Arthritis Research and Therapy</i> , 2017 , 19, 239	5.7	30
130	Interleukin-6 promoter polymorphism -174 G/C is associated with nephritis in Portuguese Caucasian systemic lupus erythematosus patients. <i>Clinical Rheumatology</i> , 2011 , 30, 409-13	3.9	27
129	Contribution for new genetic markers of rheumatoid arthritis activity and severity: sequencing of the tumor necrosis factor-alpha gene promoter. <i>Arthritis Research and Therapy</i> , 2007 , 9, R37	5.7	27
128	Juvenile idiopathic arthritis in adulthood: fulfilment of classification criteria for adult rheumatic diseases, long-term outcomes and predictors of inactive disease, functional status and damage. <i>RMD Open</i> , 2016 , 2, e000304	5.9	27
127	Rheumatoid arthritis bone fragility is associated with upregulation of IL17 and DKK1 gene expression. <i>Clinical Reviews in Allergy and Immunology</i> , 2014 , 47, 38-45	12.3	25

126	Integration of sequence data from a Consanguineous family with genetic data from an outbred population identifies PLB1 as a candidate rheumatoid arthritis risk gene. <i>PLoS ONE</i> , 2014 , 9, e87645	3.7	24
125	Rheumatoid arthritis: what is refractory disease and how to manage it?. <i>Autoimmunity Reviews</i> , 2011 , 10, 707-13	13.6	23
124	Chronic arthritis leads to disturbances in the bone collagen network. <i>Arthritis Research and Therapy</i> , 2010 , 12, R9	5.7	23
123	Differentiating biosimilarity and comparability in biotherapeutics. <i>Clinical Rheumatology</i> , 2016 , 35, 2877-2886	3.9	23
122	Pharmacoeconomics of Biosimilars: What Is There to Gain from Them?. <i>Current Rheumatology Reports</i> , 2016 , 18, 50	4.9	22
121	Evaluation of Minimally Invasive, Ultrasound-guided Synovial Biopsy Techniques by the OMERACT Filter--Determining Validation Requirements. <i>Journal of Rheumatology</i> , 2016 , 43, 208-13	4.1	22
120	Potent anti-inflammatory and antiproliferative effects of gambogic acid in a rat model of antigen-induced arthritis. <i>Mediators of Inflammation</i> , 2014 , 2014, 195327	4.3	22
119	Ultrasound and its clinical use in rheumatoid arthritis: where do we stand?. <i>Advances in Rheumatology</i> , 2018 , 58, 19	3	22
118	Remission induced by infliximab in a childhood polyarteritis nodosa refractory to conventional immunosuppression and rituximab. <i>Joint Bone Spine</i> , 2014 , 81, 277-8	2.9	21
117	Ankylosing spondylitis susceptibility and severity--contribution of TNF gene promoter polymorphisms at positions -238 and -308. <i>Annals of the New York Academy of Sciences</i> , 2009 , 1173, 581-8	6.5	21
116	Antiphospholipid syndrome: state of the art on clinical practice guidelines. <i>RMD Open</i> , 2018 , 4, e000785	5.9	21
115	Low osteocalcin/collagen type I bone gene expression ratio is associated with hip fragility fractures. <i>Bone</i> , 2012 , 51, 981-9	4.7	19
114	Patient-reported outcomes and safety in patients undergoing synovial biopsy: comparison of ultrasound-guided needle biopsy, ultrasound-guided portal and forceps and arthroscopic-guided synovial biopsy techniques in five centres across Europe. <i>RMD Open</i> , 2018 , 4, e000799	5.9	19
113	GO-DACT: a phase 3b randomised, double-blind, placebo-controlled trial of GOLimumab plus methotrexate (MTX) versus placebo plus MTX in improving DACTylitis in MTX-naive patients with psoriatic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 490-498	2.4	18
112	B Cell Synovitis and Clinical Phenotypes in Rheumatoid Arthritis: Relationship to Disease Stages and Drug Exposure. <i>Arthritis and Rheumatology</i> , 2020 , 72, 714-725	9.5	18
111	Standardisation of synovial biopsy analyses in rheumatic diseases: a consensus of the EULAR Synovitis and OMERACT Synovial Tissue Biopsy Groups. <i>Arthritis Research and Therapy</i> , 2018 , 20, 265	5.7	18
110	Tumor necrosis factor-alpha -308 genotypes influence inflammatory activity and TNF-alpha serum concentrations in children with juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2009 , 36, 837-42	4.1	17
109	DAS28, CDAI and SDAI cut-offs do not translate the same information: results from the Rheumatic Diseases Portuguese Register Reuma.pt. <i>Rheumatology</i> , 2015 , 54, 286-91	3.9	16

108	Effectiveness and long-term retention of anti-tumour necrosis factor treatment in juvenile and adult patients with juvenile idiopathic arthritis: data from Reuma.pt. <i>Rheumatology</i> , 2016 , 55, 697-703	3.9	16
107	Dynamic contrast-enhanced 3-T magnetic resonance imaging: a method for quantifying disease activity in early polyarthritis. <i>Skeletal Radiology</i> , 2012 , 41, 51-9	2.7	16
106	Comparative Effectiveness of Tocilizumab and TNF Inhibitors in Rheumatoid Arthritis Patients: Data from the Rheumatic Diseases Portuguese Register, Reuma.pt. <i>BioMed Research International</i> , 2015 , 2015, 279890	3	16
105	Pachydermoperiostosis in an African patient caused by a Chinese/Japanese SLCO2A1 mutation-case report and review of literature. <i>Seminars in Arthritis and Rheumatism</i> , 2014 , 43, 566-9	5.3	16
104	TNF promoter -308 G>A and LTA 252 A>G polymorphisms in Portuguese patients with systemic lupus erythematosus. <i>Rheumatology International</i> , 2012 , 32, 2239-44	3.6	16
103	Gender-specific effects of genetic variants within Th1 and Th17 cell-mediated immune response genes on the risk of developing rheumatoid arthritis. <i>PLoS ONE</i> , 2013 , 8, e72732	3.7	16
102	Anti-TNF Drugs for Chronic Uveitis in Adults-A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Frontiers in Medicine</i> , 2019 , 6, 104	4.9	15
101	Mechanism of action of strontium ranelate: what are the facts?. <i>Clinical Cases in Mineral and Bone Metabolism</i> , 2010 , 7, 17-8		15
100	Common Evaluations of Disease Activity in Rheumatoid Arthritis Reach Discordant Classifications across Different Populations. <i>Frontiers in Medicine</i> , 2018 , 5, 40	4.9	14
99	Undifferentiated connective tissue disease: state of the art on clinical practice guidelines. <i>RMD Open</i> , 2018 , 4, e000786	5.9	14
98	Lymphotoxin- β 252 A>G polymorphism: a link between disease susceptibility and dyslipidemia in rheumatoid arthritis?. <i>Journal of Rheumatology</i> , 2011 , 38, 1244-9	4.1	14
97	Efficacy and safety of intravitreal anti-tumour necrosis factor drugs in adults with non-infectious uveitis - a systematic review. <i>Acta Ophthalmologica</i> , 2018 , 96, e665-e675	3.7	13
96	Primary biliary cirrhosis in a rheumatoid arthritis patient treated with rituximab, a case-based review. <i>Clinical Rheumatology</i> , 2012 , 31, 385-9	3.9	13
95	TRAF1/C5 but not PTPRC variants are potential predictors of rheumatoid arthritis response to anti-tumor necrosis factor therapy. <i>BioMed Research International</i> , 2015 , 2015, 490295	3	13
94	Soluble receptor activator of nuclear factor κ B ligand/osteoprotegerin ratio is increased in systemic lupus erythematosus patients. <i>Arthritis Research and Therapy</i> , 2011 , 13, R175	5.7	13
93	Effect of Tumor Necrosis Factor Inhibitor Therapy on Osteoclasts Precursors in Ankylosing Spondylitis. <i>PLoS ONE</i> , 2015 , 10, e0144655	3.7	13
92	The Impact of Conventional and Biological Disease Modifying Antirheumatic Drugs on Bone Biology. Rheumatoid Arthritis as a Case Study. <i>Clinical Reviews in Allergy and Immunology</i> , 2016 , 51, 100-9	12.3	13
91	Portuguese guidelines for the use of biological agents in rheumatoid arthritis - October 2011 update. <i>Acta Reumatologica Portuguesa</i> , 2011 , 36, 385-8	0.7	13

90	Rheumatology practice amidst the COVID-19 pandemic: a pragmatic view. <i>RMD Open</i> , 2020 , 6,	5.9	12
89	How to treat patients with rheumatoid arthritis when methotrexate has failed? The use of a multiple propensity score to adjust for confounding by indication in observational studies. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 25-30	2.4	12
88	No evidence so far on the protective effect of hydroxychloroquine to prevent COVID-19: comment by Joob and Wiwanitkit. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, e22	2.4	12
87	The impact of COVID-19 on rare and complex connective tissue diseases: the experience of ERN ReCONNET. <i>Nature Reviews Rheumatology</i> , 2021 , 17, 177-184	8.1	12
86	Idiopathic inflammatory myopathies: state of the art on clinical practice guidelines [corrected]. <i>RMD Open</i> , 2018 , 4, e000784	5.9	11
85	T Follicular Regulatory Cells Are Decreased in Patients With Established Treated Rheumatoid Arthritis With Active Disease: Comment on the Article by Liu et al. <i>Arthritis and Rheumatology</i> , 2018 , 70, 1893-1895	9.5	11
84	Effect of Tumor Necrosis Factor Inhibitor Therapy on Osteoclasts Precursors in Rheumatoid Arthritis. <i>BioMed Research International</i> , 2017 , 2017, 2690402	3	11
83	Assessment of laboratory measurements and -308 TNFalpha gene promoter polymorphisms in normal bone mineral density. <i>Clinical Rheumatology</i> , 2008 , 27, 301-7	3.9	11
82	Biosimilar monoclonal antibodies: preclinical and clinical development aspects. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 698-705	2.2	11
81	Methotrexate treatment in rheumatoid arthritis: management in clinical remission, common infection and tuberculosis. Results from a systematic literature review. <i>Clinical Rheumatology</i> , 2010 , 29, 629-35	3.9	10
80	JAK Inhibitors and Modulation of B Cell Immune Responses in Rheumatoid Arthritis. <i>Frontiers in Medicine</i> , 2020 , 7, 607725	4.9	10
79	Improved serological detection of rheumatoid arthritis: a highly antigenic mimotope of carbonic anhydrase III selected in a murine model by phage display. <i>Arthritis Research and Therapy</i> , 2015 , 17, 168	5.7	9
78	Persistent low grade synovitis without erosive progression in magnetic resonance imaging of rheumatoid arthritis patients treated with infliximab over 1 year. <i>Clinical Rheumatology</i> , 2009 , 28, 1213-8	3.9	9
77	Reducing or Maintaining the Dose of Subcutaneous Tocilizumab in Patients With Rheumatoid Arthritis in Clinical Remission: A Randomized, Open-Label Trial. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1616-1625	9.5	8
76	Biosimilar DMARDs: What Does the Future Hold?. <i>Drugs</i> , 2016 , 76, 629-37	12.1	8
75	Brief Report: The Role of Rare Protein-Coding Variants in Anti-Tumor Necrosis Factor Treatment Response in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2017 , 69, 735-741	9.5	8
74	Arthritis induces early bone high turnover, structural degradation and mechanical weakness. <i>PLoS ONE</i> , 2015 , 10, e0117100	3.7	8
73	Expression of the inherently autoreactive idiotope 9G4 on autoantibodies to citrullinated peptides and on rheumatoid factors in patients with early and established rheumatoid arthritis. <i>PLoS ONE</i> , 2014 , 9, e107513	3.7	8

72	ANKH and susceptibility to and severity of ankylosing spondylitis. <i>Journal of Rheumatology</i> , 2012 , 39, 131-4	4.1	8
71	Smoking is a predictor of worse trabecular mechanical performance in hip fragility fracture patients. <i>Journal of Bone and Mineral Metabolism</i> , 2012 , 30, 692-9	2.9	8
70	Osteoporosis: from bone biology to individual treatment decision. <i>Acta Medica Portuguesa</i> , 2013 , 26, 445-55	1.4	8
69	NFKB2 polymorphisms associate with the risk of developing rheumatoid arthritis and response to TNF inhibitors: Results from the REPAIR consortium. <i>Scientific Reports</i> , 2020 , 10, 4316	4.9	7
68	Ankylosing Spondylitis Patients Have Impaired Osteoclast Gene Expression in Circulating Osteoclast Precursors. <i>Frontiers in Medicine</i> , 2017 , 4, 5	4.9	7
67	How to investigate: Pre-clinical rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019 , 33, 101438	5.3	7
66	Patient access to healthcare and treatment in rheumatoid arthritis: the views of stakeholders in Portugal. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 279	2.8	7
65	Polymorphisms at phase I-metabolizing enzyme and hormone receptor loci influence the response to anti-TNF therapy in rheumatoid arthritis patients. <i>Pharmacogenomics Journal</i> , 2019 , 19, 83-96	3.5	7
64	Efficacy, Safety, and Sample Quality of Ultrasound-Guided Synovial Needle Biopsy in Clinical Practice and Research: A Prospective Observational Study. <i>Arthritis Care and Research</i> , 2020 , 72, 1497-1505	4.7	7
63	Anti-müllerian hormone and ovarian reserve in systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2017 , 36, 2853-2854	3.9	6
62	Genetic Screening of Mutations Associated with Fabry Disease in a Nationwide Cohort of Juvenile Idiopathic Arthritis Patients. <i>Frontiers in Medicine</i> , 2017 , 4, 12	4.9	6
61	At the moment of occurrence of a fragility hip fracture, men have higher mechanical properties values in comparison with women. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 295	2.8	6
60	Rituximab use in pediatric autoimmune diseases: four case reports. <i>Annals of the New York Academy of Sciences</i> , 2009 , 1173, 712-20	6.5	6
59	Etiology and Risk Factors for Rheumatoid Arthritis: A State-of-the-Art Review.. <i>Frontiers in Medicine</i> , 2021 , 8, 689698	4.9	6
58	Methotrexate and low-dose prednisolone downregulate osteoclast function by decreasing receptor activator of nuclear factor- κ B expression in monocytes from patients with early rheumatoid arthritis. <i>RMD Open</i> , 2017 , 3, e000365	5.9	5
57	Anti-type II collagen antibodies detection and avidity in patients with oligoarticular and polyarticular forms of juvenile idiopathic arthritis. <i>Immunology Letters</i> , 2015 , 165, 20-5	4.1	5
56	SAPHO syndrome in an adolescent: a clinical case with unusual severe systemic impact. <i>Journal of Adolescent Health</i> , 2014 , 55, 304-6	5.8	5
55	Changes in serum RANKL and OPG with sexual development and their associations with bone turnover and bone mineral density in a cohort of girls. <i>Clinical Biochemistry</i> , 2014 , 47, 1040-6	3.5	5

54	A COVID-19 Outbreak in a Rheumatology Department Upon the Early Days of the Pandemic. <i>Frontiers in Medicine</i> , 2020 , 7, 576162	4.9	5
53	Treatment-resistant synovitis and radiographic progression are increased in elderly-onset rheumatoid arthritis patients: findings from a prospective observational longitudinal early arthritis cohort study. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 735-743	5.3	5
52	Predictors and causes of first-line biologic agent discontinuation in rheumatoid arthritis: data from Reuma.pt. <i>Acta Reumatologica Portuguesa</i> , 2019 , 44, 57-64	0.7	5
51	Steroid hormone-related polymorphisms associate with the development of bone erosions in rheumatoid arthritis and help to predict disease progression: Results from the REPAIR consortium. <i>Scientific Reports</i> , 2019 , 9, 14812	4.9	4
50	Spectrum of ankylosing spondylitis in Portugal. Development of BASDAI, BASFI, BASMI and mSASSS reference centile charts. <i>Clinical Rheumatology</i> , 2012 , 31, 447-54	3.9	4
49	Microbes, helminths, and rheumatic diseases. <i>Best Practice and Research in Clinical Rheumatology</i> , 2020 , 34, 101528	5.3	4
48	Treatment of Persistent Cutaneous Atrophy After Corticosteroid Injection With Fat Graft. <i>Reumatologia Clínica</i> , 2019 , 15, e122-e124	0.9	4
47	Real-world Longterm Effectiveness of Tumor Necrosis Factor Inhibitors in Psoriatic Arthritis Patients from the Rheumatic Diseases Portuguese Register. <i>Journal of Rheumatology</i> , 2020 , 47, 690-700 ^{4.1}		4
46	Atherosclerosis and Bone Loss in Humans-Results From Deceased Donors and From Patients Submitted to Carotid Endarterectomy. <i>Frontiers in Medicine</i> , 2021 , 8, 672496	4.9	3
45	A Systematic Review With Network Meta-Analysis of the Available Biologic Therapies for Psoriatic Disease Domains. <i>Frontiers in Medicine</i> , 2020 , 7, 618163	4.9	3
44	Efficacy, immunogenicity and cost analysis of a systematic switch from originator infliximab to biosimilar CT-P13 of all patients with inflammatory arthritis from a single center. <i>Acta Reumatologica Portuguesa</i> , 2019 , 44, 303-311	0.7	3
43	Biosimilars in rheumatology. <i>Pharmacological Research</i> , 2019 , 149, 104467	10.2	2
42	Giant cell arteritis with normal inflammatory markers: case report and review of the literature. <i>Clinical Rheumatology</i> , 2020 , 39, 3115-3125	3.9	2
41	Genetic Predictors of Poor Prognosis in Portuguese Patients with Juvenile Idiopathic Arthritis: Data from Reuma.pt. <i>Journal of Immunology Research</i> , 2015 , 2015, 706515	4.5	2
40	Golimumab (anti-TNF monoclonal antibody): where we stand today. <i>Human Vaccines and Immunotherapeutics</i> , 2021 , 17, 1586-1598	4.4	2
39	A Non-Infectious Uveitis Multidisciplinary Clinic in a Tertiary Referral Center: Clinical Impact and Added Value. <i>Journal of Multidisciplinary Healthcare</i> , 2021 , 14, 695-704	2.8	2
38	Cell sources of inflammatory mediators present in bone marrow areas inside the meniscus. <i>PLoS ONE</i> , 2019 , 14, e0226986	3.7	2
37	Portuguese Recommendations for the use of biological therapies in patients with rheumatoid arthritis- 2016 update. <i>Acta Reumatologica Portuguesa</i> , 2017 , 42(2), 112-126	0.7	2

36	Portuguese recommendations for the use of biological therapies in patients with axial spondyloarthritis - 2016 update. <i>Acta Reumatologica Portuguesa</i> , 2017 , 42, 209-218	0.7	2
35	The GO-DACT protocol: a multicentre, randomized, double-blind, parallel-group study to compare the efficacy of golimumab in combination with methotrexate (MTX) versus MTX monotherapy. <i>Acta Reumatologica Portuguesa</i> , 2018 , 43, 80-92	0.7	2
34	Transition in a paediatric rheumatology unit - experience from a tertiary unit. <i>Acta Reumatologica Portuguesa</i> , 2019 , 44, 320-321	0.7	2
33	Remission and low disease activity matrix tools: results in real-world rheumatoid arthritis patients under anti-TNF therapy. <i>Acta Reumatologica Portuguesa</i> , 2020 , 45, 245-252	0.7	2
32	9G4 expression on autoantibodies to citrullinated peptides in patients with early inflammatory arthritis and established rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, A24.3-A25	2.4	1
31	Validation of GWAS-Identified Variants for Anti-TNF Drug Response in Rheumatoid Arthritis: A Meta-Analysis of Two Large Cohorts. <i>Frontiers in Immunology</i> , 2021 , 12, 672255	8.4	1
30	O07 Randomised, open labelled clinical trial to investigate synovial mechanisms determining response: resistance to rituximab versus tocilizumab in RA patients failing TNF inhibitor therapy. <i>Rheumatology</i> , 2020 , 59,	3.9	1
29	Gastric Adenocarcinoma Presenting as a Rheumatoid Factor and Anti-cyclic Citrullinated Protein Antibody-Positive Polyarthritis: A Case Report and Review of Literature. <i>Frontiers in Medicine</i> , 2021 , 8, 627004	4.9	1
28	Ultrasound halo sign as a potential monitoring tool for patients with giant cell arteritis: a prospective analysis. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1475-1482	2.4	1
27	Response to: The role of antimalarials in COVID-19: observational data from a cohort of rheumatic patients Rby Favalli. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, e76	2.4	1
26	Arthroscopic Guided Synovial Biopsies. <i>Frontiers in Medicine</i> , 2020 , 7, 604582	4.9	1
25	Palm-up test and range of motion in flexion and external rotation provide best correlation with disability and perceived pain in patients with shoulder complaints. <i>Acta Reumatologica Portuguesa</i> , 2020 , 45, 95-103	0.7	1
24	Rare clinical manifestations in systemic lupus erythematosus: a review on frequency and clinical presentation.. <i>Clinical and Experimental Rheumatology</i> , 2022 , 40 Suppl 134, 93-102	2.2	1
23	Systematic Review and Principal Components Analysis of the Immunogenicity of Adalimumab. <i>BioDrugs</i> , 2021 , 35, 35-45	7.9	0
22	Angiotensin-Converting Enzyme Activity May Predict Disease Severity in Psoriasis 2022 , 2, 15-23		0
21	B Cells on the Stage of Inflammation in Juvenile Idiopathic Arthritis: Leading or Supporting Actors in Disease Pathogenesis?. <i>Frontiers in Medicine</i> , 2022 , 9, 851532	4.9	0
20	The Added Value of a Multidisciplinary Clinic for Systemic Autoinflammatory Diseases.. <i>Journal of Multidisciplinary Healthcare</i> , 2022 , 15, 999-1010	2.8	0
19	Health-related quality of life in patients with mixed connective tissue disease: a comparison with matched systemic sclerosis patients.. <i>Clinical and Experimental Rheumatology</i> , 2022 , 40 Suppl 134, 66-70	2.2	0

18	Reply. <i>Arthritis and Rheumatology</i> , 2018 , 70, 1355-1356	9.5
17	Bilateral 3.0-Tesla MRI of the hand and wrist in early and very early inflammatory arthritis: tenosynovitis is associated with progression to rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, A20.3-A21	2.4
16	Targeting Macrophages and Synoviocytes Intracellular Milieu to Augment Anti-Inflammatory Drug Potency. <i>Advanced Therapeutics</i> , 2100167	4.9
15	Elderly-onset rheumatoid arthritis is a unique disease subset associated with poor overall outcomes: Response to the letter by Haroon and Ayamer. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, e11-e12	5.3
14	Preclinical and Clinical Development of Biosimilar Antibodies 2016 , 479-503	
13	Gaps and barriers to tuberculosis screening among anti-tumor necrosis factor prescribers. <i>Acta Reumatologica Portuguesa</i> , 2016 , 41, 382-384	0.7
12	Loss to follow-up in registries of rheumatic patients treated with biologics: a potential information bias in assessing pharmacovigilance and efficacy outcomes. <i>Acta Reumatologica Portuguesa</i> , 2019 , 44, 281-287	0.7
11	Rheumatoid nodule mimicking Morton's neuroma: a rare case report. <i>Acta Reumatologica Portuguesa</i> , 2020 , 45, 220-222	0.7
10	Rituximab treatment in a spondyloarthritis patient with low-grade follicular lymphoma: a case report. <i>Acta Reumatologica Portuguesa</i> , 2020 , 45, 227-228	0.7
9	Belimumab in the treatment of Portuguese Systemic Lupus Erythematosus patients: a real-life multicenter study. <i>Acta Reumatologica Portuguesa</i> , 2020 , 45, 170-176	0.7
8	[Integrated care process for systemic lupus erythematosus: towards quality in healthcare]. <i>Acta Reumatologica Portuguesa</i> , 2020 , 45, 295-297	0.7
7	Association of body mass index with Juvenile Idiopathic Arthritis disease activity: a Portuguese and Brazilian collaborative analysis. <i>Acta Reumatologica Portuguesa</i> , 2021 , 46, 7-14	0.7
6	Ten years of a systemic sclerosis clinic in a tertiary referral centre - insights and future directions. <i>Acta Reumatologica Portuguesa</i> , 2021 , 46, 257-265	0.7
5	Cell sources of inflammatory mediators present in bone marrow areas inside the meniscus 2019 , 14, e0226986	
4	Cell sources of inflammatory mediators present in bone marrow areas inside the meniscus 2019 , 14, e0226986	
3	Cell sources of inflammatory mediators present in bone marrow areas inside the meniscus 2019 , 14, e0226986	
2	Cell sources of inflammatory mediators present in bone marrow areas inside the meniscus 2019 , 14, e0226986	
1	Hoarseness as the presentation of immunoglobulin G4-related disease with vocal cord and mediastinal infiltration.. <i>Clinical and Experimental Rheumatology</i> , 2022 ,	2.2

