

Joo E Fonseca

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7866585/joao-e-fonseca-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161
papers

3,628
citations

31
h-index

55
g-index

191
ext. papers

4,493
ext. citations

4.2
avg, IF

5.02
L-index

#	Paper	IF	Citations
161	Angiotensin-Converting Enzyme Activity May Predict Disease Severity in Psoriasis 2022 , 2, 15-23		0
160	B Cells on the Stage of Inflammation in Juvenile Idiopathic Arthritis: Leading or Supporting Actors in Disease Pathogenesis?. <i>Frontiers in Medicine</i> , 2022 , 9, 851532	4.9	0
159	Hoarseness as the presentation of immunoglobulin G4-related disease with vocal cord and mediastinal infiltration.. <i>Clinical and Experimental Rheumatology</i> , 2022 ,	2.2	
158	The Added Value of a Multidisciplinary Clinic for Systemic Autoinflammatory Diseases.. <i>Journal of Multidisciplinary Healthcare</i> , 2022 , 15, 999-1010	2.8	0
157	Health-related quality of life in patients with mixed connective tissue disease: a comparison with matched systemic sclerosis patients.. <i>Clinical and Experimental Rheumatology</i> , 2022 , 40 Suppl 134, 66-70	2.2	0
156	Rare clinical manifestations in systemic lupus erythematosus: a review on frequency and clinical presentation.. <i>Clinical and Experimental Rheumatology</i> , 2022 , 40 Suppl 134, 93-102	2.2	1
155	Etiology and Risk Factors for Rheumatoid Arthritis: A State-of-the-Art Review.. <i>Frontiers in Medicine</i> , 2021 , 8, 689698	4.9	6
154	Validation of GWAS-Identified Variants for Anti-TNF Drug Response in Rheumatoid Arthritis: A Meta-Analysis of Two Large Cohorts. <i>Frontiers in Immunology</i> , 2021 , 12, 672255	8.4	1
153	Golimumab (anti-TNF monoclonal antibody): where we stand today. <i>Human Vaccines and Immunotherapeutics</i> , 2021 , 17, 1586-1598	4.4	2
152	Elderly-onset rheumatoid arthritis is a unique disease subset associated with poor overall outcomes: Response to the letter by Haroon and Ayamer. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, e11-e12	5.3	
151	A Non-Infectious Uveitis Multidisciplinary Clinic in a Tertiary Referral Center: Clinical Impact and Added Value. <i>Journal of Multidisciplinary Healthcare</i> , 2021 , 14, 695-704	2.8	2
150	Atherosclerosis and Bone Loss in Humans-Results From Deceased Donors and From Patients Submitted to Carotid Endarterectomy. <i>Frontiers in Medicine</i> , 2021 , 8, 672496	4.9	3
149	Gastric Adenocarcinoma Presenting as a Rheumatoid Factor and Anti-cyclic Citrullinated Protein Antibody-Positive Polyarthritis: A Case Report and Review of Literature. <i>Frontiers in Medicine</i> , 2021 , 8, 627004	4.9	1
148	Ultrasound halo sign as a potential monitoring tool for patients with giant cell arteritis: a prospective analysis. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1475-1482	2.4	1
147	No evidence so far on the protective effect of hydroxychloroquine to prevent COVID-19: comment by Joob and Wiwanitkit. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, e22	2.4	12
146	Response to: The role of antimalarials in COVID-19: observational data from a cohort of rheumatic patients by Favalli. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, e76	2.4	1
145	Systematic Review and Principal Components Analysis of the Immunogenicity of Adalimumab. <i>BioDrugs</i> , 2021 , 35, 35-45	7.9	0

144	The impact of COVID-19 on rare and complex connective tissue diseases: the experience of ERN ReCONNET. <i>Nature Reviews Rheumatology</i> , 2021 , 17, 177-184	8.1	12
143	Association of body mass index with Juvenile Idiopathic Arthritis disease activity: a Portuguese and Brazilian collaborative analysis. <i>Acta Reumatologica Portuguesa</i> , 2021 , 46, 7-14	0.7	
142	Ten years of a systemic sclerosis clinic in a tertiary referral centre - insights and future directions. <i>Acta Reumatologica Portuguesa</i> , 2021 , 46, 257-265	0.7	
141	Giant cell arteritis with normal inflammatory markers: case report and review of the literature. <i>Clinical Rheumatology</i> , 2020 , 39, 3115-3125	3.9	2
140	NFKB2 polymorphisms associate with the risk of developing rheumatoid arthritis and response to TNF inhibitors: Results from the REPAIR consortium. <i>Scientific Reports</i> , 2020 , 10, 4316	4.9	7
139	Rheumatology practice amidst the COVID-19 pandemic: a pragmatic view. <i>RMD Open</i> , 2020 , 6,	5.9	12
138	GO-DACT: a phase 3b randomised, double-blind, placebo-controlled trial of GOlimumab plus methotrexate (MTX) versus placebo plus MTX in improving DACTylitis in MTX-naive patients with psoriatic arthritis. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 490-498	2.4	18
137	A COVID-19 Outbreak in a Rheumatology Department Upon the Early Days of the Pandemic. <i>Frontiers in Medicine</i> , 2020 , 7, 576162	4.9	5
136	Microbes, helminths, and rheumatic diseases. <i>Best Practice and Research in Clinical Rheumatology</i> , 2020 , 34, 101528	5.3	4
135	Treatment-resistant synovitis and radiographic progression are increased in elderly-onset rheumatoid arthritis patients: findings from a prospective observational longitudinal early arthritis cohort study. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 735-743	5.3	5
134	B Cell Synovitis and Clinical Phenotypes in Rheumatoid Arthritis: Relationship to Disease Stages and Drug Exposure. <i>Arthritis and Rheumatology</i> , 2020 , 72, 714-725	9.5	18
133	O07 Randomised, open labelled clinical trial to investigate synovial mechanisms determining response: resistance to rituximab versus tocilizumab in RA patients failing TNF inhibitor therapy. <i>Rheumatology</i> , 2020 , 59,	3.9	1
132	Real-world Longterm Effectiveness of Tumor Necrosis Factor Inhibitors in Psoriatic Arthritis Patients from the Rheumatic Diseases Portuguese Register. <i>Journal of Rheumatology</i> , 2020 , 47, 690-700	4.1	4
131	Efficacy, Safety, and Sample Quality of Ultrasound-Guided Synovial Needle Biopsy in Clinical Practice and Research: A Prospective Observational Study. <i>Arthritis Care and Research</i> , 2020 , 72, 1497-1505	4.7	7
130	JAK Inhibitors and Modulation of B Cell Immune Responses in Rheumatoid Arthritis. <i>Frontiers in Medicine</i> , 2020 , 7, 607725	4.9	10
129	Arthroscopic Guided Synovial Biopsies. <i>Frontiers in Medicine</i> , 2020 , 7, 604582	4.9	1
128	A Systematic Review With Network Meta-Analysis of the Available Biologic Therapies for Psoriatic Disease Domains. <i>Frontiers in Medicine</i> , 2020 , 7, 618163	4.9	3
127	Palm-up test and range of motion in flexion and external rotation provide best correlation with disability and perceived pain in patients with shoulder complaints. <i>Acta Reumatologica Portuguesa</i> , 2020 , 45, 95-103	0.7	1

126	Rheumatoid nodule mimicking Morton's neuroma: a rare case report. <i>Acta Reumatologica Portuguesa</i> , 2020 , 45, 220-222	0.7	
125	Rituximab treatment in a spondyloarthritis patient with low-grade follicular lymphoma: a case report. <i>Acta Reumatologica Portuguesa</i> , 2020 , 45, 227-228	0.7	
124	Belimumab in the treatment of Portuguese Systemic Lupus Erythematosus patients: a real-life multicenter study. <i>Acta Reumatologica Portuguesa</i> , 2020 , 45, 170-176	0.7	
123	[Integrated care process for systemic lupus erythematosus: towards quality in healthcare]. <i>Acta Reumatologica Portuguesa</i> , 2020 , 45, 295-297	0.7	
122	Remission and low disease activity matrix tools: results in real-world rheumatoid arthritis patients under anti-TNF therapy. <i>Acta Reumatologica Portuguesa</i> , 2020 , 45, 245-252	0.7	2
121	Biosimilars in rheumatology. <i>Pharmacological Research</i> , 2019 , 149, 104467	10.2	2
120	Anti-TNF Drugs for Chronic Uveitis in Adults-A Systematic Review and Meta-Analysis of Randomized Controlled Trials. <i>Frontiers in Medicine</i> , 2019 , 6, 104	4.9	15
119	Reducing or Maintaining the Dose of Subcutaneous Tocilizumab in Patients With Rheumatoid Arthritis in Clinical Remission: A Randomized, Open-Label Trial. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1616-1625	9.5	8
118	How to investigate: Pre-clinical rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019 , 33, 101438	5.3	7
117	Steroid hormone-related polymorphisms associate with the development of bone erosions in rheumatoid arthritis and help to predict disease progression: Results from the REPAIR consortium. <i>Scientific Reports</i> , 2019 , 9, 14812	4.9	4
116	Cell sources of inflammatory mediators present in bone marrow areas inside the meniscus. <i>PLoS ONE</i> , 2019 , 14, e0226986	3.7	2
115	How to treat patients with rheumatoid arthritis when methotrexate has failed? The use of a multiple propensity score to adjust for confounding by indication in observational studies. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 25-30	2.4	12
114	Polymorphisms at phase I-metabolizing enzyme and hormone receptor loci influence the response to anti-TNF therapy in rheumatoid arthritis patients. <i>Pharmacogenomics Journal</i> , 2019 , 19, 83-96	3.5	7
113	Treatment of Persistent Cutaneous Atrophy After Corticosteroid Injection With Fat Graft. <i>Reumatologia Clínica</i> , 2019 , 15, e122-e124	0.9	4
112	Predictors and causes of first-line biologic agent discontinuation in rheumatoid arthritis: data from Reuma.pt. <i>Acta Reumatologica Portuguesa</i> , 2019 , 44, 57-64	0.7	5
111	Efficacy, immunogenicity and cost analysis of a systematic switch from originator infliximab to biosimilar CT-P13 of all patients with inflammatory arthritis from a single center. <i>Acta Reumatologica Portuguesa</i> , 2019 , 44, 303-311	0.7	3
110	Transition in a paediatric rheumatology unit - experience from a tertiary unit. <i>Acta Reumatologica Portuguesa</i> , 2019 , 44, 320-321	0.7	2
109	Loss to follow-up in registries of rheumatic patients treated with biologics: a potential information bias in assessing pharmacovigilance and efficacy outcomes. <i>Acta Reumatologica Portuguesa</i> , 2019 , 44, 281-287	0.7	

108	Cell sources of inflammatory mediators present in bone marrow areas inside the meniscus 2019 , 14, e0226986		
107	Cell sources of inflammatory mediators present in bone marrow areas inside the meniscus 2019 , 14, e0226986		
106	Cell sources of inflammatory mediators present in bone marrow areas inside the meniscus 2019 , 14, e0226986		
105	Cell sources of inflammatory mediators present in bone marrow areas inside the meniscus 2019 , 14, e0226986		
104	Idiopathic inflammatory myopathies: state of the art on clinical practice guidelines [corrected]. <i>RMD Open</i> , 2018 , 4, e000784	5.9	11
103	Efficacy and safety of intravitreal anti-tumour necrosis factor drugs in adults with non-infectious uveitis - a systematic review. <i>Acta Ophthalmologica</i> , 2018 , 96, e665-e675	3.7	13
102	The Ratio of Blood T Follicular Regulatory Cells to T Follicular Helper Cells Marks Ectopic Lymphoid Structure Formation While Activated Follicular Helper T Cells Indicate Disease Activity in Primary Sjögren's Syndrome. <i>Arthritis and Rheumatology</i> , 2018 , 70, 774-784	9.5	71
101	Reply. <i>Arthritis and Rheumatology</i> , 2018 , 70, 1355-1356	9.5	
100	T Follicular Regulatory Cells Are Decreased in Patients With Established Treated Rheumatoid Arthritis With Active Disease: Comment on the Article by Liu et al. <i>Arthritis and Rheumatology</i> , 2018 , 70, 1893-1895	9.5	11
99	Common Evaluations of Disease Activity in Rheumatoid Arthritis Reach Discordant Classifications across Different Populations. <i>Frontiers in Medicine</i> , 2018 , 5, 40	4.9	14
98	Undifferentiated connective tissue disease: state of the art on clinical practice guidelines. <i>RMD Open</i> , 2018 , 4, e000786	5.9	14
97	Systemic sclerosis: state of the art on clinical practice guidelines. <i>RMD Open</i> , 2018 , 4, e000782	5.9	53
96	Systemic lupus erythematosus: state of the art on clinical practice guidelines. <i>RMD Open</i> , 2018 , 4, e000783	5.9	42
95	Standardisation of synovial biopsy analyses in rheumatic diseases: a consensus of the EULAR Synovitis and OMERACT Synovial Tissue Biopsy Groups. <i>Arthritis Research and Therapy</i> , 2018 , 20, 265	5.7	18
94	Antiphospholipid syndrome: state of the art on clinical practice guidelines. <i>RMD Open</i> , 2018 , 4, e000785	5.9	21
93	Patient-reported outcomes and safety in patients undergoing synovial biopsy: comparison of ultrasound-guided needle biopsy, ultrasound-guided portal and forceps and arthroscopic-guided synovial biopsy techniques in five centres across Europe. <i>RMD Open</i> , 2018 , 4, e000799	5.9	19
92	Ultrasound and its clinical use in rheumatoid arthritis: where do we stand?. <i>Advances in Rheumatology</i> , 2018 , 58, 19	3	22
91	The GO-DACT protocol: a multicentre, randomized, double-blind, parallel-group study to compare the efficacy of golimumab in combination with methotrexate (MTX) versus MTX monotherapy. <i>Acta Reumatologica Portuguesa</i> , 2018 , 43, 80-92	0.7	2

90	EULAR definition of arthralgia suspicious for progression to rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 491-496	2.4	125
89	Methotrexate and low-dose prednisolone downregulate osteoclast function by decreasing receptor activator of nuclear factor- κ B expression in monocytes from patients with early rheumatoid arthritis. <i>RMD Open</i> , 2017 , 3, e000365	5.9	5
88	Right drug, right patient, right time: aspiration or future promise for biologics in rheumatoid arthritis?. <i>Arthritis Research and Therapy</i> , 2017 , 19, 239	5.7	30
87	Ankylosing Spondylitis Patients Have Impaired Osteoclast Gene Expression in Circulating Osteoclast Precursors. <i>Frontiers in Medicine</i> , 2017 , 4, 5	4.9	7
86	Anti-müllerian hormone and ovarian reserve in systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2017 , 36, 2853-2854	3.9	6
85	Synovial tissue research: a state-of-the-art review. <i>Nature Reviews Rheumatology</i> , 2017 , 13, 463-475	8.1	107
84	Brief Report: The Role of Rare Protein-Coding Variants in Anti-Tumor Necrosis Factor Treatment Response in Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2017 , 69, 735-741	9.5	8
83	Genetic Screening of Mutations Associated with Fabry Disease in a Nationwide Cohort of Juvenile Idiopathic Arthritis Patients. <i>Frontiers in Medicine</i> , 2017 , 4, 12	4.9	6
82	Effect of Tumor Necrosis Factor Inhibitor Therapy on Osteoclasts Precursors in Rheumatoid Arthritis. <i>BioMed Research International</i> , 2017 , 2017, 2690402	3	11
81	B-cell phenotype and IgD-CD27- memory B cells are affected by TNF-inhibitors and tocilizumab treatment in rheumatoid arthritis. <i>PLoS ONE</i> , 2017 , 12, e0182927	3.7	45
80	Portuguese Recommendations for the use of biological therapies in patients with rheumatoid arthritis- 2016 update. <i>Acta Reumatologica Portuguesa</i> , 2017 , 42(2), 112-126	0.7	2
79	Portuguese recommendations for the use of biological therapies in patients with axial spondyloarthritis - 2016 update. <i>Acta Reumatologica Portuguesa</i> , 2017 , 42, 209-218	0.7	2
78	Pharmacoeconomics of Biosimilars: What Is There to Gain from Them?. <i>Current Rheumatology Reports</i> , 2016 , 18, 50	4.9	22
77	Treating rheumatoid arthritis to target: 2014 update of the recommendations of an international task force. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 3-15	2.4	814
76	Evaluation of Minimally Invasive, Ultrasound-guided Synovial Biopsy Techniques by the OMERACT Filter--Determining Validation Requirements. <i>Journal of Rheumatology</i> , 2016 , 43, 208-13	4.1	22
75	Effectiveness and long-term retention of anti-tumour necrosis factor treatment in juvenile and adult patients with juvenile idiopathic arthritis: data from Reuma.pt. <i>Rheumatology</i> , 2016 , 55, 697-703	3.9	16
74	Biosimilar DMARDs: What Does the Future Hold?. <i>Drugs</i> , 2016 , 76, 629-37	12.1	8
73	Juvenile idiopathic arthritis in adulthood: fulfilment of classification criteria for adult rheumatic diseases, long-term outcomes and predictors of inactive disease, functional status and damage. <i>RMD Open</i> , 2016 , 2, e000304	5.9	27

72	Preclinical and Clinical Development of Biosimilar Antibodies 2016 , 479-503		
71	The Impact of Conventional and Biological Disease Modifying Antirheumatic Drugs on Bone Biology. Rheumatoid Arthritis as a Case Study. <i>Clinical Reviews in Allergy and Immunology</i> , 2016 , 51, 100-9 ¹²⁻³	13	
70	Differentiating biosimilarity and comparability in biotherapeutics. <i>Clinical Rheumatology</i> , 2016 , 35, 2877-2886	23	
69	Gaps and barriers to tuberculosis screening among anti-tumor necrosis factor prescribers. <i>Acta Reumatologica Portuguesa</i> , 2016 , 41, 382-384	0.7	
68	Biosimilar monoclonal antibodies: preclinical and clinical development aspects. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 698-705	2.2	11
67	Anti-type II collagen antibodies detection and avidity in patients with oligoarticular and polyarticular forms of juvenile idiopathic arthritis. <i>Immunology Letters</i> , 2015 , 165, 20-5	4.1	5
66	Review: animal models as a tool to dissect pivotal pathways driving spondyloarthritis. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2813-27	9.5	34
65	DAS28, CDAI and SDAI cut-offs do not translate the same information: results from the Rheumatic Diseases Portuguese Register Reuma.pt. <i>Rheumatology</i> , 2015 , 54, 286-91	3.9	16
64	Tumor necrosis factor and interleukin-6 differentially regulate Dkk-1 in the inflamed arthritic joint. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2071-5	9.5	38
63	Improved serological detection of rheumatoid arthritis: a highly antigenic mimotope of carbonic anhydrase III selected in a murine model by phage display. <i>Arthritis Research and Therapy</i> , 2015 , 17, 168	5.7	9
62	Arthritis induces early bone high turnover, structural degradation and mechanical weakness. <i>PLoS ONE</i> , 2015 , 10, e0117100	3.7	8
61	TRAF1/C5 but not PTPRC variants are potential predictors of rheumatoid arthritis response to anti-tumor necrosis factor therapy. <i>BioMed Research International</i> , 2015 , 2015, 490295	3	13
60	Genetic Predictors of Poor Prognosis in Portuguese Patients with Juvenile Idiopathic Arthritis: Data from Reuma.pt. <i>Journal of Immunology Research</i> , 2015 , 2015, 706515	4.5	2
59	Comparative Effectiveness of Tocilizumab and TNF Inhibitors in Rheumatoid Arthritis Patients: Data from the Rheumatic Diseases Portuguese Register, Reuma.pt. <i>BioMed Research International</i> , 2015 , 2015, 279890	3	16
58	TYK2 protein-coding variants protect against rheumatoid arthritis and autoimmunity, with no evidence of major pleiotropic effects on non-autoimmune complex traits. <i>PLoS ONE</i> , 2015 , 10, e0122271 ³⁻⁷	3.7	77
57	Effect of Tumor Necrosis Factor Inhibitor Therapy on Osteoclasts Precursors in Ankylosing Spondylitis. <i>PLoS ONE</i> , 2015 , 10, e0144655	3.7	13
56	Remission induced by infliximab in a childhood polyarteritis nodosa refractory to conventional immunosuppression and rituximab. <i>Joint Bone Spine</i> , 2014 , 81, 277-8	2.9	21
55	Three decades of low-dose methotrexate in rheumatoid arthritis: can we predict toxicity?. <i>Immunologic Research</i> , 2014 , 60, 289-310	4.3	63

54	Integration of sequence data from a Consanguineous family with genetic data from an outbred population identifies PLB1 as a candidate rheumatoid arthritis risk gene. <i>PLoS ONE</i> , 2014 , 9, e87645	3.7	24
53	Expression of the inherently autoreactive idiotope 9G4 on autoantibodies to citrullinated peptides and on rheumatoid factors in patients with early and established rheumatoid arthritis. <i>PLoS ONE</i> , 2014 , 9, e107513	3.7	8
52	Potent anti-inflammatory and antiproliferative effects of gambogic acid in a rat model of antigen-induced arthritis. <i>Mediators of Inflammation</i> , 2014 , 2014, 195327	4.3	22
51	Pachydermoperiostosis in an African patient caused by a Chinese/Japanese SLCO2A1 mutation-case report and review of literature. <i>Seminars in Arthritis and Rheumatism</i> , 2014 , 43, 566-9	5.3	16
50	SAPHO syndrome in an adolescent: a clinical case with unusual severe systemic impact. <i>Journal of Adolescent Health</i> , 2014 , 55, 304-6	5.8	5
49	Changes in serum RANKL and OPG with sexual development and their associations with bone turnover and bone mineral density in a cohort of girls. <i>Clinical Biochemistry</i> , 2014 , 47, 1040-6	3.5	5
48	Rheumatoid arthritis bone fragility is associated with upregulation of IL17 and DKK1 gene expression. <i>Clinical Reviews in Allergy and Immunology</i> , 2014 , 47, 38-45	12.3	25
47	Anti-ribosomal P protein IgG autoantibodies in patients with systemic lupus erythematosus: diagnostic performance and clinical profile. <i>BMC Medicine</i> , 2013 , 11, 98	11.4	39
46	Old drugs, old problems: where do we stand in prediction of rheumatoid arthritis responsiveness to methotrexate and other synthetic DMARDs?. <i>BMC Medicine</i> , 2013 , 11, 17	11.4	50
45	Patient's access to healthcare and treatment in rheumatoid arthritis: the views of stakeholders in Portugal. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 279	2.8	7
44	Genome-wide association study and gene expression analysis identifies CD84 as a predictor of response to etanercept therapy in rheumatoid arthritis. <i>PLoS Genetics</i> , 2013 , 9, e1003394	6	127
43	Protective effect of an ERAP1 haplotype in ankylosing spondylitis: investigating non-MHC genes in HLA-B27-positive individuals. <i>Rheumatology</i> , 2013 , 52, 2168-76	3.9	32
42	BAFF and TACI gene expression are increased in patients with untreated very early rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2013 , 40, 1293-302	4.1	31
41	Bilateral evaluation of the hand and wrist in untreated early inflammatory arthritis: a comparative study of ultrasonography and magnetic resonance imaging. <i>Journal of Rheumatology</i> , 2013 , 40, 1282-92	4.1	33
40	At the moment of occurrence of a fragility hip fracture, men have higher mechanical properties values in comparison with women. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 295	2.8	6
39	Gender-specific effects of genetic variants within Th1 and Th17 cell-mediated immune response genes on the risk of developing rheumatoid arthritis. <i>PLoS ONE</i> , 2013 , 8, e72732	3.7	16
38	Osteoporosis: from bone biology to individual treatment decision. <i>Acta Medica Portuguesa</i> , 2013 , 26, 445-55	1.4	8
37	Dynamic contrast-enhanced 3-T magnetic resonance imaging: a method for quantifying disease activity in early polyarthritis. <i>Skeletal Radiology</i> , 2012 , 41, 51-9	2.7	16

36	Spectrum of ankylosing spondylitis in Portugal. Development of BASDAI, BASFI, BASMI and mSASSS reference centile charts. <i>Clinical Rheumatology</i> , 2012 , 31, 447-54	3.9	4
35	Primary biliary cirrhosis in a rheumatoid arthritis patient treated with rituximab, a case-based review. <i>Clinical Rheumatology</i> , 2012 , 31, 385-9	3.9	13
34	Effective treatment of rat adjuvant-induced arthritis by celastrol. <i>Autoimmunity Reviews</i> , 2012 , 11, 856-62	3.6	95
33	ANKH and susceptibility to and severity of ankylosing spondylitis. <i>Journal of Rheumatology</i> , 2012 , 39, 131-4	4.1	8
32	Comparative effectiveness and predictors of response to tumour necrosis factor inhibitor therapies in rheumatoid arthritis. <i>Rheumatology</i> , 2012 , 51, 2020-6	3.9	62
31	Low osteocalcin/collagen type I bone gene expression ratio is associated with hip fragility fractures. <i>Bone</i> , 2012 , 51, 981-9	4.7	19
30	To B or not to B the conductor of rheumatoid arthritis orchestra. <i>Clinical Reviews in Allergy and Immunology</i> , 2012 , 43, 281-91	12.3	33
29	Smoking is a predictor of worse trabecular mechanical performance in hip fragility fracture patients. <i>Journal of Bone and Mineral Metabolism</i> , 2012 , 30, 692-9	2.9	8
28	Early vascular alterations in SLE and RA patients--a step towards understanding the associated cardiovascular risk. <i>PLoS ONE</i> , 2012 , 7, e44668	3.7	37
27	TNF promoter -308 G>A and LTA 252 A>G polymorphisms in Portuguese patients with systemic lupus erythematosus. <i>Rheumatology International</i> , 2012 , 32, 2239-44	3.6	16
26	Bilateral MR imaging of the hand and wrist in early and very early inflammatory arthritis: tenosynovitis is associated with progression to rheumatoid arthritis. <i>Radiology</i> , 2012 , 264, 823-33	20.5	49
25	9G4 expression on autoantibodies to citrullinated peptides in patients with early inflammatory arthritis and established rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, A24.3-A25	2.4	1
24	Bilateral 3.0-Tesla MRI of the hand and wrist in early and very early inflammatory arthritis: tenosynovitis is associated with progression to rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, A20.3-A21	2.4	
23	Soluble receptor activator of nuclear factor B ligand/osteoprotegerin ratio is increased in systemic lupus erythematosus patients. <i>Arthritis Research and Therapy</i> , 2011 , 13, R175	5.7	13
22	Whole blood transcriptional profiling in ankylosing spondylitis identifies novel candidate genes that might contribute to the inflammatory and tissue-destructive disease aspects. <i>Arthritis Research and Therapy</i> , 2011 , 13, R57	5.7	48
21	Hemorheological parameters are related to subclinical atherosclerosis in systemic lupus erythematosus and rheumatoid arthritis patients. <i>Atherosclerosis</i> , 2011 , 219, 821-6	3.1	32
20	Upregulation of inflammatory genes and downregulation of sclerostin gene expression are key elements in the early phase of fragility fracture healing. <i>PLoS ONE</i> , 2011 , 6, e16947	3.7	35
19	Rheumatoid arthritis: what is refractory disease and how to manage it?. <i>Autoimmunity Reviews</i> , 2011 , 10, 707-13	13.6	23

18	Interleukin-6 promoter polymorphism -174 G/C is associated with nephritis in Portuguese Caucasian systemic lupus erythematosus patients. <i>Clinical Rheumatology</i> , 2011 , 30, 409-13	3.9	27
17	Lymphotoxin- β 2 A>G polymorphism: a link between disease susceptibility and dyslipidemia in rheumatoid arthritis?. <i>Journal of Rheumatology</i> , 2011 , 38, 1244-9	4.1	14
16	Cytokine pattern in very early rheumatoid arthritis favours B-cell activation and survival. <i>Rheumatology</i> , 2011 , 50, 278-82	3.9	48
15	Treating Rheumatoid Arthritis to Target: multinational recommendations assessment questionnaire. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1999-2002	2.4	59
14	Portuguese guidelines for the use of biological agents in rheumatoid arthritis - October 2011 update. <i>Acta Reumatologica Portuguesa</i> , 2011 , 36, 385-8	0.7	13
13	Modulation of IL-17 and Foxp3 expression in the prevention of autoimmune arthritis in mice. <i>PLoS ONE</i> , 2010 , 5, e10558	3.7	36
12	Alterations on peripheral blood B-cell subpopulations in very early arthritis patients. <i>Rheumatology</i> , 2010 , 49, 1082-92	3.9	45
11	Identification of a cytokine network sustaining neutrophil and Th17 activation in untreated early rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2010 , 12, R196	5.7	76
10	Chronic arthritis leads to disturbances in the bone collagen network. <i>Arthritis Research and Therapy</i> , 2010 , 12, R9	5.7	23
9	Methotrexate treatment in rheumatoid arthritis: management in clinical remission, common infection and tuberculosis. Results from a systematic literature review. <i>Clinical Rheumatology</i> , 2010 , 29, 629-35	3.9	10
8	Mechanism of action of strontium ranelate: what are the facts?. <i>Clinical Cases in Mineral and Bone Metabolism</i> , 2010 , 7, 17-8		15
7	Tumor necrosis factor-alpha -308 genotypes influence inflammatory activity and TNF-alpha serum concentrations in children with juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2009 , 36, 837-42	4.1	17
6	Persistent low grade synovitis without erosive progression in magnetic resonance imaging of rheumatoid arthritis patients treated with infliximab over 1 year. <i>Clinical Rheumatology</i> , 2009 , 28, 1213-8	3.9	9
5	Rituximab use in pediatric autoimmune diseases: four case reports. <i>Annals of the New York Academy of Sciences</i> , 2009 , 1173, 712-20	6.5	6
4	Ankylosing spondylitis susceptibility and severity--contribution of TNF gene promoter polymorphisms at positions -238 and -308. <i>Annals of the New York Academy of Sciences</i> , 2009 , 1173, 581-8	6.5	21
3	Assessment of laboratory measurements and -308 TNFalpha gene promoter polymorphisms in normal bone mineral density. <i>Clinical Rheumatology</i> , 2008 , 27, 301-7	3.9	11
2	Contribution for new genetic markers of rheumatoid arthritis activity and severity: sequencing of the tumor necrosis factor-alpha gene promoter. <i>Arthritis Research and Therapy</i> , 2007 , 9, R37	5.7	27
1	Targeting Macrophages and Synoviocytes Intracellular Milieu to Augment Anti-Inflammatory Drug Potency. <i>Advanced Therapeutics</i> , 2100167	4.9	

