

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7866895/roy-vellaisamy-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

206 papers	7,942 citations	48 h-index	81 g-index
220 ext. papers	9,123 ext. citations	7.7 avg, IF	6.28 L-index

#	Paper	IF	Citations
206	Towards the development of flexible non-volatile memories. <i>Advanced Materials</i> , 2013 , 25, 5425-49	24	394
205	Recent progress in magnetic iron oxide-semiconductor composite nanomaterials as promising photocatalysts. <i>Nanoscale</i> , 2015 , 7, 38-58	7.7	386
204	An Overview of the Development of Flexible Sensors. <i>Advanced Materials</i> , 2017 , 29, 1700375	24	293
203	Luminescent and structural properties of ZnO nanorods prepared under different conditions. <i>Applied Physics Letters</i> , 2003 , 83, 141-143	3.4	292
202	Designed synthesis and surface engineering strategies of magnetic iron oxide nanoparticles for biomedical applications. <i>Nanoscale</i> , 2016 , 8, 19421-19474	7.7	223
201	Synergies of Electrochemical Metallization and Valance Change in All-Inorganic Perovskite Quantum Dots for Resistive Switching. <i>Advanced Materials</i> , 2018 , 30, e1800327	24	177
200	Arrays of ZnO/Zn(x)Cd(1-x)Se nanocables: band gap engineering and photovoltaic applications. <i>Nano Letters</i> , 2011 , 11, 4138-43	11.5	172
199	Magnetic properties of Mn doped ZnO tetrapod structures. <i>Applied Physics Letters</i> , 2004 , 84, 756-758	3.4	170
198	Supramolecular polymers and chromonic mesophases self-organized from phosphorescent cationic organoplatinum(II) complexes in water. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 7621-5	16.4	154
197	Layer-by-layer-assembled reduced graphene oxide/gold nanoparticle hybrid double-floating-gate structure for low-voltage flexible flash memory. <i>Advanced Materials</i> , 2013 , 25, 872-7, 793	24	153
196	Semiconducting and electroluminescent nanowires self-assembled from organoplatinum(II) complexes. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 9895-9	16.4	150
195	Microcontact printing of ultrahigh density gold nanoparticle monolayer for flexible flash memories. <i>Advanced Materials</i> , 2012 , 24, 3556-61	24	131
194	A one-pot route to the synthesis of alloyed Cu/Ag bimetallic nanoparticles with different mass ratios for catalytic reduction of 4-nitrophenol. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 3450-3455	13	128
193	An upconverted photonic nonvolatile memory. <i>Nature Communications</i> , 2014 , 5, 4720	17.4	108
192	Recent Advances of Flexible Data Storage Devices Based on Organic Nanoscaled Materials. <i>Small</i> , 2018 , 14, 1703126	11	102
191	Fingertip-Skin-Inspired Highly Sensitive and Multifunctional Sensor with Hierarchically Structured Conductive Graphite/Polydimethylsiloxane Foams. <i>Advanced Functional Materials</i> , 2019 , 29, 1808829	15.6	98
190	Mimicking Neuroplasticity in a Hybrid Biopolymer Transistor by Dual Modes Modulation. <i>Advanced Functional Materials</i> , 2019 , 29, 1902374	15.6	95

189	Nonvolatile multilevel data storage memory device from controlled ambipolar charge trapping mechanism. <i>Scientific Reports</i> , 2013 , 3, 2319	4.9	95
188	Self-assembled nanostructures with tridentate cyclometalated platinum(II) complexes. <i>Chemical Communications</i> , 2006 , 3972-4	5.8	90
187	Low-Cost, Disposable, Flexible and Highly Reproducible Screen Printed SERS Substrates for the Detection of Various Chemicals. <i>Scientific Reports</i> , 2015 , 5, 10208	4.9	89
186	Monoclinic Tungsten Oxide with {100} Facet Orientation and Tuned Electronic Band Structure for Enhanced Photocatalytic Oxidations. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 10367-74	9.5	86
185	Exchange bias and the origin of magnetism in Mn-doped ZnO tetrapods. <i>Applied Physics Letters</i> , 2004 , 85, 2589-2591	3.4	84
184	Nanocomposite field effect transistors based on zinc oxide/polymer blends. <i>Applied Physics Letters</i> , 2007 , 90, 223509	3.4	79
183	Phenothiazine and carbazole substituted pyrene based electroluminescent organic semiconductors for OLED devices. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 1009-1018	7.1	78
182	Parkinson's Disease: Extracellular Nanomatrix-Induced Self-Organization of Neural Stem Cells into Miniature Substantia Nigra-Like Structures with Therapeutic Effects on Parkinsonian Rats (Adv. Sci. 24/2019). <i>Advanced Science</i> , 2019 , 6, 1970144	13.6	78
181	Emerging perovskite materials for high density data storage and artificial synapses. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 1600-1617	7.1	77
180	Novel Direct Nanopatterning Approach to Fabricate Periodically Nanostructured Perovskite for Optoelectronic Applications. <i>Advanced Functional Materials</i> , 2017 , 27, 1606525	15.6	75
179	A high-performance organic field-effect transistor based on platinum(II) porphyrin: peripheral substituents on porphyrin ligand significantly affect film structure and charge mobility. <i>Chemistry - an Asian Journal</i> , 2008 , 3, 1092-103	4.5	75
178	Phototunable Biomemory Based on Light-Mediated Charge Trap. <i>Advanced Science</i> , 2018 , 5, 1800714	13.6	75
177	Evolutionary Metal Oxide Clusters for Novel Applications: Toward High-Density Data Storage in Nonvolatile Memories. <i>Advanced Materials</i> , 2018 , 30, 1703950	24	74
176	Nanoparticle size dependent threshold voltage shifts in organic memory transistors. <i>Journal of Materials Chemistry</i> , 2011 , 21, 14575		74
175	Tube-like ternary Fe ₂ O ₃ @SnO ₂ @Cu ₂ O sandwich heterostructures: synthesis and enhanced photocatalytic properties. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 13088-97	9.5	70
174	Limits of open circuit voltage in organic photovoltaic devices. <i>Applied Physics Letters</i> , 2010 , 96, 113303	3.4	69
173	Toward non-volatile photonic memory: concept, material and design. <i>Materials Horizons</i> , 2018 , 5, 641-654	4.4	67
172	Carbon based materials: a review of adsorbents for inorganic and organic compounds. <i>Materials Advances</i> , 2021 , 2, 598-627	3.3	66

171	Highly Sensitive and Ultrastable Skin Sensors for Biopressure and Bioforce Measurements Based on Hierarchical Microstructures. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 4086-4094	9.5	59
170	Improving efficiency of organic photovoltaic cells with pentacene-doped CuPc layer. <i>Applied Physics Letters</i> , 2007 , 91, 191109	3.4	59
169	Folic acid conjugated self-assembled layered double hydroxide nanoparticles for high-efficacy-targeted drug delivery. <i>Chemical Communications</i> , 2013 , 49, 10938-40	5.8	56
168	A Simple Design for Strongly Emissive Sky-Blue Phosphorescent Neutral Rhenium Complexes: Synthesis, Photophysics, and Electroluminescent Devices. <i>Chemistry of Materials</i> , 2014 , 26, 2544-2550	9.6	54
167	Size Controllable and Surface Tunable Zeolitic Imidazolate Framework-8-Poly(acrylic acid sodium salt) Nanocomposites for pH Responsive Drug Release and Enhanced in Vivo Cancer Treatment. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 32990-33000	9.5	54
166	Biological Spiking Synapse Constructed from Solution Processed Bimetal Core-Shell Nanoparticle Based Composites. <i>Small</i> , 2018 , 14, e1800288	11	54
165	Low voltage flexible nonvolatile memory with gold nanoparticles embedded in poly(methyl methacrylate). <i>Nanotechnology</i> , 2012 , 23, 344014	3.4	50
164	Single microcrystals of organoplatinum(II) complexes with high charge-carrier mobility. <i>Chemical Science</i> , 2011 , 2, 216-220	9.4	50
163	Functionalized Arylacetylene Oligomers for Organic Thin-Film Transistors (OTFTs). <i>Advanced Materials</i> , 2005 , 17, 1258-1261	24	50
162	Artificial Synapse Emulated by Charge Trapping-Based Resistive Switching Device. <i>Advanced Materials Technologies</i> , 2019 , 4, 1800342	6.8	49
161	Wetting properties and SERS applications of ZnO/Ag nanowire arrays patterned by a screen printing method. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 6371-6379	7.1	48
160	Solution processed molecular floating gate for flexible flash memories. <i>Scientific Reports</i> , 2013 , 3, 3093	4.9	48
159	Highly conducting two-dimensional copper(I) 4-hydroxythiophenolate network. <i>Chemical Communications</i> , 2010 , 46, 7328-30	5.8	48
158	Photoinitiation and Inhibition under Monochromatic Green Light for Storage of Colored 3D Images in Holographic Polymer-Dispersed Liquid Crystals. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 1810-1819	9.5	47
157	Bulk heterojunction photovoltaic cells based on tetra-methyl substituted copper(II) phthalocyanine:P3HT:PCBM composite. <i>Chemical Communications</i> , 2011 , 47, 9654-6	5.8	47
156	All-Printed Solid-State Microsupercapacitors Derived from Self-Template Synthesis of Ag@PPy Nanocomposites. <i>Advanced Materials Technologies</i> , 2018 , 3, 1700206	6.8	46
155	Method for measurement of the density of thin films of small organic molecules. <i>Review of Scientific Instruments</i> , 2007 , 78, 034104	1.7	44
154	Tunable Band-Selective UV-Photodetectors by 3D Self-Assembly of Heterogeneous Nanoparticle Networks. <i>Advanced Functional Materials</i> , 2016 , 26, 7359-7366	15.6	44

153	Energy-band engineering for tunable memory characteristics through controlled doping of reduced graphene oxide. <i>ACS Nano</i> , 2014 , 8, 1923-31	16.7	42
152	Long aliphatic chain coated rare-earth nanocrystal as polymer-based optical waveguide amplifiers. <i>Journal of Materials Chemistry</i> , 2010 , 20, 7526		42
151	Controlled ambipolar charge transport through a self-assembled gold nanoparticle monolayer. <i>Advanced Materials</i> , 2012 , 24, 1247-51	24	41
150	Influence of the donor/acceptor interface on the open-circuit voltage in organic solar cells. <i>Applied Physics Letters</i> , 2009 , 95, 093307	3.4	41
149	The molecularly imprinted polymer essentials: curation of anticancer, ophthalmic, and projected gene therapy drug delivery systems. <i>Journal of Controlled Release</i> , 2018 , 287, 24-34	11.7	40
148	CdSe/ZnS core-shell quantum dots charge trapping layer for flexible photonic memory. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 3173-3180	7.1	40
147	Two-dimensional benzodithiophene and benzothiadiazole based solution-processed small molecular organic field-effect transistors & solar cells. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 3921	7.1	39
146	Ultrasound-Induced Organogel Formation Followed by Thin Film Fabrication via Simple Doctor Blading Technique for Field-Effect Transistor Applications. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 18991-7	9.5	39
145	Fabrication of carboxymethyl cellulose and graphene oxide bio-nanocomposites for flexible nonvolatile resistive switching memory devices. <i>Carbohydrate Polymers</i> , 2019 , 214, 213-220	10.3	38
144	Ultra-flexible nonvolatile memory based on donor-acceptor diketopyrrolopyrrole polymer blends. <i>Scientific Reports</i> , 2015 , 5, 10683	4.9	38
143	The n-type conduction of indium-doped Cu ₂ O thin films fabricated by direct current magnetron co-sputtering. <i>Applied Physics Letters</i> , 2015 , 107, 083901	3.4	38
142	Solution-processed, indacenodithiophene-based, small-molecule organic field-effect transistors and solar cells. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 7523	7.1	37
141	The strain and thermal induced tunable charging phenomenon in low power flexible memory arrays with a gold nanoparticle monolayer. <i>Nanoscale</i> , 2013 , 5, 1972-9	7.7	37
140	Improved polyvinylpyrrolidone microneedle arrays with non-stoichiometric cyclodextrin. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 1699-1705	7.3	36
139	Pre- and post-treatments free nanocomposite based hole transport layer for high performance organic solar cells with considerably enhanced reproducibility. <i>Nano Energy</i> , 2017 , 34, 76-85	17.1	35
138	Controllable Fabrication and Tuned Electrochemical Performance of Potassium Co-Ni Phosphate Microplates as Electrodes in Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 3506-3514	9.5	35
137	Synergetic enhancement on flame retardancy by melamine phosphate modified lignin in rice husk ash filled P34HB biocomposites. <i>Composites Science and Technology</i> , 2018 , 168, 246-254	8.6	35
136	Wearable and flexible thin film thermoelectric module for multi-scale energy harvesting. <i>Journal of Power Sources</i> , 2020 , 455, 227983	8.9	33

- ¹³⁵ Functional high-k nanocomposite dielectrics for flexible transistors and inverters with excellent mechanical properties. *Journal of Materials Chemistry*, **2012**, 22, 14246 33
- ¹³⁴ Homoleptic copper(I) phenylselenolate polymer as a single-source precursor for Cu₂Se nanocrystals. Structure, photoluminescence and application in field-effect transistor. *Chemical Science*, **2010**, 1, 515 9.4 33
- ¹³³ Self-Powered Implantable Medical Devices: Photovoltaic Energy Harvesting Review. *Advanced Healthcare Materials*, **2020**, 9, e2000779 10.1 33
- ¹³² Polypyrrole-Modified NH₄NiPO₄·H₂O Nanoplate Arrays on Ni Foam for Efficient Electrode in Electrochemical Capacitors. *ACS Sustainable Chemistry and Engineering*, **2016**, 4, 5578-5584 8.3 33
- ¹³¹ Hybrid Flexible Resistive Random Access Memory-Gated Transistor for Novel Nonvolatile Data Storage. *Small*, **2016**, 12, 390-6 11 32
- ¹³⁰ Homoleptic copper(I) arylthiolates as a new class of p-type charge carriers: structures and charge mobility studies. *Chemistry - A European Journal*, **2008**, 14, 2965-75 4.8 32
- ¹²⁹ Significantly improved dielectric properties of polylactide nanocomposites via TiO₂ decorated carbon nanotubes. *Composites Part A: Applied Science and Manufacturing*, **2019**, 127, 105650 8.4 31
- ¹²⁸ Polymer/nanoparticle hybrid dielectrics for flexible transistors and inverters. *Journal of Materials Chemistry*, **2012**, 22, 4060 31
- ¹²⁷ Ecofriendly UV-protective films based on poly(propylene carbonate) biocomposites filled with TiO decorated lignin. *International Journal of Biological Macromolecules*, **2019**, 126, 1030-1036 7.9 31
- ¹²⁶ A Novel Type of Aqueous Dispersible Ultrathin-Layered Double Hydroxide Nanosheets for in Vivo Bioimaging and Drug Delivery. *ACS Applied Materials & Interfaces*, **2017**, 9, 34185-34193 9.5 30
- ¹²⁵ Controllable threshold voltage shifts of polymer transistors and inverters by utilizing gold nanoparticles. *Applied Physics Letters*, **2012**, 101, 033306 3.4 30
- ¹²⁴ Synaptic Plasticity and Filtering Emulated in Metal-Organic Frameworks Nanosheets Based Transistors. *Advanced Electronic Materials*, **2020**, 6, 1900978 6.4 30
- ¹²³ Fe₃O₄/Au/Fe₃O₄ nanoflowers exhibiting tunable saturation magnetization and enhanced bioconjugation. *Nanoscale*, **2012**, 4, 747-51 7.7 28
- ¹²² Biodegradable skin-inspired nonvolatile resistive switching memory based on gold nanoparticles embedded alkali lignin. *Organic Electronics*, **2018**, 59, 382-388 3.5 28
- ¹²¹ Two-dimensional molybdenum disulphide nanosheet-covered metal nanoparticle array as a floating gate in multi-functional flash memories. *Nanoscale*, **2015**, 7, 17496-503 7.7 27
- ¹²⁰ A General Method: Designing a Hypocrystalline Hydroxide Intermediate to Achieve Ultrasmall and Well-Dispersed Ternary Metal Oxide for Efficient Photovoltaic Devices. *Advanced Functional Materials*, **2019**, 29, 1904684 15.6 27
- ¹¹⁹ Localized Surface Plasmon Resonance-Mediated Charge Trapping/Detrapping for Core-Shell Nanorod-Based Optical Memory Cells. *ACS Applied Materials & Interfaces*, **2017**, 9, 34101-34110 9.5 27
- ¹¹⁸ Surface engineering of reduced graphene oxide for controllable ambipolar flash memories. *ACS Applied Materials & Interfaces*, **2015**, 7, 1699-708 9.5 27

117	Novel high proton conductive material from liquid crystalline 4-(octadecyloxy)phenylsulfonic acid. <i>Journal of Materials Chemistry</i> , 2010 , 20, 6245		27
116	Deep-red to near-infrared electrophosphorescence based on bis(8-hydroxyquinolato) platinum(II) complexes. <i>Applied Physics Letters</i> , 2008 , 92, 163305	3.4	27
115	Controlled self-assembly of functional metal octaethylporphyrin 1 D nanowires by solution-phase precipitative method. <i>Chemistry - an Asian Journal</i> , 2008 , 3, 1968-78	4.5	27
114	Photo-reactive charge trapping memory based on lanthanide complex. <i>Scientific Reports</i> , 2015 , 5, 14998	4.9	27
113	Finely dispersed Au nanoparticles on graphitic carbon nitride as highly active photocatalyst for hydrogen peroxide production. <i>Catalysis Communications</i> , 2019 , 123, 69-72	3.2	27
112	Bis(5,7-dimethyl-8-hydroxyquinolinato)platinum(II) complex for efficient organic heterojunction solar cells. <i>Chemistry - an Asian Journal</i> , 2011 , 6, 3223-9	4.5	26
111	High-efficiency orange and yellow organic light-emitting devices using platinum(II) complexes containing extended π -conjugated cyclometalated ligands as dopant materials. <i>Applied Physics Letters</i> , 2007 , 91, 063508	3.4	26
110	Solution-Processed Rare-Earth Oxide Thin Films for Alternative Gate Dielectric Application. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 31128-31135	9.5	25
109	Classical photopolymerization kinetics, exceptional gelation, and improved diffraction efficiency and driving voltage in scaffolding morphological H-PDLCs afforded using a photoinitiator. <i>Polymer Chemistry</i> , 2015 , 6, 8259-8269	4.9	25
108	Near-Infrared-Irradiation-Mediated Synaptic Behavior from Tunable Charge-Trapping Dynamics. <i>Advanced Electronic Materials</i> , 2020 , 6, 1900765	6.4	25
107	Enhanced lifetime of organic light-emitting diodes using soluble tetraalkyl-substituted copper phthalocyanines as anode buffer layers. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 7377-7382	7.1	25
106	Hierarchical yolk-shell layered potassium niobate for tuned pH-dependent photocatalytic H ₂ evolution. <i>Catalysis Science and Technology</i> , 2017 , 7, 1000-1005	5.5	24
105	Pyrene based conjugated materials: synthesis, characterization and electroluminescent properties. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 23320-8	3.6	24
104	Poly(3-hexylthiophene) nanotubes with tunable aspect ratios and charge transport properties. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 11874-81	9.5	21
103	Importance of molecular alignment for organic photovoltaic devices. <i>Applied Physics Letters</i> , 2010 , 97, 163301	3.4	21
102	Organic field-effect transistors fabricated with N,N'-substituted dialkyl-1,3,8,10-tetramethylquinacridone compounds. <i>Applied Physics Letters</i> , 2009 , 95, 123305	3.4	21
101	Au-nanoparticle-supported ZnO as highly efficient photocatalyst for H ₂ O ₂ production. <i>Catalysis Communications</i> , 2020 , 134, 105860	3.2	20
100	Low temperature processed bilayer dielectrics for low-voltage flexible saturated load inverters. <i>Applied Physics Letters</i> , 2011 , 98, 092904	3.4	19

99	Coaxial nanocables of p-type zinc telluride nanowires sheathed with silicon oxide: synthesis, characterization and properties. <i>Nanotechnology</i> , 2009 , 20, 455702	3.4	19
98	Surface Decoration on Polymeric Gate Dielectrics for Flexible Organic Field-Effect Transistors via Hydroxylation and Subsequent Monolayer Self-Assembly. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 23464-71	9.5	18
97	Porosification-reduced optical trapping of silicon nanostructures. <i>Nanoscale</i> , 2012 , 4, 5835-9	7.7	18
96	Bioinspired, Self-Powered, and Highly Sensitive Electronic Skin for Sensing Static and Dynamic Pressures. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 37239-37247	9.5	18
95	Tube-like Fe ₂ O ₃ @Ag/AgCl heterostructure: controllable synthesis and enhanced plasmonic photocatalytic activity. <i>RSC Advances</i> , 2015 , 5, 61239-61248	3.7	17
94	Rheological and antibacterial performance of sodium alginate/zinc oxide composite coating for cellulosic paper. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 167, 538-543	6	16
93	Real-time storage of thermal signals in organic memory with floating core-shell nanoparticles. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 8415-8423	7.1	16
92	Tetra-methyl substituted copper (II) phthalocyanine as a hole injection enhancer in organic light-emitting diodes. <i>AIP Advances</i> , 2015 , 5, 107205	1.5	16
91	Ambipolar organic light-emitting electrochemical transistor based on a heteroleptic charged iridium(III) complex. <i>Applied Physics Letters</i> , 2013 , 102, 083301	3.4	16
90	Printed High-k Dielectric for Flexible Low-Power Extended Gate Field-Effect Transistor in Sensing Pressure. <i>ACS Applied Electronic Materials</i> , 2019 , 1, 711-717	4	15
89	Reversible conversion of dominant polarity in ambipolar polymer/graphene oxide hybrids. <i>Scientific Reports</i> , 2015 , 5, 9446	4.9	15
88	Microwave-assisted synthesis, structure, and tunable liquid-crystal properties of 2,5-diaryl-1,3,4-thiadiazole derivatives through peripheral n-alkoxy chains. <i>Chemistry - an Asian Journal</i> , 2009 , 4, 1099-107	4.5	15
87	Ambipolar charge transport and electroluminescence properties of ZnO nanorods. <i>Applied Physics Letters</i> , 2008 , 93, 023502	3.4	15
86	Serpentine Ni Ge O (OH) Nanosheets with Tailored Layers and Size for Efficient Oxygen Evolution Reactions. <i>Small</i> , 2018 , 14, e1803015	11	15
85	Enhanced self-assembled monolayer treatment on polymeric gate dielectrics with ultraviolet/ozone assistance in organic thin film transistors. <i>RSC Advances</i> , 2015 , 5, 64471-64477	3.7	14
84	All-room-temperature solution-processed new nanocomposites based hole transport layer from synthesis to film formation for high-performance organic solar cells towards ultimate energy-efficient fabrication. <i>Nano Energy</i> , 2018 , 47, 26-34	17.1	14
83	Structure-charge transport relationship of 5,15-dialkylated porphyrins. <i>Chemical Communications</i> , 2012 , 48, 5139-41	5.8	14
82	Poly(3-hexylthiophene)/Gold Nanoparticle Hybrid System with an Enhanced Photoresponse for Light-Controlled Electronic Devices. <i>Particle and Particle Systems Characterization</i> , 2013 , 30, 599-605	3.1	14

81	Diffusion of gold nanoparticles in toluene and water as seen by dynamic light scattering. <i>Journal of Nanoparticle Research</i> , 2015 , 17, 1	2.3	13
80	Efficient Photocatalytic Hydrogen Peroxide Production over TiO ₂ Passivated by SnO ₂ . <i>Catalysts</i> , 2019 , 9, 623	4	13
79	Flexible organic/inorganic heterojunction transistors with low operating voltage. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 7073	7.1	13
78	Mechanochemical changes on cyclometalated Ir(III) acyclic carbene complexes [Design and tuning of luminescent mechanochromic transition metal complexes. <i>Inorganic Chemistry Frontiers</i> , 2020 , 7, 786-794	6.8	13
77	Investigation on the mobility and stability in organic thin film transistors consisting of bilayer gate dielectrics. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016 , 213, 79-84	1.6	13
76	Controlled Nonvolatile Transition in Polyoxometalates-Graphene Oxide Hybrid Memristive Devices. <i>Advanced Materials Technologies</i> , 2019 , 4, 1800551	6.8	13
75	The microwave dielectric properties of transparent ZnAl ₂ O ₄ ceramics fabricated by spark plasma sintering. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 9589-9595	2.1	12
74	Synthesis and photovoltaic properties of conjugated D _A copolymers based on thienyl substituted pyrene and diketopyrrolopyrrole for polymer solar cells. <i>Journal of Polymer Science Part A</i> , 2014 , 52, 3198-3204 ¹²	3.5	12
73	Homoleptic platinum(II) and palladium(II) organothiolates and phenylselenolates: solvothermal synthesis, structural determination, optical properties, and single-source precursors for PdSe and PdS nanocrystals. <i>Chemistry - an Asian Journal</i> , 2010 , 5, 2062-74	4.5	12
72	Graphene Field Effect Transistor Biosensors Based on Aptamer for Amyloid- β Detection. <i>IEEE Sensors Journal</i> , 2020 , 20, 12488-12494	4	11
71	Metal ion-responsive photonic colloidal crystalline micro-beads with electrochemically tunable photonic diffraction colours. <i>Sensors and Actuators B: Chemical</i> , 2016 , 223, 318-323	8.5	11
70	Self-aligned, full solution process polymer field-effect transistor on flexible substrates. <i>Scientific Reports</i> , 2015 , 5, 15770	4.9	11
69	Star-configured carbazole as an efficient near-ultraviolet emitter and hole-transporting material for organic light-emitting devices. <i>Applied Physics Letters</i> , 2008 , 92, 073305	3.4	11
68	Dislocation-induced ultra-low lattice thermal conductivity in rare earth doped ErZn_4Sb_3 . <i>Scripta Materialia</i> , 2020 , 174, 95-101	5.6	11
67	Recent developments on magnetic molecular imprinted polymers (MMIPs) for sensing, capturing, and monitoring pharmaceutical and agricultural pollutants. <i>Journal of Chemical Technology and Biotechnology</i> , 2021 , 96, 1151-1160	3.5	11
66	Defect and Dopant Mediated Thermoelectric Power Factor Tuning in ErZn_4Sb_3 . <i>Advanced Electronic Materials</i> , 2020 , 6, 1901284	6.4	10
65	Data Storage: Recent Advances of Flexible Data Storage Devices Based on Organic Nanoscaled Materials (Small 10/2018). <i>Small</i> , 2018 , 14, 1870042	11	10
64	Polypyridyl chromium(III) complexes for non-volatile memory application: impact of the coordination sphere on memory device performance. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 1445-1450 ⁷¹	7.1	10

63	Flash memory based on solution processed hafnium dioxide charge trapping layer. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 4233-4238	7.1	10
62	Controlled assembly of silver nanoparticles monolayer on 3D polymer nanotubes and their applications. <i>Small</i> , 2014 , 10, 4645-50	11	10
61	Photophysical, Cellular-Uptake, and Bioimaging Studies of Luminescent Ruthenium(II) Polypyridine Complexes Containing a d-Fructose Pendant. <i>European Journal of Inorganic Chemistry</i> , 2017 , 2017, 5288-5294	3.3	10
60	Improving the performance of polymer solar cells by adjusting the crystallinity and nanoscale phase separation. <i>Chinese Physics B</i> , 2012 , 21, 078401	1.2	10
59	A low voltage programmable unipolar inverter with a gold nanoparticle monolayer on plastic. <i>Nanotechnology</i> , 2013 , 24, 205202	3.4	10
58	Field-effect transistor fabricated with nickel(II) etioporphyrin-I micrometer-sized crystals. <i>Applied Physics Letters</i> , 2008 , 93, 223305	3.4	10
57	Portable molecularly imprinted polymer-based platform for detection of histamine in aqueous solutions. <i>Journal of Hazardous Materials</i> , 2021 , 410, 124609	12.8	10
56	A new pyrene cored small organic molecule with a flexible alkyl spacer: a potential solution processable blue emitter with bright photoluminescence. <i>New Journal of Chemistry</i> , 2017 , 41, 11383-11390	3.6	9
55	A Comparative Evaluation of Physicochemical Properties and Photocatalytic Efficiencies of Cerium Oxide and Copper Oxide Nanofluids. <i>Catalysts</i> , 2020 , 10, 34	4	8
54	(E)-1,2-Di(thiophen-2-yl)ethene based high mobility polymer for efficient photovoltaic devices without any post treatment. <i>RSC Advances</i> , 2016 , 6, 68049-68057	3.7	8
53	Interface Engineering via Photopolymerization-Induced Phase Separation for Flexible UV-Responsive Phototransistors. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 7487-7496	9.5	7
52	A Cyclodextrin Modified Graphitic Carbon Nitride with Au Co-Catalyst for Efficient Photocatalytic Hydrogen Peroxide Production. <i>Nanomaterials</i> , 2020 , 10,	5.4	7
51	Employing PCBTDP as an Efficient Donor Polymer for High Performance Ternary Polymer Solar Cells. <i>Polymers</i> , 2019 , 11,	4.5	6
50	Selective and sensitive onsite detection of phthalates in common solvents. <i>Sensors and Actuators B: Chemical</i> , 2018 , 259, 650-657	8.5	6
49	A general, rapid and solvent-free approach to fabricating nanostructured polymer surfaces. <i>Science China Technological Sciences</i> , 2014 , 57, 2328-2333	3.5	6
48	Simultaneous Enhancement of Thermopower and Electrical Conductivity through Isovalent Substitution of Cerium in Bismuth Selenide Thermoelectric Materials. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 44026-44035	9.5	6
47	Dual plasmonic-enhanced bulk-heterojunction solar cell incorporating gold nanoparticles into solution-processed anode buffer layer and active layer. <i>Physica Status Solidi - Rapid Research Letters</i> , 2015 , 9, 115-119	2.5	5
46	Organic photovoltaic cells with copper (II) tetra-methyl substituted phthalocyanine. <i>Chinese Physics B</i> , 2013 , 22, 128505	1.2	5

45	Influence of nitrogen dopant source on the structural, photoluminescence and electrical properties of ZnO thin films deposited by pulsed spray pyrolysis. <i>Ceramics International</i> , 2019 , 45, 24324-24330	5.1	4
44	Extracellular Nanomatrix-Induced Self-Organization of Neural Stem Cells into Miniature Substantia Nigra-Like Structures with Therapeutic Effects on Parkinsonian Rats. <i>Advanced Science</i> , 2019 , 6, 1901822 ^{13.6}	13.6	4
43	Insulator-Metal Transistors. <i>Advanced Materials</i> , 2008 , 20, 2120-2124	24	4
42	Biosensors and Point-of-Care Devices for Bacterial Detection: Rapid Diagnostics Informing Antibiotic Therapy. <i>Advanced Healthcare Materials</i> , 2021 , e2101546	10.1	4
41	Au modified Bi ₂ O ₃ -TiO ₂ hybrid for photocatalytic synthesis of hydrogen peroxide. <i>Catalysis Communications</i> , 2021 , 155, 106315	3.2	4
40	Effective decoupling of seebeck coefficient and the electrical conductivity through isovalent substitution of erbium in bismuth selenide thermoelectric material. <i>Journal of Alloys and Compounds</i> , 2021 , 857, 157559	5.7	4
39	Ultralow Thermal Conductivity in Dual-Doped n-Type Bi ₂ Te ₃ Material for Enhanced Thermoelectric Properties. <i>Advanced Electronic Materials</i> , 2021 , 7, 2000910	6.4	4
38	Wearable Device for Monitoring Heart Rate Based on Low-Cost Piezoresistive Sensor 2019 ,		3
37	Improving the chemical potential of nitrogen to tune the electron density and mobility of ZnSnN ₂ . <i>Journal of Materials Chemistry C</i> , 2020 , 8, 4314-4320	7.1	3
36	The role of a nanoparticle monolayer on the flow of polymer melts in nanochannels. <i>Nanoscale</i> , 2014 , 6, 11013-8	7.7	3
35	Mobility Enhancement of P3HT-Based OTFTs upon Blending with Au Nanorods. <i>Particle and Particle Systems Characterization</i> , 2015 , 32, 1051-1057	3.1	3
34	Hydrophilic poly-ether side-chained benzodithiophene-based homopolymer for solar cells and field-effect transistors. <i>Journal of Materials Science</i> , 2015 , 50, 2263-2271	4.3	3
33	Charge transport in monolayer poly(3-hexylthiophene) thin-film transistors. <i>Chinese Physics B</i> , 2014 , 23, 048501	1.2	3
32	Structural, electrical, and optical properties of Zn _{1-x} Sn _x O thin films deposited by reactive co-sputtering. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2013 , 210, 2404-2408	1.6	3
31	Alignment of charge-transfer complexes for molecular devices. <i>Journal of Materials Chemistry</i> , 2010 , 20, 434-438		3
30	The Principle and Architectures of Optical Stress Sensors and the Progress on the Development of Microbend Optical Sensors. <i>Advanced Optical Materials</i> , 2021 , 9, 2001693	8.1	3
29	Highly Sensitive and Cost-Effective Portable Sensor for Early Gastric Carcinoma Diagnosis. <i>Sensors</i> , 2021 , 21,	3.8	3
28	A Statistical Method for Determining Optical and Geometrical Characteristics of Cirrus Clouds. <i>Climate</i> , 2019 , 7, 72	3.1	2

27	Multiple Stressor Effects of Radon and Phthalates in Children: Background Information and Future Research. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
26	Single-Component Oligomer Nanoparticle-Based Size-Dependent Dual-Emission Modulation. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 4199-4205	3.8	2
25	Importance of alkyl chain-length on the self-assembly of new Ni(qdt) ₂ complexes and charge transport properties. <i>RSC Advances</i> , 2013 , 3, 12075	3.7	2
24	Towards the Development of Flexible Non-Volatile Memories (Adv. Mater. 38/2013). <i>Advanced Materials</i> , 2013 , 25, 5424-5424	2.4	2
23	Defect Engineering Boosted Ultrahigh Thermoelectric Power Conversion Efficiency in Polycrystalline SnSe. <i>ACS Applied Materials & Interfaces</i> , 2021 ,	9.5	2
22	Amorphous carbon nano-inclusions for strategical enhancement of thermoelectric performance in Earth-abundant Cu ₃ SbS ₄ . <i>Journal of Alloys and Compounds</i> , 2022 , 900, 163433	5.7	2
21	Gating a Single Cell: A Label-Free and Real-Time Measurement Method for Cellular Progression. <i>Analytical Chemistry</i> , 2020 , 92, 1738-1745	7.8	2
20	Dual-Gated Transistor Platform for On-Site Detection of Lead Ions at Trace Levels. <i>Analytical Chemistry</i> , 2018 , 90, 7399-7405	7.8	2
19	Flexible Floating Gate Memory 2018 , 215-228		1
18	Memory Devices: Synergies of Electrochemical Metallization and Valence Change in All-Inorganic Perovskite Quantum Dots for Resistive Switching (Adv. Mater. 28/2018). <i>Advanced Materials</i> , 2018 , 30, 1870207	2.4	1
17	Nanocomposite: Poly(3-hexylthiophene)/Gold Nanoparticle Hybrid System with an Enhanced Photoresponse for Light-Controlled Electronic Devices (Part. Part. Syst. Charact. 7/2013). <i>Particle and Particle Systems Characterization</i> , 2013 , 30, 646-646	3.1	1
16	Frequency Selective Surfaces with Nanoparticles Unit Cell. <i>Micromachines</i> , 2015 , 6, 1421-1426	3.3	1
15	The Properties and SCR de-NO _x Application of Supported V ₂ O ₅ /TiO ₂ Catalysts with Different Polymerization State of VO _x Species Controlled by the pH Value of Their Precursors. <i>ChemistrySelect</i> , 2020 , 5, 12952-12959	1.8	1
14	Hierarchically Interlaced 2D Copper Iodide/MXene Composite for High Thermoelectric Performance. <i>Physica Status Solidi - Rapid Research Letters</i> , 2100419	2.5	1
13	Enhanced Thermoelectric Performance of Bulk Bismuth Selenide: Synergistic Effect of Indium and Antimony Co-doping. <i>ACS Sustainable Chemistry and Engineering</i> , 2022 , 10, 3862-3871	8.3	1
12	Polyoxometalates-Graphene Oxide: Controlled Nonvolatile Transition in Polyoxometalates-Graphene Oxide Hybrid Memristive Devices (Adv. Mater. Technol. 3/2019). <i>Advanced Materials Technologies</i> , 2019 , 4, 1970016	6.8	0
11	Fabrication of micropillar substrates using replicas of alpha-particle irradiated and chemically etched PADC films. <i>Applied Radiation and Isotopes</i> , 2012 , 70, 1432-5	1.7	0
10	Rapid nanomolding of nanotopography on flexible substrates to control muscle cell growth with enhanced maturation. <i>Microsystems and Nanoengineering</i> , 2021 , 7, 89	7.7	0

9	CHO cell dysfunction due to radiation-induced bystander signals observed by real-time electrical impedance measurement. <i>Biosensors and Bioelectronics</i> , 2021 , 181, 113142	11.8	o
8	3D Microstructured Frequency Selective Surface Based on Carbonized Polyimide Films for Terahertz Applications. <i>Advanced Optical Materials</i> , 2102178	8.1	o
7	Photonic Synapse: Mimicking Neuroplasticity in a Hybrid Biopolymer Transistor by Dual Modes Modulation (Adv. Funct. Mater. 31/2019). <i>Advanced Functional Materials</i> , 2019 , 29, 1970212	15.6	
6	Microcontact Printing: Microcontact Printing of Ultrahigh Density Gold Nanoparticle Monolayer for Flexible Flash Memories (Adv. Mater. 26/2012). <i>Advanced Materials</i> , 2012 , 24, 3555-3555	24	
5	Ambipolar Charge Transport in DNA Molecules. <i>Advanced Materials</i> , 2008 , 20, 1258-1262	24	
4	Investigation on the Direct and Bystander Effects in HeLa Cells Exposed to Very Low Radiation Using Electrical Impedance Measurement. <i>ACS Omega</i> , 2021 , 6, 13995-14003	3.9	
3	Self-assembled nanostructures of linear arylacetylenes and their aza-substituted analogues. <i>AIP Advances</i> , 2016 , 6, 065210	1.5	
2	Photoredox Catalysis for the Fabrication of Water-Repellent Surfaces with Application for Oil/Water Separation. <i>Langmuir</i> , 2021 , 37, 11592-11602	4	
1	Thermoelectric properties of sulfide and selenide-based materials 2022 , 293-328		