

# Ren-Chin Wu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7869726/publications.pdf>

Version: 2024-02-01

132  
papers

3,367  
citations

172457

29  
h-index

175258

52  
g-index

137  
all docs

137  
docs citations

137  
times ranked

6165  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Synchronous/metachronous endometrial and colorectal malignancies in Taiwanese women: a population-based nationwide study. <i>Archives of Gynecology and Obstetrics</i> , 2022, 306, 165-172.                                     | 1.7  | 0         |
| 2  | Diagnostic Accuracy of Whole-Body Computed Tomography for Incidental Ovarian Tumors in Patients with Prior Breast Cancer. <i>Diagnostics</i> , 2022, 12, 347.  | 2.6  | 0         |
| 3  | Bone Morphogenetic Protein-, Antimicrobial Agent-, and Analgesic-Incorporated Nanofibrous Scaffolds for the Therapy of Alveolar Clefts. <i>Pharmaceutics</i> , 2022, 14, 374.  | 4.5  | 2         |
| 4  | Cytomegalovirus Diseases of the Gastrointestinal Tract. <i>Viruses</i> , 2022, 14, 352.  | 3.3  | 10        |
| 5  | MicroRNAs as Predictors of Future Uterine Malignancy in Endometrial Hyperplasia without Atypia. <i>Journal of Personalized Medicine</i> , 2022, 12, 311.   | 2.5  | 4         |
| 6  | Rare Subtype of Endometrial Cancer: Undifferentiated/Dedifferentiated Endometrial Carcinoma, from Genetic Aspects to Clinical Practice. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3794.                     | 4.1  | 5         |
| 7  | Uterine fibroid-like tumors: spectrum of MR imaging findings and their differential diagnosis. <i>Abdominal Radiology</i> , 2022, 47, 2197-2208.   | 2.1  | 5         |
| 8  | Risk Factors, Clinical and Endoscopic Features, and Clinical Outcomes in Patients with Cytomegalovirus Esophagitis. <i>Journal of Clinical Medicine</i> , 2022, 11, 1583.  | 2.4  | 2         |
| 9  | Combination Biomarker of Immune Checkpoints Predict Prognosis of Urothelial Carcinoma. <i>Biomedicines</i> , 2022, 10, 8.  | 3.2  | 5         |
| 10 | ATR-mediated CD47 and PD-L1 up-regulation restricts radiotherapy-induced immune priming and abscopal responses in colorectal cancer. <i>Science Immunology</i> , 2022, 7, .  | 11.9 | 52        |
| 11 | Esophageal grape-like lesion in a 41-year-old man with a history of gastroesophageal junction adenocarcinoma. <i>Gastroenterology</i> , 2022, , .  | 1.3  | 0         |
| 12 | Alterations in Gut Microbiota and Upregulations of VPAC2 and Intestinal Tight Junctions Correlate with Anti-Inflammatory Effects of Electroacupuncture in Colitis Mice with Sleep Fragmentation. <i>Biology</i> , 2022, 11, 962. | 2.8  | 8         |
| 13 | Deep neural network trained on gigapixel images improves lymph node metastasis detection in clinical settings. <i>Nature Communications</i> , 2022, 13, .  | 12.8 | 21        |
| 14 | Role of human papillomavirus status after conization for high-grade cervical intraepithelial neoplasia. <i>International Journal of Cancer</i> , 2021, 148, 665-672.   | 5.1  | 14        |
| 15 | A Case of Paratubal Serous Borderline Tumor Driven by a Somatic BRAF Mutation in an Adolescent Patient. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2021, 34, 228-230.   | 0.7  | 4         |
| 16 | Discrepancy of Breast and Axillary Pathologic Complete Response and Outcomes in Different Subtypes of Node-positive Breast Cancer after Neoadjuvant Chemotherapy. <i>Journal of Cancer</i> , 2021, 12, 5365-5374.                | 2.5  | 6         |
| 17 | Vedolizumab in Crohn's disease with rectal fistulas and presacral abscess: A case report. <i>World Journal of Gastroenterology</i> , 2021, 27, 442-448.  | 3.3  | 4         |
| 18 | Molecular evidence for a clonal relationship between synchronous uterine endometrioid carcinoma and ovarian clear cell carcinoma: a new example of "precursor escape". <i>Journal of Molecular Medicine</i> , 2021, 99, 959-966. | 3.9  | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Computer-Aided Segmentation and Machine Learning of Integrated Clinical and Diffusion-Weighted Imaging Parameters for Predicting Lymph Node Metastasis in Endometrial Cancer. <i>Cancers</i> , 2021, 13, 1406.   | 3.7 | 22        |
| 20 | Adjuvant therapy and prognosis in uterine carcinosarcoma. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 1977-1987.   | 1.7 | 6         |
| 21 | MicroRNAs as predictors of future endometrial malignancies in endometrial hyperplasia without atypia.. <i>Journal of Clinical Oncology</i> , 2021, 39, e17563-e17563.  | 1.6 | 0         |
| 22 | Postoperative adjuvant dose-dense chemotherapy with bevacizumab and maintenance bevacizumab after neoadjuvant chemotherapy for advanced ovarian cancer: A phase II AGOG/TGOG trial.. <i>Journal of Clinical Oncology</i> , 2021, 39, 5540-5540.                                    | 1.6 | 0         |
| 23 | Systemic lupus erythematosus complicated by Crohnâ€™s disease with rectovaginal fistula. <i>BMC Gastroenterology</i> , 2021, 21, 206.  | 2.0 | 4         |
| 24 | Cytomegalovirus gastritis: Clinicopathological profile. <i>Digestive and Liver Disease</i> , 2021, 53, 722-728.  | 0.9 | 8         |
| 25 | Postoperative adjuvant dose-dense chemotherapy with bevacizumab and maintenance bevacizumab after neoadjuvant chemotherapy for advanced ovarian cancer: A phase II AGOG/TGOG trial. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 262, 13-20. | 1.1 | 3         |
| 26 | Vedolizumab combined with surgical resection successfully treated perforating Crohnâ€™s disease with peritoneal space to rectal and vaginal fistulas: a case report. <i>BMC Gastroenterology</i> , 2021, 21, 299.  | 2.0 | 0         |
| 27 | Clinical manifestations, risk factors, and prognostic factors of cytomegalovirus enteritis. <i>Gut Pathogens</i> , 2021, 13, 53.   | 3.4 | 12        |
| 28 | Serum levels of alpha1-antitrypsin isoforms in patients with ovarian clear cell carcinoma. <i>Journal of the Chinese Medical Association</i> , 2021, Publish Ahead of Print, 1048-1053.  | 1.4 | 5         |
| 29 | Colonic Bluishâ€™Black Patches in a 57-Year-Old Woman with Crohnâ€™s Disease. <i>Gastroenterology</i> , 2021, 161, e10-e11.  | 1.3 | 1         |
| 30 | GPR30 Activation by 17Î²-Estradiol Promotes p62 Phosphorylation and Increases Estrogen Receptor Î± Protein Expression by Inducing Its Release from a Complex Formed with KEAP1. <i>Journal of Personalized Medicine</i> , 2021, 11, 906.   | 2.5 | 4         |
| 31 | Detection and prognostic significance of isolated tumor cells and micrometastases in pelvic lymph nodes of patients with early ovarian clear cell carcinoma. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 1869-1875.  | 1.7 | 3         |
| 32 | Inhibition of BIRC2 Sensitizes Î±7-HPV-Related Cervical Squamous Cell Carcinoma to Chemotherapy. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11020.   | 4.1 | 4         |
| 33 | Magnetic Resonance Spectroscopy for Risk Stratification of Sonographically Indeterminate Ovarian Neoplasms: Preliminary Study. <i>Diagnostics</i> , 2021, 11, 1847.  | 2.6 | 2         |
| 34 | Glucose Activates Lysine-Specific Demethylase 1 through the KEAP1/p62 Pathway. <i>Antioxidants</i> , 2021, 10, 1898.   | 5.1 | 3         |
| 35 | 592â€™...ATR-mediated CD47 and PD-L1 upregulation restricts radiotherapy-induced immune priming and abscopal responses in colorectal cancer. , 2021, 9, A622-A622.   |     | 1         |
| 36 | A Patient-Derived Xenograft Model of Dedifferentiated Endometrial Carcinoma: A Proof-of-Concept Study for the Identification of New Molecularly Informed Treatment Approaches. <i>Cancers</i> , 2021, 13, 5962.  | 3.7 | 3         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Management and clinical outcomes of patients with recurrent/progressive ovarian clear cell carcinoma. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 793-804.  | 1.7 | 9         |
| 38 | LAMC1 is a prognostic factor and a potential therapeutic target in endometrial cancer. <i>Journal of Gynecologic Oncology</i> , 2020, 31, e11.  | 2.2 | 36        |
| 39 | Rare Cases of Pediatric Vasoactive Intestinal Peptide Secreting Tumor With Literature Review: A Challenging Etiology of Chronic Diarrhea. <i>Frontiers in Pediatrics</i> , 2020, 8, 430.  | 1.9 | 3         |
| 40 | An uncommon form of localized colonic eosinophilic vasculitis with extensive thrombosis of the spleen and liver: A case report and literature review. <i>International Journal of Surgery Case Reports</i> , 2020, 75, 50-52.   | 0.6 | 0         |
| 41 | Synergistic effects of pazopanib and hyperthermia against uterine leiomyosarcoma growth mediated by downregulation of histone acetyltransferase 1. <i>Journal of Molecular Medicine</i> , 2020, 98, 1175-1188.  | 3.9 | 6         |
| 42 | Comprehensive genomic profiling reveals ubiquitous KRAS mutations and frequent PIK3CA mutations in ovarian seromucinous borderline tumor. <i>Modern Pathology</i> , 2020, 33, 2534-2543.  | 5.5 | 13        |
| 43 | Preparation and in vitro/in vivo evaluation of doxorubicin-loaded poly[lactic-co-glycol acid] microspheres using electrospray method for sustained drug delivery and potential intratumoral injection. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020, 190, 110937. | 5.0 | 16        |
| 44 | BRCA1/2 mutation status in patients with metachronous breast and ovarian malignancies: clues towards the implementation of genetic counseling. <i>Journal of Gynecologic Oncology</i> , 2020, 31, e24.  | 2.2 | 5         |
| 45 | Prognostic model based on magnetic resonance imaging, whole-tumour apparent diffusion coefficient values and HPV genotyping for stage IB-IV cervical cancer patients following chemoradiotherapy. <i>European Radiology</i> , 2019, 29, 556-565.                          | 4.5 | 11        |
| 46 | Clinical characteristics and outcome of fistulizing Crohn's disease: One single-center experience in Taiwan. <i>Advances in Digestive Medicine</i> , 2019, 6, 165-171.  | 0.2 | 0         |
| 47 | Dynamic bioenergetic alterations in colorectal adenomatous polyps and adenocarcinomas. <i>EBioMedicine</i> , 2019, 44, 334-345.   | 6.1 | 21        |
| 48 | Acute Tumor Transition Angle on Computed Tomography Predicts Chromosomal Instability Status of Primary Gastric Cancer: Radiogenomics Analysis from TCGA and Independent Validation. <i>Cancers</i> , 2019, 11, 641.   | 3.7 | 9         |
| 49 | Interferon $\alpha$ -inducible protein 27 is an oncogene and highly expressed in cholangiocarcinoma patients with poor survival. <i>Cancer Management and Research</i> , 2019, Volume 11, 1893-1905.  | 1.9 | 21        |
| 50 | TET1 reprograms the epithelial ovarian cancer epigenome and reveals casein kinase 2 $\beta$ as a therapeutic target. <i>Journal of Pathology</i> , 2019, 248, 363-376.  | 4.5 | 23        |
| 51 | Hysteroscopic detection of endocervical adenocarcinoma. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2019, 58, 897-898.  | 1.3 | 0         |
| 52 | Genomic landscape and evolutionary trajectories of ovarian cancer precursor lesions. <i>Journal of Pathology</i> , 2019, 248, 41-50.  | 4.5 | 84        |
| 53 | Melatonin Attenuates Acute Pancreatitis-Induced Liver Damage Through Akt-Dependent PPAR- $\gamma$ Pathway. <i>Journal of Surgical Research</i> , 2019, 236, 311-318.  | 1.6 | 7         |
| 54 | Overexpression of TNNI3K is associated with early-stage carcinogenesis of cholangiocarcinoma. <i>Molecular Carcinogenesis</i> , 2019, 58, 270-278.  | 2.7 | 6         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Glycerophospholipids pathways and chromosomal instability in gastric cancer: Global lipidomics analysis. <i>World Journal of Gastrointestinal Oncology</i> , 2019, 11, 181-194.  | 2.0 | 10        |
| 56 | Genomic scar signatures associated with homologous recombination deficiency predict adverse clinical outcomes in patients with ovarian clear cell carcinoma. <i>Journal of Molecular Medicine</i> , 2018, 96, 527-536.   | 3.9 | 18        |
| 57 | Clear cell carcinomas of the ovary have poorer outcomes compared with serous carcinomas: Results from a single-center Taiwanese study. <i>Journal of the Formosan Medical Association</i> , 2018, 117, 117-125.  | 1.7 | 36        |
| 58 | Developing and validating a multivariable prediction model to improve the diagnostic accuracy in determination of cervical versus endometrial origin of uterine adenocarcinomas: A prospective MR study combining diffusion-weighted imaging and spectroscopy. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 1654-1666. | 3.4 | 9         |
| 59 | Metabolomic alterations and chromosomal instability status in gastric cancer. <i>World Journal of Gastroenterology</i> , 2018, 24, 3760-3769.  | 3.3 | 23        |
| 60 | HO-1 is a favorable prognostic factor for HBV-HCC patients who underwent hepatectomy. <i>Cancer Management and Research</i> , 2018, Volume 10, 6049-6059.  | 1.9 | 11        |
| 61 | Glycerophospholipids and sphingolipids correlate with poor prognostic genotypes of human papillomavirus in cervical cancer: global lipidomics analysis. <i>Analytical Methods</i> , 2018, 10, 4970-4977.   | 2.7 | 8         |
| 62 | The combination of everolimus and terameprococcol exerts synergistic antiproliferative effects in endometrial cancer: molecular role of insulin-like growth factor binding protein 2. <i>Journal of Molecular Medicine</i> , 2018, 96, 1251-1266.  | 3.9 | 16        |
| 63 | Artificial Membrane Induced by Novel Biodegradable Nanofibers in the Masquelet Procedure for Treatment of Segmental Bone Defects. <i>Journal of Nanomaterials</i> , 2018, 2018, 1-8.   | 2.7 | 3         |
| 64 | Pancolitis associated with higher mortality risk of cytomegalovirus colitis in patients without inflammatory bowel disease. <i>Therapeutics and Clinical Risk Management</i> , 2018, Volume 14, 1445-1451.   | 2.0 | 8         |
| 65 | Nab-paclitaxel is effective against intrahepatic cholangiocarcinoma via disruption of desmoplastic stroma. <i>Oncology Letters</i> , 2018, 16, 566-572.  | 1.8 | 11        |
| 66 | Recurrence after fertility-preserving surgery for low-grade endometrial stromal sarcoma. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 1836-1842.  | 1.3 | 5         |
| 67 | Circulating microRNA-22-3p Predicts the Malignant Progression of Precancerous Gastric Lesions from Intestinal Metaplasia to Early Adenocarcinoma. <i>Digestive Diseases and Sciences</i> , 2018, 63, 2301-2308.  | 2.3 | 14        |
| 68 | Successful multidisciplinary treatment of uterine serous carcinoma in a patient who had previously undergone renal transplantation. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2018, 57, 601-604.   | 1.3 | 1         |
| 69 | MET-ROX dual inhibitor, BMS-777607, suppresses cholangiocarcinoma cell growth, and MET-ROX upregulation indicates worse prognosis for intrahepatic cholangiocarcinoma patients. <i>Oncology Reports</i> , 2018, 40, 1411-1421.   | 2.6 | 4         |
| 70 | The 8th edition American Joint Committee on gastric cancer pathological staging classification performs well in a population with high proportion of locally advanced disease. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1634-1639.   | 1.0 | 11        |
| 71 | Positive associations between upregulated levels of stress-induced phosphoprotein 1 and matrix metalloproteinase-9 in endometriosis/adenomyosis. <i>PLoS ONE</i> , 2018, 13, e0190573.   | 2.5 | 10        |
| 72 | Circulating microRNA-196a is an early gastric cancer biomarker. <i>Oncotarget</i> , 2018, 9, 10317-10323.  | 1.8 | 17        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Cancer-Associated Mutations in Endometriosis without Cancer. <i>New England Journal of Medicine</i> , 2017, 376, 1835-1848.   | 27.0 | 451       |
| 74 | Does a Higher Cutoff Value of Lymph Node Retrieval Substantially Improve Survival in Patients With Advanced Gastric Cancer? Time to Embrace a New Digit. <i>Oncologist</i> , 2017, 22, 97-106.  | 3.7  | 45        |
| 75 | Positron emission tomography in the management of documented or suspected recurrent ovarian cancer. <i>Journal of the Formosan Medical Association</i> , 2017, 116, 869-879.  | 1.7  | 1         |
| 76 | Composite hepatocellular carcinoma and small cell carcinoma with early nodal metastasis. <i>Medicine (United States)</i> , 2017, 96, e7868.   | 1.0  | 12        |
| 77 | Spontaneous rupture of infarcted leiomyoma into endometrial cavity in a perimenopausal woman. <i>Archives of Gynecology and Obstetrics</i> , 2017, 296, 609-611.  | 1.7  | 1         |
| 78 | GALNT14 genotype is associated with perineural invasion, lymph node metastasis and overall survival in resected cholangiocarcinoma. <i>Oncology Letters</i> , 2017, 13, 4215-4223.  | 1.8  | 16        |
| 79 | CCNE1 copy-number gain and overexpression identify ovarian clear cell carcinoma with a poor prognosis. <i>Modern Pathology</i> , 2017, 30, 297-303.   | 5.5  | 48        |
| 80 | Endometrial cancer with cervical stromal invasion: diagnostic accuracy of diffusion-weighted and dynamic contrast enhanced MR imaging at 3T. <i>European Radiology</i> , 2017, 27, 1867-1876.   | 4.5  | 46        |
| 81 | <sup>1</sup> H MR spectroscopy in cervical carcinoma using external phase array body coil at 3.0 Tesla: Prediction of poor prognostic human papillomavirus genotypes. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 45, 899-907.                       | 3.4  | 10        |
| 82 | Clinical characteristics of cytomegalovirus colitis: a 15-year experience from a tertiary reference center. <i>Therapeutics and Clinical Risk Management</i> , 2017, Volume 13, 1585-1593.  | 2.0  | 20        |
| 83 | Fabrication of Multi-Layered Lidocaine and Epinephrine-Eluting PLGA/Collagen Nanofibers: In Vitro and In Vivo Study. <i>Polymers</i> , 2017, 9, 416.  | 4.5  | 15        |
| 84 | Linked-color imaging combined with the NICE classification system for optical diagnosis of colon polyps: new image-enhanced endoscopic technology for pathological prediction. <i>Therapeutics and Clinical Risk Management</i> , 2017, Volume 13, 1317-1321. | 2.0  | 12        |
| 85 | Novel Mutations of the Tetratricopeptide Repeat Domain 7A Gene and Phenotype/Genotype Comparison. <i>Frontiers in Immunology</i> , 2017, 8, 1066.   | 4.8  | 39        |
| 86 | Elucidating the pathogenesis of synchronous and metachronous tumors in a woman with endometrioid carcinomas using a whole-exome sequencing approach. <i>Journal of Physical Education and Sports Management</i> , 2017, 3, a001693.                           | 1.2  | 12        |
| 87 | Massively parallel sequencing and genome-wide copy number analysis revealed a clonal relationship in benign metastasizing leiomyoma. <i>Oncotarget</i> , 2017, 8, 47547-47554.  | 1.8  | 23        |
| 88 | Identification of MALT1 as both a prognostic factor and a potential therapeutic target of regorafenib in cholangiocarcinoma patients. <i>Oncotarget</i> , 2017, 8, 113444-113459.   | 1.8  | 19        |
| 89 | Intrahepatic Duct Stones Harboring Ascariasis Ova. <i>Medicine (United States)</i> , 2016, 95, e3139.   | 1.0  | 4         |
| 90 | Lipocalin 2 (LCN2) is a promising target for cholangiocarcinoma treatment and bile LCN2 level is a potential cholangiocarcinoma diagnostic marker. <i>Scientific Reports</i> , 2016, 6, 36138.  | 3.3  | 37        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 91  | Identifying Mutations of the Tetratricopeptide Repeat Domain 37 (TTC37) Gene in Infants With Intractable Diarrhea and a Comparison of Asian and Non-Asian Phenotype and Genotype. <i>Medicine (United States)</i> , 2016, 95, e2918.                                 | 1.0  | 15        |
| 92  | ALDH1A3, the Major Aldehyde Dehydrogenase Isoform in Human Cholangiocarcinoma Cells, Affects Prognosis and Gemcitabine Resistance in Cholangiocarcinoma Patients. <i>Clinical Cancer Research</i> , 2016, 22, 4225-4235.   | 7.0  | 44        |
| 93  | HOXA5 determines cell fate transition and impedes tumor initiation and progression in breast cancer through regulation of E-cadherin and CD24. <i>Oncogene</i> , 2016, 35, 5539-5551.  | 5.9  | 52        |
| 94  | Implication of genomic characterization in synchronous endometrial and ovarian cancers of endometrioid histology. <i>Gynecologic Oncology</i> , 2016, 143, 60-67.  | 1.4  | 48        |
| 95  | MicroRNA-17 Modulates Regulatory T Cell Function by Targeting Co-regulators of the Foxp3 Transcription Factor. <i>Immunity</i> , 2016, 45, 83-93.  | 14.3 | 85        |
| 96  | Clinicopathological characteristics and outcomes in stage III mucinous gastric adenocarcinoma: a retrospective study at a single medical center. <i>World Journal of Surgical Oncology</i> , 2016, 14, 123.  | 1.9  | 12        |
| 97  | Inactivating ARID1A Tumor Suppressor Enhances TERT Transcription and Maintains Telomere Length in Cancer Cells. <i>Journal of Biological Chemistry</i> , 2016, 291, 9690-9699.   | 3.4  | 45        |
| 98  | 18F-FDG PET in small-cell cervical cancer: a prospective study with long-term follow-up. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 663-674.  | 6.4  | 7         |
| 99  | Targeted ultra-deep sequencing unveils a lack of driver-gene mutations linking non-hereditary gastrointestinal stromal tumors and highly prevalent second primary malignancies: random or nonrandom, that is the question. <i>Oncotarget</i> , 2016, 7, 83270-83277. | 1.8  | 6         |
| 100 | Clonality analysis of combined Brenner and mucinous tumours of the ovary reveals their monoclonal origin. <i>Journal of Pathology</i> , 2015, 237, 146-151.  | 4.5  | 48        |
| 101 | Increased proliferation in atypical hyperplasia/endometrioid intraepithelial neoplasia of the endometrium with concurrent inactivation of ARID1A and PTEN tumour suppressors. <i>Journal of Pathology: Clinical Research</i> , 2015, 1, 186-193.                     | 3.0  | 38        |
| 102 | Mevalonate Pathway Antagonist Suppresses Formation of Serous Tubal Intraepithelial Carcinoma and Ovarian Carcinoma in Mouse Models. <i>Clinical Cancer Research</i> , 2015, 21, 4652-4662.   | 7.0  | 48        |
| 103 | Laminin C1 expression by uterine carcinoma cells is associated with tumor progression. <i>Gynecologic Oncology</i> , 2015, 139, 338-344.   | 1.4  | 37        |
| 104 | Loss of ALDH1A1 expression is an early event in the pathogenesis of ovarian high-grade serous carcinoma. <i>Modern Pathology</i> , 2015, 28, 437-445.  | 5.5  | 16        |
| 105 | Identification of SPHK1 as a therapeutic target and marker of poor prognosis in cholangiocarcinoma. <i>Oncotarget</i> , 2015, 6, 23594-23608.  | 1.8  | 15        |
| 106 | Molecular analysis of ovarian mucinous carcinoma reveals different cell of origins. <i>Oncotarget</i> , 2015, 6, 22949-22958.  | 1.8  | 17        |
| 107 | The emerging roles of ARID1A in tumor suppression. <i>Cancer Biology and Therapy</i> , 2014, 15, 655-664.  | 3.4  | 200       |
| 108 | ARID1A loss correlates with mismatch repair deficiency and intact p53 expression in high-grade endometrial carcinomas. <i>Modern Pathology</i> , 2014, 27, 255-261.  | 5.5  | 110       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Notch3 Interactome Analysis Identified WWP2 as a Negative Regulator of Notch3 Signaling in Ovarian Cancer. <i>PLoS Genetics</i> , 2014, 10, e1004751.  | 3.5 | 64        |
| 110 | Life-Threatening Pneumonitis Complicating Low-Dose Methotrexate Treatment for Juvenile Idiopathic Arthritis in a Child. <i>Pediatric Emergency Care</i> , 2014, 30, 415-417.   | 0.9 | 2         |
| 111 | Roles of Deletion of Arid1a, a Tumor Suppressor, in Mouse Ovarian Tumorigenesis. <i>Journal of the National Cancer Institute</i> , 2014, 106, .  | 6.3 | 105       |
| 112 | Frequent somatic mutations of the telomerase reverse transcriptase promoter in ovarian clear cell carcinoma but not in other major types of gynaecological malignancy. <i>Journal of Pathology</i> , 2014, 232, 473-481.   | 4.5 | 81        |
| 113 | Identification of the NAC1-Regulated Genes in Ovarian Cancer. <i>American Journal of Pathology</i> , 2014, 184, 133-140.   | 3.8 | 21        |
| 114 | High level of chromosomal aberration in ovarian cancer genome correlates with poor clinical outcome. <i>Gynecologic Oncology</i> , 2013, 128, 500-505.   | 1.4 | 20        |
| 115 | Loss of NAC1 Expression Is Associated with Defective Bony Patterning in the Murine Vertebral Axis. <i>PLoS ONE</i> , 2013, 8, e69099.  | 2.5 | 19        |
| 116 | Vascularized Composite Allograft Rejection Is Delayed by Intrajejunal Treatment with Donor Splenocytes without Concomitant Immunosuppressants. <i>Clinical and Developmental Immunology</i> , 2012, 2012, 1-11.  | 3.3 | 2         |
| 117 | Steady Antibiotic Release From Biodegradable Beads in the Pleural Cavity. <i>Chest</i> , 2012, 141, 1197-1202.   | 0.8 | 9         |
| 118 | Identification of Molecular Pathway Aberrations in Uterine Serous Carcinoma by Genome-wide Analyses. <i>Journal of the National Cancer Institute</i> , 2012, 104, 1503-1513.   | 6.3 | 231       |
| 119 | Identification of PBX1 Target Genes in Cancer Cells by Global Mapping of PBX1 Binding Sites. <i>PLoS ONE</i> , 2012, 7, e36054.  | 2.5 | 40        |
| 120 | Duodenal duplication cyst: A rare cause of geriatric gastrointestinal bleeding. <i>Journal of the Chinese Medical Association</i> , 2011, 74, 233-236.   | 1.4 | 8         |
| 121 | Immunohistochemical Study of Vascular Endothelial Growth Factor (VEGF) and Matrilysin (MMP-7) in T1 Adenocarcinoma of the Colon and Rectum to Predict Lymph Node Metastases or Distant Metastases. <i>Hepato-Gastroenterology</i> , 2011, 58, 1943-6.                | 0.5 | 1         |
| 122 | Electrospun PLGA/collagen nanofibrous membrane as early-stage wound dressing. <i>Journal of Membrane Science</i> , 2010, 355, 53-59.   | 8.2 | 220       |
| 123 | Frequency and Risk Factors for Barrett's Esophagus in Taiwanese Patients: A Prospective Study in a Tertiary Referral Center. <i>Digestive Diseases and Sciences</i> , 2010, 55, 1337-1343.   | 2.3 | 35        |
| 124 | Isolated pancreatic metastasis from rectal cancer: a case report and review of literature. <i>World Journal of Surgical Oncology</i> , 2010, 8, 26.  | 1.9 | 16        |
| 125 | A microbiological and immunohistochemical analysis of periurethral and vaginal tissue in women with de novo urge symptoms after mid-urethral sling procedures—a prospective case-controlled study. <i>International Urogynecology Journal</i> , 2008, 19, 1145-1150. | 1.4 | 5         |
| 126 | Clinicopathologic features and outcomes following surgery for pancreatic adenosquamous carcinoma. <i>World Journal of Surgical Oncology</i> , 2008, 6, 95.   | 1.9 | 33        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Endoscopic retrograde cholangiography in the diagnosis and treatment of mucobilia. Scandinavian Journal of Gastroenterology, 2008, 43, 1137-1144. | 1.5 | 19        |
| 128 | A Useful Model to Audit Liver Resolution from Cirrhosis in Rats Using Functional Proteomics. Journal of Surgical Research, 2007, 138, 214-223.    | 1.6 | 16        |
| 129 | Cellular neurothekeoma with melanocytosis. Journal of Cutaneous Pathology, 2007, 35, 070925001016010-???  | 1.3 | 9         |
| 130 | Intractable bleeding from solitary mandibular metastasis of hepatocellular carcinoma. World Journal of Gastroenterology, 2007, 13, 4526.          | 3.3 | 20        |
| 131 | Follicular dendritic cell sarcoma mimicking giant cell carcinoma of the pancreas. Pathology International, 2006, 56, 466-470.                     | 1.3 | 24        |
| 132 | Atezolizumab-associated colitis mimic inflammatory bowel disease: a case report. Advances in Digestive Medicine, 0, , .                           | 0.2 | 1         |