

David Dbv Baglietto-Vargas

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7870759/publications.pdf>

Version: 2024-02-01

61
papers

3,565
citations

159585

30
h-index

155660

55
g-index

74
all docs

74
docs citations

74
times ranked

5282
citing authors

#	ARTICLE	IF	CITATIONS
1	Animal and Cellular Models of Alzheimer's Disease: Progress, Promise, and Future Approaches. <i>Neuroscientist</i> , 2022, 28, 572-593.	3.5	11
2	Spatial coding defects of hippocampal neural ensemble calcium activities in the triple-transgenic Alzheimer's disease mouse model. <i>Neurobiology of Disease</i> , 2022, 162, 105562.	4.4	12
3	Editorial: Metabolic Alterations in Neurodegenerative Disorders. <i>Frontiers in Aging Neuroscience</i> , 2022, 14, 833109.	3.4	2
4	Transgenic Mouse Models of Alzheimer's Disease: An Integrative Analysis. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5404.	4.1	36
5	Generation of a humanized A β 2 expressing mouse demonstrating aspects of Alzheimer's disease-like pathology. <i>Nature Communications</i> , 2021, 12, 2421.	12.8	53
6	Systematic phenotyping and characterization of the 5xFAD mouse model of Alzheimer's disease. <i>Scientific Data</i> , 2021, 8, 270.	5.3	138
7	SPG302 Reverses Synaptic and Cognitive Deficits Without Altering Amyloid or Tau Pathology in a Transgenic Model of Alzheimer's Disease. <i>Neurotherapeutics</i> , 2021, 18, 2468-2483.	4.4	5
8	Plaque-Associated Oligomeric Amyloid-Beta Drives Early Synaptotoxicity in APP/PS1 Mice Hippocampus: Ultrastructural Pathology Analysis. <i>Frontiers in Neuroscience</i> , 2021, 15, 752594.	2.8	15
9	Distinct disease-sensitive GABAergic neurons in the perirhinal cortex of Alzheimer's mice and patients. <i>Brain Pathology</i> , 2020, 30, 345-363.	4.1	49
10	Reply to Peng and Zhao: Loss of endocytic protein TOM1 in Alzheimer's disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 3917-3919.	7.1	0
11	Amyloid propagation in a sporadic model of Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020, 16, e045657.	0.8	1
12	Model organism development and evaluation for late-onset Alzheimer's disease: MODEL-AD. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020, 6, e12110.	3.7	63
13	Editorial: Risk Factors for Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 124.	3.4	5
14	miR-181a negatively modulates synaptic plasticity in hippocampal cultures and its inhibition rescues memory deficits in a mouse model of Alzheimer's disease. <i>Aging Cell</i> , 2020, 19, e131118.	6.7	42
15	Intra- and extracellular A β 2-amyloid overexpression via adeno-associated virus-mediated gene transfer impairs memory and synaptic plasticity in the hippocampus. <i>Scientific Reports</i> , 2019, 9, 15936.	3.3	12
16	Amyloid-beta impairs TOM1-mediated IL-1R1 signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 21198-21206.	7.1	24
17	Tau underlies synaptic and cognitive deficits for type 1, but not type 2 diabetes mouse models. <i>Aging Cell</i> , 2019, 18, e12919.	6.7	19
18	Impaired Spatial Reorientation in the 3xTg-AD Mouse Model of Alzheimer's Disease. <i>Scientific Reports</i> , 2019, 9, 1311.	3.3	24

#	ARTICLE	IF	CITATIONS
19	P4â€522: TYPE 2 DIABETES MELLITUS INDUCES TAUâ€INDEPENDENT COGNITIVE AND SYNAPTIC DEFICITS IN A MOUSE MODEL. Alzheimer's and Dementia, 2019, 15, P1514.	0.8	1
20	Astrocytes: From the Physiology to the Disease. Current Alzheimer Research, 2019, 16, 675-698.	1.4	20
21	Past to Future: What Animal Models Have Taught Us About Alzheimerâ€™s Disease. Journal of Alzheimer's Disease, 2018, 64, S365-S378.	2.6	22
22	Early long-term administration of the CSF1R inhibitor PLX3397 ablates microglia and reduces accumulation of intraneuronal amyloid, neuritic plaque deposition and pre-fibrillar oligomers in 5XFAD mouse model of Alzheimerâ€™s disease. Molecular Neurodegeneration, 2018, 13, 11.	10.8	260
23	P2â€172: THE DYSREGULATION OF TOM1 IN ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P734.	0.8	0
24	P3â€173: IMPACT OF SYNAPTIC REGULATORSâ€™ LOSS ON ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P1134.	0.8	0
25	O1â€01â€04: HAÎ²â€KI: A KNOCKâ€IN MOUSE MODEL FOR SPORADIC ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2018, 14, P213.	0.8	1
26	P1â€131: MODELâ€AD: LATEâ€ONSET ALZHEIMER'S DISEASE MODELS. Alzheimer's and Dementia, 2018, 14, P321.	0.8	0
27	P1â€130: MODELâ€AD: CHARACTERIZATION OF FAMILIAL AD MODELS (5XFAD, APP/PS1, HTAU, 3XTGâ€AD). Alzheimer's and Dementia, 2018, 14, P321.	0.8	1
28	Impaired <sc>AMPA</sc> signaling and cytoskeletal alterations induce early synaptic dysfunction in a mouse model of Alzheimer's disease. Aging Cell, 2018, 17, e12791.	6.7	58
29	Synaptic Impairment in Alzheimerâ€™s Disease: A Dysregulated Symphony. Trends in Neurosciences, 2017, 40, 347-357.	8.6	327
30	Dual roles of AÎ² in proliferative processes in an amyloidogenic model of Alzheimerâ€™s disease. Scientific Reports, 2017, 7, 10085.	3.3	34
31	[P1â€107]: APPKIâ€HaÎ²WT: A NOVEL TRANSGENIC MOUSE TO MODEL SPORADIC ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2017, 13, P281.	0.8	0
32	Diabetes and Alzheimerâ€™s disease crosstalk. Neuroscience and Biobehavioral Reviews, 2016, 64, 272-287.	6.1	161
33	Animal Models of Neurodegenerative Diseases. , 2016, , .		0
34	Shortâ€term modern lifeâ€like stress exacerbates AÎ²â€pathology and synapse loss in 3xTgâ€<sc>AD</sc> mice. Journal of Neurochemistry, 2015, 134, 915-926.	3.9	74
35	Repeated cognitive stimulation alleviates memory impairments in an Alzheimerâ€™s disease mouse model. Brain Research Bulletin, 2015, 117, 10-15.	3.0	33
36	Synapse-specific IL-1 receptor subunit reconfiguration augments vulnerability to IL-1Î² in the aged hippocampus. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, E5078-87.	7.1	95

#	ARTICLE	IF	CITATIONS
37	Upregulation of miR-181 Decreases c-Fos and SIRT-1 in the Hippocampus of 3xTg-AD Mice. <i>Journal of Alzheimer's Disease</i> , 2014, 42, 1229-1238.	2.6	77
38	Î±7 Nicotinic Receptor Agonist Enhances Cognition in Aged 3xTg-AD Mice with Robust Plaques and Tangles. <i>American Journal of Pathology</i> , 2014, 184, 520-529.	3.8	68
39	Endogenous murine tau promotes neurofibrillary tangles in 3xTg-AD mice without affecting cognition. <i>Neurobiology of Disease</i> , 2014, 62, 407-415.	4.4	19
40	Genetic Ablation of Tau Mitigates Cognitive Impairment Induced by Type 1 Diabetes. <i>American Journal of Pathology</i> , 2014, 184, 819-826.	3.8	41
41	Impact of hippocampal neuronal ablation on neurogenesis and cognition in the aged brain. <i>Neuroscience</i> , 2014, 259, 214-222.	2.3	31
42	Restoration of Lipoxin A4 Signaling Reduces Alzheimer's Disease-Like Pathology in the 3xTg-AD Mouse Model. <i>Journal of Alzheimer's Disease</i> , 2014, 43, 893-903.	2.6	76
43	Hippocampal Adaptive Response Following Extensive Neuronal Loss in an Inducible Transgenic Mouse Model. <i>PLoS ONE</i> , 2014, 9, e106009.	2.5	8
44	In vivo modification of Aβ plaque toxicity as a novel neuroprotective lithium-mediated therapy for Alzheimer's disease pathology. <i>Acta Neuropathologica Communications</i> , 2013, 1, 73.	5.2	33
45	Mifepristone Alters Amyloid Precursor Protein Processing to Preclude Amyloid Beta and Also Reduces Tau Pathology. <i>Biological Psychiatry</i> , 2013, 74, 357-366.	1.3	87
46	Aspirin-Triggered Lipoxin A4 Stimulates Alternative Activation of Microglia and Reduces Alzheimer Disease-Like Pathology in Mice. <i>American Journal of Pathology</i> , 2013, 182, 1780-1789.	3.8	139
47	Calpain Inhibitor A-705253 Mitigates Alzheimer's Disease-Like Pathology and Cognitive Decline in Aged 3xTgAD Mice. <i>American Journal of Pathology</i> , 2012, 181, 616-625.	3.8	80
48	Abnormal accumulation of autophagic vesicles correlates with axonal and synaptic pathology in young Alzheimer's mice hippocampus. <i>Acta Neuropathologica</i> , 2012, 123, 53-70.	7.7	179
49	Loss of Muscarinic M1 Receptor Exacerbates Alzheimer's Disease-Like Pathology and Cognitive Decline. <i>American Journal of Pathology</i> , 2011, 179, 980-991.	3.8	100
50	The Role of Tau in Alzheimer's Disease and Related Disorders. <i>CNS Neuroscience and Therapeutics</i> , 2011, 17, 514-524.	3.9	195
51	Activity-Dependent Neuroprotective Protein (ADNP) Expression in the Amyloid Precursor Protein/Presenilin 1 Mouse Model of Alzheimer's Disease. <i>Journal of Molecular Neuroscience</i> , 2010, 41, 114-120.	2.3	34
52	Calretinin Interneurons are Early Targets of Extracellular Amyloid-β Pathology in PS1/AβPP Alzheimer Mice Hippocampus. <i>Journal of Alzheimer's Disease</i> , 2010, 21, 119-132.	2.6	81
53	Extracellular Amyloid-β and Cytotoxic Glial Activation Induce Significant Entorhinal Neuron Loss in Young PS1M146L/APP751SL Mice. <i>Journal of Alzheimer's Disease</i> , 2009, 18, 755-776.	2.6	40
54	Inflammatory Response in the Hippocampus of PS1 ^{M146L} /APP ^{751SL} Mouse Model of Alzheimer's Disease: Age-Dependent Switch in the Microglial Phenotype from Alternative to Classic. <i>Journal of Neuroscience</i> , 2008, 28, 11650-11661.	3.6	340

#	ARTICLE	IF	CITATIONS
55	Glutaminase activity is confined to the mantle of the islets of Langerhans. <i>Biochimie</i> , 2007, 89, 1366-1371.	2.6	9
56	Inter-individual variability in the expression of the mutated form of hPS1M146L determined the production of A β 2 peptides in the PS1xAPP transgenic mice. <i>Journal of Neuroscience Research</i> , 2007, 85, 787-797.	2.9	9
57	Molecular and cellular characterization of the age-related neuroinflammatory processes occurring in normal rat hippocampus: potential relation with the loss of somatostatin GABAergic neurons. <i>Journal of Neurochemistry</i> , 2007, 103, 984-996.	3.9	67
58	Early neuropathology of somatostatin/NPY GABAergic cells in the hippocampus of a PS1 Δ -APP transgenic model of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2006, 27, 1658-1672.	3.1	175
59	Postnatal development of the δ 1 containing GABAA receptor subunit in rat hippocampus. <i>Developmental Brain Research</i> , 2004, 148, 129-141.	1.7	27
60	Expression of δ 5 GABAA receptor subunit in developing rat hippocampus. <i>Developmental Brain Research</i> , 2004, 151, 87-98.	1.7	31
61	Segregation of two glutaminase isoforms in islets of Langerhans. <i>Biochemical Journal</i> , 2004, 381, 483-487.	3.7	15