

Andrew H Baker

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7870862/publications.pdf>

Version: 2024-02-01

309
papers

20,755
citations

9786

73
h-index

12597

132
g-index

324
all docs

324
docs citations

324
times ranked

21350
citing authors

#	ARTICLE	IF	CITATIONS
1	Deciphering endothelial heterogeneity in health and disease at single-cell resolution: progress and perspectives. <i>Cardiovascular Research</i> , 2023, 119, 6-27.	3.8	19
2	Dissecting the transcriptome in cardiovascular disease. <i>Cardiovascular Research</i> , 2022, 118, 1004-1019.	3.8	16
3	Deficiency of myeloid PHD proteins aggravates atherogenesis via macrophage apoptosis and paracrine fibrotic signalling. <i>Cardiovascular Research</i> , 2022, 118, 1232-1246.	3.8	12
4	Hooked on heart regeneration: the zebrafish guide to recovery. <i>Cardiovascular Research</i> , 2022, 118, 1667-1679.	3.8	15
5	Single-cell RNA sequencing profiling of mouse endothelial cells in response to pulmonary arterial hypertension. <i>Cardiovascular Research</i> , 2022, 118, 2519-2534.	3.8	45
6	MRI and CT coronary angiography in survivors of COVID-19. <i>Heart</i> , 2022, 108, 46-53.	2.9	25
7	Localization of Long Noncoding in Formalin-Fixed, Paraffin-Embedded Vascular Tissue Using In Situ Hybridization. <i>Methods in Molecular Biology</i> , 2022, 2419, 659-670.	0.9	1
8	Mapping the developing human cardiac endothelium at single-cell resolution identifies MECOM as a regulator of arteriovenous gene expression. <i>Cardiovascular Research</i> , 2022, 118, 2960-2972.	3.8	24
9	Coronary Artery and Cardiac Disease in Patients With Type 2 Myocardial Infarction: A Prospective Cohort Study. <i>Circulation</i> , 2022, 145, 1188-1200.	1.6	32
10	Cutting a path to effective delivery of genome engineering machinery. <i>Cardiovascular Research</i> , 2022, , .	3.8	1
11	Protective role of chaperone-mediated autophagy against atherosclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2121133119.	7.1	29
12	Cardiovascular signatures of COVID-19 predict mortality and identify barrier stabilizing therapies. <i>EBioMedicine</i> , 2022, 78, 103982.	6.1	17
13	History of Wrist Arthroscopy. <i>Journal of Wrist Surgery</i> , 2022, 11, 096-119.	0.7	3
14	Tissue-selective endothelial arousal revealed by vascular endothelial growth factor gene transfer. <i>Cardiovascular Research</i> , 2021, 117, 18-20.	3.8	0
15	Antagonism of miRNA in heart failure: first evidence in human. <i>European Heart Journal</i> , 2021, 42, 189-191.	2.2	9
16	The Influence of the LINC00961/SPAAR Locus Loss on Murine Development, Myocardial Dynamics, and Cardiac Response to Myocardial Infarction. <i>International Journal of Molecular Sciences</i> , 2021, 22, 969.	4.1	9
17	Gene and Cell Therapy for Inherited and Acquired Immune Deficiency. <i>Human Gene Therapy</i> , 2021, 32, 1-3.	2.7	0
18	Novel Transcript Discovery Expands the Repertoire of Pathologically-Associated, Long Non-Coding RNAs in Vascular Smooth Muscle Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1484.	4.1	5

#	ARTICLE	IF	CITATIONS
19	Lost in Translation: Progress and Challenges in Advanced Therapies to Treat CVDs. <i>Molecular Therapy</i> , 2021, 29, 426-427.	8.2	2
20	Lack of Evidence of Angiotensin-Converting Enzyme 2 Expression and Replicative Infection by SARS-CoV-2 in Human Endothelial Cells. <i>Circulation</i> , 2021, 143, 865-868.	1.6	166
21	Jumping on base editing to repair the diseased cardiovascular system <i>in vivo</i> . <i>Cardiovascular Research</i> , 2021, 117, e46-e48.	3.8	0
22	MIR503HG Loss Promotes Endothelial-to-Mesenchymal Transition in Vascular Disease. <i>Circulation Research</i> , 2021, 128, 1173-1190.	4.5	41
23	<i>CARMN</i> Loss Regulates Smooth Muscle Cells and Accelerates Atherosclerosis in Mice. <i>Circulation Research</i> , 2021, 128, 1258-1275.	4.5	47
24	Assessment of stunned and viable myocardium using manganese-enhanced MRI. <i>Open Heart</i> , 2021, 8, e001646.	2.3	9
25	In Vitro and In Vivo Evaluation of Human Adenovirus Type 49 as a Vector for Therapeutic Applications. <i>Viruses</i> , 2021, 13, 1483.	3.3	4
26	Fli1 ⁺ cells transcriptional analysis reveals an Lmo2-Prdm16 axis in angiogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	9
27	Histone deacetylase 9 promotes endothelial-mesenchymal transition and an unfavorable atherosclerotic plaque phenotype. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	36
28	Human AdV-20-42-42, a Promising Novel Adenoviral Vector for Gene Therapy and Vaccine Product Development. <i>Journal of Virology</i> , 2021, 95, e0038721.	3.4	5
29	Nuclear S-nitrosylation impacts tissue regeneration in zebrafish. <i>Nature Communications</i> , 2021, 12, 6282.	12.8	11
30	Transcriptional dynamics of pluripotent stem cell-derived endothelial cell differentiation revealed by single-cell RNA sequencing. <i>European Heart Journal</i> , 2020, 41, 1024-1036.	2.2	43
31	Osteocalcin Regulates Arterial Calcification Via Altered Wnt Signaling and Glucose Metabolism. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 357-367.	2.8	59
32	Novel Plaque Enriched Long Noncoding RNA in Atherosclerotic Macrophage Regulation (PELATON). <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 697-713.	2.4	46
33	Extracellular Vesicle miRNAs in the Promotion of Cardiac Neovascularisation. <i>Frontiers in Physiology</i> , 2020, 11, 579892.	2.8	27
34	Progression and regression of left ventricular hypertrophy and myocardial fibrosis in a mouse model of hypertension and concomitant cardiomyopathy. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2020, 22, 57.	3.3	21
35	OP9...Single Cell RNA-sequencing reveals novel targets with a potential role in vascular regeneration in the ischaemic adult heart. , 2020, , .		0
36	T-Cell-Derived miRNA-214 Mediates Perivascular Fibrosis in Hypertension. <i>Circulation Research</i> , 2020, 126, 988-1003.	4.5	59

#	ARTICLE	IF	CITATIONS
37	Did Dendritic Cell Activation, Induced by Adenovirus-Antibody Complexes, Play a Role in the Death of Jesse Gelsinger?. <i>Molecular Therapy</i> , 2020, 28, 704-706.	8.2	9
38	Manganese-enhanced T1 mapping to quantify myocardial viability: validation with 18F-fluorodeoxyglucose positron emission tomography. <i>Scientific Reports</i> , 2020, 10, 2018.	3.3	10
39	The LINC00961 transcript and its encoded micropeptide, small regulatory polypeptide of amino acid response, regulate endothelial cell function. <i>Cardiovascular Research</i> , 2020, 116, 1981-1994.	3.8	42
40	miR-96 and miR-183 differentially regulate neonatal and adult postinfarct neovascularization. <i>JCI Insight</i> , 2020, 5, .	5.0	14
41	MicroRNA and LncRNA in the Vascular System. , 2019, , 149-158.		1
42	Human Adenovirus Serotype 5 Is Sensitive to IgM-Independent Neutralization In Vitro and In Vivo. <i>Viruses</i> , 2019, 11, 616.	3.3	7
43	The Human-Specific and Smooth Muscle Cell-Enriched LncRNA SMILR Promotes Proliferation by Regulating Mitotic CENPF mRNA and Drives Cell-Cycle Progression Which Can Be Targeted to Limit Vascular Remodeling. <i>Circulation Research</i> , 2019, 125, 535-551.	4.5	100
44	Manganese-enhanced MRI of the myocardium. <i>Heart</i> , 2019, 105, 1695-1700.	2.9	22
45	Extracellular vesicle cross-talk between pulmonary artery smooth muscle cells and endothelium during excessive TGF- β 2 signalling: implications for PAH vascular remodelling. <i>Cell Communication and Signaling</i> , 2019, 17, 143.	6.5	41
46	Importance of Long Non-coding RNAs in the Development and Disease of Skeletal Muscle and Cardiovascular Lineages. <i>Frontiers in Cell and Developmental Biology</i> , 2019, 7, 228.	3.7	42
47	Substantial Dysregulation of miRNA Passenger Strands Underlies the Vascular Response to Injury. <i>Cells</i> , 2019, 8, 83.	4.1	10
48	Endothelial function and dysfunction in the cardiovascular system: the long non-coding road. <i>Cardiovascular Research</i> , 2019, 115, 1692-1704.	3.8	43
49	Single-cell transcriptome analyses reveal novel targets modulating cardiac neovascularization by resident endothelial cells following myocardial infarction. <i>European Heart Journal</i> , 2019, 40, 2507-2520.	2.2	149
50	Skin immunisation activates an innate lymphoid cell-monocyte axis regulating CD8+ effector recruitment to mucosal tissues. <i>Nature Communications</i> , 2019, 10, 2214.	12.8	8
51	The function of long non-coding RNAs in vascular biology and disease. <i>Vascular Pharmacology</i> , 2019, 114, 23-30.	2.1	30
52	Catalyzing Transcriptomics Research in Cardiovascular Disease: The CardioRNA COST Action CA17129. <i>Non-coding RNA</i> , 2019, 5, 31.	2.6	14
53	P3 α ... β 7 nicotinic acetylcholine receptor expression in vascular cells during normoxia and hypoxia. , 2019, , .		0
54	TGF β 2, smooth muscle cells and coronary artery disease: a review. <i>Cellular Signalling</i> , 2019, 53, 90-101.	3.6	75

#	ARTICLE	IF	CITATIONS
55	The function of miR-143, miR-145 and the MiR-143 host gene in cardiovascular development and disease. <i>Vascular Pharmacology</i> , 2019, 112, 24-30.	2.1	77
56	Endothelial to Mesenchymal Transition in Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2019, 73, 190-209.	2.8	357
57	Î±vÎ²3 Integrin Is Required for Efficient Infection of Epithelial Cells with Human Adenovirus Type 26. <i>Journal of Virology</i> , 2019, 93, .	3.4	27
58	Robust Revascularization in Models of Limb Ischemia Using a Clinically Translatable Human Stem Cell-Derived Endothelial Cell Product. <i>Molecular Therapy</i> , 2018, 26, 1669-1684.	8.2	48
59	Targeting Non-coding RNA in Vascular Biology and Disease. <i>Frontiers in Physiology</i> , 2018, 9, 1655.	2.8	50
60	Unravelling atherosclerotic heterogeneity by single cell RNA sequencing. <i>Current Opinion in Lipidology</i> , 2018, 29, 488-489.	2.7	1
61	What matters in Cardiovascular Research? Scientific discovery driving clinical delivery. <i>Cardiovascular Research</i> , 2018, 114, 1565-1568.	3.8	10
62	A new link between non-coding RNA and cardiac regeneration. <i>Cardiovascular Research</i> , 2018, 114, 1569-1570.	3.8	5
63	Non-coding RNAs in vascular disease – from basic science to clinical applications: scientific update from the Working Group of Myocardial Function of the European Society of Cardiology. <i>Cardiovascular Research</i> , 2018, 114, 1281-1286.	3.8	37
64	Tissue Inhibitor of Metalloproteinase-3 (TIMP-3) induces FAS dependent apoptosis in human vascular smooth muscle cells. <i>PLoS ONE</i> , 2018, 13, e0195116.	2.5	11
65	Generation and characterization of a novel candidate gene therapy and vaccination vector based on human species D adenovirus type 56. <i>Journal of General Virology</i> , 2018, 99, 135-147.	2.9	17
66	Defining a Novel Role for the Coxsackievirus and Adenovirus Receptor in Human Adenovirus Serotype 5 Transduction <i>In Vitro</i> in the Presence of Mouse Serum. <i>Journal of Virology</i> , 2017, 91, .	3.4	12
67	MicroRNA Delivery Strategies to the Lung in a Model of Pulmonary Hypertension. <i>Methods in Molecular Biology</i> , 2017, 1521, 325-338.	0.9	4
68	Cardiovascular Gene Therapy: Past, Present, and Future. <i>Molecular Therapy</i> , 2017, 25, 1095-1106.	8.2	141
69	PET Cell Tracking Using 18F-FLT is Not Limited by Local Reuptake of Free Radiotracer. <i>Scientific Reports</i> , 2017, 7, 44233.	3.3	12
70	The Function and Therapeutic Potential of Long Non-coding RNAs in Cardiovascular Development and Disease. <i>Molecular Therapy - Nucleic Acids</i> , 2017, 8, 494-507.	5.1	96
71	Atherosclerosis development. <i>Current Opinion in Lipidology</i> , 2017, 28, 520-521.	2.7	0
72	Role of mir-214 in angiotensin ii induced hypertensive heart disease. <i>Heart</i> , 2017, 103, A130.2-A131.	2.9	0

#	ARTICLE	IF	CITATIONS
73	Role of noncoding RNA in vascular remodelling. <i>Current Opinion in Lipidology</i> , 2016, 27, 439-448.	2.7	31
74	Targeting non-coding RNA for the therapy of renal disease. <i>Current Opinion in Pharmacology</i> , 2016, 27, 70-77.	3.5	26
75	Smooth Muscle Enriched Long Noncoding RNA (<i>SMILR</i>) Regulates Cell Proliferation. <i>Circulation</i> , 2016, 133, 2050-2065.	1.6	182
76	lncRNA/MicroRNA interactions in the vasculature. <i>Clinical Pharmacology and Therapeutics</i> , 2016, 99, 494-501.	4.7	205
77	Impact of BREXIT on UK Gene and Cell Therapy: The Need for Continued Pan-European Collaboration. <i>Human Gene Therapy</i> , 2016, 27, 653-655.	2.7	3
78	Regulation and Function of miR-214 in Pulmonary Arterial Hypertension. <i>Pulmonary Circulation</i> , 2016, 6, 109-117.	1.7	28
79	miR-34a ^{+/+} mice are susceptible to diet-induced obesity. <i>Obesity</i> , 2016, 24, 1741-1751.	3.0	57
80	A Gli(1)tering Role for Perivascular Stem Cells in Blood Vessel Remodeling. <i>Cell Stem Cell</i> , 2016, 19, 563-565.	11.1	21
81	The relevance of coagulation factor X protection of adenoviruses in human sera. <i>Gene Therapy</i> , 2016, 23, 592-596.	4.5	16
82	A Role for the Long Noncoding RNA SENCN in Commitment and Function of Endothelial Cells. <i>Molecular Therapy</i> , 2016, 24, 978-990.	8.2	133
83	Development of Novel Adenoviral Vectors to Overcome Challenges Observed With HAdV-5-based Constructs. <i>Molecular Therapy</i> , 2016, 24, 6-16.	8.2	85
84	Retargeting FX-binding-ablated HAdV-5 to vascular cells by inclusion of the RGD-4C peptide in hexon hypervariable region 7 and the HI loop. <i>Journal of General Virology</i> , 2016, 97, 1911-1916.	2.9	8
85	Reducing In-Stent Restenosis. <i>Journal of the American College of Cardiology</i> , 2015, 65, 2314-2327.	2.8	95
86	Micro(RNA) management of smooth muscle cell phenotype and response to vascular injury: Figure 1. <i>Cardiovascular Research</i> , 2015, 107, 403-406.	3.8	1
87	Manipulating Adenovirus Hexon Hypervariable Loops Dictates Immune Neutralisation and Coagulation Factor X-dependent Cell Interaction In Vitro and In Vivo. <i>PLoS Pathogens</i> , 2015, 11, e1004673.	4.7	42
88	A Sex-Specific MicroRNA-96/5-Hydroxytryptamine 1B Axis Influences Development of Pulmonary Hypertension. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015, 191, 1432-1442.	5.6	61
89	Efficient Transduction of Primary Vascular Cells by the Rare Adenovirus Serotype 49 Vector. <i>Human Gene Therapy</i> , 2015, 26, 312-319.	2.7	25
90	Editorial overview: New technologies. <i>Current Opinion in Pharmacology</i> , 2015, 24, vii-viii.	3.5	0

#	ARTICLE	IF	CITATIONS
91	Hopx and the Cardiomyocyte Parentage. <i>Molecular Therapy</i> , 2015, 23, 1420-1422.	8.2	8
92	MicroRNA-143 Activation Regulates Smooth Muscle and Endothelial Cell Crosstalk in Pulmonary Arterial Hypertension. <i>Circulation Research</i> , 2015, 117, 870-883.	4.5	246
93	Impaired vascular function and repair in patients with premature coronary artery disease. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1557-1566.	1.8	11
94	Endothelial Apoptosis in Pulmonary Hypertension Is Controlled by a microRNA/Programmed Cell Death 4/Caspase-3 Axis. <i>Hypertension</i> , 2014, 64, 185-194.	2.7	84
95	STABILISING SUPPRESSOR OF CYTOKINE SIGNALLING 3 (SOCS3) EXPRESSION TO LIMIT NEO-INTIMAL HYPERPLASIA. <i>Heart</i> , 2014, 100, A4.1-A4.	2.9	0
96	Retargeting Adenovirus Serotype 48 Fiber Knob Domain by Peptide Incorporation. <i>Human Gene Therapy</i> , 2014, 25, 385-394.	2.7	11
97	MicroRNA-214 Antagonism Protects against Renal Fibrosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 65-80.	6.1	132
98	The importance of coagulation factors binding to adenovirus: historical perspectives and implications for gene delivery. <i>Expert Opinion on Drug Delivery</i> , 2014, 11, 1795-1813.	5.0	19
99	Adenovirus-Based Vectors: Maximizing Opportunities and Optimizing a Rich Diversity of Vectors for Gene-Based Therapy. <i>Human Gene Therapy</i> , 2014, 25, 255-256.	2.7	2
100	Capsid Modification Strategies for Detargeting Adenoviral Vectors. <i>Methods in Molecular Biology</i> , 2014, 1089, 45-59.	0.9	0
101	Profiling of transcriptional and epigenetic changes during directed endothelial differentiation of human embryonic stem cells identifies FOXA2 as a marker of early mesoderm commitment. <i>Stem Cell Research and Therapy</i> , 2013, 4, 36.	5.5	13
102	MicroRNAs in pulmonary arterial remodeling. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 4479-4494.	5.4	61
103	Gene therapy for cardiovascular disease: Perspectives and potential. <i>Vascular Pharmacology</i> , 2013, 58, 174-181.	2.1	23
104	Identification of novel small molecule inhibitors of adenovirus gene transfer using a high throughput screening approach. <i>Journal of Controlled Release</i> , 2013, 170, 132-140.	9.9	15
105	Assessment of a novel, capsid-modified adenovirus with an improved vascular gene transfer profile. <i>Journal of Cardiothoracic Surgery</i> , 2013, 8, 183.	1.1	12
106	The atypical mechanosensitive microRNA-712 derived from pre-ribosomal RNA induces endothelial inflammation and atherosclerosis. <i>Nature Communications</i> , 2013, 4, 3000.	12.8	198
107	Canonical Transforming Growth Factor- β 2 Signaling Regulates Disintegrin Metalloprotease Expression in Experimental Renal Fibrosis via miR-29. <i>American Journal of Pathology</i> , 2013, 183, 1885-1896.	3.8	66
108	MicroRNA regulation of endothelial homeostasis and commitment—implications for vascular regeneration strategies using stem cell therapies. <i>Free Radical Biology and Medicine</i> , 2013, 64, 52-60.	2.9	15

#	ARTICLE	IF	CITATIONS
109	FX and Host Defense Evasion Tactics by Adenovirus. <i>Molecular Therapy</i> , 2013, 21, 1109-1111.	8.2	10
110	Moving Forward on Shifting Sands: Ethical Regulation of Gene Therapy Clinical Trials in the United Kingdom. <i>Molecular Therapy</i> , 2013, 21, 715-716.	8.2	1
111	miRNA Overexpression Induces Cardiomyocyte Proliferation In Vivo. <i>Molecular Therapy</i> , 2013, 21, 497-498.	8.2	11
112	miRNA-21 is dysregulated in response to vein grafting in multiple models and genetic ablation in mice attenuates neointima formation. <i>European Heart Journal</i> , 2013, 34, 1636-1643.	2.2	61
113	Transient but Not Genetic Loss of miR-451 is Protective in the Development of Pulmonary Arterial Hypertension. <i>Pulmonary Circulation</i> , 2013, 3, 840-850.	1.7	14
114	Is MicroRNA-376c a Biomarker or Mediator of Preeclampsia?. <i>Hypertension</i> , 2013, 61, 767-769.	2.7	12
115	Pseudotyping the adenovirus serotype 5 capsid with both the fibre and penton of serotype 35 enhances vascular smooth muscle cell transduction. <i>Gene Therapy</i> , 2013, 20, 1158-1164.	4.5	25
116	An analysis of the function and expression of D6 on lymphatic endothelial cells. <i>Blood</i> , 2013, 121, 3768-3777.	1.4	72
117	How do microRNAs affect vascular smooth muscle cell biology?. <i>Current Opinion in Lipidology</i> , 2012, 23, 405-411.	2.7	29
118	Manipulation of adenovirus interactions with host factors for gene therapy applications. <i>Nanomedicine</i> , 2012, 7, 271-288.	3.3	46
119	Gene Therapy by Targeted Adenovirus-mediated Knockdown of Pulmonary Endothelial Tph1 Attenuates Hypoxia-induced Pulmonary Hypertension. <i>Molecular Therapy</i> , 2012, 20, 1516-1528.	8.2	48
120	Coagulation factor X mediates adenovirus type 5 liver gene transfer in non-human primates (<i>Microcebus murinus</i>). <i>Gene Therapy</i> , 2012, 19, 109-113.	4.5	41
121	Combined Fiber Modifications Both to Target α 6 and Detarget the Coxsackievirus Adenovirus Receptor Improve Virus Toxicity Profiles <i>In Vivo</i> but Fail to Improve Antitumoral Efficacy Relative to Adenovirus Serotype 5. <i>Human Gene Therapy</i> , 2012, 23, 960-979.	2.7	35
122	MicroRNA and vascular remodelling in acute vascular injury and pulmonary vascular remodelling. <i>Cardiovascular Research</i> , 2012, 93, 594-604.	3.8	98
123	A Role for miR-145 in Pulmonary Arterial Hypertension. <i>Circulation Research</i> , 2012, 111, 290-300.	4.5	263
124	Integrase-Deficient Lentiviral Vectors Mediate Efficient Gene Transfer to Human Vascular Smooth Muscle Cells with Minimal Genotoxic Risk. <i>Human Gene Therapy</i> , 2012, 23, 1247-1257.	2.7	16
125	Ad5:Ad48 Hexon Hypervariable Region Substitutions Lead to Toxicity and Increased Inflammatory Responses Following Intravenous Delivery. <i>Molecular Therapy</i> , 2012, 20, 2268-2281.	8.2	54
126	Prevention of coronary in-stent restenosis and vein graft failure: Does vascular gene therapy have a role?. <i>Journal of Vascular Medicine and Biology</i> , 2012, 136, 23-34.		25

#	ARTICLE	IF	CITATIONS
127	In utero administration of Ad5 and AAV pseudotypes to the fetal brain leads to efficient, widespread and long-term gene expression. <i>Gene Therapy</i> , 2012, 19, 936-946.	4.5	31
128	Derivation of Vascular Endothelial Cells from Human Embryonic Stem Cells Under GMP-Compliant Conditions: Towards Clinical Studies in Ischaemic Disease. <i>Journal of Cardiovascular Translational Research</i> , 2012, 5, 605-617.	2.4	21
129	MiR-145: A Role In The Development Of Pulmonary Arterial Hypertension. , 2012, , .		0
130	Role of MicroRNAs 99b, 181a, and 181b in the Differentiation of Human Embryonic Stem Cells to Vascular Endothelial Cells. <i>Stem Cells</i> , 2012, 30, 643-654.	3.2	92
131	Biodistribution and inflammatory profiles of novel penton and hexon double-mutant serotype 5 adenoviruses. <i>Journal of Controlled Release</i> , 2012, 164, 394-402.	9.9	38
132	Vein graft failure: current clinical practice and potential for gene therapeutics. <i>Gene Therapy</i> , 2012, 19, 630-636.	4.5	45
133	Vector Systems for Prenatal Gene Therapy: Principles of Adenovirus Design and Production. <i>Methods in Molecular Biology</i> , 2012, 891, 55-84.	0.9	11
134	The Role of miRNA in Stem Cell Pluripotency and Commitment to the Vascular Endothelial Lineage. <i>Microcirculation</i> , 2012, 19, 196-207.	1.8	7
135	Role of miRNA in differentiation of human ES cells to vascular endothelium. <i>Vascular Pharmacology</i> , 2012, 56, 309-310.	2.1	0
136	Deregulation of microRNA-503 Contributes to Diabetes Mellitusâ€œInduced Impairment of Endothelial Function and Reparative Angiogenesis After Limb Ischemia. <i>Circulation</i> , 2011, 123, 282-291.	1.6	374
137	miR-21 and miR-214 Are Consistently Modulated during Renal Injury in Rodent Models. <i>American Journal of Pathology</i> , 2011, 179, 661-672.	3.8	100
138	Pluripotent stem cell differentiation into vascular cells: A novel technology with promises for vascular re(generation). , 2011, 129, 29-49.		95
139	MicroRNAs regulating cell pluripotency and vascular differentiation. <i>Vascular Pharmacology</i> , 2011, 55, 69-78.	2.1	14
140	TIMPâ€œ3 promotes apoptosis in nonadherent small cell lung carcinoma cells lacking functional death receptor pathway. <i>International Journal of Cancer</i> , 2011, 128, 991-996.	5.1	31
141	Heartening Results: The CUPID Gene Therapy Trial for Heart Failure. <i>Molecular Therapy</i> , 2011, 19, 1181-1182.	8.2	9
142	MicroRNA 21 â€œShapesâ€œVascular Smooth Muscle Behavior Through Regulating Tropomyosin 1. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1941-1942.	2.4	9
143	Sustained Reduction of Vein Graft Neointima Formation by Ex Vivo TIMP-3 Gene Therapy. <i>Circulation</i> , 2011, 124, S135-42.	1.6	65
144	A Cluster of Basic Amino Acids in the Factor X Serine Protease Mediates Surface Attachment of Adenovirus/FX Complexes. <i>Journal of Virology</i> , 2011, 85, 10914-10919.	3.4	32

#	ARTICLE	IF	CITATIONS
145	Inhibition of In-Stent Stenosis by Oral Administration of Bindarit in Porcine Coronary Arteries. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 2448-2454.	2.4	28
146	Serotonin transporter, sex, and hypoxia: microarray analysis in the pulmonary arteries of mice identifies genes with relevance to human PAH. <i>Physiological Genomics</i> , 2011, 43, 417-437.	2.3	52
147	Genetic Modification of Human Embryonic and Induced Pluripotent Stem Cells: Viral and Non-viral Approaches. , 2011, , 159-179.		0
148	Vascular-Targeting Antioxidant Therapy in a Model of Hypertension and Stroke. <i>Journal of Cardiovascular Pharmacology</i> , 2010, 56, 642-650.	1.9	15
149	Biodistribution and retargeting of FX-binding ablated adenovirus serotype 5 vectors. <i>Blood</i> , 2010, 116, 2656-2664.	1.4	96
150	Functional characterization of a 13-bp deletion (c.-1522_-1510del13) in the promoter of the von Willebrand factor gene in type 1 von Willebrand disease. <i>Blood</i> , 2010, 116, 3645-3652.	1.4	32
151	<i>Erythro</i>-9-(2-hydroxy-3-nonyl)adenine (EHNA) blocks differentiation and maintains the expression of pluripotency markers in human embryonic stem cells. <i>Biochemical Journal</i> , 2010, 432, 575-599.	3.7	6
152	Identification and characterization of small-molecule ligands that maintain pluripotency of human embryonic stem cells. <i>Biochemical Society Transactions</i> , 2010, 38, 1058-1061.	3.4	14
153	Transcription Factor Egr-1 Is Essential for Maximal Matrix Metalloproteinase-9 Transcription by Tumor Necrosis Factor α . <i>Molecular Cancer Research</i> , 2010, 8, 507-519.	3.4	80
154	Tropism-Modification Strategies for Targeted Gene Delivery Using Adenoviral Vectors. <i>Viruses</i> , 2010, 2, 2290-2355.	3.3	104
155	Requirements for Receptor Engagement during Infection by Adenovirus Complexed with Blood Coagulation Factor X. <i>PLoS Pathogens</i> , 2010, 6, e1001142.	4.7	70
156	Genome-Wide Association Study of Blood Pressure Extremes Identifies Variant near UMOD Associated with Hypertension. <i>PLoS Genetics</i> , 2010, 6, e1001177.	3.5	312
157	Dynamic Changes in Lung MicroRNA Profiles During the Development of Pulmonary Hypertension due to Chronic Hypoxia and Monocrotaline. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 716-723.	2.4	305
158	Adenoviral Vectors. , 2010, , 21-36.		0
159	Derivation of Endothelial Cells From Human Embryonic Stem Cells by Directed Differentiation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 1389-1397.	2.4	147
160	Lentivirus-mediated Reprogramming of Somatic Cells in the Absence of Transgenic Transcription Factors. <i>Molecular Therapy</i> , 2010, 18, 2139-2145.	8.2	32
161	Dysregulation of cadherins in the intercalated disc of the spontaneously hypertensive stroke-prone rat. <i>Journal of Molecular and Cellular Cardiology</i> , 2010, 48, 1121-1128.	1.9	4
162	Therapeutic angiogenesis in diabetic apolipoprotein E-deficient mice using bone marrow cells, functional hemangioblasts and metabolic intervention. <i>Atherosclerosis</i> , 2010, 209, 403-414.	0.8	18

#	ARTICLE	IF	CITATIONS
163	Effect of Neutralizing Sera on Factor X-Mediated Adenovirus Serotype 5 Gene Transfer. <i>Journal of Virology</i> , 2009, 83, 479-483.	3.4	72
164	Serotype Chimeric and Fiber-Mutated Adenovirus Ad5/19p-HIT for Targeting Renal Cancer and Untargeting the Liver. <i>Human Gene Therapy</i> , 2009, 20, 611-620.	2.7	17
165	Transduction of Liver Metastases After Intravenous Injection of Ad5/35 or Ad35 Vectors With and Without Factor X-Binding Protein Pretreatment. <i>Human Gene Therapy</i> , 2009, 20, 621-629.	2.7	23
166	Influence of Coagulation Factor X on In Vitro and In Vivo Gene Delivery by Adenovirus (Ad) 5, Ad35, and Chimeric Ad5/Ad35 Vectors. <i>Molecular Therapy</i> , 2009, 17, 1683-1691.	8.2	41
167	Onset of Experimental Severe Cardiac Fibrosis Is Mediated by Overexpression of Angiotensin-Converting Enzyme 2. <i>Hypertension</i> , 2009, 53, 694-700.	2.7	38
168	Use of in vivo phage display to engineer novel adenoviruses for targeted delivery to the cardiac vasculature. <i>FEBS Letters</i> , 2009, 583, 2100-2107.	2.8	23
169	Mouse adenovirus type 1 and human adenovirus type 5 differ in endothelial cell tropism and liver targeting. <i>Journal of Gene Medicine</i> , 2009, 11, 119-127.	2.8	13
170	Identification of coagulation factor (F)X binding sites on the adenovirus serotype 5 hexon: effect of mutagenesis on FX interactions and gene transfer. <i>Blood</i> , 2009, 114, 965-971.	1.4	158
171	DRG-targeted helper-dependent adenoviruses mediate selective gene delivery for therapeutic rescue of sensory neuronopathies in mice. <i>Journal of Clinical Investigation</i> , 2009, 119, 2100-112.	8.2	31
172	Gene Delivery to Cardiovascular Tissue. , 2009, , 25-54.		0
173	Performance of AAV8 vectors expressing human factor IX from a hepatic-selective promoter following intravenous injection into rats. <i>Genetic Vaccines and Therapy</i> , 2008, 6, 9.	1.5	20
174	Engineering adeno-associated virus 2 vectors for targeted gene delivery to atherosclerotic lesions. <i>Gene Therapy</i> , 2008, 15, 443-451.	4.5	37
175	Viral and non-viral gene delivery and its role in pluripotent stem cell engineering. <i>Drug Discovery Today: Technologies</i> , 2008, 5, e107-e115.	4.0	12
176	Adenovirus Serotype 5 Hexon Mediates Liver Gene Transfer. <i>Cell</i> , 2008, 132, 397-409.	28.9	573
177	IL-33 reduces the development of atherosclerosis. <i>Journal of Experimental Medicine</i> , 2008, 205, 339-346.	8.5	574
178	Luciferin Detection After Intranasal Vector Delivery Is Improved by Intranasal Rather Than Intraperitoneal Luciferin Administration. <i>Human Gene Therapy</i> , 2008, 19, 1050-1056.	2.7	34
179	In Vitro and In Vivo Properties of Adenovirus Vectors with Increased Affinity to CD46. <i>Journal of Virology</i> , 2008, 82, 10567-10579.	3.4	56
180	Arteriolar Genesis and Angiogenesis Induced by Endothelial Nitric Oxide Synthase Overexpression Results in a Mature Vasculature. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 1462-1468.	2.4	41

#	ARTICLE	IF	CITATIONS
181	In Vivo Modulation of Nogo-B Attenuates Neointima Formation. <i>Molecular Therapy</i> , 2008, 16, 1798-1804.	8.2	37
182	Efficient Vascular Endothelial Gene Transfer Following Intravenous Adenovirus Delivery. <i>Molecular Therapy</i> , 2008, 16, 1904-1905.	8.2	3
183	Luciferin detection after intra-nasal vector delivery is improved by intra-nasal rather than intra-peritoneal luciferin administration.. <i>Human Gene Therapy</i> , 2008, .	2.7	0
184	Interactions of adenovirus vectors with blood: implications for intravascular gene therapy applications. <i>Current Opinion in Molecular Therapeutics</i> , 2008, 10, 439-48.	2.8	26
185	Development of Renal-targeted Vectors Through Combined In Vivo Phage Display and Capsid Engineering of Adenoviral Fibers From Serotype 19p. <i>Molecular Therapy</i> , 2007, 15, 1647-1654.	8.2	41
186	Adenovirus Toxicity and Tropism In Vivo: Not as Simple as A,B,C (or D,E,F). <i>Molecular Therapy</i> , 2007, 15, 2061-2062.	8.2	3
187	Adenovirus 5 Fibers Mutated at the Putative HSPG-binding Site Show Restricted Retargeting with Targeting Peptides in the HI Loop. <i>Molecular Therapy</i> , 2007, 15, 741-749.	8.2	53
188	Shedding Light on Tumor Targeting by Adenovirus. <i>Molecular Therapy</i> , 2007, 15, 841-842.	8.2	1
189	Multiphoton Microscopy for 3-Dimensional Imaging of Lymphocyte Recruitment Into Apolipoprotein-Eâ€“Deficient Mouse Carotid Artery. <i>Circulation</i> , 2007, 115, e326-8.	1.6	32
190	Targeting of Adenovirus Serotype 5 (Ad5) and 5/47 Pseudotyped Vectors In Vivo: Fundamental Involvement of Coagulation Factors and Redundancy of CAR Binding by Ad5. <i>Journal of Virology</i> , 2007, 81, 9568-9571.	3.4	70
191	Influence of Coagulation Factor Zymogens on the Infectivity of Adenoviruses Pseudotyped with Fibers from Subgroup D. <i>Journal of Virology</i> , 2007, 81, 3627-3631.	3.4	62
192	Brain protection using autologous bone marrow cell, metalloproteinase inhibitors, and metabolic treatment in cerebral ischemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 3597-3602.	7.1	79
193	Modifications of the radiosensitivity of a renal cancer cell line as a consequence of stable TIMP-1 overexpression. <i>International Journal of Radiation Biology</i> , 2007, 83, 13-25.	1.8	7
194	Membrane-type 1-Matrix Metalloproteinase Regulates Intracellular Adhesion Molecule-1 (ICAM-1)-mediated Monocyte Transmigration. <i>Journal of Biological Chemistry</i> , 2007, 282, 25010-25019.	3.4	73
195	Metalloproteinase Inhibition Has Differential Effects on Alloimmunity, Autoimmunity, and Histopathology in the Transplanted Lung. <i>Transplantation</i> , 2007, 83, 799-808.	1.0	12
196	Novel vectors for in vivo gene delivery to vascular tissue. <i>Expert Opinion on Biological Therapy</i> , 2007, 7, 809-821.	3.1	10
197	The Influence of Blood on In Vivo Adenovirus Bio-distribution and Transduction. <i>Molecular Therapy</i> , 2007, 15, 1410-1416.	8.2	62
198	The use of tissue inhibitors of matrix metalloproteinases to increase the efficacy of a tumor necrosis factor/interferon β antitumor therapy. <i>Cancer Gene Therapy</i> , 2007, 14, 372-379.	4.6	10

#	ARTICLE	IF	CITATIONS
199	Neuroprotective effect of adenoviral-mediated gene transfer of TIMP-1 and -2 in ischemic brain injury. <i>Gene Therapy</i> , 2007, 14, 621-625.	4.5	46
200	APOE ϵ 3 Gene Transfer Attenuates Brain Damage after Experimental Stroke. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007, 27, 477-487.	4.3	15
201	Collagenase-3 (MMP-13) Enhances Remodeling of Three-Dimensional Collagen and Promotes Survival of Human Skin Fibroblasts. <i>Journal of Investigative Dermatology</i> , 2007, 127, 49-59.	0.7	51
202	In vitro susceptibility to the pro-apoptotic effects of TIMP-3 gene delivery translates to greater in vivo efficacy versus gene delivery for TIMPs-1 or -2. <i>Lung Cancer</i> , 2006, 53, 273-284.	2.0	41
203	Multiple vitamin K-dependent coagulation zymogens promote adenovirus-mediated gene delivery to hepatocytes. <i>Blood</i> , 2006, 108, 2554-2561.	1.4	256
204	Opportunities for gene therapy in preventing vein graft failure after coronary artery bypass surgery. <i>Diabetes, Obesity and Metabolism</i> , 2006, 8, 119-124.	4.4	13
205	Tissue inhibitor of metalloproteinases-2 improves antitumor efficacy of a replicating adenovirus in vivo. <i>Cancer Biology and Therapy</i> , 2006, 5, 1647-1653.	3.4	8
206	Lesional Overexpression of Matrix Metalloproteinase-9 Promotes Intraplaque Hemorrhage in Advanced Lesions But Not at Earlier Stages of Atherogenesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006, 26, 340-346.	2.4	196
207	Suppression of Atherosclerotic Plaque Progression and Instability by Tissue Inhibitor of Metalloproteinase-2. <i>Circulation</i> , 2006, 113, 2435-2444.	1.6	142
208	Heparan Sulfate Proteoglycan Binding Properties of Adeno-Associated Virus Retargeting Mutants and Consequences for Their In Vivo Tropism. <i>Journal of Virology</i> , 2006, 80, 7265-7269.	3.4	112
209	117. HSPG Binding Properties of Adeno- Associated Virus Retargeting Mutants and Consequences for Their In Vivo Tropism. <i>Molecular Therapy</i> , 2006, 13, S48.	8.2	0
210	376. Hepatic Tropism of Adenoviral Type 5 Vectors Can Be Mediated by Multiple Coagulation Factors. <i>Molecular Therapy</i> , 2006, 13, S143.	8.2	1
211	21. Peptide-Targeted Ad19p-Based Adenoviral Vectors for Renal Gene Delivery. <i>Molecular Therapy</i> , 2006, 13, S9.	8.2	0
212	Vascular bed-targeted in vivo gene delivery using tropism-modified adeno-associated viruses. <i>Molecular Therapy</i> , 2006, 13, 683-693.	8.2	119
213	25. Development and Characterization of Viral Vectors with High Specificity for Atherosclerotic Plaques. <i>Molecular Therapy</i> , 2006, 13, S11.	8.2	0
214	Inhibition of Urokinase-Type Plasminogen Activator or Matrix Metalloproteinases Prevents Cardiac Injury and Dysfunction During Viral Myocarditis. <i>Circulation</i> , 2006, 114, 565-573.	1.6	100
215	Gene therapy and coronary artery bypass grafting: current perspectives. <i>Current Opinion in Molecular Therapeutics</i> , 2006, 8, 288-94.	2.8	6
216	In Vivo Biopanning: A Methodological Approach to Identifying Novel Targeting Ligands for Delivery of Biological Agents to the Vasculature. , 2005, 108, 395-414.		2

#	ARTICLE	IF	CITATIONS
217	Cell-selective viral gene delivery vectors for the vasculature. <i>Experimental Physiology</i> , 2005, 90, 27-31.	2.0	31
218	Heterogeneous effects of tissue inhibitors of matrix metalloproteinases on cardiac fibroblasts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 288, H461-H468.	3.2	115
219	Ultrasound-mediated delivery of TIMP-3 plasmid DNA into saphenous vein leads to increased lumen size in a porcine interposition graft model. <i>Gene Therapy</i> , 2005, 12, 1154-1157.	4.5	56
220	Adeno-associated virus (AAV)-7 and -8 poorly transduce vascular endothelial cells and are sensitive to proteasomal degradation. <i>Gene Therapy</i> , 2005, 12, 1534-1538.	4.5	56
221	Targeting endothelial cells with adenovirus expressing nitric oxide synthase prevents elevation of blood pressure in stroke-prone spontaneously hypertensive rats. <i>Molecular Therapy</i> , 2005, 12, 321-327.	8.2	58
222	The influence of adenovirus fiber structure and function on vector development for gene therapy. <i>Molecular Therapy</i> , 2005, 12, 384-393.	8.2	157
223	Enhanced gene transfer activity of peptide-targeted gene-delivery vectors. <i>Journal of Drug Targeting</i> , 2005, 13, 39-51.	4.4	37
224	Loss or Inhibition of uPA or MMP-9 Attenuates LV Remodeling and Dysfunction after Acute Pressure Overload in Mice. <i>American Journal of Pathology</i> , 2005, 166, 15-25.	3.8	150
225	Efficient isolation of peptide ligands for the endothelial cell protein C receptor (EPCR) using candidate receptor phage display biopanning. <i>Peptides</i> , 2005, 26, 1264-1269.	2.4	8
226	Promoters and Control Elements: Designing Expression Cassettes for Gene Therapy. <i>Current Gene Therapy</i> , 2004, 4, 89-113.	2.0	142
227	Targeted Gene Delivery to Vascular Tissue In Vivo by Tropism-Modified Adeno-Associated Virus Vectors. <i>Circulation</i> , 2004, 109, 513-519.	1.6	184
228	Overexpression of p53 Increases Lumen Size and Blocks Neointima Formation in Porcine Interposition Vein Grafts. <i>Molecular Therapy</i> , 2004, 9, 689-698.	8.2	45
229	Development of Efficient Viral Vectors Selective for Vascular Smooth Muscle Cells. <i>Molecular Therapy</i> , 2004, 9, 198-208.	8.2	96
230	Effect of adenovirus serotype 5 fiber and penton modifications on in vivo tropism in rats. <i>Molecular Therapy</i> , 2004, 10, 344-354.	8.2	101
231	Dual targeting of gene delivery by genetic modification of adenovirus serotype 5 fibers and cell-selective transcriptional control. <i>Gene Therapy</i> , 2004, 11, 1296-1300.	4.5	24
232	Designing gene delivery vectors for cardiovascular gene therapy. <i>Progress in Biophysics and Molecular Biology</i> , 2004, 84, 279-299.	2.9	46
233	Improved gene delivery to human saphenous vein cells and tissue using a peptide-modified adenoviral vector. <i>Genetic Vaccines and Therapy</i> , 2004, 2, 14.	1.5	11
234	In vitro and in vivo characterisation of endothelial cell selective adenoviral vectors. <i>Journal of Gene Medicine</i> , 2004, 6, 300-308.	2.8	47

#	ARTICLE	IF	CITATIONS
235	Adenovirus-mediated overexpression of tissue inhibitor of metalloproteinases-1 in the liver: efficient protection against T-cell lymphoma and colon carcinoma metastasis. <i>Journal of Gene Medicine</i> , 2004, 6, 1228-1237.	2.8	25
236	Adenoviral Serotype 5 Vectors Pseudotyped with Fibers from Subgroup D Show Modified Tropism In Vitro and In Vivo. <i>Human Gene Therapy</i> , 2004, 15, 1054-1064.	2.7	51
237	Differential alterations in the expression and activity of matrix metalloproteinases 2 and 9 after transient cerebral ischemia in mice. <i>Neurobiology of Disease</i> , 2004, 17, 188-197.	4.4	42
238	Adenoviral Serotype 5 Vectors Pseudotyped with Fibers from Subgroup D Show Modified Tropism In Vitro and In Vivo. <i>Human Gene Therapy</i> , 2004, .	2.7	0
239	Adenoviral Serotype 5 Vectors Pseudotyped with Fibers from Subgroup D Show Modified Tropism In Vitro and In Vivo. <i>Human Gene Therapy</i> , 2004, 15, 1054-1064.	2.7	3
240	Adenoviral Vectors for Gene Therapy. <i>Molecular Biotechnology</i> , 2003, 25, 101-102.	2.4	3
241	Targeting gene therapy vectors to the vascular endothelium. <i>Current Atherosclerosis Reports</i> , 2003, 5, 163-170.	4.8	5
242	Stroma Formation and Angiogenesis by Overexpression of Growth Factors, Cytokines, and Proteolytic Enzymes in Human Skin Grafted to SCID Mice. <i>Journal of Investigative Dermatology</i> , 2003, 120, 683-692.	0.7	44
243	Enhancement of lipopolysaccharide-stimulated JNK activity in rat aortic smooth muscle cells by pharmacological and adenovirus-mediated inhibition of inhibitory kappa B kinase signalling. <i>British Journal of Pharmacology</i> , 2003, 139, 1041-1049.	5.4	8
244	Tissue inhibitor of metalloproteinases-3 induces apoptosis in melanoma cells by stabilization of death receptors. <i>Oncogene</i> , 2003, 22, 2121-2134.	5.9	162
245	A novel function for tissue inhibitor of metalloproteinases-3 (TIMP3): inhibition of angiogenesis by blockage of VEGF binding to VEGF receptor-2. <i>Nature Medicine</i> , 2003, 9, 407-415.	30.7	616
246	Inhibition of Matrix Metalloproteinases by Lung TIMP-1 Gene Transfer Limits Monocrotaline-Induced Pulmonary Vascular Remodeling in Rats. <i>Human Gene Therapy</i> , 2003, 14, 861-869.	2.7	48
247	Transductional and transcriptional targeting of cancer cells using genetically engineered viral vectors. <i>Cancer Letters</i> , 2003, 201, 165-173.	7.2	32
248	Third-generation lentivirus vectors efficiently transduce and phenotypically modify vascular cells: implications for gene therapy. <i>Journal of Molecular and Cellular Cardiology</i> , 2003, 35, 739-748.	1.9	65
249	Tissue inhibitor of metalloproteinase 1 inhibits excitotoxic cell death in neurons. <i>Molecular and Cellular Neurosciences</i> , 2003, 22, 98-106.	2.2	81
250	Oxidation-sensitive mechanisms, vascular apoptosis and atherosclerosis. <i>Trends in Molecular Medicine</i> , 2003, 9, 351-359.	6.7	96
251	MMP2 and MMP9 synergize in promoting choroidal neovascularization. <i>FASEB Journal</i> , 2003, 17, 2290-2292.	0.5	159
252	Targeting AAV vectors. <i>Molecular Therapy</i> , 2003, 7, 433-434.	8.2	6

#	ARTICLE	IF	CITATIONS
253	Gene Therapy for Cardiovascular Disease. Journal of Biomedicine and Biotechnology, 2003, 2003, 138-148.	3.0	20
254	Development of Targeted Viral Vectors for Cardiovascular Gene Therapy. , 2003, 25, 15-49.		2
255	AAV-based gene transfer. Current Opinion in Molecular Therapeutics, 2003, 5, 367-75.	2.8	27
256	Tissue Inhibitor of Metalloproteinase-3 Induces a Fas-associated Death Domain-dependent Type II Apoptotic Pathway. Journal of Biological Chemistry, 2002, 277, 13787-13795.	3.4	126
257	Inhibition of retinal neovascularisation by gene transfer of soluble VEGF receptor sFlt-1. Gene Therapy, 2002, 9, 320-326.	4.5	149
258	Antitumor Activity and Bystander Effect of Adenovirally Delivered Tissue Inhibitor of Metalloproteinases-3. Molecular Therapy, 2002, 5, 705-715.	8.2	75
259	Adenovirus-mediated overexpression of extracellular superoxide dismutase improves endothelial dysfunction in a rat model of hypertension. Gene Therapy, 2002, 9, 110-117.	4.5	92
260	Adenovirus mediated gene delivery of tissue inhibitor of metalloproteinases-3 induces death in retinal pigment epithelial cells. British Journal of Ophthalmology, 2002, 86, 97-101.	3.9	25
261	Potential Applications of Tissue Inhibitor of Metalloproteinase (TIMP) Overexpression For Cancer Gene Therapy. Advances in Experimental Medicine and Biology, 2002, 465, 469-483.	1.6	26
262	[10] Use of phage display to identify novel peptides for targeted gene therapy. Methods in Enzymology, 2002, 346, 157-176.	1.0	15
263	Tropism-Modified Adenoviral and Adeno-Associated Viral Vectors for Gene Therapy. Current Gene Therapy, 2002, 2, 273-293.	2.0	77
264	Metalloproteinase inhibitors: biological actions and therapeutic opportunities. Journal of Cell Science, 2002, 115, 3719-3727.	2.0	1,029
265	Sorsby's fundus dystrophy mutant tissue inhibitors of metalloproteinase-3 induce apoptosis of retinal pigment epithelial and MCF-7 cells. FEBS Letters, 2002, 529, 281-285.	2.8	22
266	Peptide-Retargeted Adenovirus Encoding a Tissue Inhibitor of Metalloproteinase-1 Decreases Restenosis after Intravascular Gene Transfer. Molecular Therapy, 2002, 6, 306-312.	8.2	48
267	Gene therapy for bypass graft failure and restenosis. Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research, 2002, 32, 389-391.	0.3	4
268	Expression of collagenase-3 (MMP-13) enhances invasion of human fibrosarcoma HT-1080 cells. International Journal of Cancer, 2002, 97, 283-289.	5.1	44
269	Development and Use of Gene Transfer for Treatment of Cardiovascular Disease. Journal of Cardiac Surgery, 2002, 17, 543-548.	0.7	15
270	Neutrophil Proteinases in Hydrochloric Acid- and Endotoxin-Induced Acute Lung Injury: Evaluation of Interstitial Protease Activity by in situ Zymography. Laboratory Investigation, 2002, 82, 133-145.	3.7	25

#	ARTICLE	IF	CITATIONS
271	Gene Transfer to the Vasculature. <i>Molecular Biotechnology</i> , 2002, 22, 153-163.	2.4	5
272	The flt-1 promoter for transcriptional targeting of teratocarcinoma. <i>Cancer Research</i> , 2002, 62, 1271-4.	0.9	22
273	Gene Transfer to the Vasculature: Historical Perspective and Implications for Future Research Objectives. , 2001, 52, 219-231.		2
274	Paradoxical effects of tissue inhibitor of metalloproteinases 1 gene transfer in collagen-induced arthritis. <i>Arthritis and Rheumatism</i> , 2001, 44, 1444-1454.	6.7	47
275	Combined transductional and transcriptional targeting improves the specificity of transgene expression in vivo. <i>Nature Biotechnology</i> , 2001, 19, 838-842.	17.5	219
276	Wild-type p53 gene transfer inhibits neointima formation in human saphenous vein by modulation of smooth muscle cell migration and induction of apoptosis. <i>Gene Therapy</i> , 2001, 8, 668-676.	4.5	80
277	Local Gene Transfer of Tissue Inhibitor of Metalloproteinase-2 Influences Vein Graft Remodeling in a Mouse Model. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001, 21, 1275-1280.	2.4	76
278	Efficient and Selective AAV2-Mediated Gene Transfer Directed to Human Vascular Endothelial Cells. <i>Molecular Therapy</i> , 2001, 4, 174-181.	8.2	204
279	Inhibition of transcription factor NF- κ B reduces matrix metalloproteinase-1, -3 and -9 production by vascular smooth muscle cells. <i>Cardiovascular Research</i> , 2001, 50, 556-565.	3.8	325
280	Ablating Adenovirus Type 5 Fiberâ€™CAR Binding and HI Loop Insertion of the SIGYPLP Peptide Generate an Endothelial Cell-Selective Adenovirus. <i>Molecular Therapy</i> , 2001, 4, 534-542.	8.2	134
281	Identification of Peptides That Target the Endothelial Cellâ€™Specific LOX-1 Receptor. <i>Hypertension</i> , 2001, 37, 449-455.	2.7	59
282	Analysis of Cell-Specific Promoters for Viral Gene Therapy Targeted at the Vascular Endothelium. <i>Hypertension</i> , 2001, 38, 65-70.	2.7	90
283	Catalytic Oligodeoxynucleotides Define a Key Regulatory Role for Early Growth Response Factor-1 in the Porcine Model of Coronary In-Stent Restenosis. <i>Circulation Research</i> , 2001, 89, 670-677.	4.5	105
284	Selective Targeting of Gene Transfer to Vascular Endothelial Cells by Use of Peptides Isolated by Phage Display. <i>Circulation</i> , 2000, 102, 231-237.	1.6	149
285	Localization of the Death Domain of Tissue Inhibitor of Metalloproteinase-3 to the N Terminus. <i>Journal of Biological Chemistry</i> , 2000, 275, 41358-41363.	3.4	112
286	Inhibition of Late Vein Graft Neointima Formation in Human and Porcine Models by Adenovirus-Mediated Overexpression of Tissue Inhibitor of Metalloproteinase-3. <i>Circulation</i> , 2000, 101, 296-304.	1.6	203
287	Inhibition of Matrix Metalloproteinases by Lung TIMP-1 Gene Transfer or Doxycycline Aggravates Pulmonary Hypertension in Rats. <i>Circulation Research</i> , 2000, 87, 418-425.	4.5	88
288	Simple Methods for Preparing Recombinant Adenoviruses for High-Efficiency Transduction of Vascular Cells. , 1999, 30, 271-284.		24

#	ARTICLE	IF	CITATIONS
289	Rat Amnion Type IV Collagen Composition and Metabolism: Implications for Membrane Breakdown1. <i>Biology of Reproduction</i> , 1999, 60, 176-182.	2.7	56
290	Expression of Tissue Inhibitor of Metalloproteinase-1, -2, and -3 During Neointima Formation in Organ Cultures of Human Saphenous Vein. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1999, 19, 255-265.	2.4	50
291	Inhibition of plasminogen activators or matrix metalloproteinases prevents cardiac rupture but impairs therapeutic angiogenesis and causes cardiac failure. <i>Nature Medicine</i> , 1999, 5, 1135-1142.	30.7	745
292	New DNA enzyme targeting Egr-1 mRNA inhibits vascular smooth muscle proliferation and regrowth after injury. <i>Nature Medicine</i> , 1999, 5, 1264-1269.	30.7	232
293	Inhibition of invasion and induction of apoptotic cell death of cancer cell lines by overexpression of TIMP-3. <i>British Journal of Cancer</i> , 1999, 79, 1347-1355.	6.4	265
294	Nuclear Factor κ B Activity Is Essential for Matrix Metalloproteinase-1 and -3 Upregulation in Rabbit Dermal Fibroblasts. <i>Biochemical and Biophysical Research Communications</i> , 1999, 264, 561-567.	2.1	169
295	Targets for gene therapy of vein grafts. <i>Current Opinion in Cardiology</i> , 1999, 14, 489.	1.8	16
296	Gene transfer of tissue inhibitor of metalloproteinase-2 inhibits metalloproteinase activity and neointima formation in human saphenous veins. <i>Gene Therapy</i> , 1998, 5, 1552-1560.	4.5	144
297	Biological consequences of a point mutation at codon 969 of the FMS gene. <i>Leukemia Research</i> , 1998, 22, 365-372.	0.8	12
298	Synergistic upregulation of metalloproteinase-9 by growth factors and inflammatory cytokines: an absolute requirement for transcription factor NF κ B. <i>FEBS Letters</i> , 1998, 435, 29-34.	2.8	465
299	Adenovirus-Mediated Gene Transfer of the Human TIMP-1 Gene Inhibits Smooth Muscle Cell Migration and Neointimal Formation in Human Saphenous Vein. <i>Human Gene Therapy</i> , 1998, 9, 867-877.	2.7	201
300	Divergent effects of tissue inhibitor of metalloproteinase-1, -2, or -3 overexpression on rat vascular smooth muscle cell invasion, proliferation, and death in vitro. TIMP-3 promotes apoptosis.. <i>Journal of Clinical Investigation</i> , 1998, 101, 1478-1487.	8.2	416
301	Matrix metalloproteinase and tissue inhibitor of metalloproteinase regulation of the invasive potential of a metastatic renal cell line. <i>Biochemical Society Transactions</i> , 1997, 25, 147S-147S.	3.4	6
302	Prevention of vein graft failure: potential applications for gene therapy. <i>Cardiovascular Research</i> , 1997, 35, 442-450.	3.8	25
303	Allelic loss of the FMS gene in acute myeloid leukaemia. <i>Leukemia Research</i> , 1997, 21, 919-923.	0.8	7
304	Development of recombinant adenoviruses that drive high level expression of the human metalloproteinase-9 and tissue inhibitor of metalloproteinase-1 and -2 genes: Characterization of their infection into rabbit smooth muscle cells and human MCF-7 adenocarcinoma cells. <i>Matrix Biology</i> , 1996, 15, 383-395.	3.6	52
305	Divergent regulation by growth factors and cytokines of 95 kDa and 72 kDa gelatinases and tissue inhibitors or metalloproteinases-1, -2, and -3 in rabbit aortic smooth muscle cells. <i>Biochemical Journal</i> , 1996, 315, 335-342.	3.7	282
306	Upregulation of Basement Membrane-Degrading Metalloproteinase Secretion After Balloon Injury of Pig Carotid Arteries. <i>Circulation Research</i> , 1996, 79, 1177-1187.	4.5	101

#	ARTICLE	IF	CITATIONS
307	A novel CSF-1 binding factor in a patient in complete remission following cytotoxic therapy for lymphoma. <i>British Journal of Haematology</i> , 1995, 89, 219-222.	2.5	2
308	FMS mutations in patients following cytotoxic therapy for lymphoma. <i>Leukemia Research</i> , 1995, 19, 309-318.	0.8	16
309	Targeting Degradome Genes via Engineered Viral Vectors. , 0, , 877-894.		0