## Muhammad Bisyrul Hafi Othman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7871846/publications.pdf Version: 2024-02-01



## Muhammad Bisyrul Hafi

#	Article	IF	CITATIONS
1	Nonisothermal Kinetic Degradation of Hybrid CNT/Alumina Epoxy Nanocomposites. Metals, 2021, 11, 657.	1.0	4
2	Thermal degradation and kinetics stability studies of oil palm (Elaeis Guineensis) biomass-derived lignin nanoparticle and its application as an emulsifying agent. Arabian Journal of Chemistry, 2021, 14, 103182.	2.3	27
3	One-pot solvothermal synthesis and characterization of highly stable nickel nanoparticles. Nanotechnology Reviews, 2021, 10, 318-329.	2.6	11
4	Improvement of thermal conductivity and dielectric constant of graphene-filled epoxy nanocomposites using colloidal polymerization approach. Polymer Bulletin, 2020, 77, 2385-2404.	1.7	7
5	Comparative study of singleâ€layer graphene and singleâ€walled carbon nanotubeâ€filled epoxy nanocomposites based on mechanical and thermal properties. Polymer Composites, 2019, 40, E1840.	2.3	13
6	Synthesis and functionalization of chitosan built hydrogel with induced hydrophilicity for extended release of sparingly soluble drugs. Journal of Biomaterials Science, Polymer Edition, 2018, 29, 376-396.	1.9	18
7	Swelling behavior and chemical stability of chitosan/nanocellulose biocomposites. Polymer Composites, 2018, 39, E561.	2.3	19
8	Synthesis and thermo-chemical stability properties of 4,4′,4″-((1,3,5-triazine-2,4,6-triyl)tris(oxy))trianiline/4,4′-(4,4′-Isopropylidene-diphenoxy)bis(phthalic	:) Tj <b>E.R</b> QqO	0 04rgBT /Ove
9	Synthesis and evaluation on pH- and temperature-responsive chitosan-p(MAA-co-NIPAM) hydrogels. International Journal of Biological Macromolecules, 2018, 108, 367-375.	3.6	58
10	Star-shaped self-assembled micelles of block copolymer [chitosan-co-poly(ethylene glycol) methyl ether methacrylate] hydrogel for hydrophobic drug delivery. Polymer Bulletin, 2018, 75, 2243-2264.	1.7	6
11	The effects of hybrid fillers on thermal, mechanical, physical, and antimicrobial properties of ultrahigh-molecular-weight polyethylene-reinforced composites. Polymer Composites, 2017, 38, 1689-1697.	2.3	2
12	Synthesis and physicochemical investigation of chitosan-built hydrogel with induced glucose sensitivity. International Journal of Polymeric Materials and Polymeric Biomaterials, 2017, 66, 824-834.	1.8	11
13	Preparation and characterization of colloidized diamine/oxidized-graphene via condensation polymerization of carboxyl groups epoxy/oxidized-graphene nanocomposite. Polymer, 2017, 124, 186-202.	1.8	12
14	Compressive properties and thermal stability of hybrid carbon nanotube-alumina filled epoxy nanocomposites. Composites Part B: Engineering, 2016, 91, 235-242.	5.9	20
15	Functional properties of chitosan built nanohydrogel with enhanced glucose-sensitivity. International Journal of Biological Macromolecules, 2016, 83, 376-384.	3.6	17
16	New generation of hybrid filler for producing epoxy nanocomposites with improved mechanical properties. Materials and Design, 2016, 91, 46-52.	3.3	20
17	Kinetic investigation and lifetime prediction of Cs–NIPAM–MBA-based thermo-responsive hydrogels. Carbohydrate Polymers, 2016, 136, 1182-1193.	5.1	15
18	Effect of Curing Temperature on Degree Imidization of Melamine-BPADA Hyperbranched Polyimide Studied by FT-IR. Applied Mechanics and Materials, 2015, 754-755, 251-255.	0.2	1

MUHAMMAD BISYRUL HAFI

#	Article	IF	CITATIONS
19	Thermal properties and kinetic investigation of chitosan-PMAA based dual-responsive hydrogels. Industrial Crops and Products, 2015, 66, 178-187.	2.5	25
20	Classification, processing and application of hydrogels: A review. Materials Science and Engineering C, 2015, 57, 414-433.	3.8	1,022
21	The effects of the SiOSi segment presence in BAPP/BPDA polyimide system on morphology and hardness properties for opto-electronic application. Materials and Design, 2015, 82, 98-105.	3.3	19
22	Synthesis, characterisation and thermal properties of hyperbranched polyimide derived from melamine via emulsion polymerisation. Journal of Thermal Analysis and Calorimetry, 2015, 120, 1785-1798.	2.0	14
23	Preparation, physicochemical and stability studies of chitosan-PNIPAM based responsive microgels under various pH and temperature conditions. Iranian Polymer Journal (English Edition), 2015, 24, 317-328.	1.3	23
24	Thermal degradation behavior of a flame retardant melamine derivative hyperbranched polyimide with different terminal groups. RSC Advances, 2015, 5, 92664-92676.	1.7	12
25	Effects of various fillers on anionic polyacrylamide systems for treating kaolin suspensions. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2014, 441, 306-311.	2.3	12
26	Effect of crosslink density on the refractive index of a polysiloxane network based on 2,4,6,8â€ŧetramethylâ€2,4,6, 8â€ŧetravinylcyclotetrasiloxane. Polymer International, 2013, 62, 382-389.	1.6	34
27	Synthesis and physicochemical investigation of chitosan-PMAA-based dual-responsive hydrogels. Journal of Polymer Research, 2013, 20, 1.	1.2	34
28	Thermal properties of polyimide system containing silicone segments. Journal of Thermal Analysis and Calorimetry, 2012, 109, 1515-1523.	2.0	19
29	Cross-link network of polydimethylsiloxane via addition and condensation (RTV) mechanisms. Part I: Synthesis and thermal properties. Polymer Degradation and Stability, 2011, 96, 2064-2070.	2.7	38
30	Dependence of the dielectric constant on the fluorine content and porosity of polyimides. Journal of Applied Polymer Science, 2011, 121, 3192-3200.	1.3	19
31	Dielectric constant and refractive index of poly (siloxane–imide) block copolymer. Materials & Design, 2011, 32, 3173-3182.	5.1	62
32	Fabrication of nanoporous polyimide of low dielectric constant. , 2008, , .		0
33	Synthesis and Characterization of Highly Cross-Link Polysiloxane Based on 2,4,6,8- Tetramethyl-2,4,6,8-	0.3	3