List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7871857/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Twenty-three unsolved problems in hydrology (UPH) – a community perspective. Hydrological Sciences Journal, 2019, 64, 1141-1158. | 2.6 | 474 |
| 2 | Hydrological modelling of urbanized catchments: A review and future directions. Journal of Hydrology, 2015, 529, 62-81. | 5.4 | 293 |
| 3 | Contrasting responses of water use efficiency to drought across global terrestrial ecosystems. Scientific Reports, 2016, 6, 23284. | 3.3 | 227 |
| 4 | Physical water scarcity metrics for monitoring progress towards SDG target 6.4: An evaluation of indicator 6.4.2 "Level of water stress― Science of the Total Environment, 2018, 613-614, 218-232. | 8.0 | 223 |
| 5 | Ensemble machine learning paradigms in hydrology: A review. Journal of Hydrology, 2021, 598, 126266. | 5.4 | 212 |
| 6 | GIS-based recharge estimation by coupling surface–subsurface water balances. Journal of Hydrology, 2007, 337, 337-355. | 5.4 | 209 |
| 7 | Historical land use change has lowered terrestrial silica mobilization. Nature Communications, 2010, 1, 129. | 12.8 | 189 |
| 8 | A distributed model for water and energy transfer between soil, plants and atmosphere (WetSpa). Physics and Chemistry of the Earth, 1996, 21, 189-193. | 0.3 | 153 |
| 9 | Effects of climate change on the groundwater system in the Grote-Nete catchment, Belgium. Hydrogeology Journal, 2007, 15, 891-901. | 2.1 | 146 |
| 10 | Regional groundwater discharge: phreatophyte mapping, groundwater modelling and impact analysis of land-use change. Journal of Hydrology, 2003, 275, 86-108. | 5.4 | 145 |
| 11 | Transitions in Ancient Inland Freshwater Resource Management in Sri Lanka Affect Biota and Human Populations in and around Coastal Lagoons. Current Biology, 2005, 15, 579-586. | 3.9 | 137 |
| 12 | Transient or steadyâ€state? Using vertical temperature profiles to quantify groundwater–surface water exchange. Hydrological Processes, 2009, 23, 2165-2177. | 2.6 | 120 |
| 13 | Integration of soil moisture in SEBS for improving evapotranspiration estimation under water stress conditions. Remote Sensing of Environment, 2012, 121, 261-274. | 11.0 | 117 |
| 14 | Is the Hyporheic Zone Relevant beyond the Scientific Community?. Water (Switzerland), 2019, 11, 2230. | 2.7 | 113 |
| 15 | A System-based Paradigm of Drought Analysis for Operational Management. Water Resources Management, 2013, 27, 5281-5297. | 3.9 | 112 |
| 16 | Lineament extraction and analysis, comparison of LANDSAT ETM and ASTER imagery. Case study: Suoimuoi tropical karst catchment, Vietnam. , 2005, 5983, 182. | | 104 |
| 17 | Spatial distribution of groundwater recharge and base flow: Assessment of controlling factors. Journal of Hydrology: Regional Studies, 2015, 4, 349-368. | 2.4 | 103 |
| 18 | A simple thermal mapping method for seasonal spatial patterns of groundwater–surface water interaction. Journal of Hydrology, 2011, 397, 93-104. | 5.4 | 100 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Evaluation of the DisTrad thermal sharpening methodology for urban areas. International Journal of Applied Earth Observation and Geoinformation, 2012, 19, 163-172. | 2.8 | 100 |
| 20 | Mapping impervious surface change from remote sensing for hydrological modeling. Journal of Hydrology, 2013, 485, 84-95. | 5.4 | 98 |
| 21 | Comparison of three dualâ€source remote sensing evapotranspiration models during the MUSOEXEâ€12 campaign: Revisit of model physics. Water Resources Research, 2015, 51, 3145-3165. | 4.2 | 97 |
| 22 | Hydrogeological conceptual model building and testing: A review. Journal of Hydrology, 2019, 569, 310-329. | 5.4 | 97 |
| 23 | Predicting land-use change and its impact on the groundwater system of the Kleine Nete catchment, Belgium. Hydrology and Earth System Sciences, 2008, 12, 1369-1385. | 4.9 | 92 |
| 24 | Improving Distributed Runoff Prediction in Urbanized Catchments with Remote Sensing based Estimates of Impervious Surface Cover. Sensors, 2008, 8, 910-932. | 3.8 | 82 |
| 25 | Application of a multimodel approach to account for conceptual model and scenario uncertainties in groundwater modelling. Journal of Hydrology, 2010, 394, 416-435. | 5.4 | 82 |
| 26 | Intercomparison of five lumped and distributed models for catchment runoff and extreme flow simulation. Journal of Hydrology, 2014, 511, 335-349. | 5.4 | 78 |
| 27 | Estimating the effects of climate change on groundwater recharge and baseflow in the upper Ssezibwa catchment, Uganda. Hydrological Sciences Journal, 2009, 54, 713-726. | 2.6 | 77 |
| 28 | Multi-model approach to assess the impact of climate change on runoff. Journal of Hydrology, 2015, 529, 1601-1616. | 5.4 | 75 |
| 29 | Flood mapping with remote sensing and hydrochemistry: A new method to distinguish the origin of flood water during floods. Ecological Engineering, 2011, 37, 1334-1349. | 3.6 | 74 |
| 30 | Spatio-temporal impact of climate change on the groundwater system. Hydrology and Earth System Sciences, 2012, 16, 1517-1531. | 4.9 | 67 |
| 31 | Downscaling of thermal images over urban areas using the land surface temperature–impervious percentage relationship. International Journal of Applied Earth Observation and Geoinformation, 2013, 23, 95-108. | 2.8 | 66 |
| 32 | Intercomparison of hydrological model structures and calibration approaches in climate scenario impact projections. Journal of Hydrology, 2014, 519, 743-755. | 5.4 | 61 |
| 33 | Assessment of conceptual model uncertainty for the regional aquifer Pampa del Tamarugal – North Chile. Hydrology and Earth System Sciences, 2010, 14, 171-192. | 4.9 | 60 |
| 34 | Hyporheic Exchange Controls Fate of Trace Organic Compounds in an Urban Stream. Environmental Science & Technology, 2018, 52, 12285-12294. | 10.0 | 60 |
| 35 | A distributed monthly water balance model: formulation and application on Black Volta Basin. Environmental Earth Sciences, 2017, 76, 1. | 2.7 | 56 |
| 36 | Study on the relationship between lineaments and borehole specific capacity in a fractured and karstified limestone area in Vietnam. Hydrogeology Journal, 2004, 12, 662-673. | 2.1 | 54 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Assessing urbanisation effects on rainfall-runoff using a remote sensing supported modelling strategy. International Journal of Applied Earth Observation and Geoinformation, 2013, 21, 92-102. | 2.8 | 54 |
| 38 | Impact of Shale Gas Development on Water Resources: A Case Study in Northern Poland. Environmental Management, 2015, 55, 1285-1299. | 2.7 | 54 |
| 39 | Climate change impact on river flows and catchment hydrology: a comparison of two spatially distributed models. Hydrological Processes, 2013, 27, 3649-3662. | 2.6 | 53 |
| 40 | Coupling urban expansion models and hydrological models: How important are spatial patterns?. Land Use Policy, 2010, 27, 965-975. | 5.6 | 52 |
| 41 | Influence of Aquifer Thermal Energy Storage on groundwater quality: A review illustrated by seven case studies from Belgium. Journal of Hydrology: Regional Studies, 2014, 2, 20-34. | 2.4 | 50 |
| 42 | Estimation of Surface Soil Moisture from Thermal Infrared Remote Sensing Using an Improved Trapezoid Method. Remote Sensing, 2015, 7, 8250-8270. | 4.0 | 50 |
| 43 | Remote Sensing and Wetland Ecology: a South African Case Study. Sensors, 2008, 8, 3542-3556. | 3.8 | 47 |
| 44 | Groundwater residence time and aquifer recharge in multilayered, semi-confined and faulted aquifer systems using environmental tracers. Journal of Hydrology, 2017, 546, 150-165. | 5.4 | 47 |
| 45 | Estimation of GRACE water storage components by temporal decomposition. Journal of Hydrology, 2017, 552, 341-350. | 5.4 | 46 |
| 46 | Using hydraulic head, chloride and electrical conductivity data to distinguish between mountain-front and mountain-block recharge to basin aquifers. Hydrology and Earth System Sciences, 2018, 22, 1629-1648. | 4.9 | 46 |
| 47 | Spatial variability of chloride deposition in a vegetated coastal area: Implications for groundwater recharge estimation. Journal of Hydrology, 2014, 519, 1177-1191. | 5.4 | 45 |
| 48 | Trajectory analysis of land use and land cover maps to improve spatial–temporal patterns, and impact assessment on groundwater recharge. Journal of Hydrology, 2017, 554, 558-569. | 5.4 | 45 |
| 49 | A hierarchical approach on groundwater-surface water interaction in wetlands along the upper Biebrza River, Poland. Hydrology and Earth System Sciences, 2012, 16, 2329-2346. | 4.9 | 43 |
| 50 | Determining groundwaterâ€surface water exchange from temperatureâ€ŧime series: Combining a local polynomial method with a maximum likelihood estimator. Water Resources Research, 2015, 51, 922-939. | 4.2 | 43 |
| 51 | What Triggers Streamflow for Intermittent Rivers and Ephemeral Streams in Lowâ€Gradient Catchments in Mediterranean Climates. Water Resources Research, 2019, 55, 9926-9946. | 4.2 | 43 |
| 52 | Improved DisTrad for Downscaling Thermal MODIS Imagery over Urban Areas. Remote Sensing, 2017, 9, 1243. | 4.0 | 42 |
| 53 | Large-scale vegetation responses to terrestrial moisture storage changes. Hydrology and Earth System Sciences, 2017, 21, 4469-4478. | 4.9 | 42 |
| 54 | Comparison of MODIS and SWAT evapotranspiration over a complex terrain at different spatial scales. Hydrology and Earth System Sciences, 2018, 22, 2775-2794. | 4.9 | 42 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | On the value of conditioning data to reduce conceptual model uncertainty in groundwater modeling. Water Resources Research, 2010, 46, . | 4.2 | 41 |
| 56 | Dissolved phosphorus transport from soil to surface water in catchments with different land use. Ambio, 2015, 44, 228-240. | 5.5 | 40 |
| 57 | Improving evapotranspiration in a land surface model using biophysical variables derived from MSC/SEVIRI satellite. Hydrology and Earth System Sciences, 2012, 16, 2567-2583. | 4.9 | 40 |
| 58 | Estimation of Hydraulic Conductivity and Its Uncertainty from Grain-Size Data Using GLUE and Artificial Neural Networks. Mathematical Geosciences, 2012, 44, 739-763. | 2.4 | 39 |
| 59 | Throughflow as a determining factor for habitat contiguity in a near-natural fen. Journal of Hydrology, 2009, 379, 30-40. | 5.4 | 36 |
| 60 | Uncertainty of groundwater recharge estimated from a water and energy balance model. Journal of Hydrology, 2018, 561, 1081-1093. | 5.4 | 36 |
| 61 | Eco-Hydrological Functioning of the Biebrza Wetlands: Lessons for the Conservation and Restoration of Deteriorated Wetlands. Ecological Studies, 2006, , 285-310. | 1.2 | 34 |
| 62 | Quantitative assessment of the flow pattern in the southern Arava Valley (Israel) by environmental tracers and a mixing cell model. Journal of Hydrology, 1992, 136, 333-352. | 5.4 | 33 |
| 63 | LPMLE3: A novel 1â€Ð approach to study water flow in streambeds using heat as a tracer. Water Resources Research, 2016, 52, 6596-6610. | 4.2 | 33 |
| 64 | SEEPAGE, a New MODFLOW DRAIN Package. Ground Water, 2004, 42, 576-588. | 1.3 | 32 |
| 65 | From streambed temperature measurements to spatial-temporal flux quantification: using the LPML method to study groundwater-surface water interaction. Hydrological Processes, 2016, 30, 203-216. | 2.6 | 31 |
| 66 | Groundwater flow systems theory: research challenges beyond the specified-head top boundary condition. Hydrogeology Journal, 2016, 24, 1087-1090. | 2.1 | 30 |
| 67 | Evapotranspiration of bush encroachments on a temperate mire meadow – A nonlinear function of landscape composition and groundwater flow. Ecological Engineering, 2014, 73, 598-609. | 3.6 | 29 |
| 68 | Test of a distributed modelling approach to predict flood flows in the karst Suoimuoi catchment in Vietnam. Environmental Geology, 2005, 48, 931-940. | 1.2 | 28 |
| 69 | Assessing and predicting biodiversity in a floodplain ecosystem: Assimilation of net primary production derived from imaging spectrometer data into a dynamic vegetation model. Remote Sensing of Environment, 2008, 112, 2118-2130. | 11.0 | 28 |
| 70 | Bayesian data fusion for water table interpolation: Incorporating a hydrogeological conceptual model in kriging. Water Resources Research, 2010, 46, . | 4.2 | 28 |
| 71 | Groundwater-surface water interaction in Lake Nasser, Southern Egypt. Hydrological Processes, 2014, 28, 414-430. | 2.6 | 28 |
| 72 | Sea breeze cooling capacity and its influencing factors in a coastal city. Building and Environment, 2019. 166. 106408. | 6.9 | 28 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Scenarios for shale gas development and their related land use impacts in the Baltic Basin, Northern Poland. Energy Policy, 2015, 84, 80-95. | 8.8 | 27 |
| 74 | Definition of groundwater flow patterns by environmental tracers in the multiple aquifer system of southern Arava Valley, Israel. Journal of Hydrology, 1990, 117, 339-368. | 5.4 | 26 |
| 75 | Impact of remotely sensed land-cover proportions on urban runoff prediction. International Journal of Applied Earth Observation and Geoinformation, 2012, 16, 54-65. | 2.8 | 24 |
| 76 | Three-dimensional hydrostratigraphical modelling to support evaluation of recharge and saltwater intrusion in a coastal groundwater system in Vietnam. Hydrogeology Journal, 2014, 22, 1749-1762. | 2.1 | 24 |
| 77 | An ecohydrological sketch of climate change impacts on water and natural ecosystems for the Netherlands: bridging the gap between science and society. Hydrology and Earth System Sciences, 2012, 16, 3945-3957. | 4.9 | 23 |
| 78 | Skill of remote sensing snow products for distributed runoff prediction. Journal of Hydrology, 2015, 524, 718-732. | 5.4 | 22 |
| 79 | Large-scale GIS-based hydrogeological modeling of Flanders: a tool for groundwater management. Environmental Geology, 2006, 50, 1201-1209. | 1.2 | 21 |
| 80 | Impact of Urban Land-Cover Classification on Groundwater Recharge Uncertainty. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2012, 5, 1859-1867. | 4.9 | 21 |
| 81 | Assessing Groundwater Storage Changes Using Remote Sensing–Based Evapotranspiration and Precipitation at a Large Semiarid Basin Scale. Journal of Hydrometeorology, 2013, 14, 1733-1753. | 1.9 | 21 |
| 82 | Spatial and temporal variability of groundwater recharge in Geba basin, Northern Ethiopia. Journal of African Earth Sciences, 2017, 134, 198-212. | 2.0 | 21 |
| 83 | Active heat pulse sensing of 3-D-flow fields in streambeds. Hydrology and Earth System Sciences, 2018, 22, 1917-1929. | 4.9 | 21 |
| 84 | Benefit and Implementation of Groundwater Protection Zoning in South Africa. Water Resources Management, 2009, 23, 2895-2911. | 3.9 | 20 |
| 85 | Mapping current and future European public water withdrawals and consumption. Hydrology and Earth System Sciences, 2014, 18, 407-416. | 4.9 | 20 |
| 86 | Spatiotemporal Dynamics of the Active Perirheic Zone in a Natural Wetland Floodplain. Water Resources Research, 2019, 55, 9544-9562. | 4.2 | 20 |
| 87 | Hydrogeological controls of water tableâ€land surface interactions. Geophysical Research Letters, 2016, 43, 9653-9661. | 4.0 | 19 |
| 88 | Application of multiple-point geostatistics to simulate the effect of small-scale aquifer heterogeneity on the efficiency of aquifer thermal energy storage. Hydrogeology Journal, 2015, 23, 971-981. | 2.1 | 18 |
| 89 | Hydrological connectivity of alluvial Andean valleys: a groundwater/surface-water interaction case study in Ecuador. Hydrogeology Journal, 2016, 24, 955-969. | 2.1 | 18 |
| 90 | Transport of Dissolved Si from Soil to River: A Conceptual Mechanistic Model. Silicon, 2013, 5, 115-133. | 3.3 | 17 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Comparative analysis of baseflow characteristics of two Andean catchments, Ecuador. Hydrological Processes, 2015, 29, 3051-3064. | 2.6 | 17 |
| 92 | The Water Retention Index: Using land use planning to manage water resources in Europe. Sustainable Development, 2018, 26, 122-131. | 12.5 | 17 |
| 93 | Wetlands in flux: looking for the drivers in a central European case. Wetlands Ecology and Management, 2018, 26, 849-863. | 1.5 | 17 |
| 94 | Improving surface–subsurface water budgeting using high resolution satellite imagery applied on a brownfield. Science of the Total Environment, 2011, 409, 800-809. | 8.0 | 16 |
| 95 | Spatial sensitivity analysis of snow cover data in a distributed rainfall-runoff model. Hydrology and Earth System Sciences, 2015, 19, 1887-1904. | 4.9 | 16 |
| 96 | Delineation of spatial-temporal patterns of groundwater/surface-water interaction along a river reach (Aa River, Belgium) with transient thermal modeling. Hydrogeology Journal, 2018, 26, 819-835. | 2.1 | 16 |
| 97 | Satellite-based analysis of recent trends in the ecohydrology of a semi-arid region. Hydrology and Earth System Sciences, 2013, 17, 3779-3794. | 4.9 | 15 |
| 98 | A Wavelet Approach for Estimating Chlorophyll-A From Inland Waters With Reflectance Spectroscopy. IEEE Geoscience and Remote Sensing Letters, 2014, 11, 89-93. | 3.1 | 14 |
| 99 | Combining flux estimation techniques to improve characterization of groundwater–surface-water interaction in the Zenne River, Belgium. Hydrogeology Journal, 2014, 22, 1657-1668. | 2.1 | 14 |
| 100 | A Systematic Approach to Hydrogeological Conceptual Model Testing, Combining Remote Sensing and Geophysical Data. Water Resources Research, 2020, 56, e2020WR027578. | 4.2 | 14 |
| 101 | Effect of bacteria and virus on transport and retention of graphene oxide nanoparticles in natural limestone sediments. Chemosphere, 2020, 248, 125929. | 8.2 | 14 |
| 102 | Application of a Bayesian Approach to Stochastic Delineation of Capture Zones. Ground Water, 2004, 42, 542-551. | 1.3 | 13 |
| 103 | Determining discharges from the Table Mountain Group (TMG) aquifer to wetlands in the Southern Cape, South Africa. Hydrobiologia, 2008, 607, 175-186. | 2.0 | 13 |
| 104 | Spatial and temporal recharge estimation of the basement complex in Nigeria, West Africa. Journal of Hydrology: Regional Studies, 2020, 27, 100658. | 2.4 | 13 |
| 105 | Factors controlling Si export from soils: A soil column approach. Catena, 2015, 133, 85-96. | 5.0 | 12 |
| 106 | Simple Hydraulic Conductivity Estimation by the Kalman Filtered Double Constraint Method. Ground Water, 2015, 53, 401-413. | 1.3 | 12 |
| 107 | A New Retrieval Algorithm for Soil Moisture Index from Thermal Infrared Sensor On-Board Geostationary Satellites over Europe and Africa and Its Validation. Remote Sensing, 2019, 11, 1968. | 4.0 | 12 |
| 108 | Multi-scale aquifer characterization and groundwater flow model parameterization using direct push technologies. Environmental Earth Sciences, 2014, 72, 1303-1324. | 2.7 | 11 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Reactive transport modeling of redox processes to assess Fe(OH)3 precipitation around aquifer thermal energy storage wells in phreatic aquifers. Environmental Earth Sciences, 2016, 75, 1. | 2.7 | 11 |
| 110 | Hydrodynamics of porous formations: Simple indices for calibration and identification of spatio-temporal scales. Marine and Petroleum Geology, 2016, 78, 690-700. | 3.3 | 11 |
| 111 | Response of vegetation cover to climate variability in protected and grazed arid rangelands of South Australia. Journal of Arid Environments, 2019, 161, 64-71. | 2.4 | 11 |
| 112 | A Numerical Stream Transport Modeling Approach Including Multiple Conceptualizations of Hyporheic Exchange and Spatial Variability to Assess Contaminant Removal. Water Resources Research, 2020, 56, e2019WR024987. | 4.2 | 11 |
| 113 | Prediction of effluent arsenic concentration of wastewater treatment plants using machine learning and kriging-based models. Environmental Science and Pollution Research, 2022, 29, 20556-20570. | 5.3 | 11 |
| 114 | Characterization of a cavern conduit system in Vietnam by time series correlation, cross-spectrum and wavelet analyses / Caractérisation du système du conduit d'une grotte au Vietnam par des analyses corrélatoires, spectrales-croisées et en ondelettes de séries temporelles. Hydrological Sciences Journal, 2004, 49, . | 2.6 | 10 |
| 115 | Hydrogeological Characteristics of a Karst Mountainous Catchment in the Northwest of Vietnam. Acta Geologica Sinica, 2001, 75, 260-268. | 1.4 | 10 |
| 116 | Application of the WetSpa distributed hydrological model for catchment with significant contribution of organic soil. Upper Biebrza case study. Annals of Warsaw University of Life Sciences, Land Reclamation, 2011, 43, . | 0.2 | 10 |
| 117 | Predicted impacts of land use change on groundwater recharge of the upper Berg catchment, South Africa. Water S A, 2013, 39, . | 0.4 | 10 |
| 118 | High-resolution saturated hydraulic conductivity logging of borehole cores using air permeability measurements. Hydrogeology Journal, 2014, 22, 1345-1358. | 2.1 | 10 |
| 119 | Combined physical, chemical and biological clogging of managed aquifer recharge and the effect of biofilm on virus transport behavior: A column study. Journal of Water Process Engineering, 2020, 33, 101115. | 5.6 | 10 |
| 120 | Analytical and Numerical Groundwater Flow Solutions for the FEMME-Modeling Environment. Hydrology, 2020, 7, 27. | 3.0 | 10 |
| 121 | Groundwater Modelling and Hydrological System Analysis of Wetlands in the Middle Biebrza Basin. GeoPlanet: Earth and Planetary Sciences, 2011, , 89-109. | 0.2 | 10 |
| 122 | Streamflow Prediction in Highly Regulated, Transboundary Watersheds Using Multiâ€Basin Modeling and Remote Sensing Imagery. Water Resources Research, 2022, 58, . | 4.2 | 10 |
| 123 | The usefulness of outcrop analogue air permeameter measurements for analyzing aquifer heterogeneity: quantifying outcrop hydraulic conductivity and its spatial variability. Hydrological Processes, 2014, 28, 5176-5188. | 2.6 | 9 |
| 124 | Flux dynamics at the groundwater-surface water interface in a tropical catchment. Limnologica, 2018, 68, 36-45. | 1.5 | 9 |
| 125 | Hydrogeological Bayesian Hypothesis Testing through Trans-Dimensional Sampling of a Stochastic Water Balance Model. Water (Switzerland), 2019, 11, 1463. | 2.7 | 9 |
| 126 | Groundwater recharge over the past 100 years: Regional spatiotemporal assessment and climate change impact over the <scp>Saguenay‣acâ€Saintâ€Jean</scp> region, Canada. Hydrological Processes, 2022, 36, . | 2.6 | 9 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | The usefulness of outcrop-analogue air-permeameter measurements for analysing aquifer heterogeneity: testing outcrop hydrogeological parameters with independent borehole data. Hydrology and Earth System Sciences, 2013, 17, 5155-5166. | 4.9 | 8 |
| 128 | Using Multiple-Point Geostatistics for Tracer Test Modeling in a Clay-Drape Environment with Spatially Variable Conductivity and Sorption Coefficient. Mathematical Geosciences, 2014, 46, 519-537. | 2.4 | 8 |
| 129 | Model-based classification of CPT data and automated lithostratigraphic mapping for high-resolution characterization of a heterogeneous sedimentary aquifer. PLoS ONE, 2017, 12, e0176656. | 2.5 | 8 |
| 130 | Groundwater quality modeling: On the analogy between integrative PSO and MRFO mathematical and machine learning models. Environmental Quality Management, 2022, 31, 241-251. | 1.9 | 8 |
| 131 | Improved distributed runoff modelling of urbanised catchments by integration of multi-resolution remote sensing. , 2007, , . | | 7 |
| 132 | Uma abordagem multi-análise com base em detecção remota para mapear recursos hÃdricos subterrâneos no Vale cársico de Meo Vac, Vietname. Hydrogeology Journal, 2011, 19, 275-287. | 2.1 | 7 |
| 133 | Impact assessment of climate change on a coastal groundwater system, Central Vietnam. Environmental Earth Sciences, 2016, 75, 1. | 2.7 | 7 |
| 134 | Transport and retention of graphene oxide nanoparticles in sandy and carbonaceous aquifer sediments: Effect of physicochemical factors and natural biofilm. Journal of Environmental Management, 2021, 278, 111419. | 7.8 | 7 |
| 135 | Fresh groundwater lens dynamics of a small bedrock island in the tropics, Northern Australia. Journal of Hydrology, 2021, 595, 125942. | 5.4 | 7 |
| 136 | Identifying recharge under subtle ephemeral features in a flat-lying semi-arid region using a combined geophysical approach. Hydrology and Earth System Sciences, 2020, 24, 4353-4368. | 4.9 | 7 |
| 137 | Rainy season drought severity trend analysis of the Indonesian maritime continent. International Journal of Climatology, 2021, 41, E2194. | 3.5 | 6 |
| 138 | Environmental geological remote sensing and GIS analysis of tropical karst areas in Vietnam. , 0, , . | | 5 |
| 139 | Study of cavernous underground conduits in Nam La (Northwest Vietnam) by an integrative approach. Hydrogeology Journal, 2005, 13, 675-689. | 2.1 | 5 |
| 140 | A Wavelet-Enhanced Inversion Method for Water Quality Retrieval From High Spectral Resolution Data for Complex Waters. IEEE Transactions on Geoscience and Remote Sensing, 2015, 53, 869-882. | 6.3 | 5 |
| 141 | Mapping catchment-scale unmonitored groundwater abstractions: Approaches based on soft data. Journal of Hydrology: Regional Studies, 2020, 30, 100695. | 2.4 | 5 |
| 142 | Cooling power of sea breezes and its inland penetration in dry-summer Adelaide, Australia. Atmospheric Research, 2021, 250, 105409. | 4.1 | 5 |
| 143 | A transdisciplinary engagement with Australian Aboriginal water and the hydrology of a small bedrock island. Hydrological Sciences Journal, 2021, 66, 1845-1856. | 2.6 | 5 |
| 144 | Determination of rainy season onset and cessation based on a flexible driest period. Theoretical and Applied Climatology, 2022, 148, 91-104. | 2.8 | 5 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Comparison of Two Mathematical Models for 3D Groundwater Flow: Block-Centered Heads and Edge-Based Stream Functions. Transport in Porous Media, 2009, 79, 469-485. | 2.6 | 4 |
| 146 | Seesaw Terrestrial Wetting and Drying Between Eastern and Western Australia. Earth's Future, 2021, 9, e2020EF001893. | 6.3 | 4 |
| 147 | Spatial and temporal variation in rainy season droughts in the Indonesian Maritime Continent. Journal of Hydrology, 2021, 603, 126999. | 5.4 | 4 |
| 148 | Measuring and modeling urban dynamics: impact on quality of life and hydrology. , 2007, , . | | 3 |
| 149 | Integrating Remote Sensing and Wetland Ecology: a Case Study on South African Wetlands. , 2007, , . | | 3 |
| 150 | Use of land-cover fractions derived from MESMA for urban water balance calculation. , 2012, , . | | 3 |
| 151 | Scienceâ€policy interfacing on the issue of groundwater and groundwaterâ€dependent ecosystems in Europe: implications for research and policy. Wiley Interdisciplinary Reviews: Water, 2014, 1, 561-571. | 6.5 | 3 |
| 152 | Rainfall-runoff modelling using a spatially distributed electrical circuit analogue. Natural Hazards, 2016, 82, 1279-1300. | 3.4 | 3 |
| 153 | Spatial-Temporal Simulation of LAI on Basis of Rainfall and Growing Degree Days. Remote Sensing, 2017, 9, 1207. | 4.0 | 3 |
| 154 | Global Soil Moistureâ€Air Temperature Coupling Based on GRACEâ€Derived Terrestrial Water Storage. Journal of Geophysical Research D: Atmospheres, 2019, 124, 7786-7796. | 3.3 | 3 |
| 155 | The First Potentiometric Map. Ground Water, 2021, 59, 772-779. | 1.3 | 3 |
| 156 | Hydrology and ecology: how Natura 2000 and Military use can match. Ecological Questions, 0, 21, 79. | 0.3 | 3 |
| 157 | GIS MODULE FOR THE ESTIMATION OF THE HILLSLOPE TORRENTIAL PEAK FLOW. Environmental Engineering and Management Journal, 2017, 16, 1137-1144. | 0.6 | 3 |
| 158 | Ecohydrology and Its Relation to Integrated Groundwater Management. , 2016, , 297-312. | | 2 |
| 159 | A new approach to quantification of groundwater resource stress. Journal of Hydrology: Regional Studies, 2022, 42, 101161. | 2.4 | 2 |
| 160 | Doode Bemde CASI-SWIR 2002: Hyperspectral sensing of moisture gradients–set-up and first results of a combined field and airborne campaign. , 2004, , . | | 1 |
| 161 | Dissolved Si export: Impact of increased water fluxes through soil. Geoderma, 2018, 312, 151-158. | 5.1 | 1 |
| 162 | Review of Hydrogeology: Groundwater Science and Engineering by Alain DassarguesCRC Press, Boca Raton, FL; 2018; ISBN 9781498744003; 472 pp.; \$99.95 Journal of Hydrologic Engineering - ASCE, 2020, 25, 07519007. | 1.9 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Role of biofilm on virus inactivation in limestone aquifers: implications for managed aquifer recharge. Journal of Environmental Health Science & Engineering, 2020, 18, 21-34. | 3.0 | 1 |
| 164 | Foundations of Forward and Inverse Groundwater Flow Models. SpringerBriefs in Applied Sciences and Technology, 2018, , 15-33. | 0.4 | 1 |
| 165 | Principal component transformation method to separate active discharge and recharge areas. Journal of the Indian Society of Remote Sensing, 1997, 25, 93-103. | 2.4 | 0 |
| 166 | Hydrology: An International and Interdisciplinary Scientific Open Access Journal. Hydrology, 2014, 1, 112-113. | 3.0 | 0 |
| 167 | Case Study Kleine Nete: Observation Error and Uncertainty. SpringerBriefs in Applied Sciences and Technology, 2018, , 75-86. | 0.4 | 0 |
| 168 | Geophysics used to help find good quality groundwater in the Vientiane Plain, Lao PDR. ASEG Extended Abstracts, 2019, 2019, 1-3. | 0.1 | 0 |
| 169 | Cooperation in hydrogeophysics: Enhancing practitioners and institutions' groundwater assessment capacity, Vientiane Plain, Lao PDR. Geophysics, 2022, 87, WA49-WA63. | 2.6 | 0 |
| 170 | Introduction: Setting the Scene. SpringerBriefs in Applied Sciences and Technology, 2018, , 1-14. | 0.4 | 0 |
| 171 | The Zone-Integrated Double Constraint Method. SpringerBriefs in Applied Sciences and Technology, 2018, , 87-98. | 0.4 | 0 |
| 172 | Time Dependency. SpringerBriefs in Applied Sciences and Technology, 2018, , 57-74. | 0.4 | 0 |
| 173 | Geophysics to enhance agricultural productivity and livelihoods of smallholder farmers through improved groundwater management of the Vientiane Plain, Lao PDR. , 2018, | | 0 |