

Guillaume Mabileau

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7872684/guillaume-mabileau-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82
papers

2,258
citations

26
h-index

44
g-index

101
ext. papers

2,582
ext. citations

5.1
avg. IF

5.02
L-index

#	Paper	IF	Citations
82	Predicting Bone Regeneration with a Simple Blood Test. <i>Trends in Molecular Medicine</i> , 2021 , 27, 622-623	11.5	0
81	[Gly ¹]-GLP-2, But Not Glucagon or [D-Ala ¹]-GLP-1, Controls Collagen Crosslinking in Murine Osteoblast Cultures. <i>Frontiers in Endocrinology</i> , 2021 , 12, 721506	5.7	0
80	Osteomorphs as a tool for personalized medicine. <i>Trends in Endocrinology and Metabolism</i> , 2021 , 32, 655-656	8.8	0
79	Acetoacetate protects macrophages from lactic acidosis-induced mitochondrial dysfunction by metabolic reprogramming. <i>Nature Communications</i> , 2021 , 12, 7115	17.4	2
78	Enteroendocrine K Cells Exert Complementary Effects to Control Bone Quality and Mass in Mice. <i>Journal of Bone and Mineral Research</i> , 2020 , 35, 1363-1374	6.3	6
77	GLP-2 administration in ovariectomized mice enhances collagen maturity but did not improve bone strength. <i>Bone Reports</i> , 2020 , 12, 100251	2.6	2
76	Sclerostin-Antibody Treatment Decreases Fracture Rates in Axial Skeleton and Improves the Skeletal Phenotype in Growing oim/oim Mice. <i>Calcified Tissue International</i> , 2020 , 106, 494-508	3.9	9
75	GIP analogues augment bone strength by modulating bone composition in diet-induced obesity in mice. <i>Peptides</i> , 2020 , 125, 170207	3.8	11
74	Update on: effects of anti-diabetic drugs on bone metabolism. <i>Expert Review of Endocrinology and Metabolism</i> , 2020 , 15, 415-430	4.1	1
73	Dapagliflozin and Liraglutide Therapies Rapidly Enhanced Bone Material Properties and Matrix Biomechanics at Bone Formation Site in a Type 2 Diabetic Mouse Model. <i>Calcified Tissue International</i> , 2020 , 107, 281-293	3.9	4
72	Human macrophages and osteoclasts resorb β -tricalcium phosphate in vitro but not mouse macrophages. <i>Micron</i> , 2019 , 125, 102730	2.3	5
71	The GLP-1 Receptor Agonist Exenatide Ameliorates Bone Composition and Tissue Material Properties in High Fat Fed Diabetic Mice. <i>Frontiers in Endocrinology</i> , 2019 , 10, 51	5.7	17
70	Sclerostin antibody reduces long bone fractures in the oim/oim model of osteogenesis imperfecta. <i>Bone</i> , 2019 , 124, 137-147	4.7	15
69	Polyhydroxyalkanoate (PHBV) fibers obtained by a wet spinning method: Good in vitro cytocompatibility but absence of in vivo biocompatibility when used as a bone graft. <i>Morphologie</i> , 2019 , 103, 94-102	0.9	6
68	Sitagliptin Alters Bone Composition in High-Fat-Fed Mice. <i>Calcified Tissue International</i> , 2019 , 104, 437-448	3.9	12
67	Bone mineralization and vascularization in bisphosphonate-related osteonecrosis of the jaw: an experimental study in the rat. <i>Clinical Oral Investigations</i> , 2018 , 22, 2997-3006	4.2	17
66	Incretin-based therapy for the treatment of bone fragility in diabetes mellitus. <i>Peptides</i> , 2018 , 100, 108-113	1.3	7

65	Metaplastic woven bone in bone metastases: A Fourier-transform infrared analysis and imaging of bone quality (FTIR). <i>Morphologie</i> , 2018 , 102, 69-77	0.9	5
64	Changes in ultrastructural features of the foraminifera <i>Ammonia</i> spp. in response to anoxic conditions: Field and laboratory observations. <i>Marine Micropaleontology</i> , 2018 , 138, 72-82	1.7	12
63	Novel skeletal effects of glucagon-like peptide-1 (GLP-1) receptor agonists. <i>Journal of Endocrinology</i> , 2018 , 236, R29-R42	4.7	16
62	Efficacy of targeting bone-specific GIP receptor in ovariectomy-induced bone loss. <i>Journal of Endocrinology</i> , 2018 ,	4.7	11
61	Characterization of Cells Interactions with Patterned Azopolymer-Based Materials using SEM, AFM and Video Microscopy. <i>Open Biomedical Engineering Journal</i> , 2018 , 12, 92-100	0.9	3
60	An overview of cellular ultrastructure in benthic foraminifera: New observations of rotalid species in the context of existing literature. <i>Marine Micropaleontology</i> , 2018 , 138, 12-32	1.7	19
59	Characterisation of adipocyte-derived extracellular vesicle subtypes identifies distinct protein and lipid signatures for large and small extracellular vesicles. <i>Journal of Extracellular Vesicles</i> , 2017 , 6, 13056774	16.4	102
58	Hypodynamia Alters Bone Quality and Trabecular Microarchitecture. <i>Calcified Tissue International</i> , 2017 , 100, 332-340	3.9	14
57	Normal human adipose tissue functions and differentiation in patients with biallelic inactivating mutations. <i>Journal of Lipid Research</i> , 2017 , 58, 2348-2364	6.3	9
56	Strontium ranelate stimulates trabecular bone formation in a rat tibial bone defect healing process. <i>Osteoporosis International</i> , 2017 , 28, 3475-3487	5.3	15
55	SEQUESTERED CHLOROPLASTS IN THE BENTHIC FORAMINIFER <i>HAYNESINA GERMANICA</i> : CELLULAR ORGANIZATION, OXYGEN FLUXES AND POTENTIAL ECOLOGICAL IMPLICATIONS. <i>Journal of Foraminiferal Research</i> , 2017 , 47, 268-278	1.1	16
54	A flavoprotein supports cell wall properties in the necrotrophic fungus. <i>Fungal Biology and Biotechnology</i> , 2017 , 4, 1	7.5	9
53	Interplay between bone and incretin hormones: A review. <i>Morphologie</i> , 2017 , 101, 9-18	0.9	9
52	Exenatide Improves Bone Quality in a Murine Model of Genetically Inherited Type 2 Diabetes Mellitus. <i>Frontiers in Endocrinology</i> , 2017 , 8, 327	5.7	14
51	Surviving anoxia in marine sediments: The metabolic response of ubiquitous benthic foraminifera (<i>Ammonia tepida</i>). <i>PLoS ONE</i> , 2017 , 12, e0177604	3.7	40
50	High fat-fed diabetic mice present with profound alterations of the osteocyte network. <i>Bone</i> , 2016 , 90, 99-106	4.7	25
49	Aluminum and bone: Review of new clinical circumstances associated with Al(3+) deposition in the calcified matrix of bone. <i>Morphologie</i> , 2016 , 100, 95-105	0.9	37
48	A new stable GIP-Oxyntomodulin hybrid peptide improved bone strength both at the organ and tissue levels in genetically-inherited type 2 diabetes mellitus. <i>Bone</i> , 2016 , 87, 102-113	4.7	22

47	Improved methodology for measuring pore patterns in the benthic foraminiferal genus <i>Ammonia</i> . <i>Marine Micropaleontology</i> , 2016 , 128, 1-13	1.7	18
46	Glucose-dependent insulintropic polypeptide (GIP) dose-dependently reduces osteoclast differentiation and resorption. <i>Bone</i> , 2016 , 91, 102-12	4.7	25
45	Incretins and bone: friend or foe?. <i>Current Opinion in Pharmacology</i> , 2015 , 22, 72-8	5.1	8
44	Effects of anti-diabetic drugs on bone metabolism. <i>Expert Review of Endocrinology and Metabolism</i> , 2015 , 10, 663-675	4.1	12
43	Factors associated with an increased risk of vertebral fracture in monoclonal gammopathies of undetermined significance. <i>Blood Cancer Journal</i> , 2015 , 5, e345	7	21
42	Alteration of the bone tissue material properties in type 1 diabetes mellitus: A Fourier transform infrared microspectroscopy study. <i>Bone</i> , 2015 , 76, 31-9	4.7	21
41	Aluminum and iron can be deposited in the calcified matrix of bone exostoses. <i>Journal of Inorganic Biochemistry</i> , 2015 , 152, 174-9	4.2	14
40	Three-dimensional arrangement of β -tricalcium phosphate granules evaluated by microcomputed tomography and fractal analysis. <i>Acta Biomaterialia</i> , 2015 , 11, 404-11	10.8	18
39	Double incretin receptor knock-out (DIRKO) mice present with alterations of trabecular and cortical micromorphology and bone strength. <i>Osteoporosis International</i> , 2015 , 26, 209-18	5.3	34
38	Stable Incretin Mimetics Counter Rapid Deterioration of Bone Quality in Type 1 Diabetes Mellitus. <i>Journal of Cellular Physiology</i> , 2015 , 230, 3009-18	7	50
37	A Multifaceted Study of <i>Scenedosporium boydii</i> Cell Wall Changes during Germination and Identification of GPI-Anchored Proteins. <i>PLoS ONE</i> , 2015 , 10, e0128680	3.7	16
36	Glucose-dependent insulintropic polypeptide (GIP) directly affects collagen fibril diameter and collagen cross-linking in osteoblast cultures. <i>Bone</i> , 2015 , 74, 29-36	4.7	28
35	Caveolin-1 expression and cavin stability regulate caveolae dynamics in adipocyte lipid store fluctuation. <i>Diabetes</i> , 2014 , 63, 4032-44	0.9	47
34	Beneficial effects of a N-terminally modified GIP agonist on tissue-level bone material properties. <i>Bone</i> , 2014 , 63, 61-8	4.7	30
33	Cellular changes during <i>Medicago truncatula</i> hypocotyl growth depend on temperature and genotype. <i>Plant Science</i> , 2014 , 217-218, 18-26	5.3	7
32	An ex vivo evaluation of blood coagulation and thromboresistance of two extracorporeal circuit coatings with reduced and full heparin dose. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2014 , 18, 763-9	1.8	12
31	Use of glucagon-like peptide-1 receptor agonists and bone fractures: a meta-analysis of randomized clinical trials. <i>Journal of Diabetes</i> , 2014 , 6, 260-6	3.8	108
30	Diversity of bone matrix adhesion proteins modulates osteoblast attachment and organization of actin cytoskeleton. <i>Morphologie</i> , 2014 , 98, 53-64	0.9	6

29	Glucose-dependent insulintropic polypeptide (GIP) receptor deletion leads to reduced bone strength and quality. <i>Bone</i> , 2013 , 56, 337-42	4.7	78
28	Aluminum inhibits the growth of hydroxyapatite crystals developed on a biomimetic methacrylic polymer. <i>Journal of Trace Elements in Medicine and Biology</i> , 2013 , 27, 346-51	4.1	9
27	Glucose-dependent insulintropic polypeptide receptor deficiency leads to modifications of trabecular bone volume and quality in mice. <i>Bone</i> , 2013 , 53, 221-30	4.7	64
26	Optimal bone mechanical and material properties require a functional glucagon-like peptide-1 receptor. <i>Journal of Endocrinology</i> , 2013 , 219, 59-68	4.7	68
25	Abrasion of 6 dentifrices measured by vertical scanning interference microscopy. <i>Journal of Applied Oral Science</i> , 2013 , 21, 475-81	3.3	11
24	Micro and macroarchitectural changes at the tibia after botulinum toxin injection in the growing rat. <i>Bone</i> , 2012 , 50, 858-64	4.7	20
23	Depth and volume of resorption induced by osteoclasts generated in the presence of RANKL, TNF-alpha/IL-1 or LIGHT. <i>Cytokine</i> , 2012 , 57, 294-9	4	15
22	Thiazolidinediones induce osteocyte apoptosis by a G protein-coupled receptor 40-dependent mechanism. <i>Journal of Biological Chemistry</i> , 2012 , 287, 23517-26	5.4	69
21	Measurement by vertical scanning profilometry of resorption volume and lacunae depth caused by osteoclasts on dentine slices. <i>Journal of Microscopy</i> , 2011 , 241, 147-52	1.9	14
20	Number of circulating CD14-positive cells and the serum levels of TNF- α are raised in acute charcot foot. <i>Diabetes Care</i> , 2011 , 34, e33	14.6	22
19	Role of the A20-TRAF6 axis in lipopolysaccharide-mediated osteoclastogenesis. <i>Journal of Biological Chemistry</i> , 2011 , 286, 3242-9	5.4	46
18	Cellular and molecular effects of thiazolidinediones on bone cells: a review. <i>International Journal of Biochemistry and Molecular Biology</i> , 2011 , 2, 240-6	0.4	5
17	Thiazolidinediones induce osteocyte apoptosis and increase sclerostin expression. <i>Diabetic Medicine</i> , 2010 , 27, 925-32	3.5	45
16	Cobalt, chromium and nickel affect hydroxyapatite crystal growth in vitro. <i>Acta Biomaterialia</i> , 2010 , 6, 1555-60	10.8	46
15	Interleukin-32 promotes osteoclast differentiation but not osteoclast activation. <i>PLoS ONE</i> , 2009 , 4, e4173	3.7	72
14	Iron inhibits hydroxyapatite crystal growth in vitro. <i>Metabolism: Clinical and Experimental</i> , 2008 , 57, 903-10.	10.7	47
13	In vitro biological test methods to evaluate bioresorbability 2008 , 145-160		10
12	TSG-6 regulates bone remodeling through inhibition of osteoblastogenesis and osteoclast activation. <i>Journal of Biological Chemistry</i> , 2008 , 283, 25952-62	5.4	36

11	Metal-on-metal hip resurfacing arthroplasty: a review of periprosthetic biological reactions. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008 , 79, 734-47	4.3	117
10	Chemical structure of methylmethacrylate-2-[2,3,5-triiodobenzoyl]oxoethyl methacrylate copolymer, radio-opacity, in vitro and in vivo biocompatibility. <i>Acta Biomaterialia</i> , 2008 , 4, 1762-9	10.8	22
9	Increased osteoclastic activity in acute Charcot's osteoarthropathy: the role of receptor activator of nuclear factor-kappaB ligand. <i>Diabetologia</i> , 2008 , 51, 1035-40	10.3	103
8	Polymerization of 2-(hydroxyethyl)methacrylate by two different initiator/accelerator systems: a Raman spectroscopic monitoring. <i>Journal of Raman Spectroscopy</i> , 2008 , 39, 767-771	2.3	23
7	Effects of FGF-2 release from a hydrogel polymer on bone mass and microarchitecture. <i>Biomaterials</i> , 2008 , 29, 1593-600	15.6	47
6	Biological response to common surface bearings used in orthopaedics. <i>Journal of Surgical Orthopaedic Advances</i> , 2008 , 17, 34-9	0.3	1
5	The influence of processes for the purification of human bone allografts on the matrix surface and cytocompatibility. <i>Biomaterials</i> , 2006 , 27, 4204-11	15.6	27
4	Effects of the length of crosslink chain on poly(2-hydroxyethyl methacrylate) (pHEMA) swelling and biomechanical properties. <i>Journal of Biomedical Materials Research - Part A</i> , 2006 , 77, 35-42	5.4	50
3	Evaluation of surface roughness of hydrogels by fractal texture analysis during swelling. <i>Langmuir</i> , 2006 , 22, 4843-5	4	10
2	Influence of fluoride, hydrogen peroxide and lactic acid on the corrosion resistance of commercially pure titanium. <i>Acta Biomaterialia</i> , 2006 , 2, 121-9	10.8	149
1	Biodegradability of poly (2-hydroxyethyl methacrylate) in the presence of the J774.2 macrophage cell line. <i>Biomaterials</i> , 2004 , 25, 5155-62	15.6	54