
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/787374/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	What matters to people with multiple long-term conditions and their carers?. Postgraduate Medical Journal, 2023, 99, 159-165.	0.9	7
2	Frailty among Older Adults and Its Distribution in England. Journal of Frailty & Aging,the, 2022, 11, 1-6.	0.8	10
3	Prevalence of Undernutrition, Frailty and Sarcopenia in Community-Dwelling People Aged 50 Years and Above: Systematic Review and Meta-Analysis. Nutrients, 2022, 14, 1537.	1.7	20
4	Effectiveness of diet, psychological, and exercise therapies for the management of bile acid diarrhoea in adults: A systematic review. Journal of Human Nutrition and Dietetics, 2022, 35, 1087-1104.	1.3	4
5	The accuracy of clinician predictions of survival in the Prognosis in Palliative care Study II (PiPS2): A prospective observational study. PLoS ONE, 2022, 17, e0267050.	1.1	4
6	Adherence to mHealth and Paper-Based Versions of Lifestyle-Integrated Functional Exercise: A Secondary Analysis of Data From the PreventIT Feasibility Randomized Controlled Trial. Journal of Aging and Physical Activity, 2022, , 1-8.	0.5	0
7	A systematic literature review and metaâ€analysis on digital health interventions for people living with dementia and Mild Cognitive Impairment. International Journal of Geriatric Psychiatry, 2022, 37, .	1.3	14
8	Measurement of Adherence to mHealth Physical Activity Interventions and Exploration of the Factors That Affect the Adherence: Scoping Review and Proposed Framework. Journal of Medical Internet Research, 2022, 24, e30817.	2.1	9
9	One-to-One and Group-Based Teleconferencing for Falls Rehabilitation: Usability, Acceptability, and Feasibility Study. JMIR Rehabilitation and Assistive Technologies, 2021, 8, e19690.	1.1	7
10	Systematic Review of Behaviour Change Theories Implementation in Dietary Interventions for People Who Have Survived Cancer. Nutrients, 2021, 13, 612.	1.7	13
11	How Do Decision Makers and Service Providers Experience Participatory Approaches to Developing and Implementing Physical Activity Interventions with Older Adults? A Thematic Analysis. International Journal of Environmental Research and Public Health, 2021, 18, 2172.	1.2	1
12	The longitudinal relationship between loneliness, social isolation, and frailty in older adults in England: a prospective analysis. The Lancet Healthy Longevity, 2021, 2, e70-e77.	2.0	62
13	Measuring frailty in younger populations: a rapid review of evidence. BMJ Open, 2021, 11, e047051.	0.8	40
14	Fear-of-falling and associated risk factors in persons with rheumatoid arthritis: a 1 year prospective study. BMC Musculoskeletal Disorders, 2021, 22, 260.	0.8	2
15	Association between everyday walking activity, objective and perceived risk of falling in older adults. Age and Ageing, 2021, 50, 1586-1592.	0.7	5
16	Reply to "Comment on: Increases in arm volume predict lymphoedema and quality of life deficits after axillary surgery: a prospective cohort study― British Journal of Cancer, 2021, 124, 1608-1609.	2.9	0
17	Prognostic tools or clinical predictions: Which are better in palliative care?. PLoS ONE, 2021, 16, e0249763.	1.1	29
18	The Prognosis in Palliative care Study II (PiPS2): A prospective observational validation study of a prognostic tool with an embedded qualitative evaluation. PLoS ONE, 2021, 16, e0249297.	1.1	15

#	Article	IF	CITATIONS
19	Study recruitment factors in advanced cancer: the Prognosis in Palliative care Study II (PiPS2) - a multicentre, prospective, observational cohort project. BMJ Supportive and Palliative Care, 2021, , bmjspcare-2020-002670.	0.8	2
20	New horizons in falls prevention and management for older adults: a global initiative. Age and Ageing, 2021, 50, 1499-1507.	0.7	50
21	Prognostic models of survival in patients with advanced incurable cancer: the PiPS2 observational study. Health Technology Assessment, 2021, 25, 1-118.	1.3	9
22	Hospital-based specialist palliative care compared with usual care for adults with advanced illness and their caregivers: a systematic review. Health Services and Delivery Research, 2021, 9, 1-218.	1.4	2
23	Implementation of the <i>StandingTall</i> programme to prevent falls in older people: a process evaluation protocol. BMJ Open, 2021, 11, e048395.	0.8	2
24	Identifying older adults with frailty approaching end-of-life: A systematic review. Palliative Medicine, 2021, 35, 1832-1843.	1.3	10
25	What supports and constrains the implementation of multifactorial falls risk assessment and tailored multifactorial falls prevention interventions in acute hospitals? Protocol for a realist review. BMJ Open, 2021, 11, e049765.	0.8	0
26	Effects of Digital Technologies on Older People's Access to Health and Social Care: Umbrella Review. Journal of Medical Internet Research, 2021, 23, e25887.	2.1	25
27	What supports and constrains the implementation of multifactorial falls risk assessment and tailored multifactorial falls prevention interventions in acute hospitals? Protocol for a realist review. BMJ Open, 2021, 11, e049765.	0.8	4
28	Evaluation of Clinical Practice Guidelines on Fall Prevention and Management for Older Adults. JAMA Network Open, 2021, 4, e2138911.	2.8	121
29	Involving Older Adults in Developing Physical Activity Interventions to Promote Engagement: a Literature Review. Journal of Population Ageing, 2020, 13, 325-345.	0.8	11
30	Measurement of Muscle Mass and Sarcopenia Using Anthropometry, Bioelectrical Impedance, and Computed Tomography in Surgical Patients with Colorectal Malignancy: Comparison of Agreement Between Methods. Nutrition and Cancer, 2020, 72, 1074-1083.	0.9	14
31	The effectiveness and cost-effectiveness of hospital-based specialist palliative care for adults with advanced illness and their caregivers. The Cochrane Library, 2020, 2020, CD012780.	1.5	61
32	Healthy Eating and Active Lifestyle After Bowel Cancer (HEAL ABC): feasibility randomised controlled trial protocol. Pilot and Feasibility Studies, 2020, 6, 176.	0.5	1
33	Map the apps: a rapid review of digital approaches to support the engagement of older adults in strength and balance exercises. BMC Geriatrics, 2020, 20, 483.	1.1	26
34	Digital Technology to Deliver a Lifestyle-Integrated Exercise Intervention in Young Seniors—The PreventIT Feasibility Randomized Controlled Trial. Frontiers in Digital Health, 2020, 2, 10.	1.5	12
35	Increases in arm volume predict lymphoedema and quality of life deficits after axillary surgery: a prospective cohort study. British Journal of Cancer, 2020, 123, 17-25.	2.9	44
36	Discharging Women with Advanced Ovarian Cancer on Home Parenteral Nutrition: Making and Implementing the Decision. Nutrients, 2020, 12, 166.	1.7	13

#	Article	IF	CITATIONS
37	Perspectives of ESCAPE-Pain Programme for Older People With Knee Osteoarthritis in the Community Setting. Frontiers in Public Health, 2020, 8, 612413.	1.3	6
38	Smartphone Apps to Support Falls Rehabilitation Exercise: App Development and Usability and Acceptability Study. JMIR MHealth and UHealth, 2020, 8, e15460.	1.8	25
39	Promotion of Physical Activity in Older People Using mHealth and eHealth Technologies: Rapid Review of Reviews. Journal of Medical Internet Research, 2020, 22, e22201.	2.1	65
40	The Association Between Orthogeriatric Co-Management and Mortality Following Hip Fracture. Deutsches Ärzteblatt International, 2020, 117, 53-59.	0.6	44
41	Evaluation of a web-based, tailored intervention to encourage help-seeking for lung cancer symptoms: a randomised controlled trial. Digital Health, 2020, 6, 205520762092238.	0.9	1
42	Care Home Life and Identity: A Qualitative Case Study. Gerontologist, The, 2019, 59, 655-664.	2.3	37
43	Developing and testing a webâ€based intervention to encourage early helpâ€seeking in people with symptoms associated with lung cancer. British Journal of Health Psychology, 2019, 24, 31-65.	1.9	10
44	Attitudes Towards Adapted Lifestyle-Integrated Functional Exercise Developed for 60–70-Year-Olds: Perceptions of Participants and Trainers. Gerontology, 2019, 65, 599-609.	1.4	7
45	Development of a clinical prediction model for the onset of functional decline in people aged 65–75 years: pooled analysis of four European cohort studies. BMC Geriatrics, 2019, 19, 179.	1.1	24
46	Implementing behaviour change theory and techniques to increase physical activity and prevent functional decline among adults aged 61–70: The PreventIT project. Progress in Cardiovascular Diseases, 2019, 62, 147-156.	1.6	42
47	Moving beyond â€~safety' versus â€~autonomy': a qualitative exploration of the ethics of using monitoring technologies in long-term dementia care. BMC Geriatrics, 2019, 19, 145.	⁹ 1.1	21
48	The Adapted Lifestyle-Integrated Functional Exercise Program for Preventing Functional Decline in Young Seniors: Development and Initial Evaluation. Gerontology, 2019, 65, 362-374.	1.4	32
49	Protocol for the PreventIT feasibility randomised controlled trial of a lifestyle-integrated exercise intervention in young older adults. BMJ Open, 2019, 9, e023526.	0.8	34
50	The effectiveness and cost-effectiveness of strength and balance Exergames to reduce falls risk for people aged 55 years and older in UK assisted living facilities: a multi-centre, cluster randomised controlled trial. BMC Medicine, 2019, 17, 49.	2.3	79
51	PERCEPTIONS OF EXERGAMES FOR FALLS PREVENTION AMONG SENIORS AND THERAPISTS IN ASSISTED LIVING FACILITIES. Innovation in Aging, 2019, 3, S59-S60.	0.0	0
52	164 Increasing Uptake and Adherence in Falls Prevention Interventions. Age and Ageing, 2019, 48, iv34-iv39.	0.7	0
53	Can smartphone technology be used to support an effective home exercise intervention to prevent falls amongst community dwelling older adults?: the TOGETHER feasibility RCT study protocol. BMJ Open, 2019, 9, e028100.	0.8	7
54	Dietary interventions for adult cancer survivors. The Cochrane Library, 2019, 2019, .	1.5	29

#	Article	IF	CITATIONS
55	Palliative home parenteral nutrition in patients with ovarian cancer and malignant bowel obstruction: experiences of women and family caregivers. BMC Palliative Care, 2019, 18, 120.	0.8	33
56	Dietary interventions for cancer survivors. Proceedings of the Nutrition Society, 2019, 78, 135-145.	0.4	6
57	Individualising breast cancer treatment to improve survival and minimise complications in older women: a research programme including the PLACE RCT. Programme Grants for Applied Research, 2019, 7, 1-260.	0.4	1
58	Efficacy of the Otago Exercise Programme to reduce falls in communityâ€dwelling adults aged 65–80 years old when delivered as group or individual training. Journal of Advanced Nursing, 2018, 74, 1700-1711.	1.5	27
59	Reading from the Black Box: What Sensors Tell Us about Resting and Recovery after Real-World Falls. Gerontology, 2018, 64, 90-95.	1.4	9
60	Multiple influences on participating in physical activity in older age: Developing a social ecological approach. Health Expectations, 2018, 21, 239-248.	1.1	76
61	42â€Bittersweet life in the face of loss: the experience of parenteral nutrition for women with ovarian cancer and their relatives. BMJ Supportive and Palliative Care, 2018, 8, 375.2-376.	0.8	2
62	Home parenteral nutrition for people with inoperable malignant bowel obstruction. The Cochrane Library, 2018, 8, CD012812.	1.5	30
63	The Prognosis in Palliative care Study II (PiPS2): study protocol for a multi-centre, prospective, observational, cohort study. BMC Palliative Care, 2018, 17, 101.	0.8	9
64	Home parenteral nutrition for people with inoperable malignant bowel obstruction: a systematic review. Clinical Nutrition, 2018, 37, S74-S75.	2.3	1
65	A prospective cohort study measuring cost-benefit analysis of the Otago Exercise Programme in community dwelling adults with rheumatoid arthritis. BMC Health Services Research, 2018, 18, 574.	0.9	4
66	Assessing the feasibility of mobilisation of C0–C3 cervical segments to reduce headache in migraineurs. International Journal of Therapy and Rehabilitation, 2018, 25, 382-394.	0.1	3
67	What are colorectal cancer survivors' preferences for dietary advice? A best-worst discrete choice experiment. Journal of Cancer Survivorship, 2017, 11, 782-790.	1.5	18
68	Implementing monitoring technologies in care homes for people with dementia: A qualitative exploration using Normalization Process Theory. International Journal of Nursing Studies, 2017, 72, 60-70.	2.5	60
69	Preâ€operative oral nutritional supplementation with dietary advice versus dietary advice alone in weightâ€losing patients with colorectal cancer: singleâ€blind randomized controlled trial. Journal of Cachexia, Sarcopenia and Muscle, 2017, 8, 437-446.	2.9	60
70	Conceptualizing a Dynamic Fall Risk Model Including Intrinsic Risks and Exposures. Journal of the American Medical Directors Association, 2017, 18, 921-927.	1.2	35
71	Degenerative inter-vertebral disc disease osteochondrosis intervertebralis in Europe: prevalence, geographic variation and radiological correlates in men and women aged 50 and over. Rheumatology, 2017, 56, 1189-1199.	0.9	11
72	The effectiveness and cost-effectiveness of inpatient specialist palliative care in acute hospitals for adults with advanced illness and their caregivers. The Cochrane Library, 2017, , .	1.5	4

#	Article	IF	CITATIONS
73	Mobile Health Applications to Promote Active and Healthy Ageing. Sensors, 2017, 17, 622.	2.1	151
74	Six key topics informal carers of patients with breathlessness in advanced disease want to learn about and why: MRC phase I study to inform an educational intervention. PLoS ONE, 2017, 12, e0177081.	1.1	42
75	Clinicians' Views of Educational Interventions for Carers of Patients With Breathlessness Due to Advanced Disease: Findings From an Online Survey. Journal of Pain and Symptom Management, 2017, 53, 265-271.	0.6	13
76	The Role of Web-Based Health Information in Help-Seeking Behavior Prior to a Diagnosis of Lung Cancer: A Mixed-Methods Study. Journal of Medical Internet Research, 2017, 19, e189.	2.1	20
77	Web Use for Symptom Appraisal of Physical Health Conditions: A Systematic Review. Journal of Medical Internet Research, 2017, 19, e202.	2.1	49
78	Falls. , 2017, , 373-382.		4
79	Widening access to online health education for lung cancer. , 2016, , .		4
80	Review of how we should define (and measure) adherence in studies examining older adults' participation in exercise classes. BMJ Open, 2016, 6, e011560.	0.8	119
81	Developing the FARSEEING Taxonomy of Technologies: Classification and description of technology use (including ICT) in falls prevention studies. Journal of Biomedical Informatics, 2016, 61, 132-140.	2.5	7
82	The impact of preventive measures on the burden of femoral fractures – a modelling approach to estimating the impact of fall prevention exercises and oral bisphosphonate treatment for the years 2014 and 2025. BMC Geriatrics, 2016, 16, 75.	1.1	15
83	A comprehensive fracture prevention strategy in older adults: The European union geriatric medicine society (EUGMS) statement. European Geriatric Medicine, 2016, 7, 519-525.	1.2	12
84	Older Adults' Uptake and Adherence to Exercise Classes: Instructors' Perspectives. Journal of Aging and Physical Activity, 2016, 24, 119-128.	0.5	71
85	Strategies designed to help healthcare professionals to recruit participants to research studies. The Cochrane Library, 2016, 2016, .	1.5	25
86	963â€Use of ict technology & campaigning to accelerate the dissemination of falls prevention evidence across Europe. Injury Prevention, 2016, 22, A342.3-A343.	1.2	0
87	A feasibility study to prevent falls in older people who are sight impaired: the VIP2UK randomised controlled trial. Trials, 2016, 17, 464.	0.7	27
88	The FARSEEING real-world fall repository: a large-scale collaborative database to collect and share sensor signals from real-world falls. European Review of Aging and Physical Activity, 2016, 13, 8.	1.3	67
89	A comprehensive fracture prevention strategy in older adults: The European Union Geriatric Medicine Society (EUGMS) statement. Journal of Nutrition, Health and Aging, 2016, 20, 647-652.	1.5	65
90	The clinical and cost effectiveness of a Breathlessness Intervention Service for patients with advanced non-malignant disease and their informal carers: mixed findings of a mixed method randomised controlled trial. Trials, 2016, 17, 185.	0.7	94

#	Article	IF	CITATIONS
91	An exploration of food and the lived experience of individuals after treatment for colorectal cancer using a phenomenological approach. Journal of Human Nutrition and Dietetics, 2016, 29, 137-145.	1.3	25
92	Effectiveness of Non-Pharmacological Interventions to Prevent Falls in Older People: A Systematic Overview. The SENATOR Project ONTOP Series. PLoS ONE, 2016, 11, e0161579.	1.1	48
93	Development of Prognosis in Palliative care Study (PiPS) predictor models to improve prognostication in advanced cancer: prospective cohort study. BMJ Supportive and Palliative Care, 2015, 5, 390-398.	0.8	23
94	The role of computed tomography in evaluating body composition and the influence of reduced muscle mass on clinical outcome in abdominal malignancy: a systematic review. European Journal of Clinical Nutrition, 2015, 69, 1079-1086.	1.3	87
95	Pretreatment health measures and complications after surgical management of elderly women with breast cancer. British Journal of Surgery, 2015, 102, 653-667.	0.1	11
96	Development and evaluation of an intervention to support family caregivers of people with cancer to provide home-based care at the end of life: A feasibility study. European Journal of Oncology Nursing, 2015, 19, 154-161.	0.9	25
97	The causes of falls: views of older people with visual impairment. Health Expectations, 2015, 18, 2021-2031.	1.1	31
98	WHAT DO INFORMAL CARERS WANT TO LEARN ABOUT BREATHLESSNESS IN ADVANCED DISEASE AND HOW DO THEY WANT TO LEARN IT?. BMJ Supportive and Palliative Care, 2015, 5, 107.1-107.	0.8	1
99	Vertebral Scheuermann's disease in Europe: prevalence, geographic variation and radiological correlates in men and women aged 50 and over. Osteoporosis International, 2015, 26, 2509-2519.	1.3	19
100	Why are older women not having surgery for breast cancer? A qualitative study. Psycho-Oncology, 2015, 24, 1036-1042.	1.0	20
101	Dietary interventions for adult cancer survivors. The Cochrane Library, 2014, , .	1.5	4
102	Fall incidence in Germany: results of two population-based studies, and comparison of retrospective and prospective falls data collection methods. BMC Geriatrics, 2014, 14, 105.	1.1	74
103	Is lack of surgery for older breast cancer patients in the UK explained by patient choice or poor health? A prospective cohort study. British Journal of Cancer, 2014, 110, 573-583.	2.9	47
104	Multiple Levels of Influence on Older Adults' Attendance and Adherence to Community Exercise Classes. Gerontologist, The, 2014, 54, 599-610.	2.3	88
105	Falls Prevention and the Value of Exercise. Clinical Nursing Research, 2014, 23, 94-110.	0.7	19
106	Is a specialist breathlessness service more effective and cost-effective for patients with advanced cancer and their carers than standard care? Findings of a mixed-method randomised controlled trial. BMC Medicine, 2014, 12, 194.	2.3	155
107	Older adults' perceptions of technologies aimed at falls prevention, detection or monitoring: A systematic review. International Journal of Medical Informatics, 2014, 83, 416-426.	1.6	154
108	How does mental–physical multimorbidity express itself in lived time and space? A phenomenological analysis of encounters with depression and chronic physical illness. Social Science and Medicine, 2014, 118, 108-118.	1.8	25

#	Article	IF	CITATIONS
109	Developing a sensing solution to reduce the risk of falls for older people: An interdisciplinary approach. Gerontechnology, 2014, 13, .	0.0	2
110	Evaluating complex interventions in End of Life Care: the MORECare Statement on good practice generated by a synthesis of transparent expert consultations and systematic reviews. BMC Medicine, 2013, 11, 111.	2.3	256
111	Development of a standard fall data format for signals from body-worn sensors. Zeitschrift Fur Gerontologie Und Geriatrie, 2013, 46, 720-726.	0.8	22
112	Sturzerkennung mit am Körper getragenen Sensoren. Zeitschrift Fur Gerontologie Und Geriatrie, 2013, 46, 706-719.	0.8	126
113	Mixed Methods Research in the Development and Evaluation of Complex Interventions in Palliative and End-of-Life Care: Report on the MORECare Consensus Exercise. Journal of Palliative Medicine, 2013, 16, 1550-1560.	0.6	34
114	Perceived barriers to initiating and maintaining physical activity among South Asian and White British adults in their 60s living in the United Kingdom: a qualitative study. Ethnicity and Health, 2013, 18, 626-645.	1.5	34
115	The Selection and Use of Outcome Measures in Palliative and End-of-Life Care Research: The MORECare International Consensus Workshop. Journal of Pain and Symptom Management, 2013, 46, 925-937.	0.6	61
116	The Rheumatoid Arthritis and Falls (RAF) study: a prospective study of fall risk factors in adults with rheumatoid arthritis. Lancet, The, 2013, 381, S103.	6.3	4
117	Complementary therapies in cancer: Patients' views on their purposes and value pre and post receipt of complementary therapy—A multi-centre case study. European Journal of Integrative Medicine, 2013, 5, 443-449.	0.8	8
118	Fall Incidence and Outcomes of Falls in a Prospective Study of Adults With Rheumatoid Arthritis. Arthritis Care and Research, 2013, 65, 737-744.	1.5	56
119	Factors affecting recruitment to an observational multicentre palliative care study. BMJ Supportive and Palliative Care, 2013, 3, 318-323.	0.8	34
120	MORECare research methods guidance development: Recommendations for ethical issues in palliative and end-of-life care research. Palliative Medicine, 2013, 27, 908-917.	1.3	68
121	Prognosticating in patients with advanced cancer—observational study comparing the accuracy of clinicians' and patients' estimates of survival. Annals of Oncology, 2013, 24, 482-488.	0.6	60
122	Recommendations for managing missing data, attrition and response shift in palliative and end-of-life care research: Part of the MORECare research method guidance on statistical issues. Palliative Medicine, 2013, 27, 899-907.	1.3	80
123	Risk Factors for Falls in Adults With Rheumatoid Arthritis: A Prospective Study. Arthritis Care and Research, 2013, 65, 1251-1258.	1.5	77
124	An evaluation of research capacity building from the Cancer Experiences Collaborative. BMJ Supportive and Palliative Care, 2012, 2, 280-285.	0.8	7
125	The quality of English-language websites offering falls-prevention advice to older members of the public and their families. Health Informatics Journal, 2012, 18, 50-65.	1.1	6
126	Patients' reports or clinicians' assessments: which are better for prognosticating?. BMJ Supportive and Palliative Care, 2012, 2, 219-223.	0.8	7

#	Article	IF	CITATIONS
127	Are the Attitudes of Exercise Instructors Who Work With Older Adults Influenced by Training and Personal Characteristics?. Journal of Aging and Physical Activity, 2012, 20, 47-63.	0.5	10
128	Vorschlag für ein Mehrphasensturzmodell auf der Basis von Sturzdokumentationen mit am Körper getragenen Sensoren. Zeitschrift Fur Gerontologie Und Geriatrie, 2012, 45, 707-715.	0.8	50
129	Attitudes and beliefs to the uptake and maintenance of physical activity among community-dwelling South Asians aged 60–70 years: A qualitative study. Public Health, 2012, 126, 417-423.	1.4	37
130	Patient empowerment: The need to consider it as a measurable patient-reported outcome for chronic conditions. BMC Health Services Research, 2012, 12, 157.	0.9	209
131	Definitions and methods of measuring and reporting on injurious falls in randomised controlled fall prevention trials: a systematic review. BMC Medical Research Methodology, 2012, 12, 50.	1.4	124
132	Pre-operative Nutrition Support in Patients Undergoing Gastrointestinal Surgery The Cochrane Library, 2012, 11, CD008879.	1.5	131
133	The perceived personal control (PPC) questionnaire: Reliability and validity in a sample from the United Kingdom. American Journal of Medical Genetics, Part A, 2012, 158A, 367-372.	0.7	14
134	Validity and Sensitivity to Change of the Falls Efficacy Scales International to Assess Fear of Falling in Older Adults with and without Cognitive Impairment. Gerontology, 2011, 57, 462-472.	1.4	115
135	Development of Prognosis in Palliative care Study (PiPS) predictor models to improve prognostication in advanced cancer: prospective cohort study. BMJ: British Medical Journal, 2011, 343, d4920-d4920.	2.4	192
136	The Genetic Counseling Outcome Scale: a new patient-reported outcome measure for clinical genetics services. Clinical Genetics, 2011, 79, 413-424.	1.0	135
137	An unblinded randomised controlled trial of preoperative oral supplements in colorectal cancer patients. Journal of Human Nutrition and Dietetics, 2011, 24, 441-448.	1.3	62
138	Empowerment: qualitative underpinning of a new clinical genetics-specific patient-reported outcome. European Journal of Human Genetics, 2011, 19, 125-130.	1.4	62
139	Psychosocial risk factors for hospital readmission in COPD patients on early discharge services: a cohort study. BMC Pulmonary Medicine, 2011, 11, 49.	0.8	94
140	Reporting of complex interventions in clinical trials: development of a taxonomy to classify and describe fall-prevention interventions. Trials, 2011, 12, 125.	0.7	151
141	Benefits and challenges of collaborative research: lessons from supportive and palliative care. BMJ Supportive and Palliative Care, 2011, 1, 5-11.	0.8	13
142	Nurses' feelings of 'ownership' of palliative care patients: findings from a qualitative case study. Progress in Palliative Care, 2010, 18, 346-351.	0.7	8
143	Can Cancer Patients Influence the Pain Agenda in Oncology Outpatient Consultations?. Journal of Pain and Symptom Management, 2010, 39, 268-282.	0.6	10
144	The influence of primary health care professionals in encouraging exercise and physical activity uptake among White and South Asian older adults: Experiences of young older adults. Patient Education and Counseling, 2010, 78, 97-103.	1.0	63

#	Article	IF	CITATIONS
145	Nutritional status of preoperative colorectal cancer patients. Journal of Human Nutrition and Dietetics, 2010, 23, 402-407.	1.3	119
146	Socio-demographic factors predict the likelihood of not returning home after hospital admission following a fall. Journal of Public Health, 2010, 32, 117-124.	1.0	25
147	Defining priorities in prognostication research: results of a consensus workshop. Palliative Medicine, 2010, 24, 462-468.	1.3	24
148	Validation of the Falls Efficacy Scale-International in fall-prone older persons. Age and Ageing, 2010, 39, 259-259.	0.7	75
149	Validation of the Falls Efficacy Scale and Falls Efficacy Scale International in Geriatric Patients with and without Cognitive Impairment: Results of Self-Report and Interview-Based Questionnaires. Gerontology, 2010, 56, 190-199.	1.4	138
150	Part 1: Home-based family caregiving at the end of life: a comprehensive review of published quantitative research (1998-2008). Palliative Medicine, 2010, 24, 573-593.	1.3	275
151	Part 2: Home-based family caregiving at the end of life: a comprehensive review of published qualitative research (1998-2008). Palliative Medicine, 2010, 24, 594-607.	1.3	243
152	Effectiveness of a Home Care Nursing Program in the Symptom Management of Patients With Colorectal and Breast Cancer Receiving Oral Chemotherapy: A Randomized, Controlled Trial. Journal of Clinical Oncology, 2009, 27, 6191-6198.	0.8	116
153	Quality of life measures (EORTC QLQ-C30 and SF-36) as predictors of survival in palliative colorectal and lung cancer patients. Palliative and Supportive Care, 2009, 7, 289-297.	0.6	44
154	Supporting lay carers in end of life care: current gaps and future priorities. Palliative Medicine, 2009, 23, 339-344.	1.3	179
155	Patterns of Access to Community Palliative Care Services: A Literature Review. Journal of Pain and Symptom Management, 2009, 37, 884-912.	0.6	99
156	Repressive coping in geriatric patients' reports – Impact on fear of falling. Zeitschrift Fur Gerontologie Und Geriatrie, 2009, 42, 137-144.	0.8	5
157	Complementary therapists' training and cancer care: A multi-site study. European Journal of Oncology Nursing, 2009, 13, 330-335.	0.9	9
158	Quality of life measures (EORTC QLQ-C30 and SF-36) as predictors of survival in palliative colorectal and lung cancer patients - ERRATUM. Palliative and Supportive Care, 2009, 7, 533-533.	0.6	0
159	Understanding eating behaviours in Spanish women enrolled in a weightâ€loss treatment. Journal of Clinical Nursing, 2008, 17, 957-966.	1.4	17
160	Do postage stamps versus pre-paid envelopes increase responses to patient mail surveys? A randomised controlled trial. BMC Health Services Research, 2008, 8, 113.	0.9	19
161	What influences referrals within community palliative care services? A qualitative case study. Social Science and Medicine, 2008, 67, 137-146.	1.8	54
162	Psychosocial predictors of health-related quality of life and health service utilisation in people with chronic low back pain. Pain, 2008, 135, 142-150.	2.0	141

#	Article	IF	CITATIONS
163	How likely are older people to take up different falls prevention activities?. Preventive Medicine, 2008, 47, 554-558.	1.6	96
164	Does depression predict adverse outcomes for older medical inpatients? A prospective cohort study of individuals screened for a trial. Age and Ageing, 2008, 37, 690-695.	0.7	40
165	What do community-dwelling Caucasian and South Asian 60-70 year olds think about exercise for fall prevention?. Age and Ageing, 2008, 38, 68-73.	0.7	47
166	Implementation and impact of the Gold Standards Framework in community palliative care: a qualitative study of three primary care trusts. Palliative Medicine, 2008, 22, 736-743.	1.3	48
167	Judgements about fellow professionals and the management of patients receiving palliative care in primary care: a qualitative study. British Journal of General Practice, 2008, 58, 264-272.	0.7	41
168	Cross-cultural validation of the Falls Efficacy Scale International (FES-I) in older people: Results from Germany, the Netherlands and the UK were satisfactory. Disability and Rehabilitation, 2007, 29, 155-162.	0.9	188
169	Effectiveness of liaison psychiatric nursing in older medical inpatients with depression: a randomised controlled trial. Age and Ageing, 2007, 36, 436-442.	0.7	22
170	Occupational stress in palliative medicine, medical oncology and clinical oncology specialist registrars. Clinical Medicine, 2007, 7, 235-242.	0.8	27
171	Recommendations for promoting the engagement of older people in activities to prevent falls. Quality and Safety in Health Care, 2007, 16, 230-234.	2.5	113
172	Supporting Cancer Patients With Palliative Care Needs. Cancer Nursing, 2007, 30, 156-162.	0.7	30
173	Attitudes and Beliefs That Predict Older People's Intention to Undertake Strength and Balance Training. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2007, 62, P119-P125.	2.4	134
174	The Short FES-I: a shortened version of the falls efficacy scale-international to assess fear of falling. Age and Ageing, 2007, 37, 45-50.	0.7	555
175	Older women with operable breast cancer are less likely to have surgery. British Journal of Surgery, 2007, 94, 1209-1215.	0.1	61
176	Non-standard management of breast cancer increases with age in the UK: a population based cohort of women ⩾65 years. British Journal of Cancer, 2007, 96, 1197-1203.	2.9	106
177	Evaluating partnership working: lessons for palliative care. European Journal of Cancer Care, 2007, 16, 48-54.	0.7	17
178	Writing a research proposal. , 2007, , 259-274.		0
179	Systematic review of definitions and methods of measuring falls in randomised controlled fall prevention trials. Age and Ageing, 2006, 35, 5-10.	0.7	377
180	Whom to treat? The contribution of vertebral X-rays to risk-based algorithms for fracture prediction. Results from the European Prospective Osteoporosis Study. Osteoporosis International, 2006, 17, 1369-1381.	1.3	34

#	Article	IF	CITATIONS
181	Screening for depression in older medical inpatients. International Journal of Geriatric Psychiatry, 2006, 21, 469-476.	1.3	55
182	Older People's Views of Falls-Prevention Interventions in Six European Countries. Gerontologist, The, 2006, 46, 650-660.	2.3	239
183	The influence of patient and carer age in access to palliative care services. Age and Ageing, 2006, 35, 267-273.	0.7	55
184	Palliative care in primary care: a study to determine whether patients and professionals agree on symptoms. British Journal of General Practice, 2006, 56, 27-34.	0.7	26
185	Can we use mid upper arm anthropometry to detect malnutrition in medical inpatients? A validation study. Journal of Human Nutrition and Dietetics, 2005, 18, 287-294.	1.3	37
186	Thoughts on effective falls prevention intervention on a population basis. Zeitschrift Fur Gesundheitswissenschaften, 2005, 13, 196-202.	0.8	10
187	Older people's views of advice about falls prevention: a qualitative study. Health Education Research, 2005, 21, 508-517.	1.0	259
188	Prediction of appropriate timing of palliative care for older adults with non-malignant life-threatening disease: a systematic review. Age and Ageing, 2005, 34, 218-227.	0.7	294
189	Development and initial validation of the Falls Efficacy Scale-International (FES-I). Age and Ageing, 2005, 34, 614-619.	0.7	1,431
190	Low BMD is less predictive than reported falls for future limb fractures in women across Europe: results from the European Prospective Osteoporosis Study. Bone, 2005, 36, 387-398.	1.4	88
191	Case studies: A research strategy appropriate for palliative care?. Palliative Medicine, 2004, 18, 677-684.	1.3	65
192	Recruiting patients into a primary care based study of palliative care: why is it so difficult?. Palliative Medicine, 2004, 18, 452-459.	1.3	146
193	Stress in UK intensive care doctors. British Journal of Anaesthesia, 2004, 92, 151-152.	1.5	1
194	Validation of a symptom measure suitable for use among palliative care patients in the community: CAMPAS-R. Journal of Pain and Symptom Management, 2004, 27, 287-299.	0.6	36
195	Prevention of Falls Network Europe: a thematic network aimed at introducing good practice in effective falls prevention across Europe. European Journal of Ageing, 2004, 1, 89-94.	1.2	40
196	Health-related quality of life and radiographic vertebral fracture. Osteoporosis International, 2004, 15, 113-119.	1.3	161
197	Back pain, disability, and radiographic vertebral fracture in European women: a prospective study. Osteoporosis International, 2004, 15, 760-765.	1.3	106
198	Variation in Back Pain Between Countries. Spine, 2004, 29, 1017-1021.	1.0	48

#	Article	IF	CITATIONS
199	Determinants of the Size of Incident Vertebral Deformities in European Men and Women in the Sixth to Ninth Decades of Age: The European Prospective Osteoporosis Study (EPOS). Journal of Bone and Mineral Research, 2003, 18, 1664-1673.	3.1	33
200	Determinants of incident vertebral fracture in men and women: results from the European Prospective Osteoporosis Study (EPOS). Osteoporosis International, 2003, 14, 19-26.	1.3	251
201	Screening for depression in older people on medical wards: which cutâ€point should we use?. International Journal of Geriatric Psychiatry, 2003, 18, 358-359.	1.3	4
202	Characteristics of a prevalent vertebral deformity predict subsequent vertebral fracture: results from the European Prospective Osteoporosis Study (EPOS). Bone, 2003, 33, 505-513.	1.4	192
203	Incidence and prevalence of domestic violence in a UK emergency department. Emergency Medicine Journal, 2003, 20, 438-442.	0.4	41
204	Breathlessness in cancer and chronic obstructive pulmonary disease: Using a qualitative approach to describe the experience of patients and carers. Palliative and Supportive Care, 2003, 1, 337-344.	0.6	204
205	Caring for the dying: how well prepared are general practitioners? A questionnaire study in Wales. Palliative Medicine, 2003, 17, 27-39.	1.3	65
206	General practitioners' and district nurses' views of hospital at home for palliative care. Palliative Medicine, 2002, 16, 251-254.	1.3	13
207	Not another questionnaire! Maximizing the response rate, predicting non-response and assessing non-response bias in postal questionnaire studies of GPs. Family Practice, 2002, 19, 105-111.	0.8	230
208	Defining patients as palliative: hospital doctors' versus general practitioners' perceptions. Palliative Medicine, 2002, 16, 247-250.	1.3	46
209	Which cancer patients are referred to Hospital at Home for palliative care?. Palliative Medicine, 2002, 16, 115-123.	1.3	50
210	Stress in UK intensive care unit doctors. British Journal of Anaesthesia, 2002, 89, 873-881.	1.5	172
211	Occupational stress in consultants in accident and emergency medicine: a national survey of levels of stress at work. Emergency Medicine Journal, 2002, 19, 234-238.	0.4	130
212	Epidemiology of duodenal ulcer perforation: a study on hospital admissions in Norfolk, United Kingdom. Digestive and Liver Disease, 2002, 34, 322-327.	0.4	29
213	Falls explain between-center differences in the incidence of limb fracture across Europe. Bone, 2002, 31, 712-717.	1.4	47
214	Controlling Cancer Pain in Primary Care. Journal of Pain and Symptom Management, 2002, 23, 383-392.	0.6	39
215	Incidence of Limb Fracture across Europe: Results from the European Prospective Osteoporosis Study (EPOS). Osteoporosis International, 2002, 13, 565-571.	1.3	191
216	Defining Incident Vertebral Deformities in Population Studies: A Comparison of Morphometric Criteria. Osteoporosis International, 2002, 13, 809-815.	1.3	42

#	Article	IF	CITATIONS
217	A description of an intermediate care service using routinely collected data. Journal of Nursing Management, 2002, 10, 221-227.	1.4	15
218	Information exchange in oncology outpatient clinics: source, valence and uncertainty. Psycho-Oncology, 2002, 11, 336-345.	1.0	23
219	Postal Administration Compared with Nurse-Supported Administration of the QUALEFFO-41 in a Population Sample: Comparison of Results and Assessment of Psychometric Properties. Osteoporosis International, 2001, 12, 672-679.	1.3	21
220	Prevalent Vertebral Deformity Predicts Incident Hip though not distal Forearm Fracture: Results from the European Prospective Osteoporosis Study. Osteoporosis International, 2001, 12, 85-90.	1.3	159
221	Experiences and expectations of the new genetics in relation to familial risk of breast cancer: a comparison of the views of GPs and practice nurses. Family Practice, 2001, 18, 491-494.	0.8	21
222	Suicide in Primary Affective Disorders Revisited. Journal of Clinical Psychiatry, 2001, 62, 804-811.	1.1	43
223	Measurement properties of the Nottingham Health Profile and Short Form 36 health status measures in a population sample of elderly people living at home: Results from ELPHS. British Journal of Health Psychology, 2000, 5, 217-233.	1.9	19
224	The â€~right kind' of pain: talking about symptoms in outpatient oncology consultations. Palliative Medicine, 2000, 14, 299-307.	1.3	42
225	Communication of doubt and certainty in radiological reports British Journal of Radiology, 2000, 73, 999-1001.	1.0	67
226	Does location of vertebral deformity within the spine influence back pain and disability?. Annals of the Rheumatic Diseases, 2000, 59, 368-371.	0.5	41
227	A randomized controlled trial of a hospital at home service for the terminally ill. Palliative Medicine, 2000, 14, 375-385.	1.3	84
228	The Diagnostic and Therapeutic Impact of MRI: an Observational Multi-centre Study. Clinical Radiology, 2000, 55, 825-831.	0.5	57
229	Continuity of care in maternity services: women's views of one team midwifery scheme. Midwifery, 2000, 16, 35-47.	1.0	24
230	Why are trials in palliative care so difficult?. Palliative Medicine, 2000, 14, 69-74.	1.3	191
231	The development of an individualized questionnaire measure of perceived impact of diabetes on quality of life: the ADDQoL. Quality of Life Research, 1999, 8, 79-91.	1.5	520
232	Number and Type of Vertebral Deformities: Epidemiological Characteristics and Relation to Back Pain and Height Loss. Osteoporosis International, 1999, 9, 206-213.	1.3	257
233	Quality of Life in Patients with Vertebral Fractures: Validation of the Quality of Life Questionnaire of the European Foundation for Osteoporosis (QUALEFFO). Osteoporosis International, 1999, 10, 150-160.	1.3	346
234	Place of death and access to home care services: are certain patient groups at a disadvantage?. Social Science and Medicine, 1998, 47, 565-579.	1.8	265

#	Article	IF	CITATIONS
235	Self reported health status and magnetic resonance imaging findings in patients with low back pain. European Spine Journal, 1998, 7, 369-375.	1.0	37
236	Mortality Associated with Vertebral Deformity in Men and Women: Results from the European Prospective Osteoporosis Study (EPOS). Osteoporosis International, 1998, 8, 291-297.	1.3	197
237	Health Impact Associated with Vertebral Deformities: Results from the European Vertebral Osteoporosis Study (EVOS). Osteoporosis International, 1998, 8, 364-372.	1.3	125
238	Working with team midwifery: health visitors' views of one team midwifery scheme. Journal of Advanced Nursing, 1998, 27, 546-552.	1.5	6
239	Team midwifery: The views and job satisfaction of midwives. Midwifery, 1998, 14, 214-224.	1.0	34
240	When Technical Rationality Fails. Journal of Health Psychology, 1998, 3, 137-148.	1.3	7
241	Inter-hospital variations in length of hospital stay following hip fracture. Age and Ageing, 1998, 27, 333-337.	0.7	28
242	Difficulty of symptom control and general practitioners' knowledge of patients' symptoms. Palliative Medicine, 1997, 11, 399-406.	1.3	70
243	Anthropometric Measurements and Vertebral Deformities. American Journal of Epidemiology, 1997, 146, 287-293.	1.6	65
244	Support needs in the last year of life: patient and carer dilemmas. Palliative Medicine, 1997, 11, 202-208.	1.3	86
245	The influence of family history of hip fracture on the risk of verterbral deformity in men and women: The European vertebral osteoporosis study. Bone, 1997, 20, 145-149.	1.4	65
246	Epidemiology of osteoporotic fractures in Europe: Towards biologic mechanisms. Osteoporosis International, 1997, 7, 78-83.	1.3	8
247	The influence of alcohol consumption on the risk of vertebral deformity. Osteoporosis International, 1997, 7, 65-71.	1.3	65
248	Influence of hormonal and reproductive factors on the risk of vertebral deformity in European women. Osteoporosis International, 1997, 7, 72-78.	1.3	62
249	What terminally ill patients value in the support provided by GPs, district and Macmillan nurses. International Journal of Palliative Nursing, 1996, 2, 138-143.	0.2	34
250	WHAT BECOMES OF PEOPLE WITH DEMENTIA REFERRED TO COMMUNITY PSYCHOGERIATRIC TEAMS?. , 1996, 11, 1051-1056.		6
251	CARERS AND THE MONITORING OF PSYCHOGERIATRIC COMMUNITY TEAMS. , 1996, 11, 1057-1061.		7
252	The prevalence of vertebral deformity in European men and women: The european vertebral osteoporosis study. Journal of Bone and Mineral Research, 1996, 11, 1010-1018.	3.1	783

#	Article	IF	CITATIONS
253	Predictors of Hospital Contact by Very Elderly People: A Pilot Study from a Cohort of People aged 75 years and over. Age and Ageing, 1995, 24, 382-388.	0.7	16
254	Differences in the characteristics of responders and non-responders in a prevalence survey of vertebral osteoporosis. Osteoporosis International, 1995, 5, 327-334.	1.3	74
255	Measuring changes in quality of life following magnetic resonance imaging of the knee: SF-36, EuroQol© or Rosser index?. Quality of Life Research, 1995, 4, 325-334.	1.5	59
256	Fall frequency and incidence of distal forearm fracture in the UK Journal of Epidemiology and Community Health, 1995, 49, 597-598.	2.0	14
257	Differences in mortality after fracture of hip. BMJ: British Medical Journal, 1995, 311, 1025-1025.	2.4	21
258	Length of hip axis and rate of hip fracture. BMJ: British Medical Journal, 1995, 310, 401-401.	2.4	0
259	Reproducibility of a Questionnaire on Risk Factors for Osteoporosis in a Multicentre Prevalence Survey: The European Vertebral Osteoporosis Study. International Journal of Epidemiology, 1994, 23, 559-565.	0.9	113
260	Age and sex influences on fall characteristics Annals of the Rheumatic Diseases, 1994, 53, 773-775.	0.5	112
261	The 12-hour shift: the views of nurse educators and students. Journal of Advanced Nursing, 1994, 19, 938-946.	1.5	19
262	The quantity of nursing care on wards working 8- and 12-hour shifts. International Journal of Nursing Studies, 1993, 30, 403-413.	2.5	40
263	12-hour shifts: job satisfaction of nurses. Journal of Nursing Management, 1993, 1, 215-220.	1.4	28
264	General Practitioners' Strategies and Tactics of Communication with the Terminally III. Family Practice, 1993, 10, 268-276.	0.8	17
265	BSR Poster Session B. Rheumatology, 1993, 32, 108-168.	0.9	1
266	Educational activities on wards under 12 hour shifts. International Journal of Nursing Studies, 1991, 28, 47-54.	2.5	16
267	The quality of nursing care on wards working eight and twelve hour shifts: a repeated measures study using the MONITOR index of quality of care. International Journal of Nursing Studies, 1989, 26, 359-368.	2.5	41
268	Differences between terminally ill patients who know, and those who do not know, that they are dying. Journal of Clinical Psychology, 1986, 42, 287-296.	1.0	4
269	Role ambiguity in general practice: The care of patients dying at home. Social Science and Medicine, 1986, 23, 519-525.	1.8	11
270	Communication between general practitioners and patients dying at home. Social Science and Medicine, 1984, 18, 667-672.	1.8	16

#	Article	IF	CITATIONS
271	Home parenteral nutrition for people with inoperable malignant bowel obstruction. The Cochrane Library, 0, , .	1.5	5
272	Population-based interventions for preventing falls and fall-related injuries in older people. The Cochrane Library, 0, , .	1.5	1
273	Rapid systematic review of systematic reviews: what befriending, social support and low intensity psychosocial interventions, delivered remotely, may reduce social isolation and loneliness among older adults and how?. F1000Research, 0, 9, 1368.	0.8	19
274	Rapid systematic review of systematic reviews: what befriending, social support and low intensity psychosocial interventions, delivered remotely, are effective in reducing social isolation and loneliness among older adults? How do they work?. F1000Research, 0, 9, 1368.	0.8	7
275	The Effectiveness and Cost-Effectiveness of Strength and Balance Exergames to Reduce Falls Risk for Older People in UK Assisted Living Facilities: A Multi-Centre, Cluster Randomised Controlled Trial. SSRN Electronic Journal, 0, , .	0.4	0