

# Jianshe Lian

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7874149/publications.pdf>

Version: 2024-02-01

270  
papers

14,100  
citations

17405

63  
h-index

29081

104  
g-index

272  
all docs

272  
docs citations

272  
times ranked

13347  
citing authors

#	ARTICLE	IF	CITATIONS
1	Plastic behavior and stretchability of sheet metals. Part I: A yield function for orthotropic sheets under plane stress conditions. <i>International Journal of Plasticity</i> , 1989, 5, 51-66.	4.1	1,040
2	Electroless nickel, alloy, composite and nano coatings – A critical review. <i>Journal of Alloys and Compounds</i> , 2013, 571, 183-204.	2.8	700
3	Deformation behaviour of ultra-fine-grained copper. <i>Acta Metallurgica Et Materialia</i> , 1994, 42, 2467-2475.	1.9	547
4	Microstructure and photoluminescence properties of ZnO thin films grown by PLD on Si(111) substrates. <i>Applied Surface Science</i> , 2005, 239, 176-181.	3.1	259
5	Self-assembly of ultrathin porous NiO nanosheets/graphene hierarchical structure for high-capacity and high-rate lithium storage. <i>Journal of Materials Chemistry</i> , 2012, 22, 2844.	6.7	248
6	Synthesis and optical properties of flower-like ZnO nanorods by thermal evaporation method. <i>Applied Surface Science</i> , 2011, 257, 5083-5087.	3.1	196
7	High corrosion-resistance nanocrystalline Ni coating on AZ91D magnesium alloy. <i>Surface and Coatings Technology</i> , 2006, 200, 5413-5418.	2.2	187
8	IR and XPS investigation of visible-light photocatalysis – Nitrogen – carbon-doped TiO <sub>2</sub> film. <i>Applied Surface Science</i> , 2006, 253, 1988-1994.	3.1	170
9	Arrays of hierarchical nickel sulfides/MoS <sub>2</sub> nanosheets supported on carbon nanotubes backbone as advanced anode materials for asymmetric supercapacitor. <i>Journal of Power Sources</i> , 2017, 343, 373-382.	4.0	162
10	Optical and electrical properties of aluminum-doped ZnO thin films grown by pulsed laser deposition. <i>Applied Surface Science</i> , 2007, 253, 3727-3730.	3.1	156
11	A study and application of zinc phosphate coating on AZ91D magnesium alloy. <i>Surface and Coatings Technology</i> , 2006, 200, 3021-3026.	2.2	152
12	Effects of microstructural variables on the deformation behaviour of dual-phase steel. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1995, 190, 55-64.	2.6	150
13	Growth of vertically aligned Co <sub>3</sub> S <sub>4</sub> /CoMo <sub>2</sub> S <sub>4</sub> ultrathin nanosheets on reduced graphene oxide as a high-performance supercapacitor electrode. <i>Journal of Materials Chemistry A</i> , 2016, 4, 18857-18867.	5.2	150
14	Characterizing deformed ultrafine-grained and nanocrystalline materials using transmission Kikuchi diffraction in a scanning electron microscope. <i>Acta Materialia</i> , 2014, 62, 69-80.	3.8	142
15	Growth of zinc phosphate coatings on AZ91D magnesium alloy. <i>Surface and Coatings Technology</i> , 2006, 201, 1814-1820.	2.2	139
16	Modeling of the Melting Point, Debye Temperature, Thermal Expansion Coefficient, and the Specific Heat of Nanostructured Materials. <i>Journal of Physical Chemistry C</i> , 2009, 113, 16896-16900.	1.5	139
17	On the enhanced grain growth in ultrafine grained metals. <i>Acta Metallurgica Et Materialia</i> , 1995, 43, 4165-4170.	1.9	138
18	Enhancing photocatalytic activity of disorder-engineered C/TiO <sub>2</sub> and TiO <sub>2</sub> nanoparticles. <i>Journal of Materials Chemistry A</i> , 2014, 2, 7439-7445.	5.2	130

#	ARTICLE	IF	CITATIONS
19	One-pot hydrothermal synthesis of octahedral CoFe/CoFe <sub>2</sub> O <sub>4</sub> submicron composite as heterogeneous catalysts with enhanced peroxymonosulfate activity. Journal of Materials Chemistry A, 2016, 4, 9455-9465.	5.2	128
20	Electroless Ni-P plating on AZ91D magnesium alloy from a sulfate solution. Journal of Alloys and Compounds, 2005, 391, 104-109.	2.8	127
21	Synthesis of a Thin-Layer MnO <sub>2</sub> Nanosheet-Coated Fe <sub>3</sub> O <sub>4</sub> Nanocomposite as a Magnetically Separable Photocatalyst. Langmuir, 2014, 30, 7006-7013.	1.6	126
22	Plastic behaviour and stretchability of sheet metals. Part II: Effect of yield surface shape on sheet forming limit. International Journal of Plasticity, 1989, 5, 131-147.	4.1	119
23	Single violet luminescence emitted from ZnO films obtained by oxidation of Zn film on quartz glass. Applied Surface Science, 2005, 252, 420-424.	3.1	119
24	Structure and photocatalytic property of Mo-doped TiO <sub>2</sub> nanoparticles. Powder Technology, 2013, 244, 9-15.	2.1	118
25	Preparation and photocatalytic performance of Cu-doped TiO <sub>2</sub> nanoparticles. Transactions of Nonferrous Metals Society of China, 2015, 25, 504-509.	1.7	115
26	Enhanced tensile ductility in an electrodeposited nanocrystalline Ni. Scripta Materialia, 2006, 54, 579-584.	2.6	113
27	Effect of grain size on corrosion behavior of electrodeposited bulk nanocrystalline Ni. Transactions of Nonferrous Metals Society of China, 2010, 20, 82-89.	1.7	112
28	Experimental and modelling investigations on strain rate sensitivity of an electrodeposited 20%nm grain sized Ni. Journal Physics D: Applied Physics, 2007, 40, 7440-7446.	1.3	110
29	Electroless Ni-P deposition plus zinc phosphate coating on AZ91D magnesium alloy. Surface and Coatings Technology, 2006, 200, 5956-5962.	2.2	109
30	Visible-light photocatalysis in nitrogen-carbon-doped TiO <sub>2</sub> films obtained by heating TiO <sub>2</sub> gel film in an ionized N <sub>2</sub> gas. Thin Solid Films, 2008, 516, 1736-1742.	0.8	108
31	CaGdAlO <sub>4</sub> :Tb <sup>3+</sup> /Eu <sup>3+</sup> as promising phosphors for full-color field emission displays. Journal of Materials Chemistry C, 2014, 2, 9924-9933.	2.7	107
32	Ni-Zn binary system hydroxide, oxide and sulfide materials: synthesis and high supercapacitor performance. Journal of Materials Chemistry A, 2015, 3, 23333-23344.	5.2	107
33	A black phosphate coating for C1008 steel. Surface and Coatings Technology, 2004, 176, 215-221.	2.2	102
34	Model for the prediction of the mechanical behaviour of nanocrystalline materials. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1993, 172, 23-29.	2.6	101
35	Optical and electrical properties of Sn-doped CdO thin films obtained by pulse laser deposition. Vacuum, 2011, 85, 861-865.	1.6	100
36	High corrosion-resistant Ni-P/Ni-P multilayer coatings on steel. Surface and Coatings Technology, 2005, 197, 61-67.	2.2	97

#	ARTICLE	IF	CITATIONS
37	Photocatalytic property of Fe doped anatase and rutile TiO <sub>2</sub> nanocrystal particles prepared by sol-gel technique. Applied Surface Science, 2012, 263, 260-265.	3.1	95
38	Electroless Ni-P/Ni-B duplex coatings for improving the hardness and the corrosion resistance of AZ91D magnesium alloy. Applied Surface Science, 2008, 254, 4949-4955.	3.1	94
39	Dual Superlyophobic Copper Foam with Good Durability and Recyclability for High Flux, High Efficiency, and Continuous Oil-Water Separation. ACS Applied Materials & Interfaces, 2018, 10, 9841-9848.	4.0	92
40	Structural and optical properties of ZnO thin films deposited on quartz glass by pulsed laser deposition. Applied Surface Science, 2006, 252, 8451-8455.	3.1	91
41	Electroless Ni-P layer with a chromium-free pretreatment on AZ91D magnesium alloy. Surface and Coatings Technology, 2007, 201, 4594-4600.	2.2	90
42	Electroless Ni-Sn-P coating on AZ91D magnesium alloy and its corrosion resistance. Surface and Coatings Technology, 2008, 202, 2570-2576.	2.2	87
43	Study of the formation and growth of tannic acid based conversion coating on AZ91D magnesium alloy. Surface and Coatings Technology, 2009, 204, 736-747.	2.2	87
44	Preparation and corrosion behaviors of calcium phosphate conversion coating on magnesium alloy. Surface and Coatings Technology, 2016, 307, 99-108.	2.2	85
45	Visible-light photocatalytic activity of nitrogen-doped TiO <sub>2</sub> thin film prepared by pulsed laser deposition. Applied Surface Science, 2008, 254, 4620-4625.	3.1	84
46	Strain rate sensitivity of a nanocrystalline Cu synthesized by electric brush plating. Applied Physics Letters, 2006, 88, 143115.	1.5	83
47	Electroless deposition of Ni-W-P coating on AZ91D magnesium alloy. Applied Surface Science, 2007, 253, 5116-5121.	3.1	80
48	Optical and electrical properties of In-doped CdO thin films fabricated by pulse laser deposition. Applied Surface Science, 2010, 256, 2910-2914.	3.1	80
49	Uniting tensile ductility with ultrahigh strength via composition undulation. Nature, 2022, 604, 273-279.	13.7	80
50	Robust superhydrophobic surface on Al substrate with durability, corrosion resistance and ice-phobicity. Scientific Reports, 2016, 6, 20933.	1.6	79
51	Enhanced UV emission of Y-doped ZnO nanoparticles. Applied Surface Science, 2012, 258, 6735-6738.	3.1	76
52	Theoretical model for the tensile work hardening behaviour of dual-phase steel. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1991, 147, 55-65.	2.6	75
53	Photocatalytic activity of TiO <sub>2</sub> films with mixed anatase and rutile structures prepared by pulsed laser deposition. Thin Solid Films, 2008, 516, 3394-3398.	0.8	75
54	A novel open architecture built by ultra-fine single-crystal Co <sub>2</sub> (CO <sub>3</sub> ) <sub>2</sub> (OH) <sub>2</sub> nanowires and reduced graphene oxide for asymmetric supercapacitors. Journal of Materials Chemistry A, 2016, 4, 17171-17179.	5.2	74

#	ARTICLE	IF	CITATIONS
55	Effect of pH value and preparation temperature on the formation of magnesium phosphate conversion coatings on AZ31 magnesium alloy. <i>Applied Surface Science</i> , 2019, 492, 314-327.	3.1	74
56	Carbon-Encapsulated Co <sub>3</sub> O <sub>4</sub> Nanoparticles as Anode Materials with Super Lithium Storage Performance. <i>Scientific Reports</i> , 2015, 5, 16629.	1.6	73
57	A unique porous architecture built by ultrathin wrinkled NiCoO <sub>2</sub> /rGO/NiCoO <sub>2</sub> sandwich nanosheets for pseudocapacitance and Li ion storage. <i>Journal of Materials Chemistry A</i> , 2016, 4, 10304-10313.	5.2	72
58	Microstructure and wear property of laser cladding Al+SiC powders on AZ91D magnesium alloy. <i>Optics and Lasers in Engineering</i> , 2010, 48, 526-532.	2.0	71
59	High strength and high ductility of electrodeposited nanocrystalline Ni with a broad grain size distribution. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 487, 410-416.	2.6	69
60	An organic chromium-free conversion coating on AZ91D magnesium alloy. <i>Applied Surface Science</i> , 2008, 255, 2322-2328.	3.1	68
61	High Efficient Photo-Fenton Catalyst of $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> /MoS <sub>2</sub> Hierarchical Nanoheterostructures: Reutilization for Supercapacitors. <i>Scientific Reports</i> , 2016, 6, 31591.	1.6	68
62	Controlling growth of ZnO rods by polyvinylpyrrolidone (PVP) and their optical properties. <i>Applied Surface Science</i> , 2009, 255, 6978-6984.	3.1	66
63	Improvement of the Biodegradation Property and Biomineralization Ability of Magnesium-Hydroxyapatite Composites with Dicalcium Phosphate Dihydrate and Hydroxyapatite Coatings. <i>ACS Biomaterials Science and Engineering</i> , 2016, 2, 818-828.	2.6	66
64	High Density Arrayed Ni/NiO Core-shell Nanospheres Evenly Distributed on Graphene for Ultrahigh Performance Supercapacitor. <i>Scientific Reports</i> , 2017, 7, 17709.	1.6	64
65	The performance of surfactant on the surface characteristics of electroless nickel coating on magnesium alloy. <i>Progress in Organic Coatings</i> , 2012, 74, 788-793.	1.9	63
66	Annealing effect on the photoluminescence properties of ZnO nanorod array prepared by a PLD-assistant wet chemical method. <i>Materials Characterization</i> , 2010, 61, 1239-1244.	1.9	62
67	Strain rate sensitivity of face-centered-cubic nanocrystalline materials based on dislocation deformation. <i>Journal of Applied Physics</i> , 2006, 99, 076103.	1.1	61
68	Optical and magnetic properties of Nd-doped ZnO nanoparticles. <i>Crystal Research and Technology</i> , 2012, 47, 713-718.	0.6	61
69	Structural, optical and electrical properties of cerium and gadolinium doped CdO thin films. <i>Applied Surface Science</i> , 2013, 274, 365-370.	3.1	60
70	Enhanced corrosion resistance and biocompatibility of biodegradable magnesium alloy modified by calcium phosphate/collagen coating. <i>Surface and Coatings Technology</i> , 2020, 401, 126318.	2.2	59
71	Investigation of nanocrystalline zinc-nickel alloy coatings in an alkaline zincate bath. <i>Surface and Coatings Technology</i> , 2005, 191, 59-67.	2.2	58
72	In situ prepared reduced graphene oxide/CoO nanowires mutually-supporting porous structure with enhanced lithium storage performance. <i>Electrochimica Acta</i> , 2016, 190, 276-284.	2.6	58

#	ARTICLE	IF	CITATIONS
73	Comparison of corrosion resistance and biocompatibility of magnesium phosphate (MgP), zinc phosphate (ZnP) and calcium phosphate (CaP) conversion coatings on Mg alloy. <i>Surface and Coatings Technology</i> , 2020, 397, 125919.	2.2	57
74	An analytical study of the influence of thermal residual stresses on the elastic and yield behaviors of short fiber-reinforced metal matrix composites. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998, 248, 256-275.	2.6	56
75	Adsorption of CO on Surfaces of 4d and 5d Elements in Group VIII. <i>Journal of Physical Chemistry C</i> , 2007, 111, 1005-1009.	1.5	55
76	Superhydrophilic Cu-doped TiO <sub>2</sub> thin film for solar-driven photocatalysis. <i>Ceramics International</i> , 2014, 40, 5107-5110.	2.3	55
77	Effects of loading strain rate and stacking fault energy on nanoindentation creep behaviors of nanocrystalline Cu, Ni-20 wt.%Fe and Ni. <i>Journal of Alloys and Compounds</i> , 2015, 647, 670-680.	2.8	55
78	An elevated temperature Mg <sup>2+</sup> -Dy <sup>3+</sup> -Zn alloy with long period stacking ordered phase by extrusion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 3609-3614.	2.6	54
79	Structural Selectivity of CO Oxidation on Fe/N/C Catalysts. <i>Journal of Physical Chemistry C</i> , 2012, 116, 17572-17579.	1.5	54
80	Improvement of corrosion resistance of H59 brass through fabricating superhydrophobic surface using laser ablation and heating treatment. <i>Corrosion Science</i> , 2021, 180, 109186.	3.0	54
81	Deformation-induced localized solid-state amorphization in nanocrystalline nickel. <i>Scientific Reports</i> , 2012, 2, 493.	1.6	53
82	Synthesis of amorphous TiO <sub>2</sub> modified ZnO nanorod film with enhanced photocatalytic properties. <i>Applied Surface Science</i> , 2014, 299, 97-104.	3.1	53
83	Potential dependent and structural selectivity of the oxygen reduction reaction on nitrogen-doped carbon nanotubes: a density functional theory study. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 11715.	1.3	52
84	A Ni <sub>1-x</sub> Zn <sub>x</sub> S/Ni foam composite electrode with multi-layers: one-step synthesis and high supercapacitor performance. <i>Journal of Materials Chemistry A</i> , 2016, 4, 12929-12939.	5.2	52
85	Reversible wettability transition between superhydrophilicity and superhydrophobicity through alternate heating-reheating cycle on laser-ablated brass surface. <i>Applied Surface Science</i> , 2019, 492, 349-361.	3.1	52
86	Al-doped ZnO films by pulsed laser deposition at room temperature. <i>Vacuum</i> , 2006, 81, 18-21.	1.6	51
87	High Strength Nanocrystalline Ni-Co Alloy with Enhanced Tensile Ductility. <i>Advanced Engineering Materials</i> , 2006, 8, 252-256.	1.6	51
88	Optical properties and photocatalytic activity of Nd-doped ZnO powders. <i>Transactions of Nonferrous Metals Society of China</i> , 2014, 24, 1434-1439.	1.7	51
89	<i>In situ</i> phosphating of Zn-doped bimetallic skeletons as a versatile electrocatalyst for water splitting. <i>Energy and Environmental Science</i> , 2022, 15, 2425-2434.	15.6	50
90	Influence of preparation methods on photoluminescence properties of ZnO films on quartz glass. <i>Transactions of Nonferrous Metals Society of China</i> , 2008, 18, 145-149.	1.7	49

#	ARTICLE	IF	CITATIONS
91	CuS/MnS composite hexagonal nanosheet clusters: Synthesis and enhanced pseudocapacitive properties. <i>Electrochimica Acta</i> , 2018, 271, 425-432.	2.6	49
92	Boosting the OER/ORR/HER activity of Ru-doped Ni/Co oxides heterostructure. <i>Chemical Engineering Journal</i> , 2022, 439, 135634.	6.6	49
93	Reduced core-shell structured MnCo <sub>2</sub> O <sub>4</sub> @MnO <sub>2</sub> nanosheet arrays with oxygen vacancies grown on Ni foam for enhanced-performance supercapacitors. <i>Journal of Alloys and Compounds</i> , 2020, 846, 156504.	2.8	48
94	Reduced graphene oxide wrapped Fe <sub>3</sub> O <sub>4</sub> @Co <sub>3</sub> O <sub>4</sub> yolk-shell nanostructures for advanced catalytic oxidation based on sulfate radicals. <i>Applied Surface Science</i> , 2017, 396, 945-954.	3.1	47
95	MoS <sub>2</sub> Nanosheet-Polypyrrole Composites Deposited on Reduced Graphene Oxide for Supercapacitor Applications. <i>ACS Applied Nano Materials</i> , 2021, 4, 1330-1339.	2.4	47
96	Preparation and Corrosion Behavior of Calcium Phosphate and Hydroxyapatite Conversion Coatings on AM60 Magnesium Alloy. <i>Journal of the Electrochemical Society</i> , 2013, 160, C536-C541.	1.3	46
97	Structural, optical and electrical properties of Zn <sub>1-x</sub> Cd <sub>x</sub> O thin films prepared by PLD. <i>Applied Surface Science</i> , 2011, 257, 5657-5662.	3.1	45
98	Single-crystalline Ni(OH) <sub>2</sub> nanosheets vertically aligned on a three-dimensional nanoporous metal for high-performance asymmetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2015, 3, 23412-23419.	5.2	45
99	External Electric Field Catalyzed N <sub>2</sub> O Decomposition on Mn-Embedded Graphene. <i>Journal of Physical Chemistry C</i> , 2012, 116, 20342-20348.	1.5	44
100	Ni Foam@Ni <sub>3</sub> S <sub>2</sub> @Ni(OH) <sub>2</sub> @Graphene Sandwich Structure Electrode Materials: Facile Synthesis and High Supercapacitor Performance. <i>Chemistry - A European Journal</i> , 2017, 23, 4128-4136.	1.7	43
101	A Strategy for Synthesis of Nanosheets Consisting of Alternating Spinel Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> and Rutile TiO <sub>2</sub> Lamellas for High-Rate Anodes of Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 4649-4657.	4.0	42
102	A dislocation density approximation for the flow stress-grain size relation of polycrystals. <i>Acta Metallurgica Et Materialia</i> , 1995, 43, 3349-3360.	1.9	41
103	Enhancing the corrosion resistance and surface bioactivity of a calcium-phosphate coating on a biodegradable AZ60 magnesium alloy via a simple fluorine post-treatment method. <i>RSC Advances</i> , 2015, 5, 56001-56010.	1.7	41
104	Forming limit diagram of sheet metal in the negative minor strain region. <i>Materials Science and Engineering</i> , 1987, 86, 137-144.	0.1	40
105	Application of Hill's new yield theory to sheet metal forming-Part I. Hill's 1979 criterion and its application to predicting sheet forming limit. <i>International Journal of Mechanical Sciences</i> , 1989, 31, 237-247.	3.6	40
106	A modified Hall-Petch relationship for nanocrystalline materials. <i>Scripta Materialia</i> , 1993, 2, 415-419.	0.5	40
107	Layered nanostructured Ni with modulated hardness fabricated by surfactant-assistant electrodeposition. <i>Scripta Materialia</i> , 2007, 57, 233-236.	2.6	40
108	Nanostructured Mn <sub>3</sub> O <sub>4</sub> @reduced graphene oxide hybrid and its applications for efficient catalytic decomposition of Orange II and high lithium storage capacity. <i>RSC Advances</i> , 2014, 4, 41838-41847.	1.7	40

#	ARTICLE	IF	CITATIONS
109	Facile Synthesis ZnS/ZnO/Ni(OH) <sub>2</sub> Composites Grown on Ni Foam: A Bifunctional Materials for Photocatalysts and Supercapacitors. Scientific Reports, 2017, 7, 3021.	1.6	40
110	Theoretical Study of C <sub>2</sub> H <sub>2</sub> Adsorbed on Low-Index Cu Surfaces. Journal of Physical Chemistry C, 2007, 111, 18189-18194.	1.5	39
111	One-step synthesis of Ni <sub>3</sub> Sn <sub>2</sub> @reduced graphene oxide composite with enhanced electrochemical lithium storage properties. Electrochimica Acta, 2016, 192, 188-195.	2.6	39
112	The relationship between ductility and material parameters for dual-phase steel. Journal of Materials Science, 1993, 28, 1814-1818.	1.7	38
113	Hydroxyapatite/Titania Composite Coatings on Biodegradable Magnesium Alloy for Enhanced Corrosion Resistance, Cytocompatibility and Antibacterial Properties. Journal of the Electrochemical Society, 2018, 165, C962-C972.	1.3	38
114	A multifunctional polypyrrole/zinc oxide composite coating on biodegradable magnesium alloys for orthopedic implants. Colloids and Surfaces B: Biointerfaces, 2020, 194, 111186.	2.5	38
115	Deposition of electroless Ni-P/Ni-W-P duplex coatings on AZ91D magnesium alloy. Transactions of Nonferrous Metals Society of China, 2008, 18, s323-s328.	1.7	37
116	Enhanced corrosion resistance and biocompatibility of polydopamine/dicalcium phosphate dihydrate/collagen composite coating on magnesium alloy for orthopedic applications. Journal of Alloys and Compounds, 2020, 817, 152782.	2.8	37
117	Multilayer Ni-P Coating for Improving the Corrosion Resistance of AZ91D Magnesium Alloy. Advanced Engineering Materials, 2005, 7, 1032-1036.	1.6	36
118	Electrochemical synthesis and optical properties of ZnO thin film on In <sub>2</sub> O <sub>3</sub> :Sn (ITO)-coated glass. Applied Surface Science, 2007, 253, 7011-7015.	3.1	36
119	Ductile-“brittle”-ductile transition in an electrodeposited 13 nanometer grain sized Ni-8.6wt.% Co alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 459, 75-81.	2.6	36
120	Surface Energy and Electronic Structures of Ag Quasicrystal Clusters. Journal of Physical Chemistry C, 2009, 113, 1168-1170.	1.5	36
121	How to improve the stability and rate performance of lithium-ion batteries with transition metal oxide anodes. Journal of Materials Research, 2017, 32, 16-36.	1.2	36
122	ZnO thin film formation on Si(111) by laser ablation of Zn target in oxygen atmosphere. Journal of Crystal Growth, 2005, 279, 447-453.	0.7	35
123	Microstructure and properties of thin wall by laser cladding forming. Journal of Materials Processing Technology, 2009, 209, 4970-4976.	3.1	35
124	Markedly enhanced coercive field and Congo red adsorption capability of cobalt ferrite induced by the doping of non-magnetic metal ions. Chemical Engineering Journal, 2014, 241, 384-392.	6.6	35
125	Synthesis of YSZ nanocrystalline particles via the nitrate-citrate combustion route using diester phosphate (PE) as dispersant. Materials Letters, 2003, 57, 2792-2797.	1.3	34
126	Superhydrophobic brass surfaces with tunable water adhesion fabricated by laser texturing followed by heat treatment and their anti-corrosion ability. Applied Surface Science, 2022, 575, 151596.	3.1	34



#	ARTICLE	IF	CITATIONS
127	Deformation mechanism transition caused by strain rate in a pulse electric brush-plated nanocrystalline Cu. <i>Journal of Applied Physics</i> , 2008, 104, .	1.1	33
128	Structural, optical and electrical characterization of gadolinium and indium doped cadmium oxide/p-silicon heterojunctions for solar cell applications. <i>RSC Advances</i> , 2014, 4, 52451-52460.	1.7	33
129	Effects of seed layer on the structure and property of zinc oxide thin films electrochemically deposited on ITO-coated glass. <i>Applied Surface Science</i> , 2008, 254, 6605-6610.	3.1	32
130	High corrosion resistance of electroless Ni-P with chromium-free conversion pre-treatments on AZ91D magnesium alloy. <i>Transactions of Nonferrous Metals Society of China</i> , 2011, 21, 921-928.	1.7	32
131	Electromagnetic shielding and corrosion resistance of electroless Ni-P and Ni-P-Cu coatings on polymer/carbon fiber composites. <i>Polymer Composites</i> , 2015, 36, 923-930.	2.3	32
132	A new relationship between the flow stress and the microstructural parameters for dual phase steel. <i>Acta Metallurgica Et Materialia</i> , 1992, 40, 1587-1597.	1.9	31
133	A new analytical model for three-dimensional elastic stress field distribution in short fibre composite. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 366, 381-396.	2.6	31
134	The Optimal Grain Sized Nanocrystalline Ni with High Strength and Good Ductility Fabricated by a Direct Current Electrodeposition. <i>Advanced Engineering Materials</i> , 2008, 10, 539-546.	1.6	31
135	Double-peak ageing behavior of Mg $\epsilon$ -0.5Zn alloy. <i>Journal of Alloys and Compounds</i> , 2011, 509, 8268-8275.	2.8	31
136	Ultrathin Mesoporous NiCo <sub>2</sub> O <sub>4</sub> Nanosheet Networks as High-Performance Anodes for Lithium Storage. <i>ChemPlusChem</i> , 2015, 80, 1725-1731.	1.3	31
137	Thermodynamic analysis on wetting states and wetting state transitions of rough surfaces. <i>Advances in Colloid and Interface Science</i> , 2020, 278, 102136.	7.0	31
138	Necking development and strain to fracture under uniaxial tension. <i>Materials Science and Engineering</i> , 1986, 84, 157-162.	0.1	30
139	Composite Microstructure and Formation Mechanism of Calcium Phosphate Conversion Coating on Magnesium Alloy. <i>Journal of the Electrochemical Society</i> , 2016, 163, G138-G143.	1.3	30
140	Nanoindentation creep behavior and its relation to activation volume and strain rate sensitivity of nanocrystalline Cu. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 751, 35-41.	2.6	30
141	Modeling size and surface effects on ZnS phase selection. <i>Chemical Physics Letters</i> , 2008, 455, 202-206.	1.2	29
142	Influence of sodium metanitrobenzene sulphonate on structures and surface morphologies of phosphate coating on AZ91D. <i>Transactions of Nonferrous Metals Society of China</i> , 2006, 16, 567-571.	1.7	28
143	Strain rate dependence of tensile ductility in an electrodeposited Cu with ultrafine grain size. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 479, 136-141.	2.6	28
144	Cu surfaces with controlled structures: From intrinsically hydrophilic to apparently superhydrophobic. <i>Applied Surface Science</i> , 2014, 290, 320-326.	3.1	28

#	ARTICLE	IF	CITATIONS
145	Enhanced optical absorption and photocatalytic activity of Cu/N-codoped TiO <sub>2</sub> nanocrystals. <i>Materials Science in Semiconductor Processing</i> , 2014, 24, 247-253.	1.9	28
146	Biocompatible DCPD Coating Formed on AZ91D Magnesium Alloy by Chemical Deposition and Its Corrosion Behaviors in SBF. <i>Journal of Bionic Engineering</i> , 2014, 11, 610-619.	2.7	27
147	Enhanced Photocatalytic Performance of Supported Fe Doped ZnO Nanorod Arrays Prepared by Wet Chemical Method. <i>Catalysis Letters</i> , 2014, 144, 347-354.	1.4	26
148	Plastic deformation behavior during unloading in compressive cyclic test of nanocrystalline copper. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 651, 999-1009.	2.6	26
149	Improving the Degradation Resistance and Surface Biomineralization Ability of Calcium Phosphate Coatings on a Biodegradable Magnesium Alloy via a Sol-Gel Spin Coating Method. <i>Journal of the Electrochemical Society</i> , 2018, 165, C155-C161.	1.3	26
150	Enhanced ductility of high-strength electrodeposited nanocrystalline Ni-Co alloy with fine grain size. <i>Journal of Alloys and Compounds</i> , 2010, 504, S439-S442.	2.8	25
151	Plastic flow behavior and its relationship to tensile mechanical properties of high nitrogen nickel-free austenitic stainless steel. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 662, 432-442.	2.6	25
152	Mapping the strain-rate and grain-size dependence of deformation behaviors in nanocrystalline face-centered-cubic Ni and Ni-based alloys. <i>Journal of Alloys and Compounds</i> , 2017, 709, 566-574.	2.8	25
153	Nano-structured films formed on the AISI 329 stainless steel by Nd-YAG pulsed laser irradiation. <i>Applied Surface Science</i> , 2004, 229, 2-8.	3.1	24
154	Re-examination of Casimir limit for phonon traveling in semiconductor nanostructures. <i>Applied Physics Letters</i> , 2008, 92, 113101.	1.5	24
155	Nanocrystalline ZnO films prepared by pulsed laser deposition and their abnormal optical properties. <i>Applied Surface Science</i> , 2013, 283, 781-787.	3.1	24
156	Selected crystallization of water as a function of size. <i>Chemical Physics Letters</i> , 2006, 421, 251-255.	1.2	23
157	The origin of the ultrahigh strength and good ductility in nanotwinned copper. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 4270-4274.	2.6	23
158	Microstructure and Mechanical Properties of an Extruded Mg-2Dy-0.5Zn Alloy. <i>Journal of Materials Science and Technology</i> , 2012, 28, 543-551.	5.6	23
159	Bandgap variation in grain size controlled nanostructured CdO thin films deposited by pulsed-laser method. <i>Journal of Materials Science: Materials in Electronics</i> , 2014, 25, 1003-1012.	1.1	23
160	P-N heterojunction NiO/ZnO electrode with high electrochemical performance for supercapacitor applications. <i>Electrochimica Acta</i> , 2021, 392, 138976.	2.6	23
161	Effect of substrate temperature on structural properties and photocatalytic activity of TiO <sub>2</sub> thin films. <i>Transactions of Nonferrous Metals Society of China</i> , 2007, 17, 772-776.	1.7	22
162	A novel electrodeposited nanostructured Ni coating with grain size gradient distribution. <i>Surface and Coatings Technology</i> , 2008, 203, 142-147.	2.2	22

#	ARTICLE	IF	CITATIONS
163	Experimental and first-principle investigation of Cu-doped ZnO ferromagnetic powders. <i>Crystal Research and Technology</i> , 2011, 46, 1143-1148.	0.6	22
164	Optical properties of Cu-doped ZnO nanoparticles experimental and first-principles theory research. <i>Journal of Materials Science: Materials in Electronics</i> , 2012, 23, 1521-1526.	1.1	22
165	Effect of strain rate on tensile properties of electric brush-plated nanocrystalline copper. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 618, 621-628.	2.6	22
166	Structure and Photocatalysis of TiO <sub>2</sub> /ZnO Double-Layer Film Prepared by Pulsed Laser Deposition. <i>Materials Transactions</i> , 2012, 53, 463-468.	0.4	21
167	Facile synthesis of copper selenide with fluffy intersected-nanosheets decorating nanotubes structure for efficient oxygen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 22983-22990.	3.8	21
168	Rational fabrication of nanosheet-dewy NiMoO <sub>4</sub> /Ni <sub>3</sub> S <sub>2</sub> nanohybrid for efficient hybrid supercapacitor. <i>Journal of Alloys and Compounds</i> , 2019, 783, 399-408.	2.8	21
169	Facile synthesis clusters of sheet-like Ni <sub>3</sub> S <sub>4</sub> /CuS nanohybrids with ultrahigh supercapacitor performance. <i>Journal of Solid State Chemistry</i> , 2020, 282, 121088.	1.4	21
170	Nanostructuring as a route to achieve ultra-strong high- and medium-entropy alloys with high creep resistance. <i>Journal of Alloys and Compounds</i> , 2020, 830, 154656.	2.8	21
171	Ultra-strong and thermally stable nanocrystalline CrCoNi alloy. <i>Journal of Materials Science and Technology</i> , 2022, 106, 1-9.	5.6	21
172	Enhanced tensile ductility in an electrodeposited nanocrystalline copper. <i>Journal of Materials Research</i> , 2008, 23, 2238-2244.	1.2	20
173	Effect of cold rolling on tensile properties and microstructure of high nitrogen alloyed austenitic steel. <i>Materials Science and Technology</i> , 2014, 30, 146-151.	0.8	20
174	Dry sliding wear behavior of extruded Mg-Sn-Yb alloy. <i>Journal of Rare Earths</i> , 2015, 33, 77-85.	2.5	20
175	One-step synthesis of nanostructured Bi <sub>2</sub> O <sub>2</sub> CO <sub>3</sub> @ZnO composites with enhanced photocatalytic performance. <i>CrystEngComm</i> , 2015, 17, 3809-3819.	1.3	20
176	Interface Engineering of CoP <sub>3</sub> /Ni <sub>2</sub> P for Boosting the Wide pH Range Water-Splitting Activity. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 52598-52609.	4.0	20
177	Numerical analysis of superplastic bulging for cavity-sensitive materials. <i>International Journal of Mechanical Sciences</i> , 1987, 29, 565-576.	3.6	19
178	Effects of passivation on the properties of Ni-P alloy coating deposited on CFs reinforced PEEK. <i>Surface and Coatings Technology</i> , 2013, 232, 269-274.	2.2	19
179	Fabrication of Superhydrophobic Calcium Phosphate Coating on Mg-Zn-Ca alloy and Its Corrosion Resistance. <i>Journal of Materials Engineering and Performance</i> , 2017, 26, 6117-6129.	1.2	19
180	Improvements of Corrosion Resistance and Antibacterial Properties of Hydroxyapatite/Cupric Oxide Doped Titania Composite Coatings on Degradable Magnesium Alloys. <i>Langmuir</i> , 2020, 36, 13937-13948.	1.6	19

#	ARTICLE	IF	CITATIONS
181	A polydopamine-based calcium phosphate/graphene oxide composite coating on magnesium alloy to improve corrosion resistance and biocompatibility for biomedical applications. <i>Materialia</i> , 2022, 21, 101315.	1.3	19
182	Stress-strain behavior in initial yield stage of short fiber reinforced metal matrix composite. <i>Composites Science and Technology</i> , 2002, 62, 841-850.	3.8	18
183	Mechanical behavior of an electrodeposited nanostructured Cu with a mixture of nanocrystalline grains and nanoscale growth twins in submicrometer grains. <i>Journal of Applied Physics</i> , 2008, 104, 084305.	1.1	18
184	Multifunctional NaYF <sub>4</sub> :Yb/Er/Gd nanocrystal decorated SiO <sub>2</sub> nanotubes for anti-cancer drug delivery and dual modal imaging. <i>RSC Advances</i> , 2013, 3, 8517.	1.7	18
185	Elastic-plastic stress transfer in short fibre-reinforced metal matrix composites. <i>Composites Science and Technology</i> , 2004, 64, 1661-1670.	3.8	17
186	An analytical model for elastic stress field distribution in fibre composite with partially debonded interface. <i>Composites Science and Technology</i> , 2005, 65, 1176-1194.	3.8	17
187	Synthesis and optical properties of ZnO nanorods on indium tin oxide substrate. <i>Applied Surface Science</i> , 2011, 258, 93-97.	3.1	17
188	Effects of Process Parameters on Microstructure and Hardness of Layers by Laser Cladding. <i>ISIJ International</i> , 2011, 51, 441-447.	0.6	17
189	Electronic Structures and Hydrogen Bond Network of High-Density and Very High-Density Amorphous Ices. <i>Journal of Physical Chemistry B</i> , 2005, 109, 19893-19896.	1.2	16
190	Compressive creep behavior of an electric brush-plated nanocrystalline Cu at room temperature. <i>Journal of Applied Physics</i> , 2009, 106, .	1.1	16
191	High-speed creep process mediated by rapid dislocation absorption in nanocrystalline Cu. <i>Journal of Applied Physics</i> , 2012, 111, 063506.	1.1	16
192	The Synthesis and Electrochemical Behavior of High-Nitrogen Nickel-Free Austenitic Stainless Steel. <i>Journal of Materials Engineering and Performance</i> , 2014, 23, 3957-3962.	1.2	16
193	Deformation behavior of an extruded Mg-Dy-Zn alloy with long period stacking ordered phase. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 622, 52-60.	2.6	16
194	Strain rate dependence of tensile strength and ductility of nano and ultrafine grained coppers. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 712, 341-349.	2.6	16
195	Hierarchical Cu(OH) <sub>2</sub> /Co <sub>2</sub> (OH) <sub>2</sub> CO <sub>3</sub> nanohybrid arrays grown on copper foam for high-performance battery-type supercapacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 11952-11963.	1.1	16
196	Charge Storage by Electrochemical Reaction of Water Bilayers Absorbed on MoS <sub>2</sub> Monolayers. <i>Scientific Reports</i> , 2019, 9, 3980.	1.6	16
197	The microstructure, mechanical properties, corrosion performance and biocompatibility of hydroxyapatite reinforced ZK61 magnesium-matrix biological composite. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021, 123, 104759.	1.5	15
198	Isotropic polycrystal yield surfaces of b.c.c. and f.c.c. metals: crystallographic and continuum mechanics approaches. <i>Acta Metallurgica Et Materialia</i> , 1991, 39, 2285-2294.	1.9	14

#	ARTICLE	IF	CITATIONS
199	Synthesis of nanocrystalline NiO/doped CeO <sub>2</sub> compound powders through combustion of citrate/nitrate gel. <i>Materials Letters</i> , 2004, 58, 1183-1188.	1.3	14
200	Impact dynamics of water droplets on Cu films with three-level hierarchical structures. <i>Journal of Materials Science</i> , 2014, 49, 3379-3390.	1.7	14
201	Cu-doped Ni <sub>3</sub> S <sub>2</sub> nanosheet arrays on Ni foam as an efficient electrocatalyst for oxygen evolution reaction. <i>Journal of Solid State Chemistry</i> , 2021, 293, 121776.	1.4	14
202	Diffuse necking and localized necking under plane stress. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1989, 111, 1-7.	2.6	13
203	Influence of predeformation on microstructure and mechanical properties of 1020 dual phase steel. <i>Materials Science and Technology</i> , 1991, 7, 527-532.	0.8	13
204	A Zinc and Manganese Phosphate Coating on Automobile Iron Castings. <i>ISIJ International</i> , 2005, 45, 1326-1330.	0.6	13
205	Synthesis and photoluminescence of Y and Cd co-doped ZnO nanopowder. <i>Transactions of Nonferrous Metals Society of China</i> , 2013, 23, 2336-2340.	1.7	13
206	Synthesis of polygonal Co <sub>3</sub> Sn <sub>2</sub> nanostructure with enhanced magnetic properties. <i>RSC Advances</i> , 2016, 6, 39818-39822.	1.7	13
207	Reusable Co <sub>x</sub> Ni <sub>1-x</sub> dye adsorbents as supercapacitor electrode materials. <i>Journal of Materials Chemistry A</i> , 2017, 5, 8095-8107.	5.2	13
208	Inigorating the catalytic performance of CoP through interfacial engineering by Ni <sub>2</sub> P precipitation. <i>Journal of Materials Chemistry A</i> , 2019, 7, 26177-26186.	5.2	13
209	Corrosion Resistance and Biocompatibility of Calcium Phosphate Coatings with a Micro-“Nanofibrous Porous Structure on Biodegradable Magnesium Alloys. <i>ACS Applied Bio Materials</i> , 2022, 5, 1528-1537.	2.3	13
210	Preparation of nano-silver iodide powders and their efficiency as ice-nucleating agent in weather modification. <i>Advanced Powder Technology</i> , 2011, 22, 613-616.	2.0	12
211	Superhydrophobic Behavior and Optical Properties of ZnO Film Fabricated by Hydrothermal Method. <i>Journal of Materials Science and Technology</i> , 2012, 28, 103-108.	5.6	12
212	Disordered ZnO nanoparticles with extremely intense deep-level emission and enhanced photocatalytic activity. <i>Applied Surface Science</i> , 2014, 313, 888-895.	3.1	12
213	Nanostructured Co <sub>x</sub> Ni <sub>1-x</sub> bimetallic alloys for high efficient and ultrafast adsorption: experiments and first-principles calculations. <i>RSC Advances</i> , 2016, 6, 9209-9220.	1.7	12
214	Improving the corrosion resistance and biocompatibility of magnesium alloy via composite coatings of calcium phosphate/carbonate induced by silane. <i>Progress in Organic Coatings</i> , 2022, 163, 106653.	1.9	12
215	The irradiation effect of a Nd-“YAG pulsed laser on the CeO <sub>2</sub> target in the liquid. <i>Materials Letters</i> , 2004, 58, 337-341.	1.3	11
216	Size and pressure effects on glass transition temperature of poly (methyl methacrylate) thin films. <i>Thin Solid Films</i> , 2006, 497, 333-337.	0.8	11

#	ARTICLE	IF	CITATIONS
217	Tensile-relaxation behavior of electrodeposited nanocrystalline Ni. <i>Journal of Applied Physics</i> , 2010, 108, 054319.	1.1	11
218	Surface oxidation kinetics of Cr film by Nd-YAG laser. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 391, 210-220.	2.6	10
219	Effect of zinc-phosphate-molybdate conversion precoating on performance of cathode epoxy electrocoat on AZ91D alloy. <i>Surface Engineering</i> , 2007, 23, 56-61.	1.1	10
220	Synthesis and characteristics of large-scale ZnO rods by wet chemical method. <i>Transactions of Nonferrous Metals Society of China</i> , 2008, 18, 1089-1093.	1.7	10
221	Microstructures and mechanical properties of extruded Mg-2Sn-xYb (x=0, 0.1, 0.5At.%) sheets. <i>Journal of Magnesium and Alloys</i> , 2014, 2, 257-264.	5.5	10
222	Grain size dependent microstructure and texture evolution during dynamic deformation of nanocrystalline face-centered cubic materials. <i>Acta Materialia</i> , 2021, 216, 117088.	3.8	10
223	Effects of cold-rolling and subsequent annealing on the nano-mechanical and creep behaviors of CrCoNi medium-entropy alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 839, 142802.	2.6	10
224	Application of Hill's new yield theory to sheet metal forming—Part II. A numerical study of hydrostatic bulging using Hill's 1979 yield criterion. <i>International Journal of Mechanical Sciences</i> , 1989, 31, 249-263.	3.6	9
225	Surface morphology study on chromium oxide growth on Cr films by Nd-YAG laser oxidation process. <i>Applied Surface Science</i> , 2002, 202, 114-119.	3.1	9
226	Cr <sub>2</sub> O <sub>3</sub> Film Formed by Surface Oxidation of Stainless Steel Irradiated by a Nd-YAG Pulsed Laser. <i>ISIJ International</i> , 2005, 45, 730-735.	0.6	9
227	Electronic structures and hydrogen bond network of ambient water and amorphous ices. <i>Chemical Physics Letters</i> , 2007, 437, 45-49.	1.2	9
228	Stable ductility of an electrodeposited nanocrystalline Ni-20wt.%Fe alloy in tensile plastic deformation. <i>Journal of Alloys and Compounds</i> , 2013, 553, 99-105.	2.8	9
229	New insight into modulated up-conversion luminescent silica nanotubes as efficient adsorbents for colored effluents. <i>Dalton Transactions</i> , 2014, 43, 15457-15464.	1.6	9
230	Plastic deformation and fracture behaviour of high-nitrogen nickel-free austenitic stainless steel. <i>Materials Science and Technology</i> , 2017, 33, 1635-1644.	0.8	9
231	Three-Dimensional ZnMn <sub>2</sub> O <sub>4</sub> Nanoparticles/Carbon Cloth Anodes for High-Performance Flexible Lithium-Ion Batteries. <i>ChemistrySelect</i> , 2020, 5, 2372-2378.	0.7	9
232	Unveiling the grain boundary-related effects on the incipient plasticity and dislocation behavior in nanocrystalline CrCoNi medium-entropy alloy. <i>Journal of Materials Science and Technology</i> , 2022, 127, 98-107.	5.6	9
233	Plastic instability and strain to fracture for damaged materials. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1991, 131, 9-15.	2.6	8
234	The deformation and fracture behavior of an electrodeposited nanocrystalline Ni under compression. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 7878-7886.	2.6	8

#	ARTICLE	IF	CITATIONS
235	Stability of indium-tin-oxide and its optical properties: A first-principles study. <i>Journal of Physics and Chemistry of Solids</i> , 2013, 74, 446-451.	1.9	8
236	Solvothermal synthesis of nanocrystalline ZnO with excellent photocatalytic performance. <i>Journal of Materials Science: Materials in Electronics</i> , 2014, 25, 5518-5523.	1.1	8
237	A composite model for superplasticity. <i>Journal of Materials Science</i> , 1995, 30, 1977-1981.	1.7	6
238	Micro processing on Cr films by Nd:YAG pulsed laser oxidation method. <i>Journal of Materials Processing Technology</i> , 2007, 184, 173-176.	3.1	6
239	The grain refinement mechanism of electrodeposited copper. <i>Journal of Materials Research</i> , 2009, 24, 3226-3236.	1.2	6
240	Toward Tandem Photovoltaic Devices Employing Nanoarray Graphene-Based Sheets. <i>Journal of Physical Chemistry C</i> , 2014, 118, 2385-2390.	1.5	6
241	Role of Edge Geometry and Magnetic Interaction in Opening Bandgap of Low-Dimensional Graphene. <i>ChemPhysChem</i> , 2014, 15, 958-965.	1.0	6
242	Glucose-assisted generation of assembled mesoporous ZnO sheets with highly efficient photocatalytic performance. <i>Materials Science in Semiconductor Processing</i> , 2015, 39, 680-685.	1.9	6
243	Nanoindentation creep deformation behaviour of high nitrogen nickel-free austenitic stainless steel. <i>Materials Science and Technology</i> , 2019, 35, 1592-1599.	0.8	6
244	Influence of variation of strain rate sensitivity on limit strain of superplasticity. <i>Scripta Metallurgica</i> , 1987, 21, 331-334.	1.2	5
245	Dual-phase nanocrystalline Ni-Co alloy with high strength and enhanced ductility. <i>Journal of Materials Research</i> , 2010, 25, 401-405.	1.2	5
246	High resolution transmission electron microscopy in situ investigation into the spontaneous coalescence of gold nanoparticles at room temperature. <i>RSC Advances</i> , 2013, 3, 24017.	1.7	5
247	Understanding the microscopic deformation mechanism and macroscopic mechanical behavior of nanocrystalline Ni by the long-term stress relaxation test. <i>International Journal of Modern Physics B</i> , 2014, 28, 1450124.	1.0	5
248	Enhancing the brightness and saturation of noniridescent structural colors by optimizing the grain size. <i>Nanoscale Advances</i> , 2020, 2, 4581-4590.	2.2	5
249	Finite-element numerical analysis of sheet metal under uniaxial tension with a new yield criterion. <i>Journal of Materials Processing Technology</i> , 1992, 31, 245-253.	3.1	4
250	Numerical analysis of the influence of various factors on forming the limit of hydrostatic bulging for ductile materials. <i>Computers and Structures</i> , 1994, 50, 677-684.	2.4	4
251	AN INVESTIGATION OF SMOOTH NANOSIZED COPPER FILMS ON GLASS SUBSTRATE BY IMPROVED ELECTROLESS PLATING. <i>Surface Review and Letters</i> , 2006, 13, 471-478.	0.5	4
252	Glass Transition of Low-Density Amorphous Water and Related Structures. <i>Journal of Physical Chemistry B</i> , 2007, 111, 11177-11180.	1.2	4

#	ARTICLE	IF	CITATIONS
253	Electroless Ni-P deposition on magnesium alloy from a sulfate bath. Journal Wuhan University of Technology, Materials Science Edition, 2008, 23, 60-64.	0.4	4
254	Organic-magnesium complex conversion coating on AZ91D magnesium alloy. Transactions of Nonferrous Metals Society of China, 2010, 20, s643-s647.	1.7	4
255	Micro-twins TiO <sub>2</sub> nanorods grown on seeded ZnO film. Journal of Crystal Growth, 2012, 344, 1-5.	0.7	4
256	Ca-P conversion coating on AZ60 magnesium alloy for biomedical application. Chemical Research in Chinese Universities, 2014, 30, 543-548.	1.3	4
257	Effect of Al Addition on the Microstructure and Mechanical Properties of Al <sub>x</sub> CrCoNi Medium Entropy Alloys Prepared via the Magnetron Co-sputtering. Advanced Engineering Materials, 2022, 24, .	1.6	4
258	ENHANCED TENSILE DUCTILITY IN AN ELECTRODEPOSITED $\text{Cu}$ WITH NANO-SIZED GROWTH TWINS. International Journal of Modern Physics B, 2010, 24, 2537-2542.	1.0	3
259	INFLUENCE OF SURFACTANTS ON THE CORROSION PROPERTIES OF CHROMIUM-FREE ELECTROLESS NICKEL DEPOSIT ON MAGNESIUM ALLOY. Surface Review and Letters, 2012, 19, 1250025.	0.5	3
260	A new method to prepare MgO and base for further electroless nickel deposition on magnesium substrate. International Journal of Surface Science and Engineering, 2013, 7, 97.	0.4	3
261	High resolution transmission electron microscopic in-situ observations of plastic deformation of compressed nanocrystalline gold. Journal of Applied Physics, 2014, 116, 103518.	1.1	3
262	A novel interfacial synthesis of MnO <sub>2</sub> /NiO <sub>2</sub> -reduced graphene oxide hybrid with enhanced pseudocapacitance performance. RSC Advances, 2015, 5, 54138-54147.	1.7	3
263	Dependence of initial stress-strain behavior on matrix plastic inhomogeneity in short fiber-reinforced metal matrix composite. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2004, 369, 93-100.	2.6	2
264	Preparation of Nanocrystalline Cu Films by Brush-Plating. Integrated Ferroelectrics, 2012, 137, 52-60.	0.3	2
265	Revealing the intrinsic dislocation storage capability in nanocrystalline nickel. Materials Letters, 2014, 127, 20-23.	1.3	2
266	Structural and optical properties of nanostructured ZnO thin films deposited on quartz glass. , 2006, , ,		1
267	Enhanced tensile ductility in an electrodeposited nanocrystalline Ni. , 0, , .		1
268	IMPROVED MECHANICAL PROPERTY OF ELECTRODEPOSITED NANOCRYSTALLINE NICKEL-COBALT ALLOY. International Journal of Modern Physics B, 2010, 24, 2285-2290.	1.0	1
269	Dislocation Evolution in Nanograins during Successive Stress Relaxation. Advanced Engineering Materials, 2014, 16, 413-420.	1.6	1
270	Numerical Analysis of the Influence of Various Defects on Superplastic Fracture Under Uniaxial Tension. Studies in Applied Mechanics, 1987, 15, 213-220.	0.4	1